



SHRI GURUDATT SUGARS LTD., Takaliwadi

| ADD.: Gat No. : 61 / A, Akiwat Takaliwadi Road, Takaliwadi Tal.- Shirol Dist - Kolhapur (MH) Pin Code : 416 108
| PHONE : +91 231 2686086 | FAX : +91 231 2686000 | WEBSITE : www.sgsl.co.in | Email : glsugars@gmail.com

SGSL/ 522 /2018-2019

Date – September 04, 2018

To,
The Regional Officer,
Ministry of Environment, Forest & Climate Change,
Regional office (WCZ), Ground Floor, East Wing,
New Secretariat Building, Civil Lines, Nagpur.
Tel No. 0712 – 2531318
Email: moefregionalofficenagpur@gmail.com

Sub: Compliance Report of Environmental Clearance issued by MoEF & CC, New Delhi.

Ref: You're Letter No. J - 11011/41/2015-IA-II (I) Date - 20.03.2017.

Dear Sir,

With reference to the abovementioned subject and your reference cited above. Please find enclosed herewith Compliance Report of Environmental Clearance issued by MoEF & CC, New Delhi vide letter no. J - 11011/41/2015-IA-II (I) Date - 20.03.2017.

We do hope that you will find the above information satisfactory. However, if you require additional information /clarification in this regard, kindly write back, so that we shall submit the information at the earliest.

Thanking You

Yours Faithfully,

FOR, SHRI GURUDATT SUGARS LTD.,

PRESIDENT

Enclosed – Compliance Report

- C.C to: 1. The Regional officer, MPC Board, Kolhapur.
2. The Sub - Regional officer, MPC Board, Kolhapur.

RECEIVED
11/09/2015
REGIONAL OFFICE
M. P. C. BOARD
DDYOG BHAVAN
GR. FLLOOR, BORN COLLECTOR'S
KOLHAPUR-410 003

Shri Gurudatt Sugars Ltd.,
No. 61/A, Akiwat - Takaliwadi Road , Takaliwadi - 416108, Taluka - Shirol, Dist - Kolhapur, Maharashtra

Gat

Compliance of Conditions Stipulated in environmental clearance granted to expansion of Sugar Plant (From 4900 TCD to 6000 TCD) & Co-generation Power Plant (From 15 MW to 21 MW) by MoEF & CC, New Delhi vide letter No. J - 11011/41/2015-IA-II (I) Date - 20.03.2017

EC No -	J - 11011/41/2015-IA-II (I) Date - 20.03.2017	
SR. NO.	EC Condition	Compliances
	A) Specific Condition	
1	Zero liquid Discharge System shall be ensured	We have full fledged disposal method carried out in a scientific manner on land for irrigation in available 50 Acres for crop irrigation.
2	Water requirement to be reduced at extent possible by using latest process methodology being used worldwide.	Ours is the first Sugar factory in Maharashtra, wherein, we run the entire industrial activity with treated and recycled condensates, which is accrued from cane and no fresh water is utilized, for sugar factory operation. We have installed Condensate Polishing Unit (C.P.U) for sugar factory excess condensate water treatment and recycled purpose. Annexure 1
3	Fly ash be generated shall be sent to nearby cement industry.	The measurity of fly ash is utilizeae of our press mud composting yard the remaining of the small quantity is we have sold ash to brick manufactures and farmers.
4	Green belt (10 m wide) of perenneal plant species like Neem, Seasam, Teak etc. to be developed around the plant periphery ensuring the 33% area of the plant as green area. The forest department may be consulted in this regard.	We have already planted 3356 Nos of tree as site. And 1000 Nos tree plantation work is going on.
5	Air emisiond from all point source to be controlled by latest technology instrument. The emissions shall conform to the limets imposed by Maharashtra Pollution Control Board (MPCB)	We have alredy installed air pollution control equipment as per consent stipulation.The efficency futher increase bagasse drying mechanisum was installed.
6	Periodic soil and water sampling in nearby villages and water bodies to be done by the project authorities through 3rd part expert and report shall be submitted to the concerned Regional office of the Ministry.	The soil and water sampling in nearby villages carried out periodically. The report are enclosed as Annexure 2

7	RO plant of sufficient capacity to be installed in the nearby villages to ensure safe drinking water supply. Maintenance of the RO plant will be owned by the project authorities.	The RO plant installed for drinking water purpose and benefits all nearby villages.
8	Health check up camps to be organized periodically in nearby villages.	The health check up camps carried out periodically.
9	A regular environmental manager having PG qualification in environmental sciences / environmental engineering to be appointed for looking after the environmental management practices in the plant.	We have already recruited Environmental Engineer having PG Qualification with full fledged division of Environmental Management, wherein, all our Environmental management Plants are monitored on daily basis, along with requisite analysis carried out in our laboratory by trained chemists.
10	Automatic/ online monitoring system (24*7 monitoring devices) for flow measurement and relevant pollutants in the treatment system to be installed. The data to be made available to the respective SPCB and in the Company's website.	We have already installed and completed the connectivity to CPCB / MPCB server of online monitoring system of ETP outlet water parameter (Flow, PH, TSS, COD & BOD) & Boiler stack (SPM / TPM) . The continuous monitoring results of ETP outlet water parameter & boiler stack emission depict that we are achieving norms stipulated by MPCB on a continuous time basis. The photo of instrument is attached as Annexure 3 .
B) General Conditions:		
1	The project authorities must strictly adhere to the stipulations made by the Maharashtra Pollution Control Board, State Government and any other statutory authority.	PA agreed to comply with
2	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change. In case of deviations or alteration in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	PA agreed to comply with

3	The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one station is installed in the upwind and downwind direction as well as where maximum ground level concentration are anticipated.	Complied. Ambient air quality monitoring is being carried out at three (03) location within the plant. PA submitted that the locations were decided in consultation with MPCB. As per the monitoring data, the ambient air quality levels found to be within prescribed limits.
4	The National ambient air quality emission standards issued by the ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be followed.	Complied. Acoustic enclosures have been provided. Green belt has been developed around the plant area. As per the monitoring data, the noise levels found to be within stipulated limits. The copy is enclosed as Annexure 4 .
5	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time)	Complied. Roof top harvesting has been provided for the sugar godowns. Two collection pits of capacities 2100 cu.m. and 1600 cu.m. have been provided for the storage of rain water.
6	The company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground and use the same water for the process activities of the project to conserve fresh water.	Raw material and finished product are solids. Major spillage of materials is not envisaged.
7	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examination for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.	Complied. Personnel protective equipment has been provided to workers. The report are enclosed as Annexure 5 .
8	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management and risk mitigation measures relating to the project shall be implemented.	Wet scrubber with a stack of height 65 m has been provided. Effluent treatment plant has been provided. Treated effluent is used in the seed farms of the industry also supplied to the agriculture fields of farmers of nearby villages upon prior request from farmers. Green belt has been provided. Environmental quality monitoring is being carried out. CSR works are being undertaken. Vermi composting is being carried out with the waste generated in the cane yard. Compost is being supplied to the farmers.
9	The company shall undertake all relevant measures for improving the socioeconomic conditions of the surrounding area. CSR activities shall be undertaken by involving local villages and administration.	Compiled.

10	The company shall undertake eco-development measures including community welfare measures in the project area for the overall improvement of the environment.	Being complied. As per the details provided, PA distributed 500nos trees to farmers of nearby villagers under eco-development measures.
11	A separate Environmental Management Cell equipped with full fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	Complied. Environmental management cell has been established.
12	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and climate change as well as the State Government along with the implementation schedule for all the condition stipulated herein. The funds so earmarked for environment management / pollution control measures shall not be diverted for any other purpose.	Complied. As per the details provided, PA earmarked an amount of 13.5 cores towards capital expenditure and Rs. 3.48 cores towards recurring expenditure for environmental protection measures.
13	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad / Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestion / representations, if any, were received while processing the proposal.	Copy of the environmental clearance submitted to Zilla Parishad, Kolhapur and Gram Panchayat, Takaliwadi on 27.03.2017, The copy is enclosed as Annexure 6 .
14	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including result of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF & CC, the respective Zonal office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	Complied. However same has been uploaded to the company website.
15	The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF & CC by e-mail.	Complied. Environment statement for the FY 2016-17 submitted to MPCB vide letter dated 04.04.2017, however the same was uploaded to the company website.

16	<p>The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB / Committee and may also be seen at Website of the Ministry at http://moef.nic.in. This shall be advertised within seven days from the date of issue of the clearance letter, atleast in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.</p>	<p>Advertisement regarding to grant of EC was made on 31.03.2017. The copy is enclosed as Annexure 7.</p>
17	<p>The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.</p>	<p>PA agreed to comply with.</p>
18	<p>The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.</p>	<p>PA agreed to comply with.</p>
19	<p>The Ministry reserves the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.</p>	<p>PA agreed to comply with.</p>
20	<p>The above conditions will be enforced, inter alia under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules, 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules.</p>	<p>PA agreed to comply with.</p>

Shri Gurudatt Sugars Ltd., Takaliwadi

ANNEXURE - 1

- 1) The increase in capacity of Sugarcane crushing from 4900 TCD to 6000 TCD is not an expansion in true sense and this is TO CATER FOR REQUIREMENT TO INCREASE CRUSHING BY 10-15% DUE TO CANE HARVESTING REQUIRED TO BE CARRIED OUT AS PER MATURITY, as otherwise there is sugar loss.
 - A) Modernization, without increasing either resource consumption or pollutional load is a constant endeavor and as a result, with Technological Advances carried out, we are able to ensure '**NO POLLUTIONAL LOAD INCREASE**' in terms of volume or concentration of effluents, both water and air due to the abovementioned measures. This is clearly depicted in Annexure I and II attached herewith. THAT THERE IS NO CHANGE IN ANY MACHINERY CAPACITY AND THE CAPACITY INCREASE IS ACHIEVED THROUGH THE TECHNOLOGY CHANGES MENTIONED ABOVE.
 - B) DUE TO MEASURES TAKEN FOR CONSERVATION OF RESOURCES, NO INCREASE IN WATER OR FUEL CONSUMPTION IS WARRANTED, THEREBY ACHIEVING ZERO DISCHARGE TECHNICALLY FOR THE EXPANSION MODE.

The salient points of our efforts in above direction are:

- i) Ours is the **first Sugar factory in Maharashtra**, wherein, we run the entire industrial activity with treated and recycled condensates, which is accrued from cane and **no fresh water is utilized**, for sugar factory operation. As given in Annexure I, the same condition prevails for additional capacity as well, wherein, we are not required to consume any raw water, and therefore, there is no effluent generation from the same.
- ii) We also have installed Bagasse drying mechanism, with waste heat from flue gas, thus minimizing consumption of Bagasse for combustion, thereby effectively reducing the emissions at source itself. We have also taken various measures as given in Annexure II, which depict the sembalance of fuel consumption and therefore there is no air emission increase in this respect.
- 2) We have provided a full fledged Effluent Treatment Plant and operating the same with due vigil. Analysis of the treatment efficiency is a routine and corrective measures are taken immediately.
- 3) We have taken care that no untreated/ treated effluent from factory enters any water course and all the treated effluent is utilized on our own Land for Cane seed Plantation Irrigation, employing scientific practices.
- 4) We have a full fledged division of Environmental Management, wherein, all our Environmental management Plants are monitored on daily basis, along with requisite analysis carried out in our laboratory by trained chemists. We also have installed 'Online Monitoring Systems for Water and Air Pollution Control System monitoring, as per stipulations in this regard.

The above measures have resulted in waste generation minimization, and it implies that there is 'zero increase in pollutional load', due to the measures taken above.

ANNEXURE I

WATER BUDGET FOR EXISTING AND PROPOSED CAPACITY AFTER MODERNISATION AT SHRI GURUDATT SUGARS LTD


EXISTING 4900 TCD,15 MW					ADDITIONAL 1100 TCD,6 MW				
PURPOSE	INPUT	Purpose	LOSSES	EFFLUENT	PURPOSE	INPUT	Purpose	LOSSES	EFFLUENT
	Cum/d		Cum/d	Cum/d		Cum/d		Cum/d	Cum/d
Water in Cane	3430	Bagasse	686		Water in Cane	770	Bagasse	154	
Imbibition	1470	Mollasses	98		Imbibition	330	Mollasses	22	
Washings	470	Press mud	98	470	Washings (No New Machine)	0	Pressmud	22	0
		(Evaporation & Cooling Loss)	500				Evaporation & Cooling Loss)	100	
Total	5370		1382	470	Total	1100		298	
Condensate	3518	Imbibition	1470		Condensate	798	Imbibition	330	
		Other use	686				Other use	154	
		Washing	470				Washing	0	
Total Internal Use			2626		Total Internal Use			484	

Excess Condensate			892		Excess Condensate			314	
Treated Condensate		Utilization	Cum/d						
		Co-Gen Make-up	450				Co-Gen Make-up	0 (As Back Pressure Turbine added does not require cooling Tower)	
		Cooling Circuit Make up	120				Cooling Circuit Make up	24	
		Excess to Other Applications	322				Excess to Other Applications	296	

ANNEXURE II-EFFICIENCY INCREASE IN CO-GENERATION DUE TO IMPROVED TECHNOLOGY

PARAMETER	EARLIER CONDITION	IMPROVEMENT	IMPACT ON % EFFICIENCY INCREASE
BOILER TPH	70+40	70+40	Nil , Since No Change
Max.Working Steam Consumption	85	104	
Bagasse Consumption	36.95	36.49	Nil , Since No Change
I) STEAM TEMPERATURE INCREASE DUE TO SUPERHEATER MODIFICATION			
A)Steam temperature (⁰ C)	420	500	Positive, as Power Generation Shall Improve For The Same Steam Quantity
B) Enthalpy	777.15	821.79	5.7%
II) BAGASSE MOISTURE REDUCTION DUE TO IMPROVED MILL SETTING			
A) Bagasse Moisture	50	47	
B) Enthalpy	2273.84	2411.84	6.1%
III) BAGASSE DRYING MECHANISM BASED ON FLUE GAS			
A) Bagasse Moisture	47	40	
B) Enthalpy	2411.84	2691.80	11.6%
	TOTAL INCREASE IN EFFICIENCY		23.4%

Condensate Polishing Unit



Recognised by Ministry of Environment, Forest & Climate Change (MoEF) Govt. of India and ISO 9001 : 2008, ISO 14001: 2004 and OHSAS 18001 : 2007 Certified company.

GESEC

TEST CERTIFICATE

Report No: GESEC /PRO/2017-18/10/113	Date of Report	09/10/2017
Client Name and Address: : M/s. Shree Gurudatta Sugars Ltd. At/post – Takaliwadi, Tal- Shirol, Dist – Kolhapur, Maharashtra.	Date of Sampling	02/10/2017
	Start Date of Analysis	03/10/2017
	End Date of Analysis	09/10/2017
	Sample Details	Ground Water Sample (Takaliwadi).
	Nature of sample	Liquid
Sample Collected By	GESEC	

WATER ANALYSIS REPORT

Sr. No.	Parameter	Result	Unit(s)	Standard Method
01	pH	7.1	-	IS – 3025(Part 11)-1983 R–2012
02	B.O.D. -3 DAYS -27° C	8.2	mg/lit of O ₂	IS – 3025(Part 44)-1993 R–2009
03	C.O.D.	32.0	mg/lit	IS – 3025(Part 58)-2006 R–2012
04	Total Suspended Solids	18.0	mg/lit	IS – 3025(Part 17)-1984 R–2012
05	Chlorides As Cl	188	mg/lit	IS – 3025 (Part 32)
06	SulphatesAs SO ₄	152	mg/lit	IS – 3025(Part 24)-1986 R–2012
07	Total Dissolved Solids	268	mg/lit	IS – 3025(Part 16)
08	Alkalinity as CaCO ₃	62	mg/lit	IS – 3025 (Part 51)
09	Total Hardness	160	mg/lit	IS – 3025 (Part 21)
10	Turbidity	< 0.5	NTU	IS – 3025 (Part 10)
11	Magnesium as Mg	18.4	mg/lit	IS – 3025 (Part 46)
12	Nitrates As NO ₃	0.98	mg/lit	IS – 3025 (Part 10)
13	Calcium as Ca	66	mg/lit	IS – 3025 (Part 40)
14	Dissolved Oxygen	4.6	mg/lit	IS – 3025 (Part 38)-1989
15	Phosphates As PO ₄	< 0.1	mg/lit	IS – 3025 (Part 31)

ANALYZED BY-

AUTHORIZED SIGNATORY


Terms and conditions

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not reveal to third party unless required by the statutory or legal requirement
- MoEF approved Lab by Govt. of India. From date. 09/02/2017 to 08/02/2022.

Recognised by Ministry of Environment, Forest & Climate Change (MoEF) Govt. of India and ISO 9001 : 2008, ISO 14001: 2004 and OHSAS 18001 : 2007 Certified company.

GESEC

TEST CERTIFICATE

Report No: GESEC /PRO/2017-18/10/112	Date of Report	09/10/2017
Client Name and Address: : M/s. Shree Gurudatta Sugars Ltd. At/post – Takaliwadi, Tal- Shirol, Dist – Kolhapur, Maharashtra.	Date of Sampling	02/10/2017
	Start Date of Analysis	03/10/2017
	End Date of Analysis	09/10/2017
	Sample Details	(Takaliwadi).
	Nature of sample	Solid
Sample Collected By	GESEC	

SOIL ANALYSIS REPORT

Sr. No.	Parameter	Result	Unit(s)	Standard Method
01	pH (10 % Extract)	7.4	-	APHA
02	Loss On Drying	21.2	%	APHA
03	Loss On Ignition	34.6	%	APHA
04	Ammonia	Absent	mg/kg	APHA
05	Nitrogen	168	mg/kg	APHA
06	Phosphate	Absent	mg/kg	APHA
07	Cobalt	88	mg/kg	AAS
08	Nickel	23	mg/kg	AAS
09	Chloride	226	mg/kg	APHA
10	Sulphate	Absent	mg/kg	APHA
11	Cadmium	2.4	mg/kg	AAS
12	Chromium	40	mg/kg	AAS
13	Copper	76	mg/kg	AAS
14	Zinc	48	mg/kg	AAS

Remark: All results are on dry basis.

ANALYZED BY-



AUTHORIZED SIGNATORY



Terms and conditions

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not reveal to third party unless required by the statutory or legal requirement
- MoEF approved Lab by Govt. of India. From date. 09/02/2017 to 08/02/2022.

WTR-F-001

CERTIFICATE OF ANALYSIS

Report Ref. No. : PAPL/SECK-1316/03-18
Name of Industry : M/s. Shree Gurudatta Sugars Ltd.
 At/post – Takaliwadi, Tal- Shirol,
 Dist – Kolhapur, Maharashtra.
Nature of Sample : Ground Water Sample (Bedkyali).
Sample Quantity : 2000ml
Sample Collected by : M/s. SHRUSTI ENVIROCARE

Date of Collection: 01/03/2018

Date of Receiving: 02/03/2018

Sr. No	Test Parameters	Result	Unit	Test Method
01	pH	7.4	-	IS-3025 (Part 11)-1983 R-2012
02	Odour	Agreeable	-	IS – 3025 (Part 05) -1983 R-2012
03	Colour	< 5	Hazen	IS – 3025 (Part 04)-1983 R-2012
04	Turbidity	4.4	NTU	IS – 3025 (Part 10)-1984
05	Electrical Conductivity	416	µmhos/cm	IS-3025 (Part 14)-1984 R-2003
06	Total Dissolved Solids	249	mg/lit	IS – 3025(Part 16)-1984 R-2006
07	C.O.D.	36	mg/lit	IS-3025 (Part 58)-2006 R-2012
08	B.O.D. -3 DAYS -27° C	13	mg/lit of O ₂	IS-3025 (Part 44)-1993 R-2009
09	Alkalinity as CaCO ₃	73	mg/lit	IS – 3025 (Part 23)-1986 R-2003
10	Calcium as Ca	43	mg/lit	IS – 3025 (Part 40)-1991 R-2009
11	Magnesium as Mg	17	mg/lit	IS – 3025 (Part 46)-1994
12	Total Hardness	178	mg/lit	IS – 3025 (Part 21)-1983 R-2009
13	Chlorides As Cl	36	mg/lit	IS – 3025(Part 32)-1988 R-2007
14	Sulphates As SO ₄	72	mg/lit	IS – 3025(Part 24)-1986 R-2012
15	Sodium As Na	09	mg/lit	IS – 3025 (Part 45)-1993 R2003
16	Fluoride as F	<0.1	mg/lit	IS – 3025 (Part 60)-2008
17	Iron as Fe	0.14	mg/lit	IS – 3025(Part 53)-2003 R-2009

Calibration Details

Sr. No.	Equipment / Instrument	Last Calibration Date	Calibration valid up to	Certificate No.
01	pH Meter	Daily	Daily	-----
02	Water bath	09/06/2017	08/06/2018	AVI 171806066
03	Hot Air Oven. Model No. 103	09/06/2017	08/06/2018	AVI 171806068
04	COD Digestion Apparatus Model - 2015M	17/11/2017	16/11/2018	SIPL/TEMP/2015M/ SE 077
05	BOD Incubator –HBOD – 06	09/11/2017	08/11/2018	HI-101
06	Weighing balance(make Shimadzu)	11/01/2018	10/07/2018	STS/CAL/17-18/1024

Remarks :-

MoEF Notification S.O. 1174(E) Sr. No. 49 dated 1st May 2014 & valid upto 30/04/2019

ISO 9001:2008, Certificate No.11589/04/AN is valid upto 15/09/2018

OHSAS 18001:2007, Certificate No. OHS-1805 is valid upto 22/08/2019

Report Date: 08/03/2018

Analysed by:

For Padmaja Aerobiologicals Pvt Ltd.

AIR-F-005

CERTIFICATE OF ANALYSIS
ANALYSIS REPORT FOR STACK EMISSION

Report Ref. No.	PAPL/SECK-1312/03-18	
Date of Report	06/03/2018	
Name of the Industry	M/s. Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shiroli, Dist-Kolhapur, Pin- 416108.	
Sample Collected By	M/s. SHRUSTI ENVIROCARE	
Date of Sampling	01/03/2018	Time of sampling : Day Time

PARTICULARS OF STACK

Stack Attached to	Boiler 1 & 2 (Capacity-70 MT/Hr & 40 MT/Hr)		
Stack Diameter (Meter)	3.43		
Stack Height (Meter)	65		
Stack Temperature(°C)	130		
Stack Velocity of Flue Gas (m/s)	9.8		
Stack Volume of Flue Gases (Nm ³ /Hr.)	241718		
Type of Fuel Used	Baggase (55 MT/Hr)		

Pollution Parameters

Parameters	Result	Units.	Method Used
Total Particulate Matter	72	Mg/ Nm ³	EPA- Method – 17
SO ₂ Conc.	ND	Kg /Hr.	IS – 11255 (Part 2) 1985, Reaffirmed -2009

Calibrations details :-

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM-SMK 10B, Sr. No.7614	PICS/F/SMK/06-17/01	09/06/2017	08/06/2018
2	Weighing balance(make Shimadzu)	STS/CAL/17-18/1024	11/01/2018	10/07/2018

Remark: As per 16th Nov. 2009 Gazette

MoEF Notification S.O. 1174(E) Sr. No. 49 dated 1st May 2014 & valid upto 30/04/2019

ISO 9001:2008,Certificate No.11589/04/AN is valid up to 15/09/2018

OHSAS 18001:2007, Certificate No. OHS-1805 is valid upto 22/08/2019

Analyzed by

For Padmaja Aerobiologicals Pvt. Ltd.



PAPL

PADMAJA AEROBIOLOGICALS PVT. LTD.

Public Testing Laboratory FDA Maharashtra Approved
Recognised by Ministry of Environment & Forest (MoEF)

Period - 01-05-2014 to 30-04-2019

ISO 9001 : 2008, OHSAS 18001:2007 CERTIFIED

CIN : U73100MH1995PTC092502

NABL Accreditation Certificate No. T-3221 & T-3222

Valid upto 07.12.2018.

WTR-F-001

CERTIFICATE OF ANALYSIS

Report Ref. No. : PAPL/SK-744/11-17

Name of Industry : M/s. Shree Gurudatta Sugars Ltd.

At/post – Takaliwadi, Tal- Shirol, Dist – Kolhapur, Maharashtra.

Nature of Sample : Ground Water Sample (Bedkyali).

Sample Quantity : 2000ml **Date of Collection:** 17/11/2017

Sr. No	Test Parameters	Result	Unit	Test Method
01	pH	7.4	-	IS-3025 (Part 11)-1983 R-2006
02	Odour	Agreeable	-	IS - 3025 (Part 16)-1984 R-2012
03	Colour	< 5	Hazen	IS - 3025 (Part 04)
04	Turbidity	3.1	NTU	IS - 3025 (Part 10)
05	Electric Conductivity	270.7	$\mu\text{mhos}/\text{cm}$	IS-3025 (Part 14)
06	Total Dissolved Solids	176	mg/lit	IS - 3025(Part 16)-1984 R-2012
07	C.O.D.	28.0	mg/lit	IS-3025 (Part 58)-2006
08	B.O.D. -3 DAYS -27° C	7.8	mg/lit of O ₂	IS-3025 (Part 44)-1993 R-2003
09	Alkalinity as CaCO ₃	56	mg/lit	IS - 3025 (Part 51)
10	Calcium as Ca	60	mg/lit	IS - 3025 (Part 40)
11	Magnesium as Mg	20.2	mg/lit	IS - 3025 (Part 46)
12	Total Hardness	166	mg/lit	IS - 3025 (Part 21)
13	Chlorides As Cl	34	mg/lit	IS - 3025(Part 32)-1988 R-2003
14	Sulphates As SO ₄	56	mg/lit	IS - 3025(Part 24)-1986 R-2012
15	Sodium As Na	18	mg/lit	IS - 3025 (Part 45)
16	Fluoride as F	<0.1	mg/lit	IS - 3025 (Part 60)
17	Iron as Fe	0.18	mg/lit	IS - 3025 (Part 53)

Sample Collected by : M/s SHRUSTI ENVIROCARE

Date of Receiving: 18/11/2017

Calibration Details

Sr. No.	Equipment / Instrument	Last Calibration Date	Calibration valid up to	Certificate No.
01	pH Meter	Daily	Daily	-----
02	Water bath	09/06/2017	08/06/2018	AVI 171806066
03	Hot Air Oven. Model No. 103	09/06/2017	08/06/2018	AVI 171806068
04	COD Digestion Apparatus Model - 2015M	17/11/2017	16/11/2018	SIPL/TEMP/2015M/SE 077
05	BOD Incubator -HBOD - 06	09/11/2017	08/11/2018	HI-101
06	Weighing balance(make Shimadzu)	03/10/2017	11/01/2018	STS/CAL/17-18/364

Remarks :-

MoEF Notification S.O. 1174(E) Sr. No. 49 dated 1st May 2014 & valid upto 30/04/2019

ISO 9001:2008, Certificate No.11589/04/AN is valid upto 15/09/2018

OHSAS 18001:2007, Certificate No. OHS-1805 is valid upto 22/08/2019

Report Date: 23/11/2017

Akamthe
Analysed by:

For Padmaja Aerobiologics Pvt. Ltd.

WTR-F-001

CERTIFICATE OF ANALYSIS

Report Ref. No. : PAPL/SECK-1317/03-18

Name of Industry : M/s. Shree Gurudatta Sugars Ltd.
At/post – Takaliwadi, Tal- Shirol,
Dist – Kolhapur, Maharashtra.

Nature of Sample : Soil Sample (Near ETP).

Sample Quantity : 2000 gm.

Sample Collected by : M/s. SHRUSTI ENVIROCARE

Date of Collection: 01/03/2018

Date of Receiving: 02/03/2018

Sr. No	Test Parameters	Result	Unit
01	pH (10 % Extract)	7.6	-
02	Ammonia	<0.25	mg/kg
03	Total Kjeldahl Nitrogen	168	mg/kg
04	Phosphate as PO ₄	0.5	mg/kg
05	Nickel as Ni	28	mg/kg
06	Chloride as Cl	242	mg/kg
07	Sulphate as SO ₄	0.25	mg/kg
08	Cadmium as Cd	1.3	mg/kg
09	Chromium as Cr	41	mg/kg
10	Copper as Cu	86	mg/kg
11	Zinc as Zn	53	mg/kg

Remarks :-

MoEF Notification S.O. 1174(E) Sr. No. 49 dated 1st May 2014 & valid upto 30/04/2019

ISO 9001:2008, Certificate No.11589/04/AN is valid upto 15/09/2018

OHSAS 18001:2007, Certificate No. OHS-1805 is valid upto 22/08/2019

Report Date: 08/03/2018

Analysed by:

For Padmaja Aerobiologicals Pvt Ltd.

WTR-F-001

CERTIFICATE OF ANALYSIS

Report Ref. No. : PAPL/SK-1142/01-18

Name of Industry : M/s. Shree Gurudatta Sugars Ltd.
At/post – Takaliwadi, Tal- Shirol,
Dist – Kolhapur, Maharashtra.
Nature of Sample : Soil Sample (Near ETP).
Sample Quantity : 2000 gm.
Sample Collected by : M/s SHRUSTI ENVIROCARE

Date of Collection: 27/01/2018
Date of Receiving: 28/01/2018

Sr. No	Test Parameters	Result	Unit
01	pH (10 % Extract)	7.6	-
02	Ammonia	812	mg/kg
03	Nitrogen	168	mg/kg
04	Phosphorus	Absent	mg/kg
05	Nickel	28	mg/kg
06	Chloride	247	mg/kg
07	Sulphate	580	mg/kg
08	Cadmium	1.7	mg/kg
09	Chromium	48	mg/kg
10	Copper	90	mg/kg
11	Zinc	57	mg/kg

Remarks :-

MoEF Notification S.O. 1174(E) Sr. No. 49 dated 1st May 2014 & valid upto 30/04/2019

ISO 9001:2008, Certificate No.11589/04/AN is valid upto 15/09/2018

OHSAS 18001:2007, Certificate No. OHS-1805 is valid upto 22/08/2019

Report Date: 03/02/2018

Analysed by:



For Padmaja Aerobiologicals Pvt Ltd.

WTR-F-001

CERTIFICATE OF ANALYSIS

Report Ref. No.: PAPL/SK-1141/01-18
 Name of Industry : M/s. Shree Gurudatta Sugars Ltd.
 At/post – Takaliwadi, Tal- Shirol,
 Dist – Kolhapur, Maharashtra.
 Nature of Sample : Ground Water Sample (Bedkyali).
 Sample Quantity : 2000ml
 Sample Collected by : M/s SHRUSTI ENVIROCARE

Date of Collection: 27/01/2018
 Date of Receiving: 28/01/2018

Sr. No	Test Parameters	Result	Unit	Test Method
01	pH	7.4	-	IS-3025 (Part 11)-1983 R-2012
02	Odour	Agreeable	-	IS – 3025 (Part 05) -1983 R-2012
03	Colour	< 5	Hazen	IS – 3025 (Part 04)-1983 R-2012
04	Turbidity	4.1	NTU	IS – 3025 (Part 10)-1984
05	Electrical Conductivity	413	µmhos/cm	IS-3025 (Part 14)-1984 R-2003
06	Total Dissolved Solids	270	mg/lit	IS – 3025(Part 16)-1984 R-2006
07	C.O.D.	28	mg/lit	IS-3025 (Part 58)-2006 R-2012
08	B.O.D. -3 DAYS -27° C	6	mg/lit of O ₂	IS-3025 (Part 44)-1993 R-2009
09	Alkalinity as CaCo ₃	80	mg/lit	IS – 3025 (Part 23)-1986 R-2003
10	Calcium as Ca	40	mg/lit	IS – 3025 (Part 40)-1991 R-2009
11	Magnesium as Mg	12	mg/lit	IS – 3025 (Part 46)
12	Total Hardness	150	mg/lit	IS – 3025 (Part 21)-1983 R-2009
13	Chlorides as Cl	48	mg/lit	IS – 3025(Part 32)-1988 R-2007
14	Sulphates as SO ₄	82	mg/lit	IS – 3025(Part 24)-1986 R-2012
15	Sodium as Na	10	mg/lit	IS – 3025 (Part 45)-1993 R2003
16	Fluoride as F	<0.1	mg/lit	IS – 3025 (Part 60)-2008
17	Iron as Fe	0.2	mg/lit	IS – 3025(Part 53)-2003R-2009

Calibration Details

Sr. No.	Equipment / Instrument	Last Calibration Date	Calibration valid up to	Certificate No.
01	pH Meter	Daily	Daily	-----
02	Water bath	09/06/2017	08/06/2018	AVI 171806065
03	Hot Air Oven. Model No. 103	09/06/2017	08/06/2018	AVI 171806068
04	COD Digestion Apparatus Model - 2015M	17/11/2017	16/11/2018	SIPL/TEMP/2015M/ SE 077
05	BOD Incubator -HBOD - 06	09/11/2017	08/11/2018	HI-101
06	Weighing balance(make Shimadzu)	11/01/2018	10/07/2018	STS/CAL/17-18/1024

Remarks :-

MoEF Notification S.O. 1174(E) Sr. No. 49 dated 1st May 2014 & valid upto 30/04/2019

ISO 9001:2008, Certificate No.11589/04/AN is valid upto 15/09/2018

OHSAS 18001:2007, Certificate No. OHS-1805 is valid upto 22/08/2019

Report Date: 03/02/2018

Analysed by:

For Padmaja Aerobiologicals Pvt Ltd.

WTR-F-001

CERTIFICATE OF ANALYSIS

Report Ref. No : PAPL/SECK-1315/03-18
Name of Industry : M/s. Shree Gurudatta Sugars Ltd., Takaliwadi
 Gat No.61/A, Akiwat Takaliwadi Road,
 Takaliwadi, Tal-Shiroli,
 Dist –Kolhapur, Pin- 416108.
Nature of Sample : Treated Effluent sample of E.T.P.
Sample Quantity : 2000ml
Sample Collected by : M/s. SHRUSTI ENVIROCARE

Date of Collection: 01/03/2018
Date of Receiving: 02/03/2018

Sr. No	Test Parameters	Result	MPCB limit	Unit	Test Method
01	pH	7.5	5.5 – 9.0	-	IS-3025 (Part 11)-1983 R-2012
02	Suspended Solid	43	< 100	mg/lit	IS-3025 (Part 17)-1984 R-2012
03	C.O.D.	188	< 250	mg/lit	IS-3025 (Part 58)-2006 R-2012
04	B.O.D. -3 DAYS -27° C	60	< 100	mg/lit of O ₂	IS-3025 (Part 44)-1993 R-2009
05	Oil & Grease	< 4	< 10	mg/lit	IS-3025 (Part 39)-1991 R-2009
06	Total Dissolved Solids	1870	< 2100	mg/lit	IS – 3025(Part 16)-1984 R-2006
07	Chlorides	396	< 600	mg/lit	IS – 3025(Part 32)-1988 R-2006
08	Sulphates	562	< 1000	mg/lit	IS – 3025(Part 24)-1986 R-2012
09	Dissolved Oxygen	3.2	----	mg/lit	IS – 3025 (Part 38)-1989 R-2003

Calibration Details

Sr. No.	Equipment / Instrument	Last Calibration Date	Calibration valid up to	Certificate No.
01	pH Meter	Daily	Daily	-----
02	Water bath	09/06/2017	08/06/2018	AVI 171806068
03	Hot Air Oven. Model No. 103	09/06/2017	08/06/2018	AVI 171806068
04	COD Digestion Apparatus Model - 2015M	17/11/2017	16/11/2018	SIPL/COD/17-18/SE 077
05	BOD Incubator -HBOD – 06	09/11/2017	08/11/2018	HI-101
06	Weighing balance (make Shimadzu)	11/01/2018	10/07/2018	STS/CAL/17-18/1024

Remarks :-

MoEF Notification S.O. 1174(E) Sr. No. 49 dated 1st May 2014 & valid upto 30/04/2019

ISO 9001:2008, Certificate No.11589/04/AN is valid upto 15/09/2018

OHSAS 18001:2007, Certificate No. OHS-1805 is valid upto 22/08/2019

Report Date: 08/03/2018

Analysed by:

For Padmaja Aerobiologicals Pvt Ltd.

REGIONAL LABORATORY, CHIPLUN

(An ISO: 9001 & OHSAS: 18001 Certified Laboratory)

To,
The Sub-Regional Officer,
M.P.C. Board, Kolhapur.

Lab. Report No:-1745

Date of Collection:-17/11/2017

Sample Code No:-SRO/KOP/JVS/1072/17

Date of receipt:-21/11/2017

ANALYSIS REPORT

Type of industry	Sugar
Parameter	Result
pH	7.4
B.O.D. 3 days 27° C	28.0
C.O.D	136.0
Suspended Solids	24.0
Oil & Grease	BDL
Chloride	132.0
Sulphate	539.0
Total Dissolved Solid	1150.0
Sample Collected by	A.V.Kadale, FO
Seal No	279

Note: - 1) All results are expressed in ppm except pH.

2) N.A. indicates Not Analysed.

3) BDL indicates Below Detectable Limit.

M/s shri Gurandatta Sugars Ltd,

GAF No. 61/A, Takali.

Tal-Shirur, Dist.Kop

(ETP outlet)

B.S.Gadhari

(B.S. Gadhari)

Scientific officer,
Regional Laboratory, Chiplun

Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण बोर्ड

REGIONAL LABORATORY, CHIPLUN

(An ISO: 9001 & OHSAS: 18001 Certified Laboratory)

To,
The Sub-Regional Officer,
M.P.C. Board, Kolhapur.

Lab. Report No:-1862

Date of Collection:-08/12/2017

Sample Code No:-SRO/KOP/JVS/1174/17

Date of receipt:-13/12/2017

ANALYSIS REPORT

Type of industry	Sugar
Parameter	Result
pH	8.3
B.O.D. 3 days 27° C	20.0
C.O.D	80.0
Suspended Solids	14.0
Oil & Grease	BDL
Chloride	40.0
Sulphate	543.0
Total Dissolved Solid	1928.0
Sample Collected by	A.V.Kadale, FO
Seal No	279

Note: - 1) All results are expressed in ppm except pH.

2) N.A. indicates Not Analysed.

3) BDL indicates Below Detectable Limit.

Ms. Shri Gundecha Sugars Ltd.
Takaliwadi Gan. Shiroli,
Dist-Kop.
(ETP outlet)

B.S. Gadhari
(B.S. Gadhari)
Scientific officer,
Regional Laboratory, Chiplun



Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण बोर्ड

REGIONAL LABORATORY, CHIPLUN

(An ISO: 9001 & OHSAS: 18001 Certified Laboratory)

To,
The Sub-Regional Officer,
M.P.C. Board, Kolhapur.

Lab. Report No:-25

Date of Collection:-01/01/2018

Sample Code No:-SRO/KOP/JVS/12/18

Date of receipt:-04/01/2018

ANALYSIS REPORT

Type of industry	Sugar
Parameter	Result
pH	7.2
B.O.D. 3 days 27° C	10.0
C.O.D	40.0
Suspended Solids	12.0
Oil & Grease	BDL
Chloride	97.0
Sulphate	283.0
Total Dissolved Solid	766.0
Sample Collected by	Dr. R.G.Auti, FO
Seal No	161

Note: - 1) All results are expressed in ppm except pH.

2) N.A. indicates Not Analysed.

3) BDL indicates Below Detectable Limit.

Ms. Shri Anundatta Sugandhi,
At. Takaliwadi, Tal. Shirur
Dist. Ratnagiri

(ETP outlet)

B.S. Gadhari
(B.S. Gadhari)
Scientific officer,
Regional Laboratory, Chiplun



106,107 Parkar Complex, 1st Floor, Behind Nagar Parishad,
Taluka: Chiplun, District: Ratnagiri 415 605.
Tel: 02355 261970, Fax:-02355 261970
Email:- sochiplunlab@mpcb.gov.in ; mpcbchiplunlab@mpcb.gov.in



REGIONAL LABORATORY, CHIPLUN

(An ISO: 9001 & OHSAS: 18001 Certified Laboratory)

To,
 The Sub-Regional Officer,
 M.P.C. Board, Kolhapur

Lab. Report No:-245

Date of Collection:-08/02/2018

Sample Code No:-SRO/KOP/JVS/181/18

Date of receipt:-09/02/2018

ANALYSIS REPORT

Type of industry	Sugar
Parameter	Result
pH	7.8
B.O.D. 3 days 27° C	8.0
C.O.D	32.0
Suspended Solids	18.0
Oil & Grease	BDL
Chloride	112.0
Sulphate	292.0
Total Dissolved Solid	1035.0
Sample Collected by	Dr.R.G.Auti, FO
Seal No	161

Note: - 1) All results are expressed in ppm except pH.

2) N.A. indicates Not Analysed.

3) BDL indicates Below Detectable Limit.

M/s. Gundlatta Sugars Ltd.
 Takaliwadi, Tal. Shirur,
 Dist. Ratnagiri (Emp outlet)

B.S. Gadhari
 (B.S. Gadhari)
 Scientific officer,
 Regional Laboratory, Chiplun

Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण बोर्ड

REGIONAL LABORATORY, CHIPLUN

(An ISO: 9001 & OHSAS: 18001 Certified Laboratory)

To,
The Sub Regional Officer,
M.P.C. Board Kolhapur.

ANALYSIS REPORT

Stack (Point Source) Emission Monitoring


Lab Report No	S-19
Sample code	SRO/KOP/STACK/13/2018
Type of industry	Sugar
Date of Collection	01/01/2018
Date of Receipt	04/01/2018
Sample collected by	Dr.R.G.Auti, FO
Seal No	161

Sr. No	Stack Details/Parameter	Stack
1	Time of Sampling (Min)	32.0
2	Stack Attached to	ESP
3	Stack Hight (M)	65.0
4	Stack Area (m^2)	3.90
5	Fuel Type & Quantity	Bagasse 50Ton/Hr
6	Fuel Gas Temp °C	125°
7	Exit Gas Velocity (m/sec.)	6.95
8	Gas Quantity ($Nm^3/hr.$)	127750.14
9	Total Particulate Matter (mg/m^3)	18.0
10	SO_2 (mg/m^3)	BDL

Note: - 1) BDL Below Detectable limit

Ms. Shri Gurudatta Singhji ud,
Takaliwadi Pat. Shirur.
Dist. Kol.

B.S.Gadhari
(B. S. Gadhari)
Scientific officer,
Regional Laboratory, Chiplun.



Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण बोर्ड

REGIONAL LABORATORY, CHIPLUN

(An ISO: 9001 & OHSAS: 18001 Certified Laboratory)

To,

The Sub Regional Officer,
M.P.C. Board Kolhapur.

ANALYSIS REPORT
Stack (Point Source) Emission Monitoring

Lab Report No	S-112
Sample code	SRO/KOP/STACK/182/2018
Type of industry	Sugar
Date of Collection	08/02/2018
Date of Receipt	12/02/2018
Sample collected by	Dr.R.G.Auti, FO
Seal No	161

Sr. No	Stack Details/Parameter	Stack
1	Time of Sampling (Min)	32.0
2	Stack Attached to	ESP
3	Stack Hight (M)	65.0
4	Stack Area (m ²)	3.90
5	Fuel Type & Quantity	Bagasse 50Ton/Hr
6	Fuel Gas Temp °C	137°C
7	Exit Gas Velocity (m/sec.)	7.71
8	Gas Quantity (Nm ³ /hr.)	145992.90
9	Total Particulate Matter (mg/m ³)	60.75
10	SO ₂ (mg/m ³)	19.2

Note: - 1) BDL Below Detectable limit

M/s Gurudatta Sugars Ind.
Takaliwadi Tal. Shirur
Dist. Ratnagiri

B.S. Gadhari
(B. S. Gadhari)
Scientific officer,
Regional Laboratory, Chiplun.

Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण संकाय

REGIONAL LABORATORY, CHIPLUN

(An ISO: 9001 & OHSAS: 18001 Certified Laboratory)

To,

The Sub Regional Officer,
M.P.C. Board Kolhapur.

ANALYSIS REPORT

Stack (Point Source) Emission Monitoring

Lab Report No	S-204
Sample code	SRO/KOP/STACK/379/2018
Type of industry	Sugar
Date of Collection	19/03/2018
Date of Receipt	20/03/2018
Sample collected by	Dr.R.G.Auti , FO
Seal No	161

Sr. No	Stack Details/Parameter	Stack
1	Time of Sampling (Min)	32.0
2	Stack Attached to	ESP
3	Stack Hight (M)	65.0
4	Stack Area (m^2)	3.90
5	Fuel Type & Quantity	Bagasse 50Ton/Hr
6	Fuel Gas Temp °C	138°C
7	Exit Gas Velocity (m/sec.)	7.36
8	Gas Quantity ($Nm^3/hr.$)	137891.03
9	Total Particulate Matter (mg/m^3)	17.10
10	SO_2 (mg/m^3)	12.8


Note: - 1) BDL Below Detectable limit

M/s Shree Girandatta Sugars Ltd,
Takaliwadi Tal. Shirur,
Dist. Kop.


B.S. Gadhari
(B. S. Gadhari)
Scientific officer,
Regional Laboratory, Chiplun.

Back up Slides

ETP Photographs



Condensate Polishing Unit



Air Pollution Control Equipment (ESP)




Green Belt Development Photographs





Online Monitoring System at SGSL



Molasses Storage Tank



MPCB Reports

Maharashtra Pollution Control Board
महाराष्ट्र प्रदूषण वियंत्रणा बोर्ड

REGIONAL LABORATORY, CHIPLUN
(An ISO: 9001 & OHSAS: 18001 Certified Laboratory)

To,
 The Sub-Regional Officer,
 M.P.C. Board, Kolhapur.

Lab. Report No.: 2927
 Sample Code No.: SRO/KOP/JVS/6210/15

Date of Collection:- 22/12/2015
 Date of receipt:- 23/12/2015

ANALYSIS REPORT

Type of Stream	Sugar
Parameter	Result
pH	7.8
B.O.D. 3 days 27°C	20.0
C.O.D	72.0
Suspended Solids	20.0
Oil & Grease	BDL
Chloride	67.0
Sulphate	102.0
Total Dissolved Solids	640.0
Sample Collected by	Dr. R.G. Auti FO
Seal No	161

- Note: - 1) All results are expressed in ppm except pH.
 2) N.A. indicates Not Analysed.
 3) BDL indicates Below Detectable Limit.

M/s. Shri Guruvadatta Sugars Ltd.
 Takalewadi, Tal-surel,
 Distt - Kolhapur.
 (Present).

(B.S. Gadharji)
 Scientific officer,
 Regional Laboratory, Chiplun



106,107 Parkar Complex, 1st Floor, Behind Nagar Parishad,
 Taluka: Chiplun, District: Ratnagiri 415 605.
 Tel: 02355 261970, Fax: 02355 261970
 Email:- sochiplunlab@mpcb.gov.in ; mpchchiplunlab@mpcb.gov.in



Maharashtra Pollution Control Board
महाराष्ट्र प्रदूषण वियंत्रणा बोर्ड

REGIONAL LABORATORY, CHIPLUN
(An ISO: 9001 & OHSAS: 18001 Certified Laboratory)

To,
 The Sub-Regional Officer,
 M.P.C. Board, Kolhapur.

Lab. Report No.: 718
 Sample Code No.: SRO/KOP/JVS/511/16

Date of Collection:- 27/03/2016
 Date of receipt:- 29/03/2016

ANALYSIS REPORT

Type of industry	Sugar
Parameter	Result
pH	6.9
B.O.D. 3 days 27°C	12.0
C.O.D	56.0
Suspended Solids	20.0
Oil & Grease	BDL
Chlorides	260.0
Sulphate	48.0
Total Dissolved Solid	770.0
Sample Collected by	R.G. Auti (F.O)
Seal No	161

- Note: - 1) All results are expressed in ppm except pH.
 2) N.A. indicates Not Analysed.
 3) BDL indicates Below Detectable Limit.

M/s. Shri Guruvadatta Sugars Ltd.,
 Takalewadi, Tal. Shirali,
 Dist - Kolhapur
 (ETP outlet.)

(B.S. Gadharji)
 Scientific officer,
 Regional Laboratory, Chiplun



106,107 Parkar Complex, 1st Floor, Behind Nagar Parishad,
 Taluka: Chiplun, District: Ratnagiri 415 605.
 Tel: 02355 261970, Fax: 02355 261970
 Email:- sochiplunlab@mpcb.gov.in ; mpchchiplunlab@mpcb.gov.in



Shri Gurudatt Sugars Ltd., Takaliwadi

Season	2015-2016					Parameter						
	Sr No	Month	Crop Day	Total Crushing in Ton	Average Crushing Ton per Month	Inlet Effluent Flow in m ³ /month	Treated Effluent Flow in m ³ /month	PH	COD	BOD	TSS	SPM
1	Nov-15	21	101580.7	4837.2	9799.3	9664	7.1	147	68.4	11	49.73	96.47
2	Dec-15	31	154721.2	4991.01	14603.65	14665.25	7.4	135	60.1	34	81	94.39
3	Jan-16	31	167964.2	5418.20	16010.23	15979.17	7.4	132	66.4	34	62	95.32
4	Feb-16	29	146060.2	5036.56	13937.11	13959.93	7.4	145	62.3	34	78	95.42
5	Mar-16	31	154495.3	4983.72	14702.93	14733.73	7.7	112	42.3	34	59	95.17
6	Apr-16	18	76688.9	4260.49	7281.04	7325.62	7.7	152	55	34	48.5	94.94
Total		161	801510.5	4978.33	76334.26	76327.7	7.5	137.2	59.1	30.2	63.0	95.24

Shri Gurudatt Sugars Ltd., Takaliwadi

Season	2016-2017					Parameter						
	Sr No	Month	Crop Day	Total Crushing in Ton	Average Crushing Ton per Month	Inlet Effluent Flow in m ³ /month	Treated Effluent Flow in m ³ /month	PH	COD	BOD	TSS	SPM
1	Nov-16	25	122470	4898.8	9458.63	9240.47	7.31	79.52	33.08	26.36	65.64	77.23
2				#DIV/0!								#DIV/0!
3				#DIV/0!								#DIV/0!
4				#DIV/0!								#DIV/0!
5				#DIV/0!								#DIV/0!
6				#DIV/0!								#DIV/0!
Total		25	122470	4898.80	9458.63	9240.47	1.2	13.3	5.5	4.4	10.9	77.23

Stack Emission Reports



PAPL

PADMAJA AEROBIOLOGICALS (P) LTD.
Public Testing Laboratory FDA Maharashtra Approved
Recognised by Ministry of Environment & Forest (MoEF)
Period - 01-05-2014 to 30-04-2019
ISO 9001 : 2008, OHSAS 18001:2007 CERTIFIED
CIN : U73100MH1995PTC092502

CERTIFICATE OF ANALYSIS ANALYSIS REPORT FOR STACK EMISSION		AIR-F-005	
Sample / Report Ref. No.	A/PS-219/01-16		
Date of Report	30/01/2016		
Name of the Industry	M/s. Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi , Tal-Shiroli, Dist -Kolhapur ,Pin- 416108.		
Sample Collected By	SHRUSTI ENVIROCARE		
Date of Sampling	25/01/2016	Time of sampling : Day Time	
PARTICULARS OF STACK			
Stack Attached to	Boiler 1 & 2 (Capacity-70 MT/Hr & 40 MT/Hr)		
Stack Diameter (Meter)	3.43		
Stack Height (Meter)	65		
Stack Temperature(°C)	133		
Stack Velocity of Flue Gas (m/s)	6.9		
Stack Volume of Flue Gases (Nm ³ /Hr.)	168047		
Type of Fuel Used	Baggase (55MT/Hr)		
Ambient Meteorology			
Wind Speed (Km/hr)	9-10		
Wind Direction	SE		
Ambient Temperature(°C)	31		
Humidity (%)	45		
Pollution Parameters			
Parameters	Result	Units.	Method Used
Total Particulate Matter	112	Mg/ Nm ³	EPA- Method – 17
SO ₂ Conc.	ND	Kg /Hr.	IS – 11255 (Part 2) 1985, Reaffirmed -2009
Remark : 1) Instruments used Politech make , model PEM-SMK 10, S.r.No.3412; Certificate No PICS/F/SMK/09-15/189 Last Calibrated on :-12/09/2015 ; Calibration Due Date:- 11/09/2016 2) Weighing Balance(make Shimadzu) ; Certificate No. STS/CAL/1516/0615 Last Calibrated Date :- 16/01/2016 ; Calibration Due Date:- 15/07/2016 MoEF Notification S.O 1174(E) Sr.No 49 dated 1 st May 2014& Valid upto 30/04/2019 ISO 9001:2008,Certificate No.11589/04/S & is Valid up to 05/08/2016 OHSAS 18001:2007 Certificate No. OHS-1805 is valid upto 28/08/2016			
Analyzed by	For Padmaja Aerobiologicals Pvt. Ltd.		



PAPL

PADMAJA AEROBIOLOGICALS (P) LTD.
Public Testing Laboratory FDA Maharashtra Approved
Recognised by Ministry of Environment & Forest (MoEF)
Period - 01-05-2014 to 30-04-2019
ISO 9001 : 2008, OHSAS 18001:2007 CERTIFIED
CIN : U73100MH1995PTC092502

AIR-F-005

CERTIFICATE OF ANALYSIS ANALYSIS REPORT FOR STACK EMISSION			
Sample / Report Ref. No.	A/PS-232/03-16		
Date of Report	21/03/2016		
Name of the Industry	M/s. Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi , Tal-Shiroli, Dist -Kolhapur ,Pin- 416108.		
Sample Collected By	SHRUSTI ENVIROCARE		
Date of Sampling	15/03/2016	Time of sampling : Day Time	
PARTICULARS OF STACK			
Stack Attached to	Boiler 1 & 2 (Capacity-70 MT/Hr & 40 MT/Hr)		
Stack Diameter (Meter)	3.43		
Stack Height (Meter)	65		
Stack Temperature(°C)	148		
Stack Velocity of Flue Gas (m/s)	7.4		
Stack Volume of Flue Gases (Nm ³ /Hr.)	173803		
Type of Fuel Used	Baggase (55MT/Hr)		
Ambient Meteorology			
Wind Speed (Km/hr)	9-10		
Wind Direction	SE		
Ambient Temperature(°C)	36		
Humidity (%)	23		
Pollution Parameters			
Parameters	Result	Units.	Method Used
Total Particulate Matter	92	Mg/ Nm ³	EPA- Method – 17
SO ₂ Conc.	ND	Kg /Hr.	IS – 11255 (Part 2) 1985, Reaffirmed -2009
Remark : 1)Instruments used Politech make , model PEM-SMK 10, S.r.No.3412; Certificate No PICS/F/SMK/09-15/189 Last Calibrated on :-12/09/2015 ; Calibration Due Date:- 11/09/2016 2) Weighing Balance(make Shimadzu) ; Certificate No. STS/CAL/1516/0615 Last Calibrated Date :- 16/01/2016 ; Calibration Due Date:- 15/07/2016 MoEF Notification S.O 1174(E) Sr.No 49 dated 1 st May 2014& Valid upto 30/04/2019 ISO 9001:2008,Certificate No.11589/04/S & is Valid up to 05/08/2016 OHSAS 18001:2007 Certificate No. OHS-1805 is valid upto 28/08/2016			
 Analyzed by	 For Padmaja Aerobiologicals Pvt. Ltd.		

Stack Emission Reports by PAPL



PAPL

PADMAJA AEROBIOLOGICALS (P) LTD.

Public Testing Laboratory FDA Maharashtra Approved
Recognised by Ministry of Environment & Forest (MoEF)
Period - 01-05-2014 to 30-04-2019
ISO 9001 : 2008, OHSAS 18001:2007 CERTIFIED
CIN : U73100MH1995PTC092502



PAPL

PADMAJA AEROBIOLOGICALS (P) LTD.

Public Testing Laboratory FDA Maharashtra Approved
Recognised by Ministry of Environment & Forest (MoEF)
Period - 01-05-2014 to 30-04-2019
ISO 9001 : 2008, OHSAS 18001:2007 CERTIFIED
CIN : U73100MH1995PTC092502

CERTIFICATE OF ANALYSIS ANALYSIS REPORT FOR STACK EMISSION			
AIR-F-005			
Sample / Report Ref. No.	A/PS-379/02-16		
Date of Report	27/02/2016		
Name of the Industry	M/s. Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A,Akiwat Takaliwadi Road, Takaliwadi , Tal-Shiroli, Dist -Kolhapur,Pin- 416108.		
Sample Collected By	SHRUSTI ENVIROCARE		
Date of Sampling	22/02/2016	Time of sampling :	Day Time
PARTICULARS OF STACK			
Stack Attached to	Boiler 1 & 2 (Capacity-70 MT/Hr & 40 MT/Hr)		
Stack Diameter (Meter)	3.43		
Stack Height (Meter)	65		
Stack Temperature(°C)	125		
Stack Velocity of Flue Gas (m/s)	7.1		
Stack Volume of Flue Gases (Nm ³ /Hr.)	176394		
Type of Fuel Used	Baggase (55MT/Hr)		
Ambient Meteorology			
Wind Speed (Km/hr)	11-12		
Wind Direction	SE		
Ambient Temperature(°C)	34		
Humidity (%)	41		
Pollution Parameters			
Parameters	Result	Units.	Method Used
Total Particulate Matter	126	Mg/ Nm ³	EPA- Method – 17
SO ₂ Conc.	ND	Kg /Hr.	IS – 11255 (Part 2) 1985, Reaffirmed -2009
Remark :			
1)Instruments used Politech make , model PEM-SMK 10, S.R.No.3412; Certificate No PICS/F/SMK/09-15/189 Last Calibrated on :-12/09/2015 ; Calibration Due Date- 11/09/2016			
2) Weighing Balance(make Shimadzu) ; Certificate No. STS/CAL/1516/0615 Last Calibrated Date :- 16/01/2016 ; Calibration Due Date:- 15/07/2016			
MoEF Notification S.O 1174(E) Sr.No 49 dated 1 st May 2014& Valid upto 30/04/2019			
ISO 9001:2008,Certificate No.11589/04/S & is Valid up to 05/08/2016			
OHSAS 18001:2007 Certificate No. OHS-1805 is valid upto 28/08/2016			
<i>[Signature]</i> Analyzed by _____			
<i>[Signature]</i> For Padmaja Aerobiological Pvt. Ltd..			

CERTIFICATE OF ANALYSIS ANALYSIS REPORT FOR STACK EMISSION			
AIR-F-005			
Sample / Report Ref. No.	A/PS-124/04-16		
Date of Report	13/04/2016		
Name of the Industry	M/s. Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A,Akiwat Takaliwadi Road, Takaliwadi , Tal-Shiroli, Dist -Kolhapur,Pin- 416108.		
Sample Collected By	SHRUSTI ENVIROCARE		
Date of Sampling	06/04/2016	Time of sampling :	Day Time
PARTICULARS OF STACK			
Stack Attached to	Boiler 1 & 2 (Capacity-70 MT/Hr & 40 MT/Hr)		
Stack Diameter (Meter)	3.43		
Stack Height (Meter)	65		
Stack Temperature(°C)	133		
Stack Velocity of Flue Gas (m/s)	6.7		
Stack Volume of Flue Gases (Nm ³ /Hr.)	163176		
Type of Fuel Used	Baggase (55MT/Hr)		
Ambient Meteorology			
Wind Speed (Km/hr)	13-14		
Wind Direction	SE		
Ambient Temperature(°C)	36		
Humidity (%)	21		
Pollution Parameters			
Parameters	Result	Units.	Method Used
Total Particulate Matter	82	Mg/ Nm ³	EPA- Method – 17
SO ₂ Conc.	ND	Kg /Hr.	IS – 11255 (Part 2) 1985, Reaffirmed -2009
Remark :			
1) Instruments used Politech make , model PEM-SMK 10, S.R.No.3412; Certificate No PICS/F/SMK/09-15/189 Last Calibrated on :-12/09/2015 ; Calibration Due Date- 11/09/2016			
2) Weighing Balance(make Shimadzu) ; Certificate No. STS/CAL/1516/0615 Last Calibrated Date :- 16/01/2016 ; Calibration Due Date:- 15/07/2016			
MoEF Notification S.O 1174(E) Sr.No 49 dated 1 st May 2014& Valid upto 30/04/2019			
ISO 9001:2008,Certificate No.11589/04/S & is Valid up to 05/08/2016			
OHSAS 18001:2007 Certificate No. OHS-1805 is valid upto 28/08/2016			
<i>[Signature]</i> Analyzed by _____			
<i>[Signature]</i> For Padmaja Aerobiological Pvt. Ltd..			

Form No 7 (Prescribed under Rule 18 (17)

Certifying Surgeon

DR.ARVIND MANE

M.B.B.S,D.P.H,A.F.I.H.(Mumbai)

HEALTH REGISTER

SHRI GURUDATT SUGARS LTD. TAKALIWADI

26/12/2017 TO 26/12/2018

Sr. No.	Name	Emp. No.	Age	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving or transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Result of Medical Examination	Exam. Date
1	SHARADD. INAMDAR	0001	39	M					26/12/2017	Fit
2	DNYANDEV M. KHOT	0011	39	M					26/12/2017	Fit
3	SARJERAO A. JAGTAP	0013	49	M					26/12/2017	Fit
4	BASAVRAJ C. SWAMI	0019	41	M					26/12/2017	Fit
5	PRAKASH R. BIRAJDAR	0020	35	M					26/12/2017	Fit
6	M. R. SHINDE	0021	47	M					26/12/2017	Fit
7	ANAND R. YADAV	0022	42	M					26/12/2017	Fit
8	SANJIAY A. PATTI	0024	47	M					26/12/2017	Fit
9	M. A. DAVARI	0025	46	M					26/12/2017	Fit
10	MARUTI T. UGALE	0028	48	M					26/12/2017	Fit
11	AJJ L. SHINDE	0029	49	M					26/12/2017	Fit
12	RAVSAHEB R. KOTE	0034	38	M					26/12/2017	Fit

कारबने अधिनियम १९४८ च्या कलम १०(३) प्रमाणे
कोलहापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशाल्यविक्रितसक
क. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17)

Certifying Surgeon

HEALTH REGISTER

SHRI GURUDATT SUGARS LTD. TAKALIWADI

DR.ARVIND MANE
M.B.B.S.,D.P.H.,A.F.I.H.(Mumbai)

26/12/2017 TO 26/12/2018

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving other work Reason for leaving Transfer of discharge Nature of job or occupation	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons Certified fit to resume duty on resume of duty on with signature of Certifying Surgeon	If certificate of unfitness or suspension issued to worker	Signature with date of certifying surgeon.
13	0039	RAMESH A. CHOGULE	38	M			26/12/2017	Fit			
14	0042	DASHRATH M. NARUTE	53	M			26/12/2017	Fit			
15	0043	C. G. RAVLUKEDARI	45	M			26/12/2017	Fit			
16	0045	ANIL M. JADHAV	46	M			26/12/2017	Fit			
17	0050	RAMESH R. POWAR	38	M			26/12/2017	Fit			
18	0051	SURESH K. AMBI	44	M			26/12/2017	Fit			
19	0052	SHITAL A. ALATE	40	M			26/12/2017	Fit			
20	0053	SUKUMAR A. PATIL	36	M			26/12/2017	Fit			
21	0054	BAHUBALI M. KANE	31	M			26/12/2017	Fit			
22	0064	BALASO D. MANGALE	48	M			26/12/2017	Fit			
23	0069	SURESH D. BHATMARE	40	M			26/12/2017	Fit			

कारखाने अधिनियम (प्र०४८) का कलम पर(र) प्रमाण
कोल्हापूर जिल्हाकारिता
प्राधिकृत प्रमाणकशाल्य विक्रितक
क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17)

Certifying Surgeon

HEALTH REGISTER

SHRI GURUDATT SUGARS LTD. TAKALIWADI

DR.ARVIND MANE
M.B.B.S.,D.P.H.,A.F.I.H.(Mumbai)

26/12/2017 TO 26/12/2018

Sr. No.	Emp. No.	Name	Age	Sex	Dept of present work employment of present work	Date of leaving transfer to other work	Reason for leaving Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certificate fit to resume duty on resumption with signature of Certifying Surgeon	If certificate of unfitness or suspension issued to worker	Signature with Date of certifying surgeon.
24	0085	RAJU B. PATIL	40	M						26/12/2017	Fit				
25	0087	C. D. PATIL	45	M						26/12/2017	Fit				
26	0090	TANAJI S. PATIL	40	M						26/12/2017	Fit				
27	0092	R. S. KUMBHAR	34	M						26/12/2017	Fit				
28	0095	MOHAN S. VASAMKAR	42	M						26/12/2017	Fit				
29	0096	C. Y. PATIL	43	M						26/12/2017	Fit				
30	0097	CHANGDEV N. JASUD	40	M						26/12/2017	Fit				
31	0098	SANDIP B. BHORE	29	M						26/12/2017	Fit				
32	0100	BHARAT B. JADHAV	51	M						26/12/2017	Fit				
33	0101	S. D. TAVANDIKAR	52	M						26/12/2017	Fit				
34	0102	DILIP D. KILLEDAR	46	M						26/12/2017	Fit				
35	0103	MADHUKAR B. BUDKAR	42	M						26/12/2017	Fit				

कारबाने अधिनियम १९८८ द्या काळ १०(२) प्रमाणे
कोलहापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशाल्यविक्रितक
क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17)

Certifying Surgeon

DR.ARVIND MANE
M.B.B.S,D.P.H,A.F.I.H.(Mumbai)

HEALTH REGISTER

SHRI GURUDATT SUGARS LTD. TAKALIWADI

26/12/2017 TO 26/12/2018

Sr. No.	Emp. No.	Name	Age	Sex	Dept of present work employment of present work	Date of leaving transfer to other work	Reason for leaving Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	Certificate fit to resume duty on resumption with detailed reasons	Certificate fit to resume duty on resumption with signature of Surgeon	If certificate of unfitness or suspension issued to worker	Signature with date of certifying Surgeon.
36	0119	SHANKAR S. SHINDE	39	M						26/12/2017	Fit				
37	0121	A. J. BASTAWADE	36	M						26/12/2017	Fit				
38	0127	BAHUBALI B. PATIL	35	M						26/12/2017	Fit				
39	0135	R. M. NAIKWADE	47	M						26/12/2017	Fit				
40	0140	SURESH A. BANDGAR	40	M						26/12/2017	Fit				
41	0142	HARIBA M. HAWALDAR	39	M						26/12/2017	Fit				
42	0144	B. V. GHORPADE	44	M						26/12/2017	Fit				
43	0146	SATGONDA R. PATIL	46	M						26/12/2017	Fit				
44	0155	AKASH G. MAGDUM	43	M						26/12/2017	Fit				
45	0163	AMOL A. CHOUGULE	38	M						26/12/2017	Fit				
46	0164	ANANDA S. BIROJE	40	M						26/12/2017	Fit				

कारणाने अधिकारी द्वारा करता प्रमाण
कोलहापूर जिल्हाकरिता
प्राधिकृत प्रमाणकाल्यचिकित्सक
— ८८८ १५. AM/१०१६

Form No 7 (Prescribed under Rule 18 (17)

Certifying Surgeon

DR.ARVIND MANE

M.B.B.S,D.P.H,A.F.I.H.(Mumbai)

HEALTH REGISTER

SHRI GURUDATT SUGARS LTD. TAKALIWADI

26/12/2017 TO 26/12/2018

Sr. No.	Name	Emp. No.	Age	Sex	Dept of present work employment of present work	Date of leaving or transfer to other work	Reason for leaving or transfer of disccharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on resumption with signature of Certifying Surgeon	If certificate of unfitness or suspension issued to worker	Signature with date of certifying surgeon.
47	C. D. MALLI	0165	32	M						26/12/2017	Fit				
48	MAHADEV I. PATIL	0168	53	M						26/12/2017	Fit				
49	S. A. BHENDE	0170	37	M						26/12/2017	Fit				
50	NETAJIN. SANADI	0173	52	M						26/12/2017	Fit				
51	LOKESH S. EKSAMBE	0174	37	M						26/12/2017	Fit				
52	YALLAPPA D. KOLI	0175	43	M						26/12/2017	Fit				
53	KRUSHNAT T. SANT	0176	36	M						26/12/2017	Fit				
54	BANDUB. KOLI	0178	34	M						26/12/2017	Fit				
55	SARJERAO A. KOLI	0179	34	M						26/12/2017	Fit				
56	BALASO A. MULLA	0183	37	M						26/12/2017	Fit				
57	SUNIL G. RAJPUT	0184	34	M						26/12/2017	Fit				
58	P. D. TAMBIRE	0187	43	M						26/12/2017	Fit				

Form No 7 (Prescribed under Rule 18 (17)

Certifying Surgeon

DR.ARVIND MANE
M.B.B.S,D.P.H.,A.F.I.H.(Mumbai)

HEALTH REGISTER

SHRI GURUDATT SUGARS LTD. TAKALIWADI

26/12/2017 TO 26/12/2018

Sr. No.	Emp. No.	Name	Age	Sex	Dept of present work employment of present work	Date of leaving or transfer to other work	Reason for leaving or transfer of job or occupation discarge	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on resumption of work with signature of certifying Surgeon	If certificate of unfitness or suspension issued to worker	Signature with date of certifying Surgeon
59	0188	A. A. HAWALDAR	34	M					26/12/2017	Fit				
60	0192	SHYAM S. SHINDE	37	M					26/12/2017	Fit				
61	0197	SUNIL S. KADOLE	39	M					26/12/2017	Fit				
62	0199	UDAY A. BARWADE	40	M					26/12/2017	Fit				
63	0200	SANDIP D. BAGADE	35	M					26/12/2017	Fit				
64	0202	RAJENDRA A. SHINDE	36	M					26/12/2017	Fit				
65	0204	VIJAY S. AMBUPE	42	M					26/12/2017	Fit				
66	0205	KIRAN R. MANGSULE	38	M					26/12/2017	Fit				
67	0206	SAGAR S. HASURE	41	M					26/12/2017	Fit				
68	0209	AJIT A. CHOUGULE	42	M					26/12/2017	Fit				
69	0213	BHASKAR S. KAMBLE	46	M					26/12/2017	Fit				

Form No 7 (Prescribed under Rule 18 (17)

Certifying Surgeon
DR.ARVIND MANE
M.B.B.S,D.P.H,A.F.I.H(Mumbai)

HEALTH REGISTER

SHRI GURUDATT SUGARS LTD. TAKALIWADI

26/12/2017 TO 26/12/2018

Sr. No.	Emp. No.	Name	Age	Sex	Dept of present work employment of present work	Date of leaving work transfer to other work Reason for leaving discarage Transfer of occupation by product Raw material or handed	Exam. Date	Result of Medical Examination	Certificate fit to resume duty on resumption with detailed reasons	Certificate fit to resume duty on resumption with signature of Certifying Surgeon	Signture with date of certifying surgeon.
70	0215	SANJAY A. BUBNALE	38	M			26/12/2017	Fit			
71	0217	BHAUSO R. CHOPADE	38	M			26/12/2017	Fit			
72	0218	SIDRAM G. GAVANDI	44	M			26/12/2017	Fit			
73	0229	P. R. YADAV	48	M			26/12/2017	Fit			
74	0240	SAMBHAJI B. DESAI	57	M			26/12/2017	Fit			
75	0241	BHUPAL V. BAKALE	40	M			26/12/2017	Fit			
76	0257	HANMANT L. PATIL	39	M			26/12/2017	Fit			
77	0261	SUNIL A. NIMBALKAR	38	M			26/12/2017	Fit			
78	0270	A. K. SURYAWANSHI	36	M			26/12/2017	Fit			
79	0274	R. D. LATWADE	38	M			26/12/2017	Fit			
80	0276	D. A. SHIRGUPPE	36	M			26/12/2017	Fit			
81	0285	VITAY R. DAKARE	50	M			26/12/2017	Fit			

Form No 7 (Prescribed under Rule 18 (17)

Certifying Surgeon

HEALTH REGISTER

SHRI GURUDATT SUGARS LTD. TAKALIWADI

DR.ARVIND MANE
M.B.B.S,D.P.H,A.F.I.H.(Mumbai)

26/12/2017 TO 26/12/2018

Sr. No.	Emp. No.	Name	Age	Sex	Dept of present work employment of present work	Date of leaving transfer to other work	Reason for leaving Transfer of discharge	Nature of job or occupation	Raw material or product by handled	Exam. Date	Result of Medical Examination	Certified fit to resume duty on with signature of Certifying Surgeon	If certificate of unfitness issued to worker	Signature with date of certifying Surgeon
82	0294	NILESH V. YADAV	44	M						26/12/2017	Fit			
83	0295	KIRAN R. GAIKWAD	53	M						26/12/2017	Fit			
84	0296	PRADIP S. SAWANT	33	M						26/12/2017	Fit			
85	0300	YALGONDA S. PATIL	38	M						26/12/2017	Fit			
86	0313	SUDHESH N. MAGDUM	38	M						26/12/2017	Fit			
87	0317	U. D. MAHIND	41	M						26/12/2017	Fit			
88	0318	RAJGONDA P. PATIL	35	M						26/12/2017	Fit			
89	0319	P. R. NANDIWALE	38	M						26/12/2017	Fit			
90	0320	BALASO B. MAGDUM	42	M						26/12/2017	Fit			
91	0321	ASHOK K. VANTE	38	M						26/12/2017	Fit			
92	0328	POPAT M. KHOT	39	M						26/12/2017	Fit			

Form No 7 (Prescribed under Rule 18 (17)

Certifying Surgeon

DR.ARVIND MANE
M.B.B.S,D.P.H.,A.F.I.H.(Mumbai)

HEALTH REGISTER

SHRI GURUDATT SUGARS LTD. TAKALIWADI

26/12/2017 TO 26/12/2018

Sr. No.	Emp. No.	Name	Age	Sex	Dept of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Result of Medical Examination	Certified fit to resume duty on resumption with signature of Surgeon	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on resumption with signature of Surgeon	If certificate of unfitness or suspension issued to worker	Signature with date of certifying Surgeon.
93	0330	VIJAY S. POWAR	35	M						26/12/2017	Fit				
94	0338	RAMESH K. PAGADE	56	M						26/12/2017	Fit				
95	0352	PRALHAD V. KAMBLE	41	M						26/12/2017	Fit				
96	0354	RAMESH G. GAIKWAD	47	M						26/12/2017	Fit				
97	0359	SANTOSH S.CHIKKODE	36	M						26/12/2017	Fit				
98	0381	S. K. HEMGIRE	37	M						26/12/2017	Fit				
99	0386	V. K. SHINDE	38	M						26/12/2017	Fit				
100	0395	SUBHASH S. PIMPAL	36	M						26/12/2017	Fit				
101	0399	K. M. KAMBLE	40	M						26/12/2017	Fit				
102	0403	VINOD A. PATIL	35	M						26/12/2017	Fit				
103	0423	KUMARD. PATIL	35	M						26/12/2017	Fit				
104	0425	RAJENDRA S. GHADGE	37	M						26/12/2017	Fit				

Form No 7 (Prescribed under Rule 18 (17)

Certifying Surgeon

HEALTH REGISTER

SHRI GURUDATT SUGARS LTD. TAKALIWADI

DR.ARVIND MANE
M.B.B.S,D.P.H,A.F.I.H.(Mumbai)

26/12/2017 TO 26/12/2018

Sr. No.	Emp. No.	Name	Age	Sex	Dept of present work employment of present work	Date of leaving or transfer to other work	Reason for leaving Transfer of discourage	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on resumption of with signature of Certifying Surgeon	If certificate of unfitness or suspension issued to worker	Signature with date of certifying Surgeon.
105	0428	PRITAM M. MARDANE	40	M						26/12/2017	Fit				
106	0439	A. S. PATTANKUDE	41	M						26/12/2017	Fit				
107	0441	R. B. PATIL	50	M						26/12/2017	Fit				
108	0446	GAJANAN M. LATWADE	35	M						26/12/2017	Fit				
109	0448	GAJENDRA H. MANE	58	M						26/12/2017	Fit				
110	0453	SANJAY T. THORVAT	47	M						26/12/2017	Fit				
111	0459	MADHUKAR B. MALI	42	M						26/12/2017	Fit				
112	0460	S. R. BALIGADE	42	M						26/12/2017	Fit				
113	0461	BHAUSAHEB B. KAGE	38	M						26/12/2017	Fit				
114	0471	MILIND D. KAMBLE	42	M						26/12/2017	Fit				
115	0478	HANMANT V. BABAR	54	M						26/12/2017	Fit				

Form No 7 (Prescribed under Rule 18 (17)

Certifying Surgeon

HEALTH REGISTER

SHRI GURUDATT SUGARS LTD. TAKALIWADI

26/12/2017 TO 26/12/2018

**DR.ARVIND MANE
M.B.B.S,D.P.H.,A.F.I.H.(Mumbai)**

Sr. No.	Emp. No.	Name	Age	Sex	Dept of present work employment of present work	Date of leaving or transfere to other work	Reason for leaving or transfere of discipline	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on resumption of work, with signature of certifying Surgeon	If certificate of unfitness or suspension issued to worker	Signature with date of certifying Surgeon	Surgeon.
116	0489	SANJAY Y. KUMBHAR	40	M						26/12/2017	Fit					
117	0494	AJIT B. MURGUNDE	37	M						26/12/2017	Fit					
118	0511	UDAY A. PAWAR	30	M						26/12/2017	Fit					
119	0516	D. S. KHAMKAR	33	M						26/12/2017	Fit					
120	0533	TEJANAND B. DESAI	35	M						26/12/2017	Fit					
121	0543	PUNDLIK K. JADHAV	49	M						26/12/2017	Fit					
122	0545	SUBHASH K. MANE	46	M						26/12/2017	Fit					
123	0549	MILIND M. MALEKARI	40	M						26/12/2017	Fit					
124	0551	RAMA A. ZENDE	36	M						26/12/2017	Fit					
125	0553	UMESH S. MITHARE	41	M						26/12/2017	Fit					
126	0558	NILESH M. JADHAV	37	M						26/12/2017	Fit					
127	0568	SANTOSH A. AWATE	43	M						27/12/2017	Fit					

**कार्यालय अधिकारी वर्ष १८८८ च्या कातम १०(२) प्राप्ते
कोल्हापुर जिल्हाकरिता
प्राधिकृत प्रमाणकशेळ्याचिकित्सक**

Form No 7 (Prescribed under Rule 18 (17)

Certifying Surgeon

HEALTH REGISTER

SHRI GURUDATT SUGARS LTD. TAKALIWADI

DR.ARVIND MANE
M.B.B.S,D.P.H.,A.F.I.H.(Mumbai)

26/12/2017 TO 26/12/2018

Sr. No.	Name	Emp. No.	Age	Sex	Dept of present work employment of present work	Date of leaving work transfer to other work	Reason for leaving work transfer of discharge	Nature of job or occupation	Raw material or product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on resumption of work with signature of certifying Surgeon	If certificate of unfitness or suspension issued to worker	Signature with date of certifying Surgeon.	Surgeon.
128	S. A. BASTAWADE	0572	33	M						27/12/2017	Fit					
129	NAIM D. INAMDAR	0576	51	M						27/12/2017	Fit					
130	SANJAY S. BHOSALE	0578	38	M						27/12/2017	Fit					
131	PRAKASH K. LAKHADÉ	0577	39	M						27/12/2017	Fit					
132	UDAY S. PATIL	0579	34	M						27/12/2017	Fit					
133	SANJAY G. PATIL	0580	39	M						27/12/2017	Fit					
134	VINOD S. PATIL	0581	39	M						27/12/2017	Fit					
135	SANJAY M. KAMBLE	0583	42	M						27/12/2017	Fit					
136	SURESH M. UGARE	0587	43	M						27/12/2017	Fit					
137	H. S. POL	0594	36	M						27/12/2017	Fit					
138	ANIL S. MANE	0595	36	M						27/12/2017	Fit					

Form No 7 (Prescribed under Rule 18 (17)

Certifying Surgeon

HEALTH REGISTER

SHRI GURUDATT SUGARS LTD. TAKALIWADI

26/12/2017 TO 26/12/2018

DR.ARVIND MANE
M.B.B.S,D.P.H,A.F.I.H.(Mumbai)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of present work employment of present work	Date of leaving transfer to other work	Reason for leaving Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certificate duty on resume with signature of certifying Surgeon	If certificate of unfitness or suspension issued to worker	Signature with date of certifying surgeon.
139	0597	D. S. SURYAWANSHI	48	M						27/12/2017	Fit				
140	0598	D. U. THORVAT	37	M						27/12/2017	Fit				
141	0601	MADAN S. VASAMKAR	38	M						27/12/2017	Fit				
142	0603	HEMANT B. KASARKAR	34	M						27/12/2017	Fit				
143	0604	VILAS R. JAGTAP	45	M						27/12/2017	Fit				
144	0614	KRUSHNDEV K. MANE	43	M						27/12/2017	Fit				
145	0627	JITENDRA M. GORE	49	M						27/12/2017	Fit				
146	0628	B. D. ALGAOUDA	43	M						27/12/2017	Fit				
147	0636	RAJKUMAR S. MANE	42	M						27/12/2017	Fit				
148	0638	C. S. SHINDE	34	M						27/12/2017	Fit				
149	0639	SAYAJI G. KHOT	42	M						27/12/2017	Fit				
150	0640	C. K. PARIT	36	M						27/12/2017	Fit				

SHRI GURUDATT SUGARS LTD. TAKALIWADI

Form No 7 (Prescribed under Rule 18 (17)

HEALTH REGISTER

Certifying Surgeon
DR.ARVIND MANE
M.B.B.S,D.P.H,A.F.I.H.(Mumbai)

26/12/2017 TO 26/12/2018

Sr. No.	Name	Emp. No.	Age	Sex	Dept of present work employment of present work	Date of leaving or transfer to other work	Reason for leaving or transfer	Nature of job or occupation	Raw material or product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certificate of resume duty on resume with signature of Certifying Surgeon	If certificate of unfitness or suspension issued to worker	Signature with gate of certifying Surgeon.
151	PRASHANT R. SHETTI	0642	31	M						27/12/2017	Fit				
152	DIPAK B. SHINDE	0649	35	M						27/12/2017	Fit				
153	V. R. RAJPUT	0651	38	M						27/12/2017	Fit				
154	KAYUM B. MULLA	0654	55	M						27/12/2017	Fit				
155	DILIP B. KADAM	0655	32	M						27/12/2017	Fit				
156	JAYSING B. SHELAKE	0667	55	M						27/12/2017	Fit				
157	BAJIRAO S. TIKODE	0668	52	M						27/12/2017	Fit				
158	PRABHAKAR P. PATIL	0669	32	M						27/12/2017	Fit				
159	ANANDA M. NIRMALE	0670	50	M						27/12/2017	Fit				
160	RAMGONDA P. PATIL	0671	35	M						27/12/2017	Fit				
161	DIPAK D. MANE	0673	47	M						27/12/2017	Fit				

Form No 7 (Prescribed under Rule 18 (17)

Certifying Surgeon

DR.ARVIND MANE

M.B.B.S,D.P.H.,A.F.I.H.(Mumbai)

HEALTH REGISTER

SHRI GURUDATT SUGARS LTD. TAKALIWADI

26/12/2017 TO 26/12/2018

Sr. No.	Name	Emp. No.	Age	Sex	Dept of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	Certified fit to resume duty on resumption with signature of Surgeon	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on resumption with signature of Surgeon	If certificate of unfitness or suspension issued to worker	Signature with date of certifying surgeon	Surgeon
162	VIKAS M. JADHAV	0679	40	M						27/12/2017	Fit						
163	KISHOR T.PAWAR	0682	39	M						27/12/2017	Fit						
164	RANJEET G. YADAV	0685	37	M						27/12/2017	Fit						
165	LAXMAN V. BADIGER	0688	35	M						27/12/2017	Fit						
166	SHRIPATI N.JOLLE	0689	43	M						27/12/2017	Fit						
167	ANANDA M. FAKANDE	0691	35	M						27/12/2017	Fit						
168	RAJU K. CHAVAN	0698	42	M						27/12/2017	Fit						
169	MOHAN K. PATIL	0699	32	M						27/12/2017	Fit						
170	MANOHAR M. BHOSALE	0701	45	M						27/12/2017	Fit						
171	ISMAIL B. JAMADAR	0702	45	M						27/12/2017	Fit						
172	ANIL B. BIRANJE	0703	30	M						27/12/2017	Fit						
173	BAHUBALI S. LATTHE	0706	28	M						27/12/2017	Fit						

Form No 7 (Prescribed under Rule 18 (17)

Certifying Surgeon

DR.ARVIND MANE
M.B.B.S.,D.P.H.,A.F.I.H.(Mumbai)

HEALTH REGISTER

SHRI GURUDATT SUGARS LTD. TAKALIWADI

26/12/2017 TO 26/12/2018

Sr. No.	Emp. No.	Name	Age	Sex	Dept of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certificate fit to resume duty on resumption with signature of Surgeon	If certificate of unfitness or suspension issued to worker	Signature with date of certifying Surgeon
174	0708	SANJAY Y. WADAR	41	M						27/12/2017	Fit				
175	0709	ASHOK V. JADHAV	53	M						27/12/2017	Fit				
176	0710	DILIP S. PATIL	54	M						27/12/2017	Fit				
177	0712	SURESH B. GAIKWAD	46	M						27/12/2017	Fit				
178	0714	PRAKASH B. POWAR	39	M						27/12/2017	Fit				
179	0715	SHIVAJI M. BHOSALE	52	M						27/12/2017	Fit				
180	0717	MALHAR G. JADHAV	43	M						27/12/2017	Fit				
181	0718	ARUN B. KAGWADE	42	M						27/12/2017	Fit				
182	0726	RAJENDRA K. PATIL	35	M						27/12/2017	Fit				
183	0727	RAJU P. KOLI	34	M						27/12/2017	Fit				
184	0728	S. N. CHIGARE	54	M						27/12/2017	Fit				

**कार्याने अधिकारीमध्ये च्या काळम १०(?) प्रमाणे
कोलहापुर जिल्हाकरिता
प्राधिकृत प्रमाणकशाल्यचिकित्सक**

Form No 7 (Prescribed under Rule 18 (17)

Certifying Surgeon

HEALTH REGISTER

SHRI GURUDATT SUGARS LTD. TAKALIWADI

26/12/2017 TO 26/12/2018

DR.ARVIND MANE
M.B.B.S.,D.P.H.,A.F.I.H.(Mumbai)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of present work employment of present work	Date of leaving or transfer to other work	Reason for leaving or transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certificate fit to resume duty on with signature of Certifying Surgeon	If certificate of unfitness or suspension issued to worker	Signature with date of certifying Surgeon.
185	0729	DILIP N. GORE	52	M						27/12/2017	Fit				
186	0733	S. S. SHEDBALE	42	M						27/12/2017	Fit				
187	0736	M. M. MORADE	33	M						27/12/2017	Fit				
188	0738	ANIL S. KAMBLE	41	M						27/12/2017	Fit				
189	0741	RAJARAM A. BAKALE	49	M						27/12/2017	Fit				
190	0746	TUKARAM B. PATIL	40	M						27/12/2017	Fit				
191	0750	SUKUMAR S. BHALE	45	M						27/12/2017	Fit				
192	0759	AMGONDA B. PATIL	35	M						27/12/2017	Fit				
193	0760	VINOD D. KAMBLE	34	M						27/12/2017	Fit				
194	0763	MAHIPAL T. GAVALI	50	M						27/12/2017	Fit				
195	0766	KAMDEV S. MUDIRAJ	42	M						27/12/2017	Fit				
196	0773	MEHUL C. LUGADE	31	M						27/12/2017	Fit				

SHRI GURUDATT SUGARS LTD. TAKALIWADI

Form No 7 (Prescribed under Rule 18 (17)

HEALTH REGISTER

Certifying Surgeon
DR.ARVIND MANE
M.B.B.S,D.P.H,A.F.I.H.(Mumbai)

26/12/2017 TO 26/12/2018

Sr. No.	Name	Age	Sex	Dept of present work	Date of leaving or transfer to other work	Reason for leaving	Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certificate of resume duty on resumption with signature of Surgeon	If certificate of unfitness or suspension issued to worker	Signature with date of certificate of Surgeon
197	SHIVAJI G. PATIL	43	M							27/12/2017	Fit				
198	ANANT S. RASANKAR	47	M							27/12/2017	Fit				
199	SANJAY M. MAGDUM	35	M							27/12/2017	Fit				
200	SHARAD M. INGALE	37	M							27/12/2017	Fit				
201	PREM K. WAGHAMARE	35	M							27/12/2017	Fit				
202	V.B.PATIL	34	M							27/12/2017	Fit				
203	H.B.RAJPUT	41	M							27/12/2017	Fit				
204	S.S.GHATAGE	32	M							27/12/2017	Fit				
205	AKARAM S.GAVADE	30	M							27/12/2017	Fit				
206	SURESH K.YADAV	37	M							27/12/2017	Fit				
207	RAJENDRA B.GAVADE	32	M							27/12/2017	Fit				

**कार्यालय अधिकारी १५८ वा कलम १०(२) प्रभाग
कोलहापुर जिलहाकरिता
प्राधिकृत प्रमाणकशलाधिचिकित्सक**

SHRI GURUDATT SUGARS LTD. TAKALIWADI

Form No 7 (Prescribed under Rule 18 (17)

Certifying Surgeon

HEALTH REGISTER

DR.ARVIND MANE
M.B.B.S,D.P.H.,A.F.I.H.(Mumbai)

26/12/2017 TO 26/12/2018

Sr. No.	Name	Emp. No.	Age	Sex	Dept of present work Employee of present work	Date of leaving or transfer to other work	Reason for leaving or transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	Certified fit to resume duty on resume of suspension of suspended from work, state period of suspension with detailed reasons	Certifying Surgeon with signature of Certifying Surgeon	If certificate of unfitness or suspension issued to worker	Signature with gate of certifying Surgeon.
208	S.B. LATAWADE	0803	37	M						27/12/2017	Fit				
209	D. S. NIMBALKAR	0811	41	M						27/12/2017	Fit				
210	BAHUBALI B. KOTHALI	0812	32	M						27/12/2017	Fit				
211	C. B. KUMBHAR	0816	54	M						27/12/2017	Fit				
212	TANAJIN. KAKADE	0820	55	M						27/12/2017	Fit				
213	SITARAM M. PATIL	0824	55	M						27/12/2017	Fit				
214	B. R. PATIL	0825	55	M						27/12/2017	Fit				
215	RAVSAHEB R. GUDE	0828	54	M						27/12/2017	Fit				
216	BABASO M. EDAKE	0830	48	M						27/12/2017	Fit				
217	JAKAPPA K. MAHAJAN	0831	48	M						27/12/2017	Fit				
218	SANJAY D. DANOLE	0832	33	M						27/12/2017	Fit				
219	BABASO Y. INAMDAR	0837	45	M						27/12/2017	Fit				

Form No 7 (Prescribed under Rule 18 (17)

Certifying Surgeon

HEALTH REGISTER

SHRI GURUDATT SUGARS LTD. TAKALIWADI

26/12/2017 TO 26/12/2018

**DR.ARVIND MANE
M.B.B.S.,D.P.H.,A.F.I.H.(Mumbai)**

Sr. No.	Emp. No.	Name	Age	Sex	Dept of present work	Date of leaving or transfer to other work	Reason for leaving work	Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination
220	0844	PRAVIN B. NARAKE	29	M							27/12/2017	Fit
221	0846	HANMANT T. PATIL	54	M							27/12/2017	Fit
222	0847	SADASHIV M. PATIL	57	M							27/12/2017	Fit
223	0848	MANIK R. DESAI	39	M							27/12/2017	Fit
224	0849	DILIP A. KORBU	45	M							27/12/2017	Fit
225	0850	RAVINDRA B. SUTAR	33	M							27/12/2017	Fit
226	0851	JITENDRA Y. KAMBLE	30	M							27/12/2017	Fit
227	0854	POPAT K. SALUNKHE	41	M							27/12/2017	Fit
228	0855	VIRPAKSHA J. FUTANE	38	M							27/12/2017	Fit
229	0857	M. S. SHENDURE	33	M							27/12/2017	Fit
230	0858	KUMAR S. MANE	42	M							27/12/2017	Fit

कारखाने अधिनियम १९४८ च्या काळम १०(२) प्रमाणे

कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रमाणकशाल्यचिकित्सक
क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17)

Certifying Surgeon

SHRI GURUDATT SUGARS LTD. TAKALIWADI

HEALTH REGISTER

**DR.ARVIND MANE
M.B.B.S,D.P.H.,A.F.I.H.(Mumbai)**

26/12/2017 TO 26/12/2018

Sr. No.	Emp. No.	Name	Age	Sex	Dept of present work	Date of leaving or transfer to other work	Reason for leaving Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on resume of duty on with signature of Certifying Surgeon	If certificate of unfitness or suspension issued to worker	Signature with gate Surgeon.
231	0859	SWAPNIL A. KAMBLE	30	M						27/12/2017	Fit				
232	0864	VIJAY S. KUMBHOJKAR	38	M						27/12/2017	Fit				
233	0871	GANESH R. GORE	33	M						27/12/2017	Fit				
234	0873	AJIT A. PATIL	32	M						27/12/2017	Fit				
235	0877	HARSHAL P. PATIL	30	M						27/12/2017	Fit				
236	0882	JINGONDA B. PATIL	35	M						27/12/2017	Fit				
237	0883	SANDIP S. MAGDUM	36	M						27/12/2017	Fit				
238	0884	ALAM S. PATEL	53	M						27/12/2017	Fit				
239	0886	ANAND J. SHINDE	45	M						27/12/2017	Fit				
240	0887	F. R. MULLA	50	M						27/12/2017	Fit				
241	0890	MAHESH B. ARADE	33	M						27/12/2017	Fit				
242	0891	P. B. BHILAWADE	54	M						27/12/2017	Fit				

SHRI GURUDATTI SUGARS LTD. TAKALIWADI

Form No 7 (Prescribed under Rule 18 (17)

HEALTH REGISTER

Certifying Surgeon

DR.ARVIND MANE
M.B.B.S.,D.P.H.,A.F.I.H.(Mumbai)

26/12/2017 TO 26/12/2018

Sr. No.	Name	Emp. No.	Age	Sex	Dept of present work employment of present work	Date of leaving or transfer to other work	Reason for leaving Transfer or discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on resume with signature of Certifying Surgeon	If certificate of unfitness or suspension issued to worker	Signature with date of certifying surgeon.
243	0902	AMAR A. PATIL	30	M						27/12/2017	Fit				
244	0907	ANNASO B. GOURAJ	40	M						28/12/2017	Fit				
245	0908	SACHIN B. CHIKHALE	36	M						28/12/2017	Fit				
246	0909	SATISH A. PARIT	36	M						28/12/2017	Fit				
247	0912	NAVEED S. DANWADE	38	M						28/12/2017	Fit				
248	0917	SAGAR B. MALLI	29	M						28/12/2017	Fit				
249	0921	SANDIP D. RETREKAR	32	M						28/12/2017	Fit				
250	0928	BALASO V. PARIT	54	M						28/12/2017	Fit				
251	0930	DILIP T. KAMBLE	52	M						28/12/2017	Fit				
252	0933	SANTOSH A. PATIL	35	M						28/12/2017	Fit				
253	0935	AMOL R. MANE-GAVADE	31	M						28/12/2017	Fit				

कारखाने अधिनियम १९४८ चा कलम १०(२) प्रमाणे
कोलहापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशालाचिकित्सक
२८८१८/८८८१५

Form No 7 (Prescribed under Rule 18 (17)

Certifying Surgeon

HEALTH REGISTER

SHRI GURUDATT SUGARS LTD. TAKALIWADI

DR.ARVIND MANE
M.B.B.S.,D.P.H.,A.F.I.H.(Mumbai)

26/12/2017 TO 26/12/2018

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or discharge	Raw material or bye product handled	Exam. Date	Result of Medical Examination	Certified fit to resume duty on resumption of suspension with detailed reasons	Certifying Surgeon with signature of Surgeon	If certificate of unfitness or suspension issued to worker	Signature with gate surgen.
254	0936	NILESH B. DALAVI	31	M						28/12/2017	Fit				
255	0938	PRAKASH T. GHATAGE	33	M						28/12/2017	Fit				
256	0939	TUSHAR T. NIKAM	31	M						28/12/2017	Fit				
257	0940	SANDIP M. GAIKWAD	30	M						28/12/2017	Fit				
258	0941	BAJIRAO S. BHALE	32	M						28/12/2017	Fit				
259	0942	SATISH D. WALAVADE	32	M						28/12/2017	Fit				
260	0943	ASHOK A. SHINDE	31	M						28/12/2017	Fit				
261	0944	AMOL R. HUJARE	31	M						28/12/2017	Fit				
262	0952	C. B. BIRNAGE	40	M						28/12/2017	Fit				
263	0955	VINOD R. PATIL	30	M						28/12/2017	Fit				
264	0967	SANDIP B. GAIKWAD	46	M						28/12/2017	Fit				
265	0974	SANJIV T. PATIL	54	M						28/12/2017	Fit				

Form No 7 (Prescribed under Rule 18 (17))

Certifying Surgeon

HEALTH REGISTER

SHRI GURUDATT SUGARS LTD. TAKALIWADI

26/12/2017 TO 26/12/2018

**DR.ARVIND MANE
M.B.B.S,D.P.H.A.F.I.H.(Mumbai)**

Sr. No.	Emp. No.	Name	Age	Sex	Dept of present work	Date of leaving or transfer to other work	Reason for leaving Transfer of disccharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on resumption with detailed reasons	Certifying Surgeon with signature and date	Signature with date of certificate
266	0976	SIKANDAR D. FARAS	56	M						28/12/2017	Fit				
267	0981	MALGOND A. DESAI	31	M						28/12/2017	Fit				
268	0982	Y. S. NIMBALKAR	31	M						28/12/2017	Fit				
269	0985	FARUKHA S. DANWADE	30	M						28/12/2017	Fit				
270	0991	V. A. CHOUDHARI	27	M						28/12/2017	Fit				
271	0993	SAGAR D. PIRKANE	31	M						28/12/2017	Fit				
272	0994	RAKESH R. MAGDUM	26	M						28/12/2017	Fit				
273	0999	D. S. BALWAN	48	M						28/12/2017	Fit				
274	1000	H. M. NAGARAJI	38	M						28/12/2017	Fit				
275	1004	SHAMGOND A. ALATE	42	M						28/12/2017	Fit				
276	1005	JOTIBA R. AKKOLE	34	M						28/12/2017	Fit				

Form No 7 (Prescribed under Rule 18 (17)

Certifying Surgeon

DR.ARVIND MANE
M.B.B.S.,D.P.H.,A.F.I.H.(Mumbai)

HEALTH REGISTER

SHRI GURUDATT SUGARS LTD. TAKALIWADI

26/12/2017 TO 26/12/2018

Sr. No.	Name	Emp. No.	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving or transfer of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	Certified fit to resume duty on resumption of suspension with detailed reasons	Certifying Surgeon with signature of resumee	If certificate of unfitness or suspension issued to worker	Signature with date of certifying surgeon	Surgeon.
277	RAJARAM S. PATIL	1007	52	M					28/12/2017	Fit					
278	DILIP N. MALGAR	1008	53	M					28/12/2017	Fit					
279	GUNDAPPA R. MANE	1011	54	M					28/12/2017	Fit					
280	AMAR A. BIRANGE	1015	30	M					28/12/2017	Fit					
281	SHAHIR S. CHAVARE	1016	55	M					28/12/2017	Fit					
282	C. M. MANE	1017	27	M					28/12/2017	Fit					
283	MAHAVIR J. NARADE	1018	39	M					28/12/2017	Fit					
284	AMAR K. GIRIBUWA	1020	33	M					28/12/2017	Fit					
285	RAJENDRA S. JADHAV	1023	44	M					28/12/2017	Fit					
286	SHAMRAO N. PATIL	1026	54	M					28/12/2017	Fit					
287	VIJAY S. KALE	1027	36	M					28/12/2017	Fit					
288	SURESH K. DESAI	1029	34	M					28/12/2017	Fit					

Form No 7 (Prescribed under Rule 18 (17)

Certifying Surgeon

DR.ARVIND MANE
M.B.B.S.,D.P.H.,A.F.I.H.(Mumbai)

HEALTH REGISTER

SHRI GURUDATT SUGARS LTD. TAKALIWADI

26/12/2017 TO 26/12/2018

Sr. No.	Name	Emp. No.	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on resume of duty on with signature of Certifying Surgeon	If certificate of unfitness or suspension issued to worker	Signature with gate surgeon.
289	1031	ARVIND R. HARTIKAR	57	M						28/12/2017	Fit				
290	1032	G. P. NIRMALE	35	M						28/12/2017	Fit				
291	1033	BAJIRAO I. SHEDBALE	48	M						28/12/2017	Fit				
292	1034	SHIVAJI B. KHOT	48	M						28/12/2017	Fit				
293	1035	NETAJI H. KHOT	38	M						28/12/2017	Fit				
294	1036	NANASO S. KAMBLE	45	M						28/12/2017	Fit				
295	1038	YOGESH K. KAMBLE	33	M						28/12/2017	Fit				
296	1039	KIRAN S. CHIGARE	41	M						28/12/2017	Fit				
297	1040	MAHAVIR A. BIRANGE	41	M						28/12/2017	Fit				
298	1041	SANDIP R. KHOT	29	M						28/12/2017	Fit				
299	1042	M. S. BIRANAGE	50	F						28/12/2017	Fit				

कारखाने अधिनियम १९८८ च्या कलम १०(३) प्रमाणे
कोलहापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशालेयचिकित्सक
क्र. अंक ८८८१८८०१८

SHRI GURUDATT SUGARS LTD. TAKALIWADI

Form No 7 (Prescribed under Rule 18 (17)

Certifying Surgeon

DR.ARVIND MANE
M.B.B.S.,D.P.H.,A.F.I.H.(Mumbai)

HEALTH REGISTER

26/12/2017 TO 26/12/2018

S. No.	Name	Age	Sex	Emp. No.	Dept. of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certificate duty on resume with signature of certifying Surgeon	If certificate of unfitness or suspension issued to worker	Signature with date of certifying Surgeon	Surgen.
300	1043	SAOUBAI A. BIRANGE	45	F							28/12/2017	Fit					
301	1044	USHATAI S. KAMBLE	45	F							28/12/2017	Fit					
302	1045	RAMESH K. KAMBLE	31	M							28/12/2017	Fit					
303	1046	SUNIL S.NIRMALE	32	M							28/12/2017	Fit					
304	1047	APPASO S.MAGDUM	36	M							28/12/2017	Fit					
305	1048	A.S.KUMBHAR	32	M							28/12/2017	Fit					
306	1049	KASTURI P.KAMBLE	47	F							28/12/2017	Fit					
307	1050	SANTOSH L.TELI	28	M							28/12/2017	Fit					
308	1051	S.P. BIRANGE	32	M							28/12/2017	Fit					
309	1052	SANDIP D.SUTAR	29	M							28/12/2017	Fit					
310	1053	Y.G. KAMBLE	28	M							28/12/2017	Fit					
311	1056	ASHOK B.PATIL	52	M							28/12/2017	Fit					

Form No 7 (Prescribed under Rule 18 (17)

Certifying Surgeon

DR.ARVIND MANE
M.B.B.S,D.P.H,A.F.I.H.(Mumbai)

HEALTH REGISTER

SHRI GURUDATT SUGARS LTD. TAKALIWADI

26/12/2017 TO 26/12/2018

Sr. No.	Emp. No.	Name	Age	Sex	Dept of present work employment of present work	Date of leaving or transfer to other work	Reason for leaving Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on resumption with detailed reasons	Certifying Surgeon with signature of surgeon	If certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
312	1060	DIPAK N.SANKPAL	31	M						28/12/2017	Fit					
313	1066	SHIVAJI R KOLI	37	M						28/12/2017	Fit					
314	1068	P.S.BADNIKAI	35	M						28/12/2017	Fit					
315	1069	SHIVAJI D.POWAR	42	M						28/12/2017	Fit					
316	1070	V.N.CHANDOBA	39	M						28/12/2017	Fit					
317	1071	S.R.JADHAV	43	M						28/12/2017	Fit					
318	1074	A.N.BUDHAWALE	38	M						28/12/2017	Fit					
319	1077	MAHESH R.PATIL	36	M						28/12/2017	Fit					
320	1079	SUHAS D.MAGDUM	30	M						28/12/2017	Fit					
321	1080	S.A.BIRANGE	32	M						28/12/2017	Fit					
322	1081	B.V.BANDGAR	32	M						28/12/2017	Fit					

Form No 7 (Prescribed under Rule 18 (17)

Certifying Surgeon

DR.ARVIND MANE
M.B.B.S.,D.P.H.,A.F.I.H.(Mumbai)

HEALTH REGISTER

SHRI GURUDATT SUGARS LTD. TAKALIWADI

26/12/2017 TO 26/12/2018

Sr. No.	Name	Emp. No.	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Resume duty on resumption with signature of Certifying Surgeon	If certificate of unfitness or suspension issued to worker	Signature with date of certifying Surgeon.
323	1082	ARVIND S.PATIL	28	M						28/12/2017	Fit				
324	1083	R.A.BIRANGE	32	M						28/12/2017	Fit				
325	1084	VITTHAL G.NIRMALE	34	M						28/12/2017	Fit				
326	1085	AJIT D.NIRMALE	34	M						28/12/2017	Fit				
327	1086	G.J.BHANDARE	30	M						28/12/2017	Fit				
328	1087	V.Y.KUMBHAR	29	M						28/12/2017	Fit				
329	1088	NITTIN S.SHINDE	31	M						28/12/2017	Fit				
330	1089	UTTAM N.GORE	28	M						28/12/2017	Fit				
331	1090	RAHUL A.GORE	33	M						28/12/2017	Fit				
332	1091	BAJARANG I.KOLI	36	M						28/12/2017	Fit				
333	1092	S.B.KHURPE	38	M						28/12/2017	Fit				
334	1094	ANNIASO R.DANOLE	34	M						28/12/2017	Fit				

Form No 7 (Prescribed under Rule 18 (17)

Certifying Surgeon

DR.ARVIND MANE
M.B.B.S.,D.P.H.,A.F.I.H.(Mumbai)

HEALTH REGISTER

SHRI GURUDATT SUGARS LTD. TAKALIWADI

26/12/2017 TO 26/12/2018

Sr. No.	Name	Emp. No.	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving or transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If certificate of unfitness or suspension issued to worker	Signature with date of certifying surgeon.
335	1095	B.B.MHAISHALE	33	M						28/12/2017	Fit				
336	1096	RAJU B.GAVADE	34	M						28/12/2017	Fit				
337	1097	C.A.KOLI	33	M						28/12/2017	Fit				
338	1098	NITIN B.KOLI	34	M						28/12/2017	Fit				
339	1099	MARUTI P.BHATMARE	35	M						28/12/2017	Fit				
340	1100	ZAKIR M.KUDACHE	35	M						28/12/2017	Fit				
341	1101	S.R.GAVANDI	44	M						28/12/2017	Fit				
342	1102	S.M.BAVIDKAR	35	M						28/12/2017	Fit				
343	1103	SANTOSH N.SAWANT	32	M						28/12/2017	Fit				
344	1104	B.V.GAIKWAD	32	M						28/12/2017	Fit				
345	1107	KUMAR A.SUTAR	37	M						28/12/2017	Fit				

SHRI GURUDATT SUGARS LTD. TAKALIWADI

Form No 7 (Prescribed under Rule 18 (17)

HEALTH REGISTER

Certifying Surgeon

DR.ARVIND MANE
M.B.B.S.,D.P.H.,A.F.I.H.(Mumbai)

26/12/2017 TO 26/12/2018

Sr. No.	Emp. No.	Name	Age	Sex	Dept of present work employment of present work	Date of leaving or transfer to other work	Reason for leaving or transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certificate due to resume duty on resumption with signature of Certifying Surgeon	If certificate of unfitness or suspension issued to worker	Signature with gate surgeon.
346	1109	VIJAY R.CHAVAN	34	M						28/12/2017	Fit				
347	1110	T.A.HINGMIRE	34	M						28/12/2017	Fit				
348	1111	S.S.ADARSHE	33	M						28/12/2017	Fit				
349	1113	AMOL Y.PATIL	31	M						28/12/2017	Fit				
350	1114	U.P.GAIKWAD	35	M						28/12/2017	Fit				
351	1115	BANDU N.SHINDE	36	M						28/12/2017	Fit				
352	1116	ASHOK B.PAWAR	44	M						28/12/2017	Fit				
353	1118	SURESH N.MASKE	39	M						28/12/2017	Fit				
354	1119	SAGAR S.PARIT	35	M						28/12/2017	Fit				
355	1120	TUKARAM P.PATIL	43	M						28/12/2017	Fit				
356	1121	SHIVAJI S.MAGDUM	26	M						28/12/2017	Fit				
357	1123	MADAR A.NADAF	45	M						28/12/2017	Fit				

Form No 7 (Prescribed under Rule 18 (17)

Certifying Surgeon

DR.ARVIND MANE
M.B.B.S.,D.P.H,A.F.I.H.(Mumbai)

HEALTH REGISTER

SHRI GURUDATT SUGARS LTD. TAKALIWADI

26/12/2017 TO 26/12/2018

Sr. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	resume duty on suspension issued to worker	Certifying Surgeon with signature of gate surgen.
358 1124	RAJU S.MAGDUM	42	M						28/12/2017	Fit		
359 1125	MANOI A.MANE	33	M						28/12/2017	Fit		
360 1126	SURESH B.POWAR	35	M						28/12/2017	Fit		
361 1127	B.L.KONBARE	33	M						28/12/2017	Fit		
362 1128	C.S.LOHAR	42	M						28/12/2017	Fit		
363 1129	PRABHAKAR B.KOLI	36	M						28/12/2017	Fit		
364 1130	KAPIL R.DANWADE	30	M						28/12/2017	Fit		
365 1131	N.K.BANDGAR	35	M						28/12/2017	Fit		
366 1132	SANTOSH B.GORE	30	M						28/12/2017	Fit		
367 1133	DHONDIRAM S.MANE	36	M						28/12/2017	Fit		
368 1134	R.G.PATTEKARI	31	M						28/12/2017	Fit		

Form No 7 (Prescribed under Rule 18 (17)

Certifying Surgeon

DR.ARVIND MANE
M.B.B.S,D.P.H,A.F.I.H.(Mumbai)

HEALTH REGISTER

SHRI GURUDATT SUGARS LTD. TAKALIWADI

26/12/2017 TO 26/12/2018

Sr. No.	Emp. No.	Name	Age	Sex	Dept. of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or byproduct handled	Exam. Date	Result of Medical Examination	Certified fit to resume duty on resumption with signature of Certifying Surgeon	If suspended from work, state period of suspension with detailed reasons	If certified fit to resume duty on resumption with signature of Certifying Surgeon	If certificate of unfitness or suspension issued to worker	Signature with date of certifying surgeon.
369	1135	SANDIP S.PATIL	31	M						28/12/2017	Fit					
370	1137	SHIVPUTR A.KOLI	38	M						28/12/2017	Fit					
371	1138	AMIT B.PATIL	35	M						28/12/2017	Fit					
372	1139	SURESH N.WADAR	45	M						28/12/2017	Fit					
373	1140	RAJKUMAR V.BAGE	40	M						28/12/2017	Fit					
374	1141	GANESH B.INGALE	31	M						28/12/2017	Fit					
375	1142	NITIN A.NALAWADE	36	M						28/12/2017	Fit					
376	1143	TATYASO D.MANE	30	M						28/12/2017	Fit					
377	1144	S.J.SOUNDATE	31	M						28/12/2017	Fit					
378	1145	S.B.SAMDOLE	31	M						28/12/2017	Fit					
379	1146	SANTOSH P.SASANE	31	M						28/12/2017	Fit					
380	1147	P.D.PIMPAL	28	M						28/12/2017	Fit					

Form No 7 (Prescribed under Rule 18 (17)

Certifying Surgeon

DR.ARVIND MANE
M.B.B.S.,D.P.H.,A.F.I.H.(Mumbai)

SHRI GURUDATT SUGARS LTD. TAKALIWADI

HEALTH REGISTER

26/12/2017 TO 26/12/2018

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving Transfer of discharge	Nature of job or occupation	Result of Medical Examination	Exam. Date
381	1148	VIJAY R.KHOT	30	M					28/12/2017	Fit
382	1150	RIYAJ G.SANADI	35	M					28/12/2017	Fit
383	1151	UTTAM L.KARNALE	32	M					28/12/2017	Fit
384	1152	SHEKKHAR S.PARIT	34	M					28/12/2017	Fit
385	1153	PRAVIN S.PATIL	32	M					28/12/2017	Fit
386	1154	D.R.CHAWARE	35	M					28/12/2017	Fit
387	1155	AMOL R.LATTHE	31	M					28/12/2017	Fit
388	1156	S.S.HINGMIRE	34	M					28/12/2017	Fit
389	1157	SAGAR S.JUGALE	31	M					28/12/2017	Fit
390	1158	D.M.KAMBLE	36	M					28/12/2017	Fit
391	1160	M.V.UMARANI	35	M					28/12/2017	Fit

SHRI GURUDATT SUGARS LTD. TAKALIWADI

Form No 7 (Prescribed under Rule 18 (17)

HEALTH REGISTER

Certifying Surgeon

DR.ARVIND MANE
M.B.B.S,D.P.H.,A.F.I.H.(Mumbai)

26/12/2017 TO 26/12/2018

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving or transfer of discharge	Nature of job or occupation	Raw material or product handled by me	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certificate duty on resume with signature of Certifying Surgeon	If certificate of unfitness or suspension issued to worker	Signature with date of certifying Surgeon.	Surgeon.
392	1162	G.S.BHANDARE	32	M						28/12/2017	Fit					
393	1163	P.B.PATIL	28	M						28/12/2017	Fit					
394	1164	S.T.MASALAPURE	31	M						28/12/2017	Fit					
395	1165	SANTOSH K.KAMBLE	36	M						28/12/2017	Fit					
396	1166	R.S.MATPATHI	40	M						28/12/2017	Fit					
397	1168	K.P.MALLEVADI	29	M						28/12/2017	Fit					
398	1170	YUNUS M.KUDACHE	33	M						28/12/2017	Fit					
399	1171	VITTHAL A.GAVADE	34	M						28/12/2017	Fit					
400	1173	SAMBHAJI B.DUBAL	57	M						28/12/2017	Fit					
401	1176	AMOL A.NIRMALE	31	M						28/12/2017	Fit					
402	1177	SANJAY B.CHOPADE	48	M						28/12/2017	Fit					
403	1181	INDRIT L.PATIL	28	M						29/12/2017	Fit					

Form No 7 (Prescribed under Rule 18 (17)

Certifying Surgeon

DR.ARVIND MANE
M.B.B.S,D.P.H,A.F.I.H.(Mumbai)

HEALTH REGISTER

SHRI GURUDATT SUGARS LTD. TAKALIWADI

26/12/2017 TO 26/12/2018

Sr. No.	Name	Emp. No.	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving or transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination
404	VIJAY M.MALI	48	M							29/12/2017	Fit
405	PRAKASH A. PATIL	34	M							29/12/2017	Fit
406	SACHIN V.TADE	35	M							29/12/2017	Fit
407	S.M.KUMBHAR	35	M							29/12/2017	Fit
408	R.L.JAGTAP	36	M							29/12/2017	Fit
409	S.S.HASAPATE	34	M							29/12/2017	Fit
410	R.M.SAKHALE	29	M							29/12/2017	Fit
411	S.P.KOTKAR	31	M							29/12/2017	Fit
412	NETAJI N.CHAVAN	38	M							29/12/2017	Fit
413	S.R.DESHMUKH	41	M							29/12/2017	Fit
414	DILIP P.PATIL	52	M							29/12/2017	Fit

कारबने अधिकारी १९८८ चा कलम प०(२) प्रमाणे
कोलहूपूर जिल्हाकरिता
प्राधिकृत प्रामाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17)

Certifying Surgeon

DR.ARVIND MANE
M.B.B.S,D.P.H.,A.F.I.H.(Mumbai)

HEALTH REGISTER

SHRI GURUDATT SUGARS LTD. TAKALIWADI

26/12/2017 TO 26/12/2018

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certificate duty on resume with signature of certifying Surgeon	If certificate of unfitness or suspension issued to worker	Signature with date of certifying surgeon.
415	1200	V.A.BHOJE	36	M						29/12/2017	Fit				
416	1201	PRASHANT M.SHINDE	34	M						29/12/2017	Fit				
417	1205	AMOL T.MAHADIK	29	M						29/12/2017	Fit				
418	1206	S.B.SHIRASATTI	32	M						29/12/2017	Fit				
419	1208	K.T.PATIL	38	M						29/12/2017	Fit				
420	1209	A.S.VASANKAR	35	M						29/12/2017	Fit				
421	1210	ANIL V.HERWADE	35	M						29/12/2017	Fit				
422	1211	APRADH A. MANSUR	32	M						29/12/2017	Fit				
423	1212	SURESH S.KAMBLE	41	M						29/12/2017	Fit				
424	1213	P.B.KAMBLE	35	M						29/12/2017	Fit				
425	1214	AMIT S.MULLA	35	M						29/12/2017	Fit				
426	1216	SALONI A.SANADI	45	F						29/12/2017	Fit				

Form No 7 (Prescribed under Rule 18 (17)

Certifying Surgeon

SHRI GURUDATT SUGARS LTD. TAKALIWADI

HEALTH REGISTER

DR.ARVIND MANE
M.B.B.S,D.P.H,A.F.I.H.(Mumbai)

26/12/2017 TO 26/12/2018

Sr. No.	Name	Emp. No.	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving or transfer of job or occupation	Raw material or by product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certificate duty on resume with signature of Certifying Surgeon	If certificate of unfitness or suspension issued to worker	Signature with gate surgeon.
427	D.V.WADAR	1217	38	M					29/12/2017	Fit				
428	SANDIP T.MANE	1220	35	M					29/12/2017	Fit				
429	NARSING S.TODKAR	1224	32	M					29/12/2017	Fit				
430	S.N.SANKPAL	1226	38	M					29/12/2017	Fit				
431	D.N.MAGDUM	1227	31	M					29/12/2017	Fit				
432	R.B.KAGALE	1228	38	M					29/12/2017	Fit				
433	ONKAR A.PIMPAL	1229	26	M					29/12/2017	Fit				
434	S.K.KALYANI	1231	40	M					29/12/2017	Fit				
435	SANJIAY J.SHINDE	1237	39	M					29/12/2017	Fit				
436	H.R.SHIRGUPPE	1238	41	M					29/12/2017	Fit				
437	P.DATTA ROY	1239	59	M					29/12/2017	Fit				

Form No 7 (Prescribed under Rule 18 (17)

Certifying Surgeon

DR.ARVIND MANE
M.B.B.S.,D.P.H.,A.F.I.H.(Mumbai)

HEALTH REGISTER

SHRI GURUDATT SUGARS LTD. TAKALIWADI

26/12/2017 TO 26/12/2018

Sr. No.	Name	Emp. No.	Age	Sex	Dept of present work employment of present work	Date of leaving or transfer to other work	Reason for leaving Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Result of Medical Examination	Exm. Date	Certified fit to resume duty on detailed reasons of suspension with work, state period of suspension with detailed reasons	Certifying Surgeon with signature of responsible to worker	Signature with date of certifying surgeon.
438	V.B.NAGAVE	1247	42	M						29/12/2017	Fit			
439	SUNIL G.PART	1249	46	M						29/12/2017	Fit			
440	S.G.JAGDALE	1251	26	M						29/12/2017	Fit			
441	GOVINDA D.KHOT	1254	25	M						29/12/2017	Fit			
442	SHRIDHAR A. SUTAR	1255	38	M						29/12/2017	Fit			
443	RAHUL S. BADAME	1256	24	M						29/12/2017	Fit			
444	SANJAY M. AWATI	1258	41	M						29/12/2017	Fit			
445	SURAJ J. MUGALE	1259	32	M						29/12/2017	Fit			
446	S. K. HULLENAVAR	1260	30	M						29/12/2017	Fit			
447	SANJAY S. CHAVAN	1261	38	M						29/12/2017	Fit			
448	SUNIL S. PATIL	1262	39	M						29/12/2017	Fit			
449	SUNIL A. GHEDAWE	1263	39	M						29/12/2017	Fit			

SHRI GURUDATT SUGARS LTD. TAKALIWADI

Form No 7 (Prescribed under Rule 18 (17)

Certifying Surgeon

DR.ARVIND MANE
M.B.B.S.,D.P.H.,A.F.I.H.(Mumbai)

HEALTH REGISTER

26/12/2017 TO 26/12/2018

Sr. No.	Name	Emp. No.	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving or transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If certificate of unfitness or suspension issued to worker	Signature with gate surgeon.
450	VINOD A. GHATAGE	1264	26	M						29/12/2017	Fit				
451	AMOL R. MAGDUM	1265	28	M						29/12/2017	Fit				
452	SATAPPA R. CHAVAN	1266	28	M						29/12/2017	Fit				
453	D. A. KUDACHE	1267	30	M						29/12/2017	Fit				
454	SANJAY A. SALUNKHE	1269	37	M						29/12/2017	Fit				
455	P. S. ANKALE	1273	35	M						29/12/2017	Fit				
456	O.B. TAMBALE	1274	39	M						29/12/2017	Fit				
457	KEDARI V. MANE	1275	30	M						29/12/2017	Fit				
458	VIKAS B. CHOUGULE	1279	30	M						29/12/2017	Fit				
459	ROHIT R. KATGERI	1281	30	M						29/12/2017	Fit				
460	VITTHAL M. CHAVAN	1282	43	M						29/12/2017	Fit				

Form No 7 (Prescribed under Rule 18 (17)

Certifying Surgeon

DR.ARVIND MANE
M.B.B.S,D.P.H,A.F.I.H.(Mumbai)

HEALTH REGISTER

SHRI GURUDATT SUGARS LTD. TAKALIWADI

26/12/2017 TO 26/12/2018

Sr. No.	Name	Emp. No.	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving Transfer of job or occupation	Raw material or bye product handled	Result of Medical Examination	Exam. Date	If suspended from work, state period of suspension with detailed reasons	Certificate fit to resume duty on resumption with signature of Surgeon	If certificate of unfitness or suspension issued to worker	Signature with date of certifying Surgeon	Surgeon.
461	ATUL J. PAWAR	1283	36	M					Fit	29/12/2017					
462	C. R. ANJANEYA	1284	34	M					Fit	29/12/2017					
463	MAHESH G. PATIL	1290	32	M					Fit	29/12/2017					
464	ABHIEET M. GAIKWAD	1293	31	M					Fit	29/12/2017					
465	BAPU A. CHAVAN	5059	33	M					Fit	29/12/2017					
466	B. M. SOUNDATTE	5063	32	M					Fit	29/12/2017					
467	P. B. MALEKARI	5071	50	M					Fit	29/12/2017					
468	UDAY A. PATIL	5017	30	M					Fit	29/12/2017					
469	SUNIL V. LATTHE	5082	28	M					Fit	29/12/2017					
470	RAMCHANDRA R. AMBI	5083	33	M					Fit	29/12/2017					
471	SURESH M. KURANE	5084	30	M					Fit	29/12/2017					
472	PRADIP M. SHINDE	5086	36	M					Fit	29/12/2017					

Form No 7 (Prescribed under Rule 18 (17)

Certifying Surgeon

DR.ARVIND MANE

M.B.B.S.,D.P.H,A.F.I.H.(Mumbai)

HEALTH REGISTER

SHRI GURUDATT SUGARS LTD. TAKALIWADI

26/12/2017 TO 26/12/2018

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	Certifying Surgeon with signature	If certificate of suspension or suspension issued to worker	Signture with date of certifying surgeon.
473	5096	VILAS D. GAIKWAD	33	M						29/12/2017	Fit			
474	5097	RAJAN S. WALAVE	35	M						29/12/2017	Fit			
475	5098	SUNIL R. PATTEKARI	40	M						29/12/2017	Fit			
476	5101	H. B. SURYAWANSHI	52	M						29/12/2017	Fit			
477	5102	ARIF R. DESAI	26	M						29/12/2017	Fit			
478	5103	LALASO P. PATIL	46	M						29/12/2017	Fit			
479	5105	KUMAR A. ADUKE	30	M						29/12/2017	Fit			
480	5106	SHRISHAIL M. AMBI	35	M						29/12/2017	Fit			
481	5112	DATTATRAY T. PATIL	35	M						29/12/2017	Fit			
482	5115	SAGAR V. YADAV	30	M						29/12/2017	Fit			
483	5117	SHAMRAO R. MIRAJE	34	M						29/12/2017	Fit			

Form No 7 (Prescribed under Rule 18 (17)

Certifying Surgeon

DR.ARVIND MANE
M.B.B.S.,D.P.H,A.F.I.H.(Mumbai)

HEALTH REGISTER

SHRI GURUDATT SUGARS LTD. TAKALIWADI

26/12/2017 TO 26/12/2018

Sr. No.	Name	Emp. No.	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certificate fit to resume duty on resumption with signature of surgeon	Certifying Surgeon with signature of gate to worker	Signature with gate surgeen.
484	MEHBUB D. JAMADAR	5118	42	M						29/12/2017	Fit				
485	G. D. BORGAVE	5122	45	M						29/12/2017	Fit				
486	AJIT B. MHAISHALE	5123	33	M						29/12/2017	Fit				
487	SHIVAJI G. JAKHALE	5124	38	M						29/12/2017	Fit				
488	INDRAJIT R. SANKPAL	5125	30	M						29/12/2017	Fit				
489	PRAMOD B. KHOT	5129	29	M						29/12/2017	Fit				
490	ANANDA Y. PATIL	5130	32	M						29/12/2017	Fit				
491	VIJAY V. MANE	5131	40	M						29/12/2017	Fit				
492	VISHWAS L. ZANJE	5132	29	M						29/12/2017	Fit				
493	MARUTI B. BHADULE	5134	44	M						29/12/2017	Fit				
494	SHRIMANT S. KAMBLE	5135	30	M						29/12/2017	Fit				
495	T. R. TAHASILDAR	5148	23	M						29/12/2017	Fit				

Form No 7 (Prescribed under Rule 18 (17)

Certifying Surgeon

DR.ARVIND MANE
M.B.B.S.,D.P.H,A.F.I.H.(Mumbai)

HEALTH REGISTER

SHRI GURUDATT SUGARS LTD. TAKALIWADI

26/12/2017 TO 26/12/2018

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on resume of duty on with signature of Certifying Surgeon	If certificate of unfitness or suspension issued to worker	Signature with gate surgeon.
496	5150	DADASO B. KAGALE	35	M						29/12/2017	Fit				
497	5152	S. I. MAKANDAR	37	M						29/12/2017	Fit				
498	5155	R. S. NIRMALE	29	M						29/12/2017	Fit				
499	5156	RAJU G. NIMBALKAR	30	M						29/12/2017	Fit				
500	5158	BALASO K. SANKPAL	32	M						29/12/2017	Fit				
501	5159	SACHIN S. PATIL	27	M						29/12/2017	Fit				
502	5160	SHANKAR R. KHARPI	35	M						29/12/2017	Fit				
503	5165	SAGAR D. KHOT	28	M						29/12/2017	Fit				
504	5168	AVINASH S. PATIL	27	M						29/12/2017	Fit				
505	5172	BIRDEV S. BANDGAR	30	M						29/12/2017	Fit				
506	5173	SANTOSH V. KOLI	32	M						29/12/2017	Fit				

SHRI GURUDATT SUGARS LTD. TAKALIWADI

Form No 7 (Prescribed under Rule 18 (17))
HEALTH REGISTER

Certifying Surgeon
DR.ARVIND MANE
M.B.B.S,D.P.H,A.F.I.H.(Mumbai)

26/12/2017 TO 26/12/2018

S. No.	Name	Emp. No.	Age	Sex	Dept of employment of present work	Date of leaving work	Reason for leaving work	Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Result of Medical Examination	Date	Certified fit to resume duty on resumption of suspension with detailed reasons	Certifyng Surgeon with signature of worker	Signture with gatre surgen.
507	PRAMOD C. KADAM	5175	36	M							29/12/2017	Fit			
508	SUDHIR M. PATOLE	5176	30	M							29/12/2017	Fit			
509	BALGONDA A. PATIL	5177	27	M							29/12/2017	Fit			
510	RAFIK N. JAMADAR	5178	27	M							29/12/2017	Fit			
511	SUNIL D. KOLI	5179	27	M							29/12/2017	Fit			
512	SURESH I. MIRAJE	5180	48	M							29/12/2017	Fit			
513	GAJANAN Y. KAMATE	5181	30	M							29/12/2017	Fit			
514	ARIF D. DANWADE	5183	31	M							29/12/2017	Fit			
515	RAVINDRA B. UMRANI	5184	35	M							29/12/2017	Fit			
516	ROHIT G. PAGADE	5185	26	M							29/12/2017	Fit			
517	AVDHUT D. KOLI	5187	27	M							29/12/2017	Fit			
518	DADASO R. GASTE	5188	26	M							29/12/2017	Fit			

SHRI GURUDATT SUGARS LTD. TAKALIWADI

Form No 7 (Prescribed under Rule 18 (17)

HEALTH REGISTER

Certifying Surgeon

DR.ARVIND MANE
M.B.B.S.,D.P.H,A.F.I.H.(Mumbai)

26/12/2017 TO 26/12/2018

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Result of Medical Examination	Certified fit to resume duty on resumption with detailed reasons	Certifying Surgeon with signature of resumption issued to worker	Signture with Date of certifying Surgeon
519	5190	ARJUN A. KOLI	28	M							29/12/2017	Fit		
520	5193	TUKARAM M. PAKHRE	47	M							29/12/2017	Fit		
521	5194	UMESH A. PATIL	26	M							29/12/2017	Fit		
522	5195	BACHARAM K. PATIL	33	M							29/12/2017	Fit		
523	5197	DIPAK S. KAIKADI	27	M							29/12/2017	Fit		
524	5199	NEMINATH A. KOTE	33	M							29/12/2017	Fit		
525	5200	R. G. DHABADE	25	M							29/12/2017	Fit		
526	5206	JOTIBA A. MAGDUM	24	M							29/12/2017	Fit		
527	5208	VASANT B. LATKAR	45	M							29/12/2017	Fit		
528	5209	SANTOSH P. KOLI	35	M							29/12/2017	Fit		
529	5210	C. D. GAIKWAD	49	M							29/12/2017	Fit		

SHRI GURUDATT SUGARS LTD. TAKALIWADI

Form No 7 (Prescribed under Rule 18 (17)

HEALTH REGISTER

Certifying Surgeon

DR.ARVIND MANE
M.B.B.S.,D.P.H.,A.F.I.H.(Mumbai)

26/12/2017 TO 26/12/2018

Sr. No.	Name	Emp. No.	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Result of Medical Examination	Exam. Date
530	SOPAN V. NIRMALE	5211	32	M						29/12/2017	Fit
531	S. B. SALGARE	5213	32	M						29/12/2017	Fit
532	MANGESH V. PATIL	5214	31	M						29/12/2017	Fit
533	PRASAD M. CHOUGULE	5216	28	M						29/12/2017	Fit
534	A. M. RAJPUT	5217	28	M						29/12/2017	Fit
535	S. I. BAIRAGDAR	5218	26	M						29/12/2017	Fit
536	BABASO D. PARIT		36	M						29/12/2017	Fit
537	DIPAK P. CHAVAN		41	M						29/12/2017	Fit

DR.ARVIND MANE
M.B.B.S.,D.P.H.,A.F.I.H.(Mumbai)
कारखाने अधिनियम १९८८ च्या काळम १०(२) प्रमाणे
कोलहापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशालायचिकित्सक

क्र. ACS 15-AM/2016

F. No. J-11011/41/2015-IA-II (I)
Government of India
Ministry of Environment, Forest and Climate Change
(Impact Assessment Division)

Indira Paryavaran Bhawan
Aliganj, Jor Bagh Road,
New Delhi -110 003

Telefax: 011-24695365
E-mail: yogendra78@nic.in

Dated: 20th March, 2017

To,

The Chief Executive Officer
M/s Shri Gurudatt Sugars Limited
Gat No.61/A, Akiwat - Takaliwadi Road
Takaliwadi, Taluka Shirol
District - Kolhapur - 416 108
Maharashtra

Sub: Expansion of Sugar Plant (4900 TCD to 6000 TCD) and Co-generation Power Plant (15 MW to 21 MW) by M/s Shri Gurudatt Sugars Limited at Gat No.61/A, Akiwat-Takaliwadi Road, Takaliwadi, Taluka Shirol, District - Kolhapur, Maharashtra - Environmental Clearance – reg.

Ref: Online Proposal No. IA/MH/IND2/59911/2014 dated 22nd October, 2016.

Sir,

This has reference to your online proposal no. IA/MH/IND2/59911/2014 dated 22nd October, 2016, along with project documents including Form I, Terms of References, Pre-feasibility Report and EIA/EMP Report with public hearing report regarding the above mentioned project.

2. The Ministry of Environment, Forest and Climate Change has examined the application. It is noted that the proposal is Expansion of Sugar Plant (4900 TCD to 6000 TCD) and Co-generation Power Plant (15 MW to 21 MW) by M/s Shri Gurudatt Sugars Limited at Gat No.61/A, Akiwat-Takaliwadi Road, Takaliwadi, Taluka Shirol, District-Kolhapur, Maharashtra. As informed and as per the documents submitted by the Project Proponent (PP), no additional land is required as the project is proposed in the premises of sugar plant. The land area is 55 Acres. Area for green belt is 15 Acres. The total cost of the project is Rs. 86.34 crores. Raw Material is Sugarcane and Bagasse. No Protected area/Eco-sensitive area/Reserve forests are reported to be located within 10 km area of the project site. Krishna River (3 km), Panchganga River (5 km), and Dudhganga River (7 Km) are located within 10 km radius of the project site. Karnataka State is located within 4 km from the project site. The project thus falls in the interstate boundary region of Karnataka and Maharashtra. The plant will have the following configuration and production capacity:

G.15 Dr.

Units	Existing Capacity	Proposed Capacity	Total Capacity after expansion	Working days
Sugar Plant	4900 TCD	1100 TCD	6000 TCD	160
Cogeneration Power Plant	15 MW	6 MW	21 MW	160+124

3. All Sugar Industry (>5000 TCD cane crushing capacity) are listed at Sl. No. 5(j) of Schedule of EIA Notification under Category 'B'. However, considering the general condition that the project is located at distance of 4 km from the interstate boundary of Karnataka State, the project is considered under Category 'A' and are appraised at Central Level by Expert Appraisal Committee (EAC).

4. The project proposal was considered by the Expert Appraisal Committee (Industry-2) in its 36th meeting held during 16th- 17th March, 2015 and recommended Terms of References (TORs) for the Project. The TOR has been issued by Ministry vide letter dated 18th May, 2015.

5. The project proposal was considered by the Expert Appraisal Committee (Industry -2) in its 17th meeting held during 26th - 29th December, 2016. The Project Proponent and the accredited consultant M/s SD Engineering Services Pvt. Ltd, Aurangabad, gave a detailed presentation on the salient features of the project and proposed environmental protection measures to be undertaken, as per Terms of References (TORs) awarded in the 36th meeting of the EAC held during 16th - 17th March, 2015.

6. The State Pollution Control Board, Maharashtra has issued CTE vide letter no. 1.0/BO/CAC-CELL/EIC No. KP-15740-14/EIC. 4729 dated 27/04/2015 and CTO vide letter no. 1.0/BO/CAC CELL/EIC-KP-17292-15/ O&R/CAC-418 dated 8/10/2016. The existing unit has been operating with Consent to Operate from the State Pollution Control Board. Consent of Industry was valid up to 31.07.2016. The PP has informed the EAC that the application for renewal is submitted and same is under consideration of the SPCB which will be issued under auto-renewal policy of State Government.

7. Public Hearing for the proposed project has been conducted by the Maharashtra State Pollution Control Board 24.08.2016. The EAC has deliberated upon the issues raised during the public hearing. The concerns were raised regarding employment opportunities, pollution due to waste water discharge from plant, etc. The EAC noted that the issues have satisfactorily been responded by the project proponent and incorporated in the final EIA-EMP report.

8. The Project Proponent has informed the EAC that the ambient air quality monitoring was carried out at 9 locations during October, 2015- December, 2015 and submitted baseline data indicates that ranges of concentrations of PM₁₀ (25 $\mu\text{g}/\text{m}^3$ to 47.8 $\mu\text{g}/\text{m}^3$), PM_{2.5} (7.5 $\mu\text{g}/\text{m}^3$ to 18.5 $\mu\text{g}/\text{m}^3$), SO₂ (7.1 $\mu\text{g}/\text{m}^3$ to 9.2 $\mu\text{g}/\text{m}^3$), CO (0.09 $\mu\text{g}/\text{m}^3$ -0.16 $\mu\text{g}/\text{m}^3$) and NOx (8.6 $\mu\text{g}/\text{m}^3$ to 11.1 $\mu\text{g}/\text{m}^3$) respectively.

9. The total requirement of water for sugar and cogeneration is 1405.25 m³/day for process, cooling, boiler and domestic purpose. Fresh water

Permission has been obtained from the concerned authority. Balance water shall be met through recycling of condensate water. Under no circumstances ground water shall be used in the factory.

10. Power requirement is 6 MW/day for sugar and co-gen unit, the same is met through own generation. The steam generating system for the proposed Cogeneration Project comprises of two multi-fuel fired boiler with a Maximum Continuous Rating (MCR) of 70 TPH and 40 TPH (total capacity 110 TPH), with the outlet steam parameters at 45 kg/cm² and 5000 C. Fuel for Boiler is Bagasse. The bagasse requirement is 182054 MT/year.

11. The PP has submitted a letter no. MPCB/RO/KOP- 2878/2016 dated 28/07/2016 issued by the Regional Officer, Kolhapur, Maharashtra Pollution Control Board mentioning that the effluent/wastewater generated by the existing plant is well within the prescribed limit, based on the direction of the EAC.

12. The EAC, in its 17th meeting held on 26th- 29th December, 2016 has found that the final EIA/EMP report submitted by the PP is adequate. The EAC after detailed deliberations, on the basis of the information and presentation made by the PP, has recommended the project for environmental clearance with certain conditions.

13. Based on the proposal and information submitted by the Project Proponent, and considering the recommendation of the Expert Appraisal Committee (Industry-2), the Ministry of Environment, Forest and Climate Change hereby accords Environmental Clearance to the above project under the provisions of EIA Notification dated 14th September 2006, subject to the compliance of the following Specific and General Conditions:

A. Specific Conditions:

- i. Zero liquid Discharge System shall be ensured.
- ii. Water requirement to be reduced at extent possible by using latest process methodology being used worldwide.
- iii. Fly Ash be generated shall be sent to nearby cement industry.
- iv. Green belt (10 m wide) of perennial plant species like Neem, Sesam, Teak etc., to be developed around the plant periphery ensuring the 33% area of the plant as green area. The Forest department may be consulted in this regard.
- v. Air emissions from all point source to be controlled by latest technology instruments. The emissions shall conform to the limits imposed by Maharashtra Pollution Control Board (MPCB).
- vi. Periodic soil and water sampling in nearby villages and water bodies to be done by the Project Authorities through 3rd part expert and report shall be submitted to the concerned regional office of the Ministry.
- vii. RO plant of sufficient capacity to be installed in the nearby villages to ensure safe drinking water supply. Maintenance of the RO plant will be owned by the Project Authorities.
- viii. Health check-up camps to be organized periodically in nearby villages.

- ix. A regular environmental manager having PG qualification in environmental sciences/environmental engineering to be appointed for looking after the environmental management practices in the plant.
- x. Automatic/online monitoring system (24 x 7 monitoring devices) for flow measurement and relevant pollutants in the treatment system to be installed. The data to be made available to the respective SPCB and in the Company's website.

B. General Conditions:

- i. The project authorities must strictly adhere to the stipulations made by the Maharashtra Pollution Control Board, State Government and any other statutory authority.
- ii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- iii. The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one station is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.
- iv. The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be followed.
- v. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
- vi. The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water.
- vii. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
- viii. The company shall also comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management and risk mitigation measures relating to the project shall be implemented.



- ix. The company shall undertake all relevant measures for improving the socioeconomic conditions of the surrounding area. CSR activities shall be undertaken by involving local villages and administration.
- x. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.
- xi. A separate Environmental Management Cell equipped with full fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.
- xii. The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/pollution control measures shall not be diverted for any other purpose.
- xiii. A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal.
- xiv. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.
- xv. The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.
- xvi. The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at <http://moef.nic.in>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.
- xvii. The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.

14. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.


15. The Ministry reserves the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.

16. The above conditions will be enforced, *inter alia* under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules, 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules.


20.3.2017
(Yogendra Pal Singh)
Scientist 'D'

Copy to:-

1. The Secretary, Environment Department, Government of Maharashtra, 15th Floor, New Administrative Building, Mantralaya, Mumbai- 400 032.
2. The Additional Principal Chief Conservator of Forests (C), Ministry of Environment, Forest and Climate Change, Regional Office(WCZ), Ground Floor, East Wing, New Secretariat Building, Civil Line, Nagpur-440001.
3. The Chairman, Central Pollution Control Board, Parivesh Bhawan, CBD-cum-Office Complex East Arjun Nagar, Delhi - 110 032.
4. The Chairman, Maharashtra Pollution Control Board, Kalpataru Point, 3rd and 4th floor, Opp. Cine Planet, Sion Circle, Mumbai-400 022.
5. Monitoring Cell, Ministry of Environment, Forest and Climate Change, Indira Paryavaran Bhavan, Jor Bhag, New Delhi- 110 003.
6. Guard File/Monitoring File/Website/Record File.


20.3.2017
(Yogendra Pal Singh)
Scientist 'D'



Regd. No. 25-14367, CIN-U5424PN2000PLC014367

An ISO 9001 : 2008 Certified Company

SHRI GURUDATT SUGARS LTD., Takaliwadi

ADD.: Gat No. : 61 / A, Akiwat Takaliwadi Road, Takaliwadi Tal.- Shirol Dist - Kolhapur (MH) Pin Code : 416 10
PHONE : +91 231 2686086 | FAX : +91 231 2686000 | WEBSITE : www.sgsl.co.in | Email : gsslsgs@gmail.com

SGSL/ENVI/ 498 /2017-2018

Date – 31/03/2017

To,
The Chief Executive Officer so,
Zilha Parishad Office,
Nagala Park, Kolhapur

Subject: Submission of Environmental Clearance Copy for Shri Gurudatt Sugars Ltd. Gat No. 61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal. Shirol, Dist. Kolhapur, Maharashtra.

Ref: MoEF & CC Letter No.F. No. –J – 11011 / 41 / 2015 –IA – II (I) Dated 20.03.2017

Respected Sir,

With reference to above subject, we are submitting here with Environmental Clearance Copy of sugar manufacturing (from 4900 TCD to 6000 TCD, Co-generation capacity (15 MW to 21 MW) at Gat No. 61/A, Akiwat Takaliwadi Road, Tal. Shirol, Dist. Kolhapur, Maharashtra received from Ministry of Environment, Forest and Climate Change, New Delhi.

This is for your information please.

Thanking You.

Yours Faithfully

For, Shri Gurudatt Sugars Ltd.,

President

Copy –Enclosed above with copy of EC

8/2/2017
तेजानिक
मुख्य कार्यालयी अधिकारी
जिल्हा परिषद, कोल्हापूर.



SHRI GURUDATT SUGARS LTD., Takaliwadi

ADD.: Gat No. : 61 / A, Akiwat Takaliwadi Road, Takaliwadi Tal.- Shirol Dist - Kolhapur (MH) Pin Code : 416 108
PHONE : +91 231 2686086 | FAX : +91 231 2686000 | WEBSITE : www.sgsl.co.in | Email : gsslsgars@gmail.com

SGSL/ENVI/ 293 /2017-2018

Date - 31/03/2017

To,
The Regional Officer,
Ministry of Environment, Forest and Climate Change,
Regional Office (WCZ), Ground Floor, East Wing,
New Secretariat Building Civil Lines,
Nagpur
Tel.No.0712-2531318
Email: moefregionalofficenagpur@gmail.com

Subject: Submission of Environmental Clearance Copy for Shri Gurudatt Sugars Ltd. Gat No. 61/A, Akiwat Takaliwadi Road Takaliwadi, Tal. Shirol, Dist. Kolhapur, Maharashtra.

Ref : MoEF & CC Letter No.F. No. -J – 11011 / 41 / 2015 –IA – II (I) Dated 20.03.2017

Respected Sir,


With reference to above subject, we are submitting here with Environmental Clearance Copy of sugar manufacturing (from 4900 TCD to 6000 TCD, Co-generation capacity (15 MW to 21 MW) at Gat No. 61/A, Akiwat Takaliwadi Road, Tal. Shirol, Dist. Kolhapur, Maharashtra received from Ministry of Environment, Forest and Climate Change, New Delhi.

This is for your information please.

Thanking You.

Yours Faithfully

For, Shri Gurudatt Sugars Ltd.,


President

REGIONAL OFFICE
M. P. Regional Board
UP ZONE
GATE NO. 1, COLLECTOR OFFICE
KOLHAPUR-416 003

Copy –Enclosed above with copy of EC News display on local news paper .

CC – 1. The Regional Officer, MPC Board, Kolhapur.
2. The Sub Regional Officer, MPC Board, Kolhapur

संग्रह, सहस्रा प्रमाणपत्र व सूती चिन्ह पान ४ वर
News dt. 31/3/2017

जाहीर नोटीस

श्री गुरुदत्त शुगर्स लिमिटेड टाकळीवाडी पर्यावरण विषयक अनुमती

श्री गुरुदत्त शुगर्स लिमिटेड, गट नं.६१/अ,
अकिवाट टाकळीवाडी-रोड, टाकळीवाडी, ता. शिरोळ,
जि. कोल्हापूर पिन नं.४१६१०८ तर्फे कलविणेत येते
की, आमच्या कारखान्यामध्ये गाळ्य पक्षमता 4900 TCD
ते 6000 TCD व सहविजनिर्मिती प्रकल्प 15MW ते 21
MW वाढीव प्रकल्पास भारत सरकारचे पर्यावरण,
वनविभाग व हवामान बदल, मंत्रालय, नवी दिल्ली कडील
पत्र संदर्भ F. No. J-11011/41/2015-IA-II (I) दिनांक
२०/३/२०१७ ने विस्तारीकरणास अनुमती मिळालेली
आहे.

श्री. माधवराव भगवानराव घाटो
चे अरमन व कार्यकारी संचालक
श्री गुरुदत्त शुगर्स लिमिटेड, टाकळीवाडी

धन्द्युता प्रपद

PUBLIC NOTICE

**To whomsoever,
it may concern**

This is to inform to the public that Shri Gurudatt Sugars Ltd., Ghat 61/A, Akiwat- Takaliwadi Road, Takaliwadi, Tal. Shirol, Dist. Kolhapur- 416108. Maharashtra has been granted Environmental Clearance for their proposed expansion of sugar plant 4900 TCD to 6000 TCD and Co-generation 15 MW to 21 MW vide letter No. F. No. J-11011/ 47/ 2015- [A-II(I)], Dt. 20/03/2017.

The Copy of same can be viewed at website of ministry of Environment and forest and climate change of <http://moef.nic.in>

-Shri Madhavrao B. Ghatge
Chairman &
Managing Director

Shri. Bhagawanrao G. Ghatge
Founder
Shri. Madhavrao B. Ghatge
Chairman & Managing Director

SHRI GURUDATT SUGARS LIMITED

Gat No.61, Akiwat-Takaliwadi Road, Near Balumama Mandir,
TAKALIWADI - 416 108 Tal.: Shirol, Dist.:Kolhapur (Maharashtra State)
Reg. No. 25-14367, Tele Fax : (02322) 241577, 241877, 241977
Ph. (0231) 2686086 Fax No. (0231) 2686000 E-mail : gsisugars@gmail.com



Ref. No. श्रीगुरुदत्तशुगर्स/प्र०३०८/१५९/२०१७

Date : २६/०३/२०१७

प्रति:
मा.सरपंच / ग्रामसेवक
मु.पो. टाकळीवाडी ता. शिरोळ^१
जि. कोल्हापूर

विषय :- ना हरकत दाखला मिळणेबाबत ..

महोदय

आगचे श्री गुरुदत्त शुगर्स लि.टाकळीवाडी या कारखान्याच्या सघ्या असलेल्या ४९०० मे.टन प्रतिदिन गाळप क्षमता व १५ मेगावॅट विजनिर्मिती प्रकल्पाची क्षमता विस्तारीकरन प्रतिदिन ६००० मे.टन उस गाळप व २१ मेगावॅट विजनिर्मिती करणेस central Pollution control Board ,Delhi,यांचेकडून दि. २०/०३/२०१७ च्या पत्राने मान्यता मिळाली आहे.

तरी सदरच्या वाढीव गाळप क्षमता व विजनिर्मिती प्रकल्पाचे विस्तारीकरणास आपल्या ग्रामपंचायतीचा ना हरकत दाखला मिळावा हि विनती

सोबत :- CPCB चे मंजुरीचे पत्र,

आपला विश्वासू

क्र० प्रेसीडेन्ट
श्री गुरुदत्त शुगर्स लि.टाकळीवाडी.

Received
26/3/2017
Date -
ग्रामसेवक,
ग्रामपंचायत टाकळीवाडी,
ता. शिरोळ, जि. कोल्हापूर.

(In respect of persons em

Name of Certifying Surgeon :

DR. ARVIND A. MANE

M.B.B.S., D.P.H.A.F.I.H, (Mumbai)

Certifying Surgeon For Factories

Kolhapur District

Under Govt. of Maharashtra Factories Rule

Serial No.	Works No.	Name of worker	Sex	Age (last birth-day)	Date of employ-ment of present work	Date of leaving or transfer to other work	Reas lea Tran disc
1	2	3	4	5	6	7	
1.		Sanjay Y. Kumbhat	M	36.			
2.		Chandrakant D. Patil	M	45			
3.		Salina A. Sandi	F	43.			
4.		Mahaveet J. Nande	M	41			
5.		Suresh K. Yadav	M	35.			
6.		Sambhaji S. Patil	M	59.			
7.		Rama A. Zende	M	33.			
8.		Satish R. Kumbhat	M	29.			
9.		Shiveji D. Tavandkar	M	51.			
10.		Cecajanan M. Latwade	M	35			
11.		Vijaykumar B. Patil	M	32.			
12.		Santosh S. Gehatage	M	31.			
13.		Deepak S. Shinde	M	36.			
14.		Dilip S. Patil	M	53.			
15.		Namdev D. Patil	M	39			
16.		Santosh B. Samdole	M	30			
17.		Nilesh V. Yadav	M	44.			
18.		Preshant P. Jagdale	M	44			
19.		Pundlik M. Gedhade	M	63			
20.		Vilas R. Jagtap	M	44			
21.		Chandrakant Y. Patil	M	41			
22.		Amol A. Shinde	M	29			
23.		Subhas D. Magdum	M	28			
24.		Sandeep S. Magdum	M	34.			
25.		Virrendra V. Patil	M	38			
26.		Ajit B. Murgunde	M	36.			

(In respect of persons emp

Name of Certifying Surgeon :

DR. ARVIND A. MANE

M.B.B.S, D.P.H.A.F.I.H. (Mumbai)

Certifying Surgeon For Factories

Kolhapur District

Under Govt. of Maharashtra Factories Rule

Serial No.	Works No.	Name of worker	Sex	Age (last birth-day)	Date of employ-ment of present work	Date of leaving or transfer to other work	Reas lea Tran disc
1	2	3	4	5	6	7	
29		Dilip N. Malgare	M	52			
30		Bhubali B. Patil	M	35			
31		Rajendra S. Chodage	M	36			
32		Sanjay M. Magdum	M	35			
33		Sukumar A. Patil	M	35			
34		Avinash J. Bastwade	M	35			
35		Shiniwas V. Gondkar	M	32			
36		Raju B. Patil	M	40			
37		Vijay S. Powar	M	34			
38		Yogesh C. Kamble	M	27			
39		Pradip S. Sawant	M	31			
40		Sarjerao A. Jagtap	M	48			
41		Vithal A. Geavade	M	33			
42		Vijay A. Khot	M	29			
43		Anant S. Pattankude	M	40			
44		Sagat V. Bhojane	M	34			
45		Pravin S. Patil	M	30			
46		Aalam S. Patel	M	52			
47		Vijay R. Bakare	M	48			
48		Sagat B. Mali	M	29			
49		Sambhaji B. Desai	M	56			
50		Kumar A. Sutae	M	36			
51		Netaji N. Chavan	M	36			
52		Siddhappa N. Pigare	M	48			
53		Raju B. Geavade	M	31			
54		Santosh L. Tali	M	30			

(In respect of person

Name of Certifying Surgeon :

DR. ARVIND A. MANE

M.B.B.S., D.P.H.A.F.I.H. (Mumbai)

Certifying Surgeon for Factories

Kolhapur District

Under Govt. of Maharashtra Factories Rule

Serial No.	Works No.	Name of worker	Sex	Age (last birth-day)	Date of employment of present work	Date of leaving or transfer to other work
1	2	3	4	5	6	7
57		Bajirao S. Tikode	M	51		
58		Faijahamad R. Mulla	M	47		
59		Tukaram B. Patil	M	39		
60		Suzesh S. Adarsh	M	33		
61		Shamdeo N. Patil	M	54		
62		Babasa U. Inamdar	M	45		
63		Tingonda B. Patil	M	35		
64		Vinod A. Patil	M	35		
65		Deepak D. Mane	M	46		
66		Pandurang B. Bhilawade	M	52		
67		Rajendra B. Geavade	M	30		
68		Bandu N. Shinde	M	32		
69		Vilas R. Baje	M	41		
70		Rakesh R. Magdum	M	26		
71		Suzesh K. Desai	M	32		
72		Kumar M. Sutat	M	40		
73		Babasa D. Patil	M	36		
74		Vinod D. Kamble	M	33		
75		Krishndev K. Mane	M	39		
76		Sandeep M. Gaiikwad	M	30		
77		Nilesh M. Jadhav	M	36		
78		Santosh A. Awati	M	36		
79		Madhav Rao R. Shinde	M	45		
80		Sunil S. Patil	M	38		
81		Amol A. Mandane	M	33		
82		Udaykumar D. Mahind	M	41		
83		Manohar T. Wanvo	M	47		

FO

I, III, IV, VI, VII, XIV, XV, XVII, XVIII and XX to rule 114]

He ster

ed in occupa ed to be dangerous operations under section 87)

Ir. Shri. Gurudatt Sugaw Limited, Takaliwadi, Tal-Shirol,
 rom Toysingpuz, Kolhapur, Kolhapur, Maharashtra - 416108.
 Ir. 12/11/2016 To ... 12/11/2017
 rom to
 fr.
 rom to

or ! or e.	Natu ral material job product occup ied	Date of medical Examination by Certifying Surgeon	Results of Medical Examination	If suspended from work, state period of suspension with detailed reasons.	Certified fit to resume duty on with signature of Certifying Surgeon.	If certificate of unfitness or suspension issued to worker	Signature with date of Certifying Surge
10	11	12	13	14	15	16	
		12/11/2016	fit		fit		
		12/11/2016	fit		fit		
		12/11/2016	fit		fit		
		12/11/2016	fit		fit		
		12/11/2016	fit		fit		
		12/11/2016	fit		fit		
		12/11/2016	fit		fit		
		12/11/2016	fit		fit		
		12/11/2016	fit		fit		
		12/11/2016	fit		fit		
		12/11/2016	fit		fit		
		12/11/2016	fit		fit		
		12/11/2016	fit		fit		
		12/11/2016	fit		fit		
		12/11/2016	fit		fit		
		12/11/2016	fit		fit		
		12/11/2016	fit		fit		
		12/11/2016	fit		fit		
		12/11/2016	fit		fit		
		12/11/2016	fit		fit		
		12/11/2016	fit		fit		
		12/11/2016	fit		fit		
		12/11/2016	fit		fit		
		12/11/2016	fit		fit		
		12/11/2016	fit		fit		
		12/11/2016	fit		fit		
		12/11/2016	fit		fit		
		12/11/2016	fit		fit		
		12/11/2016	fit		fit		

कारखाने अधिकारीय प्रतिबन्ध काला १०।

कांगड़ा मिलाकरिता

दि. ०५-०९-२०१६ पास्त दि. ०६-०९-२०१८

प्राधिकृत प्रमाणकागद्विक्तितक

अ. ACS 15-AM/2016

(In respect of p

Name of Certifying Surgeon :

DR. ARVIND A. MANE

M.B.B.S., D.P.H.A.F.I.H. (Mumbai)

Certifying Surgeon For Factories

Kothapur District

Under Govt. of Maharashtra Factories Rule

Serial No.	Works No.	Name of worker	Sex	Age (last birth-day)	Date of employ-ment of present work	Date of leaving c- transfer to other work
1	2	3	4	5	6	7
85		Giridhar B. Shahstrabudhe	M	48		
86		Anil S. Kamble	M	40.		
87		Ajit A. Chougule	M	40.		
88		Mandal A. Nadaf	M	43.		
89		Digambat A. Kudache	M	29.		
90		Praashant D. Pipale	M	27		
91		Swapnil P. Kotkar	M	30.		
92		Viththal G. Nirmale	M	33.		
93		Nitin S. Shinde	M	32.		
94		Vinod S. Desai	M	31.		
95		Ramish K. Kamble	M	30.		
96		Lingappa K. Bandagoe	M	35		
97		Amal K. Gezibua	M	30		
98		Rajkumar R. Bagi	M	36.		
99		Shirdhar A. Sutat	M	37.		
100		Ajit D. Niemale	M	31.		
101		Sagar S. Tugale	M	30		
102		Riyaj G. Sonadi	M	34		
103		Pandurang R. Nandiwale	M	36.		
104		Rajendra S. Jadhav	M	43.		
105		Sandeep D. Sutat	M	28		
106		Bajirao I. Shedbale	M	47.		
107		Popat M. Khot	M	37.		
108		Suresh K. Ambi	M	42		
109		Anil S. Mane	M	34.		
110		Bajrang I. Koli	M	33.		
111		Deepak N. Sankpal	M	31		

(In respect of p

Name of Certifying Surgeon :

DR. ARVIND A. MANE

M.B.B.S., D.P.H.A.F.I.H. (Mumbai)

Certifying Surgeon For Factories

Kolhapur District

Under Govt. of Maharashtra Factories Rule

Serial No.	Works No.	Name of worker	Sex	Age (last birth-day)	Date of employ- ment of present work	Date o leaving transfe to othe work
1	2	3	4	5	6	7
113		P. Datta Roy	M	57.		
114		Ashok V. Jadhav	M	52.		
115		Somnath M. Kumbhar	M	33.		
116		Pandurang H. Bhoite	M	45.		
117		Madhusudam M. Morade	M	33.		
118		Ardhut D. Koli	M	26.		
119		Shankar S. Shinde	M	37.		
120		Sandip T. Mane	M	34.		
121		Chandrakant B. Biranje	M	38.		
122		Shivaji G. Jakale	M	36.		
123		Bantosh A. Patil	M	31.		
124		Jyesh N. Maske	M	38		
125		Ravashesh R. Kote	M	38.		
126		Akash G. Magdum	M	41		
127		Indrajeet R. Sankpal	M	28.		
128		Lokesh S. Bksambe	M	35		
129		Makbul S. Desai	M	40.		
130		Bhupal V. Bakale	M	39.		
131		Anil V. Herwade	M	34.		
132		Shivaji D. Pawar	M	43.		
133		Vadhhav V. Patil	M	41		
134		Sandeep D. Bagade	M	33.		
135		Mahesh R. Patil	M	36		
136		Vikas M. Patil	M	40		
137		Tejanand B. Desai	M	33.		
138		Dilip P. Patil	M	51		
139		Vijay V. Mane	M	42		

जाहीर नोटीस

श्री गुरुदत्त शुगर्स लिमिटेड टाकळीवाडी
पर्यावरण विषयक अनुमती

श्री गुरुदत्त शुगर्स लिमिटेड, गट नं.६१/अ,
अकिवाट टाकळीवाडी-रोड, टाकळीवाडी, ता. शिरोळ,
जि. कोल्हापूर पिन नं. ४१६१०८ तर्फे कळविणेत येते
की, आमच्या कारखान्यामध्ये गाल्प क्षमता 4900 TCD
ते 6000 TCD व सहविजनिर्मिती प्रकल्प 15MW ते 21
MW वाढीव प्रकल्पास भारत सरकारचे पर्यावरण,
वनविभाग व हवामान बदल, मंत्रालय, नवी दिल्ली कडील
पत्र संदर्भ F. No. J-11011/41/2015-IA-II (I) दिनांक
२०/३/२०१७ ने विस्तारीकरणास अनुमती मिळालेली
आहे.

श्री. माधवराव भगवानराव घाटगे
चे अरमन व कार्यकारी संचालक
श्री गुरुदत्त शुगर्स लिमिटेड, टाकळीवाडी

बंधुता पेपर

PUBLIC NOTICE

To whomsoever,
it may concern

This is to inform to the public that Shri Gurudatt Sugars Ltd., Gat 61/A, Akiwat- Takaliwadi Road, Takaliwadi, Tal. Shirol, Dist. Kolhapur- 416108, Maharashtra has been granted Environmental Clearance for their proposed expansion of sugar plant 4900 TCD to 6000 TCD and Co-generation 15 MW to 21 MW vide letter No. F. No. J-11011/ 47/ 2015- [A-II(I)], Dt. 20/03/2017.

The Copy of same can be viewed at website of ministry of Environment and forest and climate change of <http://moef.nic.in>

-Shri Madhavrao B. Ghatge
Chairman &
Managing Director





SHRI GURUDATT SUGARS LIMITED

Shri. Bhagawanrao G. Ghatge
Founder
Shri. Madhavrao B. Ghatge
Chairman & Managing Director

Gat No.61, Akiwat-Takaliwadi Road, Near Balumama Mandir,
TAKALIWADI - 416 108 Tal.: Shirol, Dist.:Kolhapur (Maharashtra State)
Reg. No. 25-14367, Tele Fax : (02322) 241577, 241877, 241977
Ph. (0231) 2686086 Fax No. (0231) 2686000 E-mail : gstsugars@gmail.com



Ref. No. श्रीगुरुदत्तशूगर्स/प्र०१४९/२०१७

Date : २६/०३/२०१७

प्रति,
मा.सरपंच / ग्रामसेवक
मु.पो. टाकळीवाडी ता. शिरोळ^१
जि. कोल्हापूर

विषय :- ना हरकत दाखला मिळणेबाबत ..

महोदय

आमचे श्री गुरुदत्त शुगर्स लि.टाकळीवाडी या कारखान्याच्या सध्या असलेल्या ४९०० मे.टन प्रतिदिन गाळप क्षमता व १५ मेगावॅट विजनिर्मिती प्रकल्पाची क्षमता विस्तारीकरन प्रतिदिन ६००० मे.टन उस गाळप व २१ मेगावॅट विजनिर्मिती करणेस central Pollution control Board ,Delhi.यांचेकडून दि.२०/०३/२०१७ च्या पत्राने मान्यता मिळाली आहे.

तरी सदरच्या वाढीव गाळप क्षमता व विजनिर्मिती प्रकल्पाचे विस्तारीकरणास आपल्या ग्रामपंचायतीचा ना हरकत दाखला मिळावा हि विनंती.

सोबत :- CPCB चे मंजुरीचे पत्र.

आपला विश्वासू

 श्री प्रभाकर
 श्री गुरुदत्त शुगर्स लि.टाकळीवाडी.

Received
26/3/2017
To -
ग्रामसेवक,
ग्रामपंचायत टाकळीवाडी,
ता. शिरोळ, जि. कोल्हापूर.