



Regd. No. 25-14367, CIN-UI5424PN2000PLC014367

An ISO 9001 : 2008 Certified Company

SHRI GURUDATT SUGARS LTD., Takaliwadi

| ADD.: Gat No. : 61 / A, Akiwat Takaliwadi Road, Takaliwadi Tal.- Shirol Dist - Kolhapur (MH) Pin Code : 416 108
| PHONE : +91 231 2686086 | FAX : +91 231 2686000 | WEBSITE : www.sgsl.co.in | Email : gslsugars@gmail.com

SGSL/ 446 /2019-2020

Date – October 01, 2019

To,
The Regional Officer,
Ministry of Environment, Forest & Climate Change,
Regional office (WCZ), Ground Floor, East Wing,
New Secretariat Building, Civil Lines, Nagpur.
Tel No. 0712 – 2531318
Email: moefregionalofficenagpur@gmail.com

Sub: Compliance Report of Environmental Clearance issued by MoEF & CC, New Delhi.

Ref: You're Letter No. J - 11011/41/2015-IA-II (I) Date - 20.03.2017.

Dear Sir,

With reference to the abovementioned subject and your reference cited above. Please find enclosed herewith Compliance Report of Environmental Clearance issued by MoEF & CC, New Delhi vide letter no. J - 11011/41/2015-IA-II (I) Date - 20.03.2017.

We do hope that you will find the above information satisfactory. However, if you require additional information /clarification in this regard, kindly write back, so that we shall submit the information at the earliest.

Thanking You

Yours Faithfully,

FOR, SHRI GURUDATT SUGARS LTD.,

 PRESIDENT

Enclosed – Compliance Report

C.C to: 1. The Regional officer, MPC Board, Kolhapur.
2. The Sub - Regional officer, MPC Board, Kolhapur.

**Shri Gurudatt Sugars Ltd.,
Gat No. 61/A, Akiwat - Takaliwadi Road , Takaliwadi - 416108, Taluka - Shirol, Dist -
Kolhapur, Maharashtra**

Compliance of Conditions Stipulated in environmental clearance granted to expansion of Sugar Plant (From 4900 TCD to 6000 TCD) & Co-generation Power Plant (From 15 MW to 21 MW) by MoEF & CC, New Delhi vide letter No. J - 11011/41/2015-IA-II (I) Date - 20.03.2017

EC No -	J - 11011/41/2015-IA-II (I) Date - 20.03.2017	September 2019
SR. NO.	EC Condition	Compliances
	A) Specific Condition	
1	Zero liquid Discharge System shall be ensured	We have full-fledged disposal method carried out in a scientific manner on land for irrigation in available 50 Acres for crop irrigation.
2	Water requirement to be reduced at extent possible by using latest process methodology being used worldwide.	Ours is the first Sugar factory in Maharashtra, wherein, we run the entire industrial activity with treated and recycled condensates, which is accrued from cane and no fresh water is utilized, for sugar factory operation. We have installed Condensate Polishing Unit (C.P.U) for sugar factory excess condensate water treatment and recycled purpose. Annexure 1
3	Fly ash be generated shall be sent to nearby cement industry.	The measurity of fly ash is utilized of our press mud composting yard the remaining of the small quantity is we have sold ash to brick manufactures and farmers.
4	Green belt (10 m wide) of perennial plant species like Neem, Seasam, Teak etc. to be developed around the plant periphery ensuring the 33% area of the plant as green area. The forest department may be consulted in this regard.	We have already planted 4356 Nos of tree as site.
5	Air emission from all point source to be controlled by latest technology instrument. The emissions shall conform to the limits imposed by Maharashtra Pollution Control Board (MPCB)	We have already installed air pollution control equipment as per consent stipulation. The efficiency further increase bagasse drying mechanism was installed.
6	Periodic soil and water sampling in nearby villages and water bodies to be done by the project authorities through 3rd part expert and report shall be submitted to the concerned Regional office of the Ministry.	The soil and water sampling in nearby villages carried out periodically. The report are enclosed as Annexure 2
7	RO plant of sufficient capacity to be installed in the nearby villages to ensure safe drinking water supply. Maintenance of the RO plant will be owned by the project authorities.	The RO plant installed for drinking water purpose and benefits all nearby villages.

8	Health check up camps to be organized periodically in nearby villages.	The health check up camps carried out periodically.
9	A regular environmental manager having PG qualification in environmental sciences / environmental engineering to be appointed for looking after the environmental management practices in the plant.	We have already recruit Environmental Engineer having PG Qualification with full fledged division of Environmental Management, wherein, all our Environmental management Plants are monitored on daily basis, along with requisite analysis carried out in our laboratory by trained chemists.
10	Automatic/ online monitoring system (24*7 monitoring devices) for flow measurement and relevant pollutants in the treatment system to be installed. The data to be made available to the respective SPCB and in the Company's website.	We have already installed and completed the connectivity to CPCB / MPCB server of online monitoring system of ETP outlet water parameter (Flow, PH, TSS, COD & BOD) & Boiler stack (SPM /TPM) . The continuous monitoring results of ETP outlet water parameter & boiler stack emission depict that we are achieving norms stipulated by MPCB on a continuous time basis. And also online monitoring data is uploaded in company website. The photo of instrument is attached as Annexure 3.
B) General Conditions:		
1	The project authorities must strictly adhere to the stipulations made by the Maharashtra Pollution Control Board, State Government and any other statutory authority.	PA agreed to comply with
2	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change. In case of deviations or alteration in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environment protection measures required, if any.	PA agreed to comply with
3	The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollutions Control Board (SPCB) and it shall be ensured that at least one station is installed in the upwind and downwind direction as well as where maximum ground level concentration are anticipated.	Complied. Ambient air quality monitoring is being carried out at three (03) location within the plant. PA submitted that the locations were decided in consultation with MPCB. As per the monitoring data, the ambient air quality levels found to be within prescribed limits.
4	The National ambient air quality emission standards issued by the ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be followed.	Complied. Acoustic enclosures have been provided. Green belt has been developed around the plant area. As per the monitoring data, the noise levels found to be within stipulated limits. The copy is enclosed as Annexure 4.

5	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time)	Complied. Roof top harvesting has been provided for the sugar godowns. Two collection pits of capacities 2100 cu.m. and 1600 cu.m. have been provided for the storage of rain water.
6	The company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground and use the same water for the process activities of the project to conserve fresh water.	Raw material and finished product are solids. Major spillage of materials is not envisaged.
7	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examination for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.	Complied. Personnel protective equipment has been provided to workers. The report are enclosed as Annexure 5.
8	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management and risk mitigation measures relating to the project shall be implemented.	Wet scrubber with a stack of height 65 m has been provided. Effluent treatment plant has been provided. Treated effluent is used in the seed farms of the industry also supplied to the agriculture fields of farmers of nearby villages upon prior request from farmers. Green belt has been provided. Environmental quality monitoring is being carried out. CSR works are being undertaken. Vermi composting is being carried out with the waste generated in the cane yard. Compost is being supplied to the farmers.
9	The company shall undertake all relevant measures for improving the socioeconomic conditions of the surrounding area. CSR activities shall be undertaken by involving local villages and administration.	Complied.
10	The company shall undertake eco-development measures including community welfare measures in the project area for the overall improvement of the environment.	Being complied. As per the details provided, PA distributed 500nos trees to farmers of nearby villagers under eco-development measures.
11	A separate Environmental Management Cell equipped with full fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	Complied. Environmental management cell has been established.
12	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and climate change as well as the State Government along with the implementation schedule for all the condition stipulated herein. The funds do earmarked for environment management / pollution control measures shall not be diverted	Complied. As per the details provided, PA earmarked an amount of 13.5 cores towards capital expenditure and Rs. 3.48 cores towards recurring expenditure for environmental protection measures.

	for any other purpose.	
13	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zillah Parishad / Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestion / representations, if any, were received while processing the proposal.	Copy of the environmental clearance submitted to Zillah Parishad, Kolhapur and Gram Panchayat, Takaliwadi on 27.03.2017, The copy is enclosed as Annexure 6.
14	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including result of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF & CC, the respective Zonal office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	Complied. However same has been uploaded to the company website.
15	The environmental statement for each financial year ending 31th March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF & CC by e-mail.	Complied. Environment statement for the FY 2017-18 submitted to MPCB vide letter dated 10.04.2018; however the same was uploaded to the company website.
16	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB / Committee and may also be seen at Website of the Ministry at http://moef.nic.in . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Advertisement regarding to grant of EC was made on 31.03.2017. The copy is enclosed as Annexure 7.
17	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	PA agreed to comply with.

18	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	PA agreed to comply with.
19	The Ministry reserve the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.	PA agreed to comply with.
20	The above conditions will be enforced, inter alia under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules, 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules.	PA agreed to comply with.

Shri Gurudatt Sugars Ltd., Takaliwadi

ANNEXURE - 1



- 1) The increase in capacity of Sugarcane crushing from 4900 TCD to 6000 TCD is not an expansion in true sense and this is TO CATER FOR REQUIREMENT TO INCREASE CRUSHING BY 10-15% DUE TO CANE HARVESTING REQUIRED TO BE CARRIED OUT AS PER MATURITY, as otherwise there is sugar loss.
 - A) Modernization, **without increasing either resource consumption or pollutional load** is a constant endeavor and as a result, with Technological Advances carried out, we are able to ensure '**NO POLLUTIONAL LOAD INCREASE**' in terms of volume or concentration of effluents, both water and air due to the abovementioned measures. This is clearly depicted in Annexure I and II attached herewith. THAT THERE IS NO CHANGE IN ANY MACHINERY CAPACITY AND THE CAPACITY INCREASE IS ACHIEVED THROUGH THE TECHNOLOGY CHANGES MENTIONED ABOVE.
 - B) DUE TO MEASURES TAKEN FOR CONSERVATION OF RESOURCES, NO INCREASE IN WATER OR FUEL CONSUMPTION IS WARRANTED, THEREBY ACHIEVING ZERO DISCHARGE TECHNICALLY FOR THE EXPANSION MODE.

The salient points of our efforts in above direction are:

- i) Ours is the **first Sugar factory in Maharashtra**, wherein, we run the entire industrial activity with treated and recycled condensates, which is accrued from cane and **no fresh water is utilized**, for sugar factory operation. As given in Annexure I, the same condition prevails for additional capacity as well, wherein, we are not required to consume any raw water, and therefore, there is no effluent generation from the same.
 - ii) We also have installed Bagasse drying mechanism, with waste heat from flue gas, thus minimizing consumption of Bagasse for combustion, thereby effectively reducing the emissions at source itself. We have also taken various measures as given in Annexure II, which depict the sembalance of fuel consumption and therefore there is no air emission increase in this respect.
- 2) We have provided a full fledged Effluent Treatment Plant and operating the same with due vigil. Analysis of the treatment efficiency is a routine and corrective measures are taken immediately.
 - 3) We have taken care that no untreated/ treated effluent from factory enters any water course and all the treated effluent is utilized on our own Land for Cane seed Plantation Irrigation, employing scientific practices.
 - 4) We have a full fledged division of Environmental Management, wherein, all our Environmental management Plants are monitored on daily basis, along with requisite analysis carried out in our laboratory by trained chemists. We also have installed 'Online Monitoring Systems for Water and Air Pollution Control System monitoring, as per stipulations in this regard.

The above measures have resulted in waste generation minimization, and it implies that there is 'zero increase in pollutional load', due to the measures taken above.

Condensate Polishing Unit



W.R.P



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)
 Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.
 Lab OHSAS Approved

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
 • Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/18-19/4080A
Dated	: 12/03/2019
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	06/03/2019		
02	TEST LOCATION		Near Factory Main Gate		
03	TIME OF SAMPLING	Hrs	09:20		
04	TEMPERATURE (Max./Min)	Deg C	32/24		
05	RELATIVE HUMIDITY	% RH	48		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	72.46	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	31.24	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	8.49	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	28.58	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No. 4411	PICS/F/ADS/10-18/13	22/09/2018	21/09/2019
2	Respirable Dust Sampler; Sr. No 4	TECH/CAL/2018/1 C/7	11/06/2018	10/06/2019

NAAQS – National Ambient Air Quality Standards (2009)

M. N. A. G. K. K.
 For HORIZON SERVICES





Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)
Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.
Lab OHSAS Approved

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/3661A
M/s. M/s Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	14/01/2019
	LAB REFERENCE NO	HS/LAB/WA/972A
	DATE OF SAMPLING	09/01/2019
	DATE OF ANALYSIS	10/01/2019

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Soil sample	Shrusti Envirocare	----	Hegade

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT
01	pH (10 % Extract)	-	7.33
02	Ammonia as NH ₄	mg/kg	1.10
03	Available Nitrogen as N	%	8.20
04	Available Phosphorus as P	mg/kg	13.20
05	Nickel as Ni	mg/kg	7.00
06	Chloride as Cl ⁻	mg/kg	224.00
07	Sulphate as SO ₄ ⁻⁻	mg/kg	16.20
08	Cadmium as Cd	mg/kg	1.89
09	Chromium as Cr	mg/kg	1.50
10	Copper as Cu	mg/kg	8.20
11	Zinc as Zn	mg/kg	10.00

For HORIZON SERVICES

Managarkar
(LAB INCHARGE)



DISCLAIMER :

- Sample will be retained only for 15 days.
- Above results indicate to the parameters mentioned only.
- Liability limited till issue of test reports only.
- The test report shall not be produced for any legal identity or advertised without permission of lab.
- The effect of results relate only to the item tested.



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/3328A
M/s. M/s Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	03/12/2018
	LAB REFERENCE NO	HS/LAB/WA/0791A
	DATE OF SAMPLING	28/11/2018
	DATE OF ANALYSIS	29/11/2018

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Well water sample	Shrusti Envirocare	---	Bhokare Well

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	LIMITS IS 10500:2012	TEST METHOD
1	Odour	-	Agreeable	Agreeable	APHA 23 rd 2017, 2150 B
2	Colour	Hazen	1.10	< 5.00	APHA 23 rd 2017, 2120 C
3	pH	-	7.30	6.5 to 8.5	APHA 23 rd 2017, 4500-H ⁺ B
4	Electric Conductivity	µmhos/cm	278.00	Not Specified	APHA 23 rd 2017, 2510
5	Turbidity	NTU	0.80	< 1.00	APHA 23 rd 2017, 2130 B
6	Total Dissolved Solids	mg/lit	230.00	< 500.00	APHA 23 rd 2017, 2540 C
7	Chemical Oxygen Demand	mg/lit	10.00	Not Specified	APHA 23 rd 2017, 5220 C
8	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	4.00	Not Specified	APHA 23 rd 2017, 5210 B
9	Alkalinity as CaCO ₃	mg/lit	57.00	< 200.00	APHA 23 rd 2017, 2320 B
10	Total Hardness as CaCO ₃	mg/lit	104.00	< 200.00	APHA 23 rd 2017, 2340 C
11	Chlorides as Cl	mg/lit	38.00	< 250.00	APHA 23 rd 2017, 4500 Cl ⁻ B
12	Sulphates as SO ₄	mg/lit	22.00	< 200.00	APHA 23 rd 2017, 4500 SO ₄ E
13	Sodium as Na	mg/lit	8.00	Not Specified	APHA 23 rd 2017, 3500 Na B
14	Calcium as Ca	mg/lit	31.00	< 75.00	APHA 23 rd 2017, 3500 Ca B
15	Magnesium as Mg	mg/lit	14.00	< 30.00	APHA 23 rd 2017, 3500 Mg B
16	Iron as Fe	mg/lit	0.13	< 0.30	APHA 23 rd 2017, 3500 Fe B
17	Fluoride as F	mg/lit	0.25	< 1.00	APHA 23 rd 2017, 4500-F ⁻ D

For **HORIZON SERVICES**

M. Nagarkar
(LAB INCHARGE)





Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/3328A
M/s. M/s Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	03/12/2018
	LAB REFERENCE NO	HS/LAB/WA/0791A
	DATE OF SAMPLING	28/11/2018
	DATE OF ANALYSIS	29/11/2018

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Soil sample	Shrusti Envirocare	----	Hegade

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT
01	pH (10 % Extract)	-	7.60
02	Ammonia as NH ₄	mg/kg	NIL
03	Available Nitrogen as N	mg/kg	158.00
04	Available Phosphorus as P	mg/kg	1.65
05	Nickel as Ni	mg/kg	15.00
06	Chloride as Cl ⁻	mg/kg	224.00
07	Sulphate as SO ₄ ⁻⁻	mg/kg	2.85
08	Cadmium as Cd	mg/kg	2.00
09	Chromium as Cr	mg/kg	6.00
10	Copper as Cu	mg/kg	62.00
11	Zinc as Zn	mg/kg	39.00

For **HORIZON SERVICES**

M. Nagarkar
(LAB INCHARGE)





Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/3661A
M/s. M/s Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	14/01/2019
	LAB REFERENCE NO	HS/LAB/WA/972A
	DATE OF SAMPLING	09/01/2019
	DATE OF ANALYSIS	10/01/2019

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Well water sample	Shrusti Envirocare	---	Bhokare Well

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	LIMITS IS 10500:2012	TEST METHOD
1	Odour	-	Agreeable	Agreeable	APHA 23 rd 2017, 2150 B
2	Colour	Hazen	2.00	< 5.00	APHA 23 rd 2017, 2120 C
3	pH	-	7.21	6.5 to 8.5	APHA 23 rd 2017, 4500-H ⁺ B
4	Electric Conductivity	µmhos/cm	206.00	Not Specified	APHA 23 rd 2017, 2510
5	Turbidity	NTU	0.80	< 1.00	APHA 23 rd 2017, 2130 B
6	Total Dissolved Solids	mg/lit	184.00	< 500.00	APHA 23 rd 2017, 2540 C
7	Chemical Oxygen Demand	mg/lit	9.80	Not Specified	APHA 23 rd 2017, 5220 C
8	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	4.00	Not Specified	APHA 23 rd 2017, 5210 B
9	Alkalinity as CaCO ₃	mg/lit	48.00	< 200.00	APHA 23 rd 2017, 2320 B
10	Total Hardness as CaCO ₃	mg/lit	82.00	< 200.00	APHA 23 rd 2017, 2340 C
11	Chlorides as Cl	mg/lit	49.00	< 250.00	APHA 23 rd 2017, 4500 Cl ⁻ B
12	Sulphates as SO ₄	mg/lit	36.00	< 200.00	APHA 23 rd 2017, 4500 SO ₄ E
13	Sodium as Na	mg/lit	8.00	Not Specified	APHA 23 rd 2017, 3500 Na B
14	Calcium as Ca	mg/lit	29.00	< 75.00	APHA 23 rd 2017, 3500 Ca B
15	Magnesium as Mg	mg/lit	18.00	< 30.00	APHA 23 rd 2017, 3500 Mg B
16	Iron as Fe	mg/lit	0.10	< 0.30	APHA 23 rd 2017, 3500 Fe B
17	Fluoride as F	mg/lit	0.75	< 1.00	APHA 23 rd 2017, 4500-F ⁻ D

For **HORIZON SERVICES**

M. Nagaraj
(LAB INCHARGE)





Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012


CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/3661A
M/s. M/s Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	14/01/2019
	LAB REFERENCE NO	HS/LAB/WA/972A
	DATE OF SAMPLING	09/01/2019
	DATE OF ANALYSIS	10/01/2019

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Soil sample	Shrusti Envirocare	----	Hegade

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT
01	pH (10 % Extract)	-	7.33
02	Ammonia as NH ₄	mg/kg	1.10
03	Available Nitrogen as N	%	8.20
04	Available Phosphorus as P	mg/kg	13.20
05	Nickel as Ni	mg/kg	7.00
06	Chloride as Cl ⁻	mg/kg	224.00
07	Sulphate as SO ₄ ⁻⁻	mg/kg	16.20
08	Cadmium as Cd	mg/kg	1.89
09	Chromium as Cr	mg/kg	1.50
10	Copper as Cu	mg/kg	8.20
11	Zinc as Zn	mg/kg	10.00

For **HORIZON SERVICES**



(LAB INCHARGE)



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/18-19/3315A
Dated	: 03/12/2018
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	28/11/2018		
02	TEST LOCATION		Near Factory Main Gate		
03	TIME OF SAMPLING	Hrs	09:20		
04	TEMPERATURE (Max./Min)	Deg C	30/21		
05	RELATIVE HUMIDITY	% RH	44		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	59.22	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	29.31	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	6.10	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	22.20	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No. 4411	PICS/F/ADS/10-18/13	22/09/2018	21/09/2019
2	Respirable Dust Sampler; Sr. No 4	TECH/CAL/2018/1C/7	11/06/2018	10/06/2019

NAAQS – National Ambient Air Quality Standards (2009)

M. N. Gokul



For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/18-19/3315A
Dated	: 03/12/2018
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	28/11/2018		
02	TEST LOCATION		Near Weigh Bridge		
03	TIME OF SAMPLING	Hrs	09:30		
04	TEMPERATURE (Max./Min)	Deg C	30/21		
05	RELATIVE HUMIDITY	% RH	44		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	80.56	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	39.17	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	9.80	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	28.51	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No. 21914	PICS/F/ADS/03-18/04	07/03/2018	06/03/2019
2	Respirable Dust Sampler; Sr. No.2	TECH/CAL/2018/1C/3	11/06/2018	10/06/2019

NAAQS – National Ambient Air Quality Standards (2009)

M. N. Gokul

For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/18-19/3315A
Dated	: 03/12/2018
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	28/11/2018		
02	TEST LOCATION		Near ETP		
03	TIME OF SAMPLING	Hrs	09:40		
04	TEMPERATURE (Max./Min)	Deg C	30/21		
05	RELATIVE HUMIDITY	% RH	44		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	59.94	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	26.41	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	7.30	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	25.40	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No. 11912	PICS/F/ADS/12-17/11	16/12/2017	15/12/2018
2	Respirable Dust Sampler; Sr. No. 5	TECH/CAL/2017/1A/2	17/05/2018	16/05/2019

NAAQS – National Ambient Air Quality Standards (2009)

M. Nagarkar

For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/18-19/3643A
Dated	: 14/01/2019
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	09/01/2019		
02	TEST LOCATION		Near Factory Main Gate		
03	TIME OF SAMPLING	Hrs	09:20		
04	TEMPERATURE (Max./Min)	Deg C	29/19		
05	RELATIVE HUMIDITY	% RH	41		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	67.26	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	30.18	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	7.30	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	28.50	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No. 4411	PICS/F/ADS/10-18/13	22/09/2018	21/09/2019
2	Respirable Dust Sampler; Sr. No 4	TECH/CAL/2018/1 C/7	11/06/2018	10/06/2019

NAAQS – National Ambient Air Quality Standards (2009)

M. Nagarkar

For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/18-19/3643A
Dated	: 14/01/2019
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	09/01/2019		
02	TEST LOCATION		Near Weigh Bridge		
03	TIME OF SAMPLING	Hrs	09:30		
04	TEMPERATURE (Max./Min)	Deg C	29/19		
05	RELATIVE HUMIDITY	% RH	41		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	76.53	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	31.47	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	8.50	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	28.50	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No. 21914	PICS/F/ADS/03-18/04	07/03/2018	06/03/2019
2	Respirable Dust Sampler; Sr. No.2	TECH/CAL/2018/1 C/3	11/06/2018	10/06/2019

NAAQS – National Ambient Air Quality Standards (2009)

M. N. G. K. K.

For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/18-19/3643A
Dated	: 14/01/2019
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	09/01/2019		
02	TEST LOCATION		Near ETP		
03	TIME OF SAMPLING	Hrs	09:40		
04	TEMPERATURE (Max./Min)	Deg C	29/19		
05	RELATIVE HUMIDITY	% RH	41		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	61.86	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	26.18	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	7.30	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	25.40	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No.11912	PICS/F/ADS/12- 18/11	14/12/2018	13/12/2019
2	Respirable Dust Sampler; Sr. No. 5	TECH/CAL/2017/1 A/2	17/05/2018	16/05/2019

NAAQS – National Ambient Air Quality Standards (2009)

M. Nagarkar

For HORIZON SERVICES



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/18-19/3911A
Dated	: 19/02/2019
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	14/02/2019		
02	TEST LOCATION		Near Factory Main Gate		
03	TIME OF SAMPLING	Hrs	09:25		
04	TEMPERATURE (Max./Min)	Deg C	30/21		
05	RELATIVE HUMIDITY	% RH	44		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	71.92	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	33.74	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	08.57	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	30.17	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No. 4411	PICS/F/ADS/10-18/13	22/09/2018	21/09/2019
2	Respirable Dust Sampler; Sr. No 4	TECH/CAL/2018/1 C/7	11/06/2018	10/06/2019

NAAQS – National Ambient Air Quality Standards (2009)

M. Nagarkar

For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/18-19/3911A
Dated	: 19/02/2019
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	14/02/2019		
02	TEST LOCATION		Near Weigh Bridge		
03	TIME OF SAMPLING	Hrs	09:35		
04	TEMPERATURE (Max./Min)	Deg C	30/21		
05	RELATIVE HUMIDITY	% RH	44		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	67.75	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	29.99	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	07.80	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	28.59	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No. 21914	PICS/F/ADS/03-18/04	07/03/2018	06/03/2019
2	Respirable Dust Sampler; Sr. No.2	TECH/CAL/2018/1 C/3	11/06/2018	10/06/2019

NAAQS – National Ambient Air Quality Standards (2009)

M. Nagarkar

For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/18-19/3911A
Dated	: 19/02/2019
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	14/02/2019		
02	TEST LOCATION		Near ETP		
03	TIME OF SAMPLING	Hrs	09:40		
04	TEMPERATURE (Max./Min)	Deg C	30/21		
05	RELATIVE HUMIDITY	% RH	44		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	64.67	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	23.74	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	06.12	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	26.99	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No. 11912	PICS/F/ADS/12-17/11	15/12/2018	14/12/2019
2	Respirable Dust Sampler; Sr. No. 5	TECH/CAL/2017/1 A/2	17/05/2018	16/05/2019

NAAQS – National Ambient Air Quality Standards (2009)

M. Nagarkar

For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/18-19/4080A
Dated	: 12/03/2019
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	06/03/2019		
02	TEST LOCATION		Near Factory Main Gate		
03	TIME OF SAMPLING	Hrs	09:20		
04	TEMPERATURE (Max./Min)	Deg C	32/24		
05	RELATIVE HUMIDITY	% RH	48		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	72.46	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	31.24	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	8.49	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	28.58	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No. 4411	PICS/F/ADS/10-18/13	22/09/2018	21/09/2019
2	Respirable Dust Sampler; Sr. No 4	TECH/CAL/2018/1 C/7	11/06/2018	10/06/2019

NAAQS – National Ambient Air Quality Standards (2009)

M. N. Gokul

For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/18-19/4080A
Dated	: 12/03/2019
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE


RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	06/03/2019		
02	TEST LOCATION		Near Weigh Bridge		
03	TIME OF SAMPLING	Hrs	09:30		
04	TEMPERATURE (Max./Min)	Deg C	32/24		
05	RELATIVE HUMIDITY	% RH	48		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	70.65	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	28.74	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	7.35	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	26.99	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No. 21914	PICS/F/ADS/03-18/04	07/03/2018	06/03/2019
2	Respirable Dust Sampler; Sr. No.2	TECH/CAL/2018/1 C/3	11/06/2018	10/06/2019

NAAQS – National Ambient Air Quality Standards (2009)



For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/18-19/4080A
Dated	: 12/03/2019
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	06/03/2019		
02	TEST LOCATION		Near ETP		
03	TIME OF SAMPLING	Hrs	09:40		
04	TEMPERATURE (Max./Min)	Deg C	32/24		
05	RELATIVE HUMIDITY	% RH	48		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	65.21	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	22.49	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	6.98	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	25.40	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No. 11912	PICS/F/ADS/12-17/11	15/12/2018	14/12/2019
2	Respirable Dust Sampler; Sr. No. 5	TECH/CAL/2017/1 A/2	17/05/2018	16/05/2019

NAAQS – National Ambient Air Quality Standards (2009)

M. N. Gokul

For **HORIZON SERVICES**



MAHARASHTRA POLLUTION CONTROL BOARD

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

REGIONAL LABORATORY, CHIPLUN

(An ISO: 9001:2015 & OHSAS: 18001 :2007 Certified Laboratory)

To,
The Sub-Regional Officer,
M.P.C. Board, Kolhapur.

Lab. Report No:-98

Date of Collection:-09/01/2019

Sample Code No:-SRO/KOP/JVS/30/19

Date of receipt:-15/01/2019

ANALYSIS REPORT

Type of industry	Sugar
Parameter	Result
pH	7.3
B.O.D. 3 days 27° C	3.0
C.O.D	12.0
Suspended Solids	16.0
Oil & Grease	BDL
Chloride	30.0
Sulphate	99.0
Total Dissolved Solid	378.0
Sample Collected by	A.V. Kadale, FO
Seal No	279

- Note: - 1) All results are expressed in ppm except pH.
2) N.A. indicates Not Analysed.
3) BDL indicates Below Detectable Limit.

m/s. Shri Gurudatta ssk Ltd.
Takaliwadi, Tal-shiroli,
Dist:kolhapur.

(ETP outlet)

(A.V.Mandavkar)
Scientific Officer,
Regional Laboratory, Chiplun



106,107 Parkar Complex, 1st Floor, Behind Nagar Parishad,
Taluka: Chiplun, District: Ratnagiri 415 605.
Tel: 02355 261970, Fax:-02355 261970
Email:- sochiplunlab@mpcb.gov.in ; mpcbchiplunlab@mpcb.gov.in





MAHARASHTRA POLLUTION CONTROL BOARD

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

REGIONAL LABORATORY, CHIPLUN

(An ISO: 9001:2015 & OHSAS: 18001 :2007 Certified Laboratory)

To,
The Sub-Regional Officer,
M.P.C. Board, Kolhapur.

Lab. Report No:-99

Date of Collection:-09/01/2019

Sample Code No:-SRO/KOP/JVS/31/19

Date of receipt:-15/01/2019


ANALYSIS REPORT

Type of industry	Sugar
Parameter	Result
pH	7.4
B.O.D. 3 days 27° C	3.0
C.O.D	20.0
Suspended Solids	15.0
Oil & Grease	BDL
Chloride	50.0
Sulphate	17.0
Total Dissolved Solid	216.0
Sample Collected by	A.V. Kadale, FO
Seal No	279

- Note: - 1) All results are expressed in ppm except pH.
2) N.A. indicates Not Analysed.
3) BDL indicates Below Detectable Limit.

M/s. Shri Gurdatta SSK Ltd,
Takaliwadi, Tal-shirob,
Dist: Kolhapur.

(Nalla)


(A.V. Mandavkar)
Scientific Officer,
Regional Laboratory, Chiplun



106,107 Parkar Complex, 1st Floor, Behind Nagar Parishad,
Taluka: Chiplun, District: Ratnagiri 415 605.
Tel: 02355 261970, Fax:-02355 261970
Email:- sochiplunlab@mpcb.gov.in ; mpcbchiplunlab@mpcb.gov.in





MAHARASHTRA POLLUTION CONTROL BOARD

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

REGIONAL LABORATORY, CHIPLUN

(An ISO: 9001:2015 & OHSAS: 18001 :2007 Certified Laboratory)

To,

The Sub Regional Officer,
M.P.C. Board Kolhapur.

ANALYSIS REPORT

Stack (Point Source) Emission Monitoring

Lab Report No	S-45
Sample code	SRO/KOP/STACK/29/2019
Type of industry	Sugar
Date of Collection	11/01/2019
Date of Receipt	15/01/2019
Sample collected by	A.V. Kadale, FO
Seal No	279

Sr. No	Stack Details/Parameter	Stack
1	Time of Sampling (Min)	32.0
2	Stack Attached to	ESP
3	Stack Hight (M)	65.0
4	Stack Area (m ²)	9.24
5	Fuel Type & Quantity	Bagasse 37Ton/Hrs
6	Fuel Gas Temp °C	133 ⁰ C
7	Exit Gas Velocity (m/sec.)	7.10
8	Gas Quantity (Nm ³ /hr.)	315417.12
9	Total Particulate Matter (mg/m ³)	58.33
10	SO ₂ (mg/m ³)	40.53

Note: - 1) BDL Below Detectable limit

M/s. Shri Gurudatta ssk ltd,
Gat No. 61/A, A/P-Takaliwadi,
Tal-shirol, Dist: Kolhapur.

(A.V. Mandavkar)
Scientific officer,
Regional Laboratory, Chiplun.



106,107 Parkar Complex, 1st Floor, Behind Nagar Parishad,
Taluka: Chiplun, District: Ratnagiri 415 605.
Tel: 02355 261970, Fax:-02355 261970
Email:- sochiplunlab@mpcb.gov.in ; mpcbchiplunlab@mpcb.gov.in





MAHARASHTRA POLLUTION CONTROL BOARD

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

REGIONAL LABORATORY, CHIPLUN

(An ISO: 9001:2015 & OHSAS: 18001 :2007 Certified Laboratory)

To,
The Regional Officer,
M.P.C. Board, Kolhapur.

Lab. Report No:-336

Date of Collection:-28/02/2019

Sample Code No:-RO/KOP/JVS/35/19

Date of receipt:-07/03/2019

ANALYSIS REPORT

Type of industry	Sugar
Parameter	Result
pH	7.8
B.O.D. 3 days 27° C	4.0
C.O.D	16.0
Suspended Solids	14.0
Oil & Grease	BDL
Chloride	40.0
Sulphate	125.0
Total Dissolved Solid	400.0
Sample Collected by	RO, Kolhapur & S.B. Shinde, FO
Seal No	181

- Note: - 1) All results are expressed in ppm except pH.
2) N.A. indicates Not Analysed.
3) BDL indicates Below Detectable Limit.

M/s. Shri Gurusiddh Sugars Ltd.
Gate No. 61/A, A/p-Takaliwadi,
Tal-shirol, Dist:kolhapur.
(outlet)

(A.V.Mandavkar)
Scientific Officer,
Regional Laboratory, Chiplun





Recognised by Ministry of Environment, Forest & Climate Change (MoEF) Govt. of India and ISO 9001 : 2008, ISO 14001: 2004 and OHSAS 18001 : 2007 Certified company.

GESEC

TEST CERTIFICATE

Report No: GESEC /PRO/2017-18/10/113	Date of Report	09/10/2017
Client Name and Address: : M/s. Shree Gurudatta Sugars Ltd. At/post – Takaliwadi, Tal- Shirol, Dist – Kolhapur, Maharashtra.	Date of Sampling	02/10/2017
	Start Date of Analysis	03/10/2017
	End Date of Analysis	09/10/2017
	Sample Details	Ground Water Sample (Takaliwadi).
	Nature of sample	Liquid
Sample Collected By	GESEC	

WATER ANALYSIS REPORT

Sr. No.	Parameter	Result	Unit(s)	Standard Method
01	pH	7.1	-	IS – 3025(Part 11)-1983 R–2012
02	B.O.D. -3 DAYS -27° C	8.2	mg/lit of O ₂	IS – 3025(Part 44)-1993 R–2009
03	C.O.D.	32.0	mg/lit	IS – 3025(Part 58)-2006 R–2012
04	Total Suspended Solids	18.0	mg/lit	IS – 3025(Part 17)-1984 R–2012
05	Chlorides As Cl	188	mg/lit	IS – 3025 (Part 32)
06	SulphatesAs SO ₄	152	mg/lit	IS – 3025(Part 24)-1986 R–2012
07	Total Dissolved Solids	268	mg/lit	IS – 3025(Part 16)
08	Alkalinity as CaCo ₃	62	mg/lit	IS – 3025 (Part 51)
09	Total Hardness	160	mg/lit	IS – 3025 (Part 21)
10	Turbidity	< 0.5	NTU	IS – 3025 (Part 10)
11	Magnesium as Mg	18.4	mg/lit	IS – 3025 (Part 46)
12	Nitrates As NO ₃	0.98	mg/lit	IS – 3025 (Part 10)
13	Calcium as Ca	66	mg/lit	IS – 3025 (Part 40)
14	Dissolved Oxygen	4.6	mg/lit	IS – 3025 (Part 38)-1989
15	Phosphates As PO ₄	< 0.1	mg/lit	IS – 3025 (Part 31)

ANALYZED BY-

AUTHORIZED SIGNATORY

**Terms and conditions**

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement
- MoEF approved Lab by Govt. of India. From date. 09/02/2017 to 08/02/2022.



Recognised by Ministry of Environment, Forest & Climate Change (MoEF) Govt. of India and ISO 9001 : 2008, ISO 14001: 2004 and OHSAS 18001 : 2007 Certified company.

GESEC

TEST CERTIFICATE

Report No: GESEC /PRO/2017-18/10/112	Date of Report	09/10/2017
Client Name and Address: : M/s. Shree Gurudatta Sugars Ltd. At/post – Takaliwadi, Tal- Shirol, Dist – Kolhapur, Maharashtra.	Date of Sampling	02/10/2017
	Start Date of Analysis	03/10/2017
	End Date of Analysis	09/10/2017
	Sample Details	(Takaliwadi).
	Nature of sample	Solid
Sample Collected By	GESEC	

SOIL ANALYSIS REPORT

Sr. No.	Parameter	Result	Unit(s)	Standard Method
01	pH (10 % Extract)	7.4	-	APHA
02	Loss On Drying	21.2	%	APHA
03	Loss On Ignition	34.6	%	APHA
04	Ammonia	Absent	mg/kg	APHA
05	Nitrogen	168	mg/kg	APHA
06	Phosphate	Absent	mg/kg	APHA
07	Cobalt	88	mg/kg	AAS
08	Nickel	23	mg/kg	AAS
09	Chloride	226	mg/kg	APHA
10	Sulphate	Absent	mg/kg	APHA
11	Cadmium	2.4	mg/kg	AAS
12	Chromium	40	mg/kg	AAS
13	Copper	76	mg/kg	AAS
14	Zinc	48	mg/kg	AAS


Remark: All results are on dry basis.

ANALYZED BY- 		AUTHORIZED SIGNATORY 
--	---	--

Terms and conditions

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement
- MoEF approved Lab by Govt. of India. From date. 09/02/2017 to 08/02/2022.

Online Monitoring System at SGSL





Training Attendance Sheet

Date:	13-8-19
Topic/s:	Safety & Health Awareness
Trainer	Sandeep Gaikwad
Time From - To:	3-4 PM

Name and Ticket No	Designation / Department	Signature
Birendrakumar	Store keeper	Birendrakumar
Govind Singh	Site Incharge	[Signature]
Jayprakash Singh	forman	[Signature]
Kamlesh Singh	fitter	[Signature]
Motiwari Ansari	Rigar	[Signature]
Kundan Ansari	Rigar	[Signature]
Shahabudin Ansari	Welder	[Signature]
Merajudin Ansari	fitter	[Signature]
Sakil Ansari	fitter	[Signature]
Aslam Ansar	Khalasi	[Signature]
Nuralam Ansari	Welder	[Signature]
Dharmendra Yadav	Rigar forman	[Signature]
Sureman Prasad	Rigar	[Signature]
Jitendra Khoswar	Rigar	[Signature]
Haridat Prasad	Khalasi	[Signature]
Raju Patel	Hydra operator	[Signature]
Mukul Patel	Welder	[Signature]
Mantu Sah	Khalasi	[Signature]
Ajeet Patel	Khalasi	[Signature]
Samsudin Ansari	Rigar	[Signature]
Sarjudin Ansari	Rigar	[Signature]
Kyamudin Ansari	Rigar	[Signature]
Prameshwar	Rigar	[Signature]

Note: For contractor trainings, the name and designation / department are filled by the Manager)

Effectiveness Evaluation:

Evaluated By:

Date:

[Signature]

Prepared By:

Mr. Sandeep B. Gaikwad

Approved By:

Mr. P. Datta Roy



Training Attendance Sheet

Date:	22-7-19
Topic/s:	Safety General Rules
Trainer	Sandeep Gaikwad
Time From - To:	10-11 AM

Name and Ticket No	Designation / Department	Signature
1) Balaso Bhikku		Balaso Bhikku
2) Dinesh mandal		Dinesh Mandal
3) Jayanta mandal		Jayanta Mandal
4) Supta mukharji		Supta Mukharji
5) Parthar mandal		Partha Mandal
6) Tekan mandal		Tekan Mandal
7) Sumit mandal		Soumik Mandal
8) Sohni mandal		Souvik Mandal
9) Ramnada mandal		Ramnarada Mandal
10) Salil Ushwal		Salil Ushwal
11) Rahul Hazra		Rahul Hazra
12) Shrikant mandal		Shrikanta Biswas

Note: For contractor trainings, the name and designation / department are filled by the Manager)

Effectiveness Evaluation:

--

(Signature)

Evaluated By: Prepared By: Mr. Sandeep B. Gaikwad (ECTI)	Date: Approved By: Mr. P. Datta Roy (President)
---	--



Regd. No. 25-14367, CIN-UI5424PN2000PLC014367

An ISO 9001 : 2008 Certified Company

SHRI GURUDATT SUGARS LTD., Takaliwad

| ADD.: Gat No. : 61 / A, Akiwat Takaliwadi Road, Takaliwadi Tal.- Shirol Dist - Kolhapur (MH) Pin Code : 416 10
| PHONE : +91 231 2686086 | FAX : +91 231 2686000 | WEBSITE : www.sgsl.co.in | Email : gslsugars@gmail.com

SGSL/ENVI/ 498 /2017-2018

Date – 31/03/2017

To,
The Chief Executive Officer so,
Zilha Parishad Office,
Nagala Park, Kolhapur

Subject: Submission of Environmental Clearance Copy for Shri Gurudatt Sugars Ltd. Gat No. 61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal. Shirol, Dist. Kolhapur, Maharashtra.

Ref: MoEF & CC Letter No.F. No. –J – 11011 / 41 / 2015 –IA – II (I) Dated 20.03.2017

Respected Sir,


With reference to above subject, we are submitting here with Environmental Clearance Copy of sugar manufacturing (from 4900 TCD to 6000 TCD, Co-generation capacity (15 MW to 21 MW) at Gat No. 61/A, Akiwat Takaliwadi Road, Tal. Shirol, Dist. Kolhapur, Maharashtra received from Ministry of Environment, Forest and Climate Change, New Delhi.

This is for your information please.

Thanking You.

Yours Faithfully

For, Shri Gurudatt Sugars Ltd.,


President

Copy –Enclosed above with copy of EC


8/8/2016
लेखनिक
मुख्य कार्यालयी अधिकारी
जिल्हा परिषद, कोल्हापूर.



SHRI GURUDATT SUGARS LTD., Takaliwadi

ADD.: Gat No. : 61 / A, Akiwat Takaliwadi Road, Takaliwadi Tal.- Shirol Dist - Kolhapur (MH) Pin Code : 416 108
PHONE : +91 231 2686086 | FAX : +91 231 2686000 | WEBSITE : www.sgsl.co.in | Email : gslsugars@gmail.com

SGSL/ENVI/ 293 /2017-2018

Date - 31/03/2017

To,
The Regional Officer,
Ministry of Environment, Forest and Climate Change,
Regional Office (WCZ), Ground Floor, East Wing,
New Secretariat Building Civil Lines,
Nagpur
Tel.No.0712-2531318
Email: moefregionalofficenagpur@gmail.com

Subject: Submission of Environmental Clearance Copy for Shri Gurudatt Sugars Ltd. Gat No. 61/A, Akiwat Takaliwadi Road Takaliwadi, Tal. Shirol, Dist. Kolhapur, Maharashtra.

Ref : MoEF & CC Letter No.F. No. -J - 11011 / 41 / 2015 -IA - II (I) Dated 20.03.2017

Respected Sir,

With reference to above subject, we are submitting here with Environmental Clearance Copy of sugar manufacturing (from 4900 TCD to 6000 TCD, Co-generation capacity (15 MW to 21 MW) at Gat No. 61/A, Akiwat Takaliwadi Road, Tal. Shirol, Dist. Kolhapur, Maharashtra received from Ministry of Environment, Forest and Climate Change, New Delhi.

This is for your information please.

Thanking You.

Yours Faithfully

For, Shri Gurudatt Sugars Ltd.,


President



Copy -Enclosed above with copy of EC News display on local news paper .

- CC - 1. The Regional Officer, MPC Board, Kolhapur.
2. The Sub Regional Officer, MPC Board, Kolhapur

सहजाग प्रमाणपत्र व स्मृती चिन्ह पान ४ वर
News dt. 31/03/2017

जाहीर नोटीस

श्री गुरुदत्त शुगर्स लिमिटेड टाकळीवाडी पर्यावरण विषयक अनुमती

श्री गुरुदत्त शुगर्स लिमिटेड, गट नं.६१/अ,
अकिवाट टाकळीवाडी-रोड, टाकळीवाडी, ता.शिरोळ,
जि.कोल्हापूर पिन नं.४१६१०८ तर्फे कळविणेत येते
की, आमच्या कारखान्यामध्ये गाळप क्षमता 4900 TCD
ते 6000 TCD व सहविजनिर्मिती प्रकल्प 15MW ते 21
MW वाढीव प्रकल्पास भारत सरकारचे पर्यावरण,
वनविभाग व हवामान बदल, मंत्रालय, नवी दिल्ली कडील
पत्र संदर्भ F. No. J-11011/41/2015-IA-II (I) दिनांक
२०/३/२०१७ ने विस्तारीकरणास अनुमती मिळालेली
आहे.

श्री. माधवराव भगवानराव घाटगे
चेअरमन व कार्यकारी संचालक
श्री गुरुदत्त शुगर्स लिमिटेड, टाकळीवाडी

बंधुता पेपर

PUBLIC NOTICE

To whomsoever,
it may concern

This is to inform to the public that Shri Gurudatt Sugars Ltd., Gat 61/A, Akiwat- Takaliwadi Road, Takaliwadi, Tal. Shirol, Dist. Kolhapur- 416108. Maharashtra has been granted Environmental Clearance for their proposed expansion of sugar plant 4900 TCD to 6000 TCD and Co-generation 15 MW to 21 MW vide letter No. F. No. J-11011/ 47/ 2015- [A-II(I), Dt. 20/03/2017.

The Copy of same can be viewed at website of ministry of Environment and forest and climate change of <http://moef.nic.in>

-Shri Madhavrao B. Ghatge
Chairman &
Managing Director



SHRI GURUDATT SUGARS LIMITED

Gat No.61, Akiwat-Takaliwadi Road, Near Balumama Mandir,
TAKALIWADI - 416 108 Tal.: Shirol, Dist.:Kolhapur (Maharashtra State)
Reg. No. 25-14367, Tele Fax : (02322) 241577, 241877, 241977
Ph. (0231) 2686086 Fax No. (0231) 2686000 E-mail : gslsugars@gmail.com



Shri. Bhagawanrao G. Ghatge
Founder
Shri. Madhavrao B. Ghatge
Chairman & Managing Director

Ref. No. एकजीशुलशुठ/शिरोळ/149/2017

Date : 26/03/2017

प्रति,
मा.सरपंच / ग्रामसेवक
मु.पो. टाकळीवाडी ता. शिरोळ
जि. कोल्हापूर

विषय :- ना हरकत दाखला मिळणेबाबत ..

महोदय

आमचे श्री गुरुदत्त शुगर्स लि.टाकळीवाडी या कारखान्याच्या सध्या असलेल्या ४९०० मॅ.टन प्रतिदिन गाळप क्षमता व १५ मेगावॅट विजनिर्मिती प्रकल्पाची क्षमता विस्तारीकरण प्रतिदिन ६००० मॅ.टन उस गाळप व २१ मेगावॅट विजनिर्मिती करणेस central Pollution control Board ,Delhi.यांचेकडून दि.२०/०३/२०१७ च्या पत्राने मान्यता मिळाली आहे.

तरी सदरच्या वाढीव गाळप क्षमता व विजनिर्मिती प्रकल्पाचे विस्तारीकरणास आपल्या ग्रामपंचायतीचा ना हरकत दाखला मिळावा हि विनंती

सोबत :- CPCB चे मंजूरीचे पत्र.

आपला विश्वासू

प्रेसीडेंट

श्री गुरुदत्त शुगर्स लि.टाकळीवाडी.

Received
26/3/2017
ग्रामसेवक,
ग्रामपंचायत टाकळीवाडी,
ता. शिरोळ, जि. कोल्हापूर.

[See rule 18(7) and Sched

(In respect of persons em

Name of Certifying Surgeon :

DR. ARVIND A. MANE

M.B.B.S., D.P.H.A.F.I.H. (Mumbai)

Certifying Surgeon For Factories

Kolhapur District

Under Govt. of Maharashtra Factories Rule

Serial No.	Works No.	Name of worker	Sex	Age (last birth-day)	Date of employment of present work	Date of leaving or transfer to other work	Reas lea Tran disc
1	2	3	4	5	6	7	
1		Sanjay Y. Kumbhar	M	36			
2		Chandrakant D. Patil	M	45			
3		Salina A. Sande	F	43			
4		Mahaveer J. Narde	M	41			
5		Suresh K. Yadav	M	35			
6		Sambhaji S. Patil	M	59			
7		Rama A. Zende	M	33			
8		Satish R. Kumbhar	M	29			
9		Shivaji D. Tavandkar	M	51			
10		Cecjanan M. Latwade	M	35			
11		Vijaykumar B. Patil	M	32			
12		Santosh S. Ghatage	M	31			
13		Deepak S. Shinde	M	36			
14		Dilip S. Patil	M	53			
15		Namdev D. Patil	M	39			
16		Santosh B. Samdole	M	30			
17		Nilesh V. Yadav	M	44			
18		Preshant P. Jagdale	M	44			
19		Pundlik M. Godhade	M	63			
20		Vilas R. Jagtap	M	44			
21		Chandrakant Y. Patil	M	41			
22		Amol A. Shinde	M	29			
23		Subas D. Magdum	M	28			
24		Sandeep S. Magdum	M	34			
25		Virendra V. Patil	M	38			
26		Ajit B. Murgunde	M	36			

(In respect of persons emp

Name of Certifying Surgeon :

DR. ARVIND A. MANE

M.B.B.S., D.P.H., A.F.I.H. (Mumbai)

Certifying Surgeon For Factories

Kolhapur District

Under Govt. of Maharashtra Factories Rule

Serial No.	Works No.	Name of worker	Sex	Age (last birth-day)	Date of employment of present work	Date of leaving or transfer to other work	Reas lea Tran disc
1	2	3	4	5	6	7	
29		Dilip N. Malgare	M	52			
30		Bhubali B. Patil	M	35			
31		Rajendra S. Chhadge	M	36			
32		Sanjay M. Magdum	M	35			
33		Sukumar A. Patil	M	35			
34		Avinash J. Bastwade	M	35			
35		Shinivas V. Gondkar	M	32			
36		Raju B. Patil	M	40			
37		Vijay S. Powar	M	34			
38		Yogesh G. Kamble	M	27			
39		Pradip S. Sawant	M	31			
40		Sarjeraso A. Jagtap	M	48			
41		Vithal A. Geavade	M	33			
42		Vijay A. Khot	M	29			
43		Anant S. Pattankude	M	40			
44		Sagar V. Bhajane	M	34			
45		Pravin S. Patil	M	30			
46		Aalam S. Patel	M	52			
47		Vijay R. Bokare	M	48			
48		Sagar B. Mali	M	29			
49		Sambhaji B. Desai	M	56			
50		Kumar A. Sutar	M	36			
51		Netaji N. Chavan	M	36			
52		Siddhappa N. Pigare	M	48			
53		Raju B. Geavade	M	31			
54		Santosh L. Tali	M	30			

(In respect of person)

Name of Certifying Surgeon :

DR. ARVIND A. MANE

M.B.B.S., D.P.H. & F.I.H. (Mumbai)

Certifying Surgeon for factories

Kolhapur District

Under Govt. of Maharashtra Factories Rule

Serial No.	Works No.	Name of worker	Sex	Age (last birth-day)	Date of employment of present work	Date of leaving or transfer to other work
1	2	3	4	5	6	7
57		Bajirao S. Tikode	M	51		
58		Faijahamad R. Mullo	M	47		
59		Tukaram B. Patil	M	39		
60		Suzesh S. Adarsh	M	33		
61		shamato N. Patil	M	54		
62		Babaso U. Inamdar	M	45		
63		Jingonda B. Patil	M	35		
64		Vinod A. Patil	M	35		
65		Deepak D. Mane	M	46		
66		Pandurang B. Bhilawade	M	52		
67		Rajendra B. Geavode	M	30		
68		Bandu N. Shinde	M	32		
69		Vilas R. Baje	M	41		
70		Rakesh R. Magdum	M	26		
71		Suzesh K. Desai	M	32		
72		Kumar M. Sutar	M	40		
73		Babaso D. Patil	M	36		
74		Vinod D. Kamble	M	33		
75		Krishndev K. Mane	M	39		
76		Sandeep M. Gaikwad	M	30		
77		Nilesh M. Jadhav	M	36		
78		Santosh A. Awati	M	36		
79		Madhavrao R. Shinde	M	45		
80		Sunil S. Patil	M	38		
81		Amol A. Mandane	M	33		
82		Udaykumar D. Mahind	M	41		
83		Mazuti T. Vanve	M	47		

(In respect of p

Name of Certifying Surgeon :

DR. ARVIND A. MANE

M.B.B.S., D.P.H.A.F.I.H. (Mumbai)

Certifying Surgeon For Factories
Kolhapur District

Under Govt. of Maharashtra Factories Rule

Serial No.	Works No.	Name of worker	Sex	Age (last birth-day)	Date of employment of present work	Date of leaving or transfer to other work
1	2	3	4	5	6	7
85		Giridhar B. Shahstrabudhe	M	48		
86		Anil S. Kamble	M	40.		
87		Ajit A. Chougule	M	40.		
88		Mandar A. Nadat	M	43.		
89		Digambar A. Kudache	M	29.		
90		Prashant D. Pipale	M	27		
91		Swapnil P. Kotkar	M	30.		
92		Vithhal G. Nirmale	M	33.		
93		Nitin S. Shinde	M	32.		
94		Vinod S. Desai	M	31.		
95		Ramish K. Kamble	M	30.		
96		Lingappa K. Bandgare	M	35		
97		Amal K. Geibua	M	30		
98		Rajkumar R. Bagi	M	36.		
99		Shirdhar A. Sutar	M	37.		
100		Ajit D. Nirmale	M	31.		
101		Sagar S. Jugale	M	30		
102		Riyaj G. Sanadi	M	34.		
103		Pandurang R. Nandiwale	M	36.		
104		Rajendra S. Jadhav	M	43.		
105		Sandeep D. Sutar	M	28		
106		Bajirao I. Shedbale	M	47.		
107		Popat M. Khot	M	37.		
108		Suresh K. Ambi	M	42		
109		Anil S. Mane	M	34.		
110		Bajrang I. Kali	M	33.		
111		Deepak N. Sankpal	M	31		

(In respect of p

Name of Certifying Surgeon :

DR. ARVIND A. MANE

M.B.B.S., D.P.H.A.F.I.H. (Mumbai)

Certifying Surgeon For Factories

Kolhapur District

Under Govt. of Maharashtra Factories Rule

Serial No.	Works No.	Name of worker	Sex	Age (last birth-day)	Date of employment of present work	Date of leaving transfe to other work
1	2	3	4	5	6	7
113		P. Datta Roy	M	57.		
114		Ashok V. Jadhav	M	52.		
115		Somnath M. Kumbhar	M	33.		
116		Pandurang H. Bhoite	M	45.		
117		Madhusudam M. Morade	M	33.		
118		Aydhut D. Koli	M	26.		
119		Shankar S. Shinde	M	37.		
120		Sandip T. Mane	M	34.		
121		Chandrakant B. Birange	M	38.		
122		Shivaji G. Takale	M	36.		
123		Santosh A. Patil	M	31.		
124		Suresh N. Maske	M	38.		
125		Ravashob R. Kote	M	38.		
126		Akash G. Magdum	M	41.		
127		Indrajeet R. Sankpal	M	28.		
128		Lokesh S. Eksambe	M	35.		
129		Makbul S. Desai	M	40.		
130		Bhupal V. Bakale	M	39.		
131		Anil V. Herwade	M	34.		
132		Shivaji D. Pawar	M	43.		
133		Vadhhav V. Patil	M	41.		
134		Sandeep D. Bagade	M	33.		
135		Mahesh R. Patil	M	36.		
136		Vikas M. Patil	M	40.		
137		Tejanand B. Desai	M	33.		
138		Dilip P. Patil	M	51.		
139		Vijay V. Mane	M	42.		

HEALTH REGISTER

NAME OF COMPANY :-

SHRI GURUDATT SUGARS LTD.
(COMPANY)

ADD – Gat No. 61/ A, Akiwat Takaliwadi Road, Takaliwadi, Tal. - Shirol

Dist. - Kolhapur (MH) Pincode - 416 108

VALID FROM : - 20/02/2019 To 19/02/2020

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFHI, (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
	000001	MR. SHARAD D. INAMDAR	40	M	09 E.D.P.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000011	MR. DNYANDEV KHOT	40	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000013	MR. SARJERAO A. JAGTAP	52	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000019	MR. BASAVRAJ C. SWAMI	40	M	08 CO-GEN.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000020	MR. PRAKASH R. BIRAJDAR	37	M	08 CO-GEN.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000021	MR. MADHAVRAO R. SHINDE	49	M	08 CO-GEN.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000022	MR. ANAND R. YADAV	43	M	08 CO-GEN.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000024	MR. SANJAY A. PATIL	50	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000028	MR. MARUTI T. UGALE	50	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000029	MR. AJIT L. SHINDE	50	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000034	MR. RAVSAMBH R. KOTE	40	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000039	MR. RAMESH A. CHOUGHULE	41	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000042	MR. DASHRATH M. NARUTE	54	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000043	MR. CHANDRAKANT G. RAVLUKEDARI	46	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000045	MR. ANIL M. JADHAV	47	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000050	MR. RAMESH R. POWAR	40	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000051	MR. SURESH K. AMBI	45	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000052	MR. SHITAL A. ALATE	41	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000054	MR. BAHUBALIM. KANE	33	M	08 CO-GEN.	NA	NA			21/02/2019	Fit	NA	Fit	NA	

कासखाने अधीनियम १९४८ ची कलम १०(२) प्रामाणे कोल्हापूर जिल्हाकरिता

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFH (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sl. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
0	000064	MR. BALASO D. MANGALE	49	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	NA	NA	
1	000069	MR. SURESH D. BHATMARE	40	M	21 SUGAR G.	NA	NA	NA	NA	21/02/2019	Fit	NA	NA	NA	
2	000080	MR. VIRENDRA V. PATIL	40	M	01 ACCOUNT	NA	NA	NA	NA	20/02/2019	Fit	NA	NA	NA	
3	000085	MR. RAJU B. PATIL	41	M	08 CO-GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	NA	NA	
4	000087	MR. CHANDRAKANT D. PATIL	46	M	14 HRD.	NA	NA	NA	NA	20/02/2019	Fit	NA	NA	NA	
5	000092	MR. RAVINDRA S. KUMBEHAR	35	M	14 HRD.	NA	NA	NA	NA	20/02/2019	Fit	NA	NA	NA	
6	000095	MR. MOHAN S. VASAMKAR	43	M	17 PURCHASE	NA	NA	NA	NA	20/02/2019	Fit	NA	NA	NA	
7	000096	MR. CHANDRAKANT Y. PATIL	45	M	21 SUGAR G.	NA	NA	NA	NA	20/02/2019	Fit	NA	NA	NA	
8	000097	MR. CHANGDEV N. JASUD	42	M	12 GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	NA	NA	
9	000098	MR. SANDEEP B. BHORE	32	M	01 ACCOUNT	NA	NA	NA	NA	20/02/2019	Fit	NA	NA	NA	
0	000100	MR. BHARAT B. JADHAV	53	M	19 SECURITY	NA	NA	NA	NA	20/02/2019	Fit	NA	NA	NA	
1	000102	MR. DILIP D. KILLEDAR	50	M	03 AGRI	NA	NA	NA	NA	20/02/2019	Fit	NA	NA	NA	
2	000121	MR. AVINASH J. BASTWADE	38	M	03 AGRI	NA	NA	NA	NA	20/02/2019	Fit	NA	NA	NA	
3	000127	MR. BHAIHUBALI B. PATIL	38	M	01 ACCOUNT	NA	NA	NA	NA	20/02/2019	Fit	NA	NA	NA	
4	000135	MR. RAMCHANDRA M. NAIKWADE	48	M	03 AGRI	NA	NA	NA	NA	20/02/2019	Fit	NA	NA	NA	
5	000140	MR. SURESH A. BANDGAR	42	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	NA	NA	
6	000141	MR. SHABBIR S. CHAUS	52	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	NA	NA	
7	000142	MR. HARIBA M. HAWALDAR	38	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	NA	NA	
8	000143	MR. ANANDA S. MAGDUM	41	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	NA	NA	

कार्यालये अधिवर्तमान १९४८ व्या कलम १०(२) प्रमाणे कोल्हापूर जिल्हाकारिता

(Signature)
21/2/20

प्राधिकृत प्रमाणकअध्यक्षचिकित्सक
क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFH, (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
	000144	MR. BAJIRAO V. GHORPADE	46	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
	000146	MR. SATGONDA R. PATIL	47	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
	000155	MR. AKASH G. MAGDUM	45	M	08 CO-GEN.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
	000163	MR. AMOL A. CHOUGULE	38	M	08 CO-GEN.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
	000164	MR. ANANDA S. BIROJE	41	M	08 CO-GEN.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
	000165	MR. CHANDRAKANT D. MALI	33	M	08 CO-GEN.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
	000168	MR. MAHADEV I. PATIL	53	M	08 CO-GEN.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
	000170	MR. SURYAKANT A. BHENDE	39	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
	000174	MR. LOKESH S. EKSAMBE	38	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
	000175	MR. YALLAPPA D. KOLI	46	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
	000176	MR. KRISHNATH T. SANT	42	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
	000178	MR. BANDU B. KOLI	37	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
	000179	MR. SARJERAO A. KOLI	36	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
	000183	MR. BALASO A. MULLA	38	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
	000184	MR. SUNIL G. RAJPUT	36	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
	000185	MR. SAMBHAJI R. JADHAV	38	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
	000187	MR. PANDURANG D. TAMBIRE	43	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
	000188	MR. ANANDA A. HAWALDAR	34	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
	000197	MR. SUNIL S. KADOLE	38	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	

Handwritten signature and date: 20/02/2019

कोरबा जिल्हाकरिता
कायदा अधिनियम १९४८ च्या कलम १०(२) प्रमाणे

कोरबा जिल्हाकरिता

प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFHH (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sl. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or byc product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
	000199	MR. UDAYKUMAR A. BARWADE	41	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000200	MR. SANDEEP D. BAGADE	37	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000202	MR. RAJENDRA A. SHINDE	37	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000204	MR. VIJAY S. AMBUPE	43	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000205	MR. KIRAN R. MANGSULE	46	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000206	MR. SAGAR S. HASURE	42	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000209	MR. AJIT A. CHOUGALE	42	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000213	MR. BHASKAR S. KAMBLE	48	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000215	MR. SANJAY A. BUNALE	39	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000217	MR. BHAUSO R. CHOPADE	39	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000218	MR. SIDRAM G. GAVANDI	45	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000229	MR. PARMESHWAR K. YADAV	48	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000240	MR. SAMBHAJI B. DESAI	59	M	15 MANUFACTURING	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000244	MR. SURESH M. NAIKWADE	46	M	15 MANUFACTURING	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000252	MR. KUMAR M. SUTAR	42	M	15 MANUFACTURING	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000257	MR. HANAMANT L. PATIL	40	M	15 MANUFACTURING	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000261	MR. SUNIL A. NIMBALKAR	39	M	15 MANUFACTURING	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000264	MR. RAFIQ B. PATEL	34	M	15 MANUFACTURING	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000270	MR. ARUN K. SURYAVANSHI	38	M	15 MANUFACTURING	NA	NA			20/02/2019	Fit	NA	Fit	NA	

(Signature)
Fit
NA

Fit
NA
कारखाने अधिनियम १९४८ आ कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रमाणकशाल्यचिकित्सक
क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon

DR. ARVIND MANE
MBBS DPH AFTH, (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
7	000274	MR. RAJENDRA D. LATAWADE	39	M	03 AGRI	NA	NA			20/02/2019	Fit	NA	Fit	NA	
8	000276	MR. DEVENDRA A. SHIRGUPPE	38	M	03 AGRI	NA	NA			20/02/2019	Fit	NA	Fit	NA	
9	000277	MR. SURESH P. GODHADE	38	M	03 AGRI	NA	NA			20/02/2019	Fit	NA	Fit	NA	
10	000285	MR. VIJAY R. DAKARE	50	M	14 H.R.D.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
11	000294	MR. NILESH V. YADAV	46	M	01 ACCOUNT	NA	NA			20/02/2019	Fit	NA	Fit	NA	
12	000295	MR. KIRAN R. GAIKWAD	56	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
13	000296	MR. PRADIP S. SAWANT	35	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
14	000300	MR. YELGONDA S. PATIL	40	M	15 MANUFACTURING	NA	NA			20/02/2019	Fit	NA	Fit	NA	
15	000308	MR. SUBHASH M. KHOT	52	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
16	000313	MR. SUDESH N. MAGADUM	38	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
17	000317	MR. UDYKUMAR D. MAHIND	43	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
18	000318	MR. RAJGONDA P. PATIL	36	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
19	000319	MR. PANDURANG R. NANDIWALE	39	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
20	000320	MR. BALASO B. MAGDUM	43	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
21	000321	MR. ASHOK K. WANTE	39	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
22	000328	MR. POPAT M. KHOT	41	M	23 W. T. P.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
23	000330	MR. VIJAY S. PAWAR	37	M	03 AGRI	NA	NA			20/02/2019	NA	NA	Fit	NA	
24	000354	MR. RAMESH G. GAIKWAD	49	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
25	000359	MR. SANTOSH S. CHIKKODE	38	M	15 MANUFACTURING	NA	NA			20/02/2019	Fit	NA	Fit	NA	
											Fit	NA	Fit	NA	NA

कासखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रमाणक शल्यचिकित्सक
क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFIHL (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
000381	MR. SACHINKUMAR K. HEMGIRE	37	M	03 AGRI	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000395	MR. SUBHASH S. PIMPALE	36	M	06 CANEYA.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000399	MR. KHANDERAOM KAMBALE	41	M	06 CANEYA.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000403	MR. VINOD A. PATIL	38	M	06 CANEYA.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000404	MR. HANAMANT A. PATIL	45	M	06 CANEYA.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000423	MR. KUMAR D. PATIL	38	M	19 SECURITY	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000425	MR. RAJENDRA S. GHADGE	40	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000428	MR. PRITAM M. MARDANE	40	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000439	MR. ANANT S. PATTANKUDE	41	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000441	MR. RUDRAGONDA B. PATIL	51	M	12 GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000446	MR. GAJANAN M. LATAWADE	38	M	06 CANEYA.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000448	MR. GAJENDRA H. MANE	59	M	22 VEHICLE	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000453	MR. SANJAY T. THORAWAT	48	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000459	MR. MADHUKAR B. MALI	43	M	08 CO-GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000460	MR. SHANKAR R. BALIGADE	43	M	08 CO-GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000470	MR. VISHAL G. GHATAGE	32	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000471	MR. MILIND D. KAMBLE	42	M	03 AGRI	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000478	MR. HANMANT V. BABAR	57	M	04 BIOFERTIL	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000489	MR. SANJAY Y. KUMBHAR	39	M	22 VEHICLE	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	

20/02/2019

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे कोल्हापूर जिल्हाकारिता

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFPH.(Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
5	000494	MR. AJIT B. MURGUNDE	39	M	01 ACCOUNT	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
5	000533	MR. TEJANAND B. DESAI	35	M	08 CO-GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
7	000543	MR. PUNDALIK K. JADHAV	50	M	08 CO-GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
3	000545	MR. SUBHASH K. MANE	47	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
9	000549	MR. MILIND M. MALEKARI	40	M	06 CANEYA.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
0	000551	MR. RAMA A. ZENDE	36	M	06 CANEYA.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
1	000553	MR. UMESH S. MITHARE	43	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
2	000558	MR. NILESH M. JADHAV	39	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
3	000560	MR. BABASO D. PATIL	38	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
4	000561	MR. DIPAK P. CHAVAN	39	M	03 AGRI	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
5	000572	MR. SANTOSH A. BASTAWADE	35	M	06 CANEYA.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
5	000576	MR. NAZIM D. INAMDAR	52	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
7	000577	MR. PRAKASH K. LATWADE	41	M	06 CANEYA.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
3	000578	MR. SANJAY S. BHOSALE	38	M	06 CANEYA.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
9	000579	MR. UDAY S. PATIL	34	M	06 CANEYA.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
9	000580	MR. SANJAY G. PATIL	41	M	06 CANEYA.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000581	MR. VINOD S. PATIL	34	M	06 CANEYA.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000587	MR. SURESH M. UGARE	46	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000594	MR. HEMANTKUMAR S. POL	32	M	08 CO-GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	

कारखाने अधिनियम १९४८ चा कलम १०(२) प्रमाणे कोल्हापूर फिलहाकरिता

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFIH, (Mumbai)

Company Name : **SHRI GURUDATT SUGARS LTD. (COMPANY)**

Sl. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
4	000595	MR. ANIL S. MANE	37	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
5	000598	MR. DHANANJAY U. THORAWAT	39	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
6	000601	MR. MADAN S. VASAMKAR	40	M	16 PETROL P.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
7	000603	MR. HEMANT B. KASARKAR	35	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
8	000603	MR. HEMANT B. KASARKAR	35	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
9	000604	MR. VILAS R. JAGTAP	46	M	12 GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
10	000614	MR. KRISHNADEV K. MANE	43	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
11	000627	MR. JITENDRA M. GORE	52	M	19 SECURITY	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
12	000628	MR. BALASAHEB D. ALGOUDA	43	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
13	000636	MR. RAJKUMAR S. MANE	42	M	08 CO-GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
14	000638	MR. CHANDRAKANT S. SHINDE	32	M	03 AGRI	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
15	000640	MR. CHANDRAKANT K. PARIT	40	M	03 AGRI	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
16	000642	MR. PRASHANT R. SHETTI	33	M	03 AGRI	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
17	000645	MR. BALASO L. CHOUGALE	43	M	03 AGRI	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
18	000649	MR. DIPAK B. SHINDE	37	M	03 AGRI	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
19	000651	MR. VITTHALSING R. RAJAPUT	40	M	19 SECURITY	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
20	000654	MR. KAYUM B. MULLA	56	M	19 SECURITY	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
21	000655	MR. DILIP B. KADAM	32	M	19 SECURITY	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
22	000664	MR. PANDURANG H. BEHOTTE	46	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	

कसवाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रमाणकशाल्याधिकृतसक
क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFHL (Mumbai)

From: 20/02/2019 To 19/02/2020

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
3	000668	MR. BAJIRAO S. TIKODE	53	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
4	000669	MR. PRABHAKAR P. PATIL	36	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
5	000671	MR. RAMGONDA P. PATIL	36	M	08 CO-GEN.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
6	000673	MR. DEEPAK D. MANE	47	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
7	000679	MR. VIKAS M. PATIL	41	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
8	000682	MR. KISHOR T. PAWAR	42	M	08 CO-GEN.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
9	000685	MR. RANJIT G. YADAV	38	M	08 CO-GEN.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
10	000689	MR. SHRIPATI N. JOLLE	45	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
11	00691	MR. ANANDA M. FAKANDE	35	M	04 BIOFERTIL.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
12	000699	MR. MOHAN K. PATIL	42	M	03 AGRI	NA	NA			21/02/2019	Fit	NA	Fit	NA	
13	000702	MR. ISMAIL B. JAMADAR	46	M	14 HR D.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
14	000706	MR. BAHUBALI S. LATTI	30	M	06 CANEYA.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
15	000709	MR. ASHOK JADHAV	54	M	19 SECURITY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
16	000712	MR. SURESH B. GAIKWAD	48	M	19 SECURITY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
17	000715	MR. SHIVAJI M. BHOSALE	54	M	19 SECURITY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
18	00717	MR. MALHAR G. JADHAV	44	M	08 CO-GEN.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
19	000718	MR. ARUN B. KAGWADE	43	M	19 SECURITY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
20	000726	MR. RAJENDRA K. PATIL	36	M	19 SECURITY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
21	000727	MR. RAJU P. KOLI	35	M	19 SECURITY	NA	NA			21/02/2019	Fit	NA	Fit	NA	

कायदाने अधिनियम १४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रमाणदर्शक अधिकारि कित्याक
क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFPH, (Mumbai)

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
000729	MR. DILIP N. GORE	54	M	19 SECURITY	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA	
000733	MR. SHAMRAO S. SHEDBALE	44	M	10 ENGG.	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA	
000736	MR. MADHUSUDAN M. MORADE	34	M	10 ENGG.	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA	
000738	MR. ANIL S. KAMBALE	40	M	08 CO-GEN.	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA	
000741	MR. RAJARAM A. BAKALE	50	M	19 SECURITY	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA	
000746	MR. TUKARAM B. PATIL	42	M	21 SUGAR G.	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA	
000750	MR. SUKUMAR S. BHALE	45	M	07 CIVIL	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA	
000759	MR. AMGONDA B. PATIL	37	M	10 ENGG.	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA	
000760	MR. VINOD D. KAMBLE	35	M	10 ENGG.	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA	
000769	MR. MAHPAL T. GAVALI	52	M	10 ENGG.	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA	
000773	MR. MEHUL C. LUGADE	32	M	10 ENGG.	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA	
000774	MR. UTTAM V. PATIL	42	M	10 ENGG.	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA	
000783	MR. ANANT S. RASANKAR	58	M	10 ENGG.	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA	
000784	MR. SANJAY M. MAGADUM	37	M	10 ENGG.	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA	
000785	MR. SHARAD M. INGALE	38	M	08 CO-GEN.	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA	
000792	MR. PREM K. WAGHMARE	37	M	15 MANUFACTURING	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA	
000793	MR. VIJAYKUMAR B. PATIL	36	M	06 CANEYA.	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA	
000796	MR. HIRASING B. RAJPUT	41	M	06 CANEYA.	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA	
000798	MR. AKARAM S. GAYADE	31	M	03 AGRI	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA	

(Handwritten signature)

कारखाने अधीनस्थित १९४८ च्या कालम १०(२) प्रमाणे कोल्हापूर जिल्हाकरिता

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFIIH.(Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
000854	MR. POPAT K. SALUNKHE	41	M	08 CO-GEN.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
000855	MR. VEERPRAKASH J. FUTANE	38	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
000856	MR. MAKABUL S. DESAI	42	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
000857	MR. MIRASAB S. SHENDURE	35	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
000858	MR. KUMAR S. MANE	42	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
000859	MR. SWAPNIL A. KAMBLE	30	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
000864	MR. VIJAY S. KUMBHOJKAR	39	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
000865	MR. SANDEEP S. SAJANE	37	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
000871	MR. GANESH R. GORE	33	M	06 CANEYA.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
000873	MR. AJIT A. PATIL	33	M	06 CANEYA.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
000882	MR. JINGODA B. PATIL	38	M	07 CIVIL	NA	NA			21/02/2019	Fit	NA	Fit	NA	
000883	MR. SANDIP S. MAGDUM	36	M	07 CIVIL	NA	NA			21/02/2019	Fit	NA	Fit	NA	
000884	MR. ALAM S. PATEL	54	M	07 CIVIL	NA	NA			21/02/2019	Fit	NA	Fit	NA	
000886	MR. ANAND J. SHINDE	46	M	19 SECURITY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
0887	MR. FAJAHAMAD R. MULLA	52	M	19 SECURITY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
000890	MR. MAHESH B. AKADE	34	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
000902	MR. AMAR A. PATIL	32	M	03 AGRI	NA	NA			21/02/2019	Fit	NA	Fit	NA	
000907	MR. APPASO B. GOURAJ	41	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
000908	MR. SACHIN B. CHIKHALE	38	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	

कम्प्लाने अधिस्थित १९४८ चा फिलम १०(२) प्रमाणे कोल्हापूर जिल्हाकरिता

Form No 7 (Prescribed under Rule 18 (17))

Certifying Surgeon

HEALTH REGISTER

DR. ARVIND MANE

From: 20/02/2019 To 19/02/2020

MBBS DPH AFIL(Mumbai)

Company Name : **SHRI GURUDATT SUGARS LTD. (COMPANY)**

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
	000909	MR. SATISH A. PARIT	36	M	22 VEHICLE	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000912	MR. NAVEED S. DANAWADE	36	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000928	MR. BALASO V. PARIT	54	M	19 SECURITY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000930	MR. DILIP T. KAMBLE	32	M	19 SECURITY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000935	MR. AMOL R. MANE-GAVDE	32	M	06 CANEYA.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000937	MR. RANJIT S. KOLEKAR	32	M	03 AGRY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000939	MR. TUSHAR T. NIKAM	31	M	21 SUGAR G.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000940	MR. SANDIP M. GAIKWAD	33	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000941	MR. BAJIRAO S. BHALE	34	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000942	MR. SATISH D. VALWADE	33	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000943	MR. ASHOK A. SHINDE	32	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000944	MR. AMOL R. HUIJARE	31	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000952	MR. CHANDRAKANT B. BIRANAGE	42	M	11 E. T. P.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000954	MR. VILAS R. BALE	49	M	11 E. T. P.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000967	MR. SANDEEP B. GAIKWAD	46	M	02 ADMIN.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000974	MR. SANJAY T. PATIL	55	M	19 SECURITY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000976	MR. SIKANDAR D. FARAS	38	M	19 SECURITY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000977	MR. YASHWANT A. JADHAV	42	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000981	MR. MALGONDA B. PATIL	32	M	15 MANUFACTURING	NA	NA			21/02/2019	NA	NA	Fit	NA	

कार्यालये अधिनियम १९४८ च्या अनुसूची १०(२) प्रमाणे

कोल्हापूर जिल्हाकारिता

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFH. (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
000982	MR. YUVIRAJ S. NIMBALKAR	32	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000985	MR. FARUK S. DANWADE	32	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000991	MR. VISHAL A. CHOUDHARI	28	M	06 CANEYA.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000993	MR. SAGAR D. PIRKANE	32	M	06 CANEYA.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000994	MR. RAKESH R. MAGADUM	28	M	01 ACCOUNT	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001000	MR. IAJILAL M. NAGARAJI	38	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001004	MR. SHAMGONDA N. ALATE	42	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001005	MR. JOTIBA R. AKKOLE	36	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001008	MR. DILIP N. MALAGAR	54	M	19 SECURITY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001011	MR. GUNDAPPA R. MANE	55	M	19 SECURITY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001015	MR. AMAR A. BIRANGE	31	M	19 SECURITY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001016	MR. SHAHIR S. CHAWARE	56	M	19 SECURITY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001017	MR. CHETANSHAN M. MANE	29	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001018	MR. MAHAVIR J. NARADE	43	M	20 STORE	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001020	MR. AMAR K. GIRIBUVA	34	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001023	MR. RAJENDRA S. JADHAV	42	M	19 SECURITY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001026	MR. SHAMRAO N. PATIL	56	M	19 SECURITY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001029	MR. SURESH K. DESAI	34	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001031	MR. ARVIND R. HORTIKAR	57	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	

कायदाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे

कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रभागाक शिथिलीकरण

क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFIH.(Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
67	001032	MR. GORAKHINATH P. NIRMALE	36	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
68	001033	MR. BAJIRAO I. SHEDBALE	49	M	07 CIVIL	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
69	001034	MR. SHIVAJI B. KHOT	48	M	07 CIVIL	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
70	001035	MR. NETAJI H. KHOT	39	M	07 CIVIL	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
71	001036	MR. NANASO S. KAMBLE	51	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
72	001038	MR. YOGESH K. KAMBLE	34	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
73	001039	MR. KIRAN S. CHIGARE	42	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
74	001040	MR. MAHAVIR A. BIRANGE	42	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
75	001041	MR. SANDIP R. KHOT	30	M	08 CO-GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
76	001042	SMT. MUKTABAI S. BIRANGE	45	F	18 SANITARY	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
77	001043	SOU. SAOURAI A. BIRANGE	45	F	18 SANITARY	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
78	001044	SMT. USHATAI S. KAMBLE	42	F	18 SANITARY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
79	001045	MR. RAMESH K. KAMBLE	32	M	08 CO-GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
80	001046	MR. SUNIL S. NIRMALE	32	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
81	001047	MR. APPASO S. MAGDUM	38	M	04 BIOFERTI.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
82	001048	MR. ANANDA S. KUMBHAR	34	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
83	001049	SOU. KASTURI P. KAMBLE	45	F	18 SANITARY	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
84	001051	MR. SRIKANT P. BIRANGE	33	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
85	001052	MR. SANDIP D. SUTAR	31	M	07 CIVIL	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	

कोशिके अधिवर्ति १९४४ व्या क्रम १०(२) प्रमाणे कोल्हापूर जिल्हाकरिता

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon

DR. ARVIND MANE
MBBS DPHAFIH, (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with	Signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
001053	MR. YOGESH G. KAMBLE	28	M	18 SANITARY	NA	NA	NA			20/02/2019	Fit	NA	Fit	Fit	NA	
001054	MR. RANJIT R. PATIL	44	M	15 MANUFACTURING	NA	NA	NA			20/02/2019	Fit	NA	Fit	Fit	NA	
001056	MR. ASHOK B. PATIL	52	M	19 SECURITY	NA	NA	NA			20/02/2019	Fit	NA	Fit	Fit	NA	
001057	MR. DIPAK N. SANKPAL	34	M	10 ENGG.	NA	NA	NA			20/02/2019	Fit	NA	Fit	Fit	NA	
001063	MR. VAIBHAV S. PATIL	29	M	10 ENGG.	NA	NA	NA			20/02/2019	Fit	NA	Fit	Fit	NA	
001066	MR. SHIVAJI R. KOLI	39	M	10 ENGG.	NA	NA	NA			20/02/2019	Fit	NA	Fit	Fit	NA	
001068	MR. PRAKASH S. BADANIKAI	37	M	08 CO-GEN.	NA	NA	NA			20/02/2019	Fit	NA	Fit	Fit	NA	
001069	MR. SHIVAJI D. POWAR	46	M	08 CO-GEN.	NA	NA	NA			20/02/2019	Fit	NA	Fit	Fit	NA	
001070	MR. VAIBHAV N. CHANDORA	39	M	08 CO-GEN.	NA	NA	NA			20/02/2019	Fit	NA	Fit	Fit	NA	
001071	MR. SUBHASH R. JADHAV	45	M	15 MANUFACTURING	NA	NA	NA			20/02/2019	Fit	NA	Fit	Fit	NA	
001079	MR. SUHAS D. MAGDUM	32	M	01 ACCOUNT	NA	NA	NA			20/02/2019	Fit	NA	Fit	Fit	NA	
001080	MR. SANTOSH A. BIRANGE	34	M	15 MANUFACTURING	NA	NA	NA			20/02/2019	Fit	NA	Fit	Fit	NA	
001081	MR. BALASAHEB V. BANDAGAR	34	M	08 CO-GEN.	NA	NA	NA			20/02/2019	Fit	NA	Fit	Fit	NA	
001082	MR. ARVIND S. PATIL	32	M	06 CANEYA.	NA	NA	NA			21/02/2019	Fit	NA	Fit	Fit	NA	
001083	MR. RAMDAS A. BIRANGE	33	M	18 SANITARY	NA	NA	NA			20/02/2019	Fit	NA	Fit	Fit	NA	
001084	MR. VITTHAL G. NIRMAL	35	M	15 MANUFACTURING	NA	NA	NA			20/02/2019	Fit	NA	Fit	Fit	NA	
001085	MR. AJIT D. NIRMAL	34	M	10 ENGG.	NA	NA	NA			20/02/2019	Fit	NA	Fit	Fit	NA	
001086	MR. GOPICHAND J. BHANDARE	30	M	15 MANUFACTURING	NA	NA	NA			20/02/2019	Fit	NA	Fit	Fit	NA	
001087	MR. VINAYAK Y. KUMBHAR	29	M	10 ENGG.	NA	NA	NA			20/02/2019	Fit	NA	Fit	Fit	NA	

कारखाने अधीनस्थ १५४८ च्या कलें १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFTH (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sl. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
5	001088	MR. NITIN S. SHINDE	30	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
6	001089	MR. UTTAM N. GORE	29	M	20 STORE	NA	NA			20/02/2019	Fit	NA	Fit	NA	
7	001090	MR. RAHUL A. GORE	33	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
8	001091	MR. BAJARANGI KOLI	36	M	07 CIVIL	NA	NA			20/02/2019	Fit	NA	Fit	NA	
9	001092	MR. SHANTINATH B. KHURPE	42	M	20 STORE	NA	NA			20/02/2019	Fit	NA	Fit	NA	
0	001094	MR. ANNASO R. DANOLE	36	M	07 CIVIL	NA	NA			20/02/2019	Fit	NA	Fit	NA	
1	001095	MR. BABASO B. MAISHALE	35	M	08 CO-GEN.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
2	001096	MR. RAJU B. GAVADE	35	M	07 CIVIL	NA	NA			20/02/2019	Fit	NA	Fit	NA	
3	001097	MR. CHANDRAKANT A. KOLI	36	M	07 CIVIL	NA	NA			20/02/2019	Fit	NA	Fit	NA	
4	001098	MR. NITIN B. KOLI	34	M	07 CIVIL	NA	NA			20/02/2019	Fit	NA	Fit	NA	
5	001099	MR. MARUTIP. BHATMARE	37	M	08 CO-GEN.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
6	001100	MR. ZAKIR M. KUDACHE	36	M	08 CO-GEN.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
7	001101	MR. SADASHIV T. GAVANDI	45	M	08 CO-GEN.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
8	001102	MR. SANTOSH M. BAVADEKAR	39	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
9	001103	MR. SANTOSH N. SAVANT	29	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
0	001104	MR. BALASAHEB V. GAIKWAD	32	M	18 SANITARY	NA	NA			20/02/2019	Fit	NA	Fit	NA	
1	001106	MR. PRAKASH T. AIWALE	42	M	05 CANE D.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
2	001107	MR. KUMAR A. SUTAR	38	M	07 CIVIL	NA	NA			20/02/2019	Fit	NA	Fit	NA	
3	001108	MR. VASANT B. POWAR	45	M	07 CIVIL	NA	NA			20/02/2019	Fit	NA	Fit	NA	

कारखाने अधीनियम १९४८ ची कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFTH, (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
001109	MR. VIJAY R. CHAVAN	35	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001110	MR. TATOBA A. HINGMIRE	34	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001111	MR. SURESH S. ADARSHE	35	M	08 CO-GEN.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001112	MR. SACHIN S. SHINDE	35	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001113	MR. AMOL Y. PATIL	33	M	14 H.R.D.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001114	MR. UMESH P. GAIKWAD	38	M	20 STORE	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001115	MR. BANDU N. SHINDE	36	M	07 CIVIL	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001116	MR. ASHOK B. POWAR	46	M	08 CO-GEN.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001117	MR. DAYANAND K. PATIL	39	M	16 PETROL P.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001118	MR. SURESH N. MASKE	41	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001120	MR. TUKARAM P. PATIL	44	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001121	MR. SHIVAJI S. MAGDUM	30	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001122	MR. LAXMAN K. KORAVI	33	M	16 PETROL P.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001123	MR. MADAR A. NADAF	45	M	07 CIVIL	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001124	MR. RAJU S. MAGDUM	43	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001125	MR. MANOJ A. MANE	34	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001126	MR. SURESH B. POWAR	35	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001127	MR. BALASO L. KHOMBHARE	34	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001128	MR. CHANDRAKANT S. LOHAR	43	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	

कायाने अधिनियम १९४८ च्या अनुसूची १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकारी अधिकारी

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFH (Mumbai)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
3	001129	MR. PRABHAKAR B. KOLI	39	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
4	001130	MR. KAPIL R. DANAWADE	33	M	07 CIVIL	NA	NA			21/02/2019	Fit	NA	Fit	NA	
5	001131	MR. LINGAPPA K. BANDAGAR	35	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
6	001132	MR. SANTOSH B. GORE	32	M	16 PETROL P.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
7	001133	MR. DHONDIRAM S. MANE	30	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
8	001134	MR. RAHUL G. PAITEKARI	32	M	03 AGRI	NA	NA			21/02/2019	Fit	NA	Fit	NA	
9	001135	MR. SANDIP S. PATIL	31	M	21 SUGAR G.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
10	001137	MR. SHIVPUTRA A. KOLI	39	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
11	001138	MR. AMIT B. PATIL	37	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
12	001139	MR. SURESH N. VADAR	45	M	07 CIVIL	NA	NA			21/02/2019	Fit	NA	Fit	NA	
13	001140	MR. RAJKUMAR V. BAGE	41	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
14	001141	MR. GANESH B. INGALE	32	M	08 CO-GEN.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
15	001142	MR. NITIN A. NALAVADE	37	M	07 CIVIL	NA	NA			21/02/2019	Fit	NA	Fit	NA	
16	001143	MR. TATYASO D. MANE	31	M	06 CANEYA.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
17	001144	MR. SUNILKUMAR J. SOUNDATTE	34	M	08 CO-GEN.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
18	001145	MR. SANTOSH P. SAMADOLE	32	M	23 W. T. P.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
19	001146	MR. SANTOSH P. SASANE	31	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
20	001147	MR. PRASHANT D. PIMPALE	30	M	23 W. T. P.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
21	001148	MR. VIJAY R. KHOT	31	M	21 SUGAR G.	NA	NA			21/02/2019	Fit	NA	Fit	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) अन्वये
कोल्हापूर जिल्हाकरिता

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFH (Mumbai)

Company Name : SHRI GURDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
2	001150	MR. RIYAJ G. SANADI	36	M	22 VEHICLE	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
3	001151	MR. UTTAM L. KARNALE	30	M	06 CANEYA.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
4	001152	MR. SHEKHAR S. PARIT	36	M	23 W. T. P.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
5	001153	MR. PRAVIN S. PATIL	33	M	14 H.R.D.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
5	001154	MR. DHONDIRAM R. CHAVARE	37	M	23 W. T. P.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
7	001156	MR. SANTOSH S. HINGMIRE	35	M	10 ENGG.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
8	001157	MR. SAGAR S. JUGALE	32	M	10 ENGG.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
9	001158	MR. DIGVIJAY M. KAMBLE	37	M	08 CO-GEN.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
10	001160	MR. MAHANTESH V. UMARANT	36	M	08 CO-GEN.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
11	001162	MR. GOPAL S. BHANDARE	33	M	04 BIOFERTL.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
12	001165	MR. SANTOSH K. KAMBLE	36	M	15 MANUFACTURING	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
13	001166	MR. RAMESH S. MATHPATI	42	M	15 MANUFACTURING	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
14	001168	MR. KRISHNAJI P. MALLEWADE	29	M	08 CO-GEN.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
15	001170	MR. YUNUS M. KUDACHE	33	M	13 GUEST H.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
16	001172	MR. SANTOSH S. NAGAYI	34	M	08 CO-GEN.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
17	001173	MR. SAMBHAJI B. DUBAL	57	M	08 CO-GEN.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
18	001176	MR. AMOL A. NIRMAL	33	M	08 CO-GEN.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
19	001177	MR. SANJAY B. CHOPADE	50	M	15 MANUFACTURING	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
20	001179	MR. SANGRAM B. GHORPADE	34	M	05 CANE D.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	

(Signature)

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon
DR.ARVIND MANE
MBBS DPH AFIH.(Mumbai)

Company Name : **SHRI GURUDATT SUGARS LTD. (COMPANY)**

Sl. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
	001182	MR. VIJAY M. MALI	30	M	20 STORE	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001186	MR. PRAKASH A. PATIL	36	M	23 W. T. P.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001187	MR. KULHUSEAN S. GADAVE	30	M	03 AGRI	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001188	MR. SACHIN V. TADE	35	M	04 BIOFERTI.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001190	MR. SOMNATH M. KUMBHAR	35	M	23 W. T. P.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001192	MR. RAJARAM L. JAGTAP	41	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001193	MR. SHIVANAND S. HOSPET	37	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001194	MR. RUPESH M. SAKHALE	31	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001196	MR. NETAJN. CHAVAN	41	M	23 W. T. P.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001197	MR. SUDHAKAR R. DESHMUKH	42	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001200	MR. VIDYANAND A. BHOJE	38	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001201	MR. PRASHANT M. SHINDE	35	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001205	MR. AMOL T. MAHADIK	30	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001206	MR. SUHAS B. SIRSATTI	33	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001208	MR. KRUSHNAT T. PATIL	38	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001209	MR. AJIT S. VASAMKAR	36	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001210	MR. ANIL V. HERWADE	36	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001211	MR. AZURDIN M. APARADHI	32	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001212	MR. SURESH S. KAMBLE	42	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	

कारखाने अधिनियम १९४८ या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFPH, (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sl. No.	Fmp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
	001213	MR. PARSHURAM B. KAMBLE	36	M	05 CANE D.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001214	MR. AMIN S. MULLA	35	M	05 CANE D.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001216	SOU. SALONA A. SANADE	45	F	18 SANITARY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001217	MR. DASHRATH V. VADAR	45	M	07 CIVIL	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001220	MR. SANDIP T. MANE	36	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001224	MR. NARSINGH S. TODKAR	34	M	23 W. T. P.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001225	MR. RAMESH B. KADAM	35	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001226	MR. SURYAKANT L. SANKPAL	38	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001227	MR. DATTATRAY N. MAGADUM	33	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001228	MR. RAJENDRA B. KAGALE	40	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001229	MR. OMKAR A. PIMPALE	28	M	06 CANEYA.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001231	MR. SURESH K. KALYANI	41	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001234	MR. SHRIDIHAR J. KURANE	44	M	22 VEHICLE	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001236	MR. ANAND R. CHENDAKE	35	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001237	MR. SANJAY J. SHINDE	40	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001238	MR. HITENDRA R. SHIRGUPPE	42	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001244	MR. GAJANAN M. SAWANT	31	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001247	MR. VINAYKUMAR B. NAGAVE	42	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001249	MR. SUNIL G. PARIT	46	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	

काखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे कोरहापूर जिल्हाकरिता

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFHL (Mumbai)

Company Name : **SHRI GURUDATT SUGARS LTD. (COMPANY)**

Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
001251	MR. SAHADEV G. JAGADALE	27	M	08 CO-GEN.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001254	MR. GOVINDA D. KHOT	27	M	23 W. T. P.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001255	MR. SRIDHAR A. SUTAR	39	M	23 W. T. P.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001256	MR. RAHUL S. BADAME	26	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001261	MR. SANJAY S. CHAVAN	39	M	23 W. T. P.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001262	MR. SUNIL S. PATIL	40	M	20 STORE	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001263	MR. SUNIL A. GHEVADE	38	M	07 CIVIL	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001264	MR. VINOD A. GHATGE	27	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001266	MR. SATAPPA R. CHAVAN	30	M	08 CO-GEN.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001267	MR. DIGAMBAR A. KUDACHE	32	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001268	MR. SATISH M. GURAV	44	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001273	MR. PAVANKUMAR J. ANKALE	38	M	08 CO-GEN.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001274	MR. OMPRAKASH B. TAMBALE	40	M	17 PURCHASE	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001276	MR. SANTOSH V. BHUTEKAR	37	M	17 PURCHASE	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001279	MR. VIKAS B. CHOUGALE	32	M	12 GEN.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001281	MR. ROHIT R. KATAGERI	31	M	08 CO-GEN.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001283	MR. ATUL J. PAWAR	38	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001284	MR. CHANNAPPA R. ANJANEYA	35	M	01 ACCOUNT	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001290	MR. MAHESH PATIL	34	M	14 H.R.D.	NA	NA			21/02/2019	Fit	NA	Fit	NA	

कोसखाने अधिवसिय १९४८ च्या कलम १०(२) प्रमाणे कोल्हापूर जिल्हाकरिता

Fit NA
Fit NA
Fit NA
Fit NA
Fit NA
Fit NA
Fit NA
Fit NA
Fit NA
Fit NA
Fit NA
Fit NA
Fit NA
Fit NA
Fit NA

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFPH (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
001293	MR. ABHJIT M. GAIKWAD	31	M	09 E.D.P.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001294	MR. GIRIDHAR B. SAHASTRABUDDHE	51	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001295	MR. VIKAS P. PATIL	27	M	09 E.D.P.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001296	MR. SUBHASH B. JUGALE	47	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001297	MR. BAPU A. CHAVAN	32	M	07 CIVIL	NA	NA			21/02/2019	NA	NA	Fit	NA	
001298	MR. SHRISHAIL M. AMBI	38	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001299	MR. MEHBOOB D. JAMADAR	43	M	20 STORE	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001300	MR. PRADIP S. NAIK	33	M	08 CO-GEN.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001301	MR. SACHIN S. PATIL	29	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001302	MR. SUDHIR M. PATOLE	30	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001303	MR. GAJANAN M. BHATLE	32	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001304	MR. PRASAD M. CHOUGULE	29	M	20 STORE	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001305	MR. SALMAN I. BAIRAGDAR	27	M	23 W. T. P.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001306	MR. SANTOSH R. DHANAVADE	39	M	24 DISTILL.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001307	MR. SANDEEP B. KHARAT	31	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001309	MR. VIJAYSINH A. BHOSALE	37	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001310	MR. MAHADEO D. NANAWARE	40	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001311	MR. DIPAK V. MANGALE	39	M	08 CO-GEN.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001312	MR. BABU S. KOTABAGI	28	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	

कमलाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रमाणकराश्याधिकारिस्तक
क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFPH (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
7	001313	MR. NISHIKANT D. KURADE	58	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
8	001314	MR. TEJPAL A. GANE	35	M	09 E.D.P.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
9	005063	MR. BAHUBALI M. SOUNDATTE	34	M	20 STORE	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
0	005071	MR. PRAKASH B. MALEKARI	51	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
1	005077	MR. UDAY A. PATIL	29	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
2	005082	MR. SUNIL V. LATTHE	30	M	21 SUGAR G.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
3	005083	MR. RAMCHANDRA R. AMBI	34	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
4	005086	MR. PRADIP M. SHINDE	38	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
5	005087	MR. DIPAK R. KAMBLE	31	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
5	005091	MR. MARUTID. KATTIKAR	34	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
7	005094	MR. SACHIN A. KHOT	31	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
3	005096	MR. VILAS D. GAIKWAD	33	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
0	005097	MR. RAJAN S. VALVE	38	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
0	005098	MR. SUNIL R. PATTEKARI	42	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
1	005101	MR. HALAPPA B. SURYAVANSHI	54	M	21 SUGAR G.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
2	005102	MR. ARIF R. DESAI	28	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
3	005103	MR. LALASO P. PATIL	46	M	21 SUGAR G.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
4	005105	MR. KUMAR A. ADUKE	32	M	18 SANITARY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
5	005112	MR. DATTATRAY T. PATIL	38	M	20 STORE	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	

कारखाने अधिनियम 1947 च्या कलम 10(2) प्रमाणे

कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रमाणकशाखाचे क्लर्क

क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))
HEALTH REGISTER

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFPH.(Mumbai)

From: 20/02/2019 To 19/02/2020

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept. of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
6	005114	MR. SAGAR M. POWAR	30	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
7	005115	MR. SAGAR Y. YADAV	32	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
8	005117	MR. SEAMRAO R. MIRJE	47	M	10 ENGG.	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
9	005122	MR. GURUPAD D. BORGAVE	47	M	23 W. T. P.	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
10	005123	MR. AJIT B. MIAISHALE	33	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
11	005124	MR. SHIVAJI G. JAKHALE	39	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
12	005125	MR. INDRAJIT R. SANKPAL	31	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
13	005126	MR. NITIN T. HINGMIRE	32	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
14	005130	MR. ANANDA Y. PATIL	33	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
15	005131	MR. VIJAY V. MANE	43	M	08 CO-GEN.	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
16	005132	MR. VISHWAS L. ZANJE	30	M	08 CO-GEN.	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
17	005134	MR. MARUTI B. BHADULE	46	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
18	005135	MR. SRIMANT S. KAMBLE	30	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
19	005148	MR. TIFUSULTAN R. TAHSILDAR	23	M	18 SANITARY	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
20	005150	MR. DADASO B. KAGALE	36	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
21	005152	MR. SAYYADALI I. MAKANDAR	38	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
22	005154	MR. SAGAR M. LOLSURE	32	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
23	005155	MR. RAJENDRAKUMAR S. NIRMAL	31	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
24	005156	MR. RAJU G. NIMBALKAR	32	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	

कोरखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रमाणक शल्यचिकित्सक
क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFIH.(Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
5	005158	MR. BALASO K. SANKPAL	35	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
6	005160	MR. SHANKAR R. KHARPI	39	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
7	005165	MR. SAGAR D. KHOT	29	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
8	005168	MR. AVINASH S. PATIL	29	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
9	005172	MR. BIRDEV S. BANDAGAR	33	M	18 SANITARY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
0	005173	MR. SANTOSH V. KOLI	26	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
1	005175	MR. PRAMOD C. KADAM	38	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
2	005178	MR. RAFIQ N. JAMADAR	29	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
3	005179	MR. SUNIL D. KOLI	27	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
4	005180	MR. SURESH I. MIRJE	50	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
5	005181	MR. GAJANAN Y. KAMATE	29	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
6	005183	MR. ARIF D. DANVADE	32	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
7	005184	MR. RAVINDRA B. UMRANI	35	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
8	005185	MR. ROHIT G. PAGADE	27	M	04 BIOFERTL.	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
9	005187	MR. AVADHUT D. KOLI	29	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
0	005188	MR. DADASO R. GASTE	29	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
1	005190	MR. ARJUN A. KOLI	30	M	01 ACCOUNT	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
2	005193	MR. TUKARAM M. PAKHRE	46	M	07 CIVIL	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
3	005194	MR. UMESH A. PATIL	28	M	10 ENGG.	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	

कायाने अधिसिद्ध १९४८ आ कलम १०(३) प्राणे
कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFIH (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
4	005195	MR. BACHARAM K. PATIL	37	M	08 CO-GEN.	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
5	005197	MR. DIPAK S. KAIKADI	28	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
5	005199	MR. NEMINATH A. KOTE	36	M	10 ENGG.	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
7	005200	MR. RAMCHANDRA G. DABHIDE	26	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
8	005208	MR. VASANT B. LATKAR	45	M	06 CANEYA.	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
9	005209	MR. SANTOSH P. KOLI	37	M	07 CIVIL	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
9	005210	MR. CHANDRAKANT D. GAIKWAD	52	M	07 CIVIL	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
1	005211	MR. SOPAN V. NIRMAL	34	M	18 SANITARY	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
2	005213	MR. SIDDHA B. SALGARE	30	M	07 CIVIL	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
3	005214	MR. MANGESH V. PATIL	32	M	07 CIVIL	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
4	005217	MR. ANILSING M. RAJPUT	29	M	22 VEHICLE	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
5		MR. KEDARI V. MANE	30	M	-	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
5		MR. ASHISH B. BHANDARE	27	M	-	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
7		MR. KIRAN R. NIRMAL	26	M	-	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
डॉ. ACS 15-AM/2016

F. No. J-11011/41/2015-IA-II (I)
Government of India
Ministry of Environment, Forest and Climate Change
(Impact Assessment Division)

Indira Paryavaran Bhawan
Aliganj, Jor Bagh Road,
New Delhi -110 003

Telefax: 011-24695365
E-mail: yogendra78@nic.in

Dated: 20th March, 2017

To,

The Chief Executive Officer
M/s Shri Gurudatt Sugars Limited
Gat No.61/A, Akiwat - Takaliwadi Road
Takaliwadi, Taluka Shirol
District - Kolhapur - 416 108
Maharashtra


Sub: Expansion of Sugar Plant (4900 TCD to 6000 TCD) and Co-generation Power Plant (15 MW to 21 MW) by M/s Shri Gurudatt Sugars Limited at Gat No.61/A, Akiwat-Takaliwadi Road, Takaliwadi, Taluka Shirol, District - Kolhapur, Maharashtra - Environmental Clearance - reg.

Ref: Online Proposal No. IA/MH/IND2/59911/2014 dated 22nd October, 2016.

Sir,

This has reference to your online proposal no. IA/MH/IND2/59911/2014 dated 22nd October, 2016, along with project documents including Form I, Terms of References, Pre-feasibility Report and EIA/EMP Report with public hearing report regarding the above mentioned project.

2. The Ministry of Environment, Forest and Climate Change has examined the application. It is noted that the proposal is Expansion of Sugar Plant (4900 TCD to 6000 TCD) and Co-generation Power Plant (15 MW to 21 MW) by M/s Shri Gurudatt Sugars Limited at Gat No.61/A, Akiwat-Takaliwadi Road, Takaliwadi, Taluka Shirol, District-Kolhapur, Maharashtra. As informed and as per the documents submitted by the Project Proponent (PP), no additional land is required as the project is proposed in the premises of sugar plant. The land area is 55 Acres. Area for green belt is 15 Acres. The total cost of the project is Rs. 86.34 crores. Raw Material is Sugarcane and Bagasse. No Protected area/Eco-sensitive area/Reserve forests are reported to be located within 10 km area of the project site. Krishna River (3 km), Panchganga River (5 km), and Dudhganga River (7 Km) are located within 10 km radius of the project site. Karnataka State is located within 4 km from the project site. The project thus falls in the interstate boundary region of Karnataka and Maharashtra. The plant will have the following configuration and production capacity:



Units	Existing Capacity	Proposed Capacity	Total Capacity after expansion	Working days
Sugar Plant	4900 TCD	1100 TCD	6000 TCD	160
Cogeneration Plant	15 MW	6 MW	21 MW	160+124

3. All Sugar Industry (≥ 5000 TCD cane crushing capacity) are listed at Sl. No. 5(j) of Schedule of EIA Notification under Category 'B'. However, considering the general condition that the project is located at distance of 4 km from the interstate boundary of Karnataka State, the project is considered under Category 'A' and are appraised at Central Level by Expert Appraisal Committee (EAC).

4. The project proposal was considered by the Expert Appraisal Committee (Industry-2) in its 36th meeting held during 16th- 17th March, 2015 and recommended Terms of References (TORs) for the Project. The TOR has been issued by Ministry vide letter dated 18th May, 2015.

5. The project proposal was considered by the Expert Appraisal Committee (Industry -2) in its 17th meeting held during 26th - 29th December, 2016. The Project Proponent and the accredited consultant M/s SD Engineering Services Pvt. Ltd, Aurangabad, gave a detailed presentation on the salient features of the project and proposed environmental protection measures to be undertaken, as per Terms of References (TORs) awarded in the 36th meeting of the EAC held during 16th - 17th March, 2015.

6. The State Pollution Control Board, Maharashtra has issued CTE vide letter no. 1.0/BO/CAC-CELL/EIC No. KP-15740-14/EIC. 4729 dated 27/04/2015 and CTO vide letter no. 1.0/BO/CAC CELL/EIC-KP-17292-15/ O&R/CAC-418 dated 8/10/2016. The existing unit has been operating with Consent to Operate from the State Pollution Control Board. Consent of Industry was valid up to 31.07.2016. The PP has informed the EAC that the application for renewal is submitted and same is under consideration of the SPCB which will be issued under auto-renewal policy of State Government.

7. Public Hearing for the proposed project has been conducted by the Maharashtra State Pollution Control Board 24.08.2016. The EAC has deliberated upon the issues raised during the public hearing. The concerns were raised regarding employment opportunities, pollution due to waste water discharge from plant, etc. The EAC noted that the issues have satisfactorily been responded by the project proponent and incorporated in the final EIA-EMP report.

8. The Project Proponent has informed the EAC that the ambient air quality monitoring was carried out at 9 locations during October, 2015- December, 2015 and submitted baseline data indicates that ranges of concentrations of PM₁₀ (25 $\mu\text{g}/\text{m}^3$ to 47.8 $\mu\text{g}/\text{m}^3$), PM_{2.5} (7.5 $\mu\text{g}/\text{m}^3$ to 18.5 $\mu\text{g}/\text{m}^3$), SO₂ (7.1 $\mu\text{g}/\text{m}^3$ to 9.2 $\mu\text{g}/\text{m}^3$), CO (0.09 $\mu\text{g}/\text{m}^3$ -0.16 $\mu\text{g}/\text{m}^3$) and NO_x (8.6 $\mu\text{g}/\text{m}^3$ to 11.1 $\mu\text{g}/\text{m}^3$) respectively.

9. The total requirement of water for sugar and cogeneration is 1405.25 m³/day for process, cooling, boiler and domestic purpose. Fresh water

Permission has been obtained from the concerned authority. Balance water shall be met through recycling of condensate water. Under no circumstances ground water shall be used in the factory.

10. Power requirement is 6 MW/day for sugar and co-gen unit, the same is met through own generation. The steam generating system for the proposed Cogeneration Project comprises of two multi-fuel fired boiler with a Maximum Continuous Rating (MCR) of 70 TPH and 40 TPH (total capacity 110 TPH), with the outlet steam parameters at 45 kg/cm² and 5000 C. Fuel for Boiler is Bagasse. The bagasse requirement is 182054 MT/year.

11. The PP has submitted a letter no. MPCB/RO/KOP- 2878/2016 dated 28/07/2016 issued by the Regional Officer, Kolhapur, Maharashtra Pollution Control Board mentioning that the effluent/wastewater generated by the existing plant is well within the prescribed limit, based on the direction of the EAC.

12. The EAC, in its 17th meeting held on 26th- 29th December, 2016 has found that the final EIA/EMP report submitted by the PP is adequate. The EAC after detailed deliberations, on the basis of the information and presentation made by the PP, has recommended the project for environmental clearance with certain conditions.

13. Based on the proposal and information submitted by the Project Proponent, and considering the recommendation of the Expert Appraisal Committee (Industry-2), the Ministry of Environment, Forest and Climate Change hereby accords Environmental Clearance to the above project under the provisions of EIA Notification dated 14th September 2006, subject to the compliance of the following Specific and General Conditions:

A. Specific Conditions:

- i. Zero liquid Discharge System shall be ensured.
- ii. Water requirement to be reduced at extent possible by using latest process methodology being used worldwide.
- iii. Fly Ash be generated shall be sent to nearby cement industry.
- iv. Green belt (10 m wide) of perennial plant species like Neem, Sesam, Teak etc., to be developed around the plant periphery ensuring the 33% area of the plant as green area. The Forest department may be consulted in this regard.
- v. Air emissions from all point source to be controlled by latest technology instruments. The emissions shall conform to the limits imposed by Maharashtra Pollution Control Board (MPCB).
- vi. Periodic soil and water sampling in nearby villages and water bodies to be done by the Project Authorities through 3rd part expert and report shall be submitted to the concerned regional office of the Ministry.
- vii. RO plant of sufficient capacity to be installed in the nearby villages to ensure safe drinking water supply. Maintenance of the RO plant will be owned by the Project Authorities.
- viii. Health check-up camps to be organized periodically in nearby villages.

- ix. A regular environmental manager having PG qualification in environmental sciences/environmental engineering to be appointed for looking after the environmental management practices in the plant.
- x. Automatic/online monitoring system (24 x 7 monitoring devices) for flow measurement and relevant pollutants in the treatment system to be installed. The data to be made available to the respective SPCB and in the Company's website.

B. General Conditions:

- i. The project authorities must strictly adhere to the stipulations made by the Maharashtra Pollution Control Board, State Government and any other statutory authority.
- ii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- iii. The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one station is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.
- iv. The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be followed.
- v. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
- vi. The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water.
- vii. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
- viii. The company shall also comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management and risk mitigation measures relating to the project shall be implemented.



- ix. The company shall undertake all relevant measures for improving the socioeconomic conditions of the surrounding area. CSR activities shall be undertaken by involving local villages and administration.
- x. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.
- xi. A separate Environmental Management Cell equipped with full fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.
- xii. The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/pollution control measures shall not be diverted for any other purpose.
- xiii. A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal.
- xiv. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.
- xv. The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.
- xvi. The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at <http://moef.nic.in>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.
- xvii. The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.

G. J. D.

14. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.

15. The Ministry reserves the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.

16. The above conditions will be enforced, *inter alia* under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules, 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules.


20.3.2017
(Yogendra Pal Singh)
Scientist 'D'

Copy to:-

1. The Secretary, Environment Department, Government of Maharashtra, 15th Floor, New Administrative Building, Mantralaya, Mumbai- 400 032.
2. The Additional Principal Chief Conservator of Forests (C), Ministry of Environment, Forest and Climate Change, Regional Office(WCZ), Ground Floor, East Wing, New Secretariat Building, Civil Line, Nagpur-440001.
3. The Chairman, Central Pollution Control Board, Parivesh Bhawan, CBD-cum-Office Complex East Arjun Nagar, Delhi - 110 032.
4. The Chairman, Maharashtra Pollution Control Board, Kalpataru Point, 3rd and 4th floor, Opp. Cine Planet, Sion Circle, Mumbai-400 022.
5. Monitoring Cell, Ministry of Environment, Forest and Climate Change, Indira Paryavaran Bhavan, Jor Bhag, New Delhi- 110 003.
6. Guard File/Monitoring File/Website/Record File.


20.3.2017
(Yogendra Pal Singh)
Scientist 'D'