



Regd. No. 25-14367, CIN-UJ5424PN2000PLC014367

An ISO 9001:2015 & ISO 22000:2018 Certified Company

# SHRI GURUDATT SUGARS LTD; Takaliwadi

ADD. : Gat No. 61/A, Akiwat Takaliwadi Road, Takaliwadi. Tal. : Shirol, Dist. : Kolhapur (MH) Pin Code : 416 108  
PHONE. : +91 231 2686086 FAX : +91 231 2686000 WEBSITE : www.sgsl.co.in Email : gslsugars@gmail.com

SGSL/ENVI/007/2020-2021

Date – April 10, 2020

To,  
The Regional Officer,  
Ministry of Environment, Forest & Climate Change,  
Regional office (WCZ), Ground Floor, East Wing,  
New Secretariat Building, Civil Lines, Nagpur.  
Tel No. 0712 – 2531318  
Email: [moefregionalofficenagpur@gmail.com](mailto:moefregionalofficenagpur@gmail.com)

Sub: Six Monthly (From October 2019 to March 2020) Compliance Report of Environmental Clearance issued by MoEF & CC, New Delhi.

Ref: You're Letter No. J - 11011/41/2015-IA-II (I) Date - 07.06.2019.

Dear Sir,

With reference to the abovementioned subject and your reference cited above. Please find enclosed herewith Six monthly (from October 2019 to March 2020) Compliance Report of Environmental Clearance issued by MoEF & CC, New Delhi vide letter no. J - 11011/41/2015-IA-II (I) Date – 07.06.2019.

We do hope that you will find the above information satisfactory. However, if you require additional information /clarification in this regard, kindly write back, so that we shall submit the information at the earliest.

Thanking You

Yours Faithfully,

FOR, SHRI GURUDATT SUGARS LTD.,

CHIEF EXECUTIVE OFFICER

Enclosed – Compliance Report

- C.C to: 1. The Regional officer, MPC Board, Kolhapur.  
2. The Sub - Regional officer, MPC Board, Kolhapur.

<p align="center"><b>SHRI GURUDATT SUGARS LTD.,</b>  <b>Gat No. 61/A, Akiwat - Takaliwadi Road , Takaliwadi - 416108, Taluka - Shirol, Dist - Kolhapur,</b>  <b>Maharashtra</b></p>		
<p align="center"><b>Compliance of Conditions Stipulated in environmental clearance granted to expansion of Sugar Plant (From 6000 TCD to 13000 TCD ), Co-generation Power Plant (From 21 MW to 90 MW), Distillery 150 KLPD &amp; Refine Sugar 1755 TCD by MoEF &amp; CC, New Delhi vide letter No. J - 11011/41/2015-IA-II (I) Date - 07/06/2019</b></p>		
<b>EC No -</b>	<b>J - 11011/41/2015-IA-II (I) Date - 07/06/2019</b>	
<b>SR. NO.</b>	<b>EC Condition</b>	<b>Compliances</b>
	<b>A) Terms And Condition</b>	
1	Prior approval shall be obtained from PESO for site and layout plan of storage facilities (Petroleum Storage Class A installation).	PA agreed to comply with.
2	Necessary permission as mandated under the water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, shall be obtained from the State Pollution Control Board as required.	We have already applying for 1st C to O for Distillery of having Cap. 75 KLPD by UAN NO. 0000083686 dated 27.11.2019 & Same was granted by MPCB, Kolhapur office and send to HQ, MPCB, Mumbai for final approval purpose.
3	As already committed by the project proponent. Zero Liquid Discharge shall be ensured and no waste / treated water shall be discharged outside the premises.	Now, out of total expansion is granted, we have commenced equipment commissioning activity for partially Distillery (Granted Capacity 150 KLPD at present 75 KLLPD). We have start only equipment commissioning activity only distillery of cap. 75 KLPD out of 150 KLPD. The effluent of 675 m <sup>3</sup> /day from distillery will be sent to MEE + Incineration Boiler of Cap. 22 TPH. The plant will be based on Zero Liquid discharge system.
4	Necessary authorization required under the Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016 shall be obtained and the provision contained in the Rules shall be strictly adhered to.	PA agreed to comply with.
5	To control source and the fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and/or the NAAQS. The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.	Air pollution control system: ESP Stack Diameter: 4.1 m Stack Height: 82 m. - Now, We have installed of Distillery Cap. 75 KLPD with Incineration Boiler of Cap. 22 TPH of Stack Height 82 mtr. X Dia 4.1 mtr
6	Coal less than 0.5% sulphur content shall be used as fuel in boiler.	PA agreed to comply with.

7	Total fresh water requirement shall not exceed 760 cum/day proposed to be met from Krishna River. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard.	Ours is the first Sugar factory in Maharashtra, wherein, we run the entire industrial activity with treated and recycled condensates, which is accrued from cane and no fresh water is utilized, for sugar factory operation. We have installed Condensate Polishing Unit (C.P.U) for sugar factory excess condensate water treatment and recycled purpose. <b>Annexure.</b> Sugar 6000 TCD:738 m3/day [ Source - cane Water] Cogeneration 21 MW: 667.25 m3/day [Source - CPU Treated water], And Distillery 75 KLPD : 313 m3/day [Source - Krishna River water]
8	Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm and the solvent transfer through pumps.	PA agreed to comply with.
9	Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TEDF.	PA agreed to comply with.
10	The company shall strictly comply with the rules and guidelines under Manufacture, storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.	PA agreed to comply with.
11	The company shall undertake waste minimization measures as below.	
	Metering and control of quantities of active ingredients to minimize waste.	PA agreed to comply with.
	Reuse of by-products from there process as raw materials or as raw material substitutes in other processes.	PA agreed to comply with.
	Use of automated filling to minimize spillage.	PA agreed to comply with.
	Use of Close Feed system into batch reactors.	PA agreed to comply with.
	Venting equipment through vapor recovery system.	PA agreed to comply with.
	Use of high pressure hoses for equipment cleaning to reduce wastewater generation.	PA agreed to comply with.
12	The green belt of 5-10 m width shall be developed in more than 33% of the total project area mainly along the plant periphery, in downward wind direction, and along road sides etc. Selection of the plant species shall be as per the CPCB guidelines in consultation with the State Forest Department.	We have already planted 4356 Nos of tree as site

13	All the commitments made regarding issues raised during the public Hearing/Consultation meeting shall be satisfactorily implemented.	PA agreed to comply with.
14	At least 0.75% of the total project cost shall be allocated for Corporate Environment Responsibility (CER) and item-wise details along with time bound action plan shall be prepared and submitted to the Ministry's Regional Office.	PA agreed to comply with.
15	For the DG sets, emission limits and the stack height shall be in conformity with the extant regulations and the CPCB guidelines. Acoustic enclosure shall be provided to DG set for controlling the noise pollution	PA agreed to comply with.
16	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms.	PA agreed to comply with.
17	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	PA agreed to comply with.
18	There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places.	PA agreed to comply with.
19	Storage of raw material shall be done either in silos or covered area to prevent dust pollution and other fugitive emissions.	PA agreed to comply with.
20	Continuous online (24 x 7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.	We have installed online monitoring system for incineration Boiler stack and flow meter with WEBCAM for Con. Spent wash storage lagoon.
21	CO2 generated from the process shall be bottled/made solid ice sold to authorized vendors.	PA agreed to comply with.
22	There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places.	PA agreed to comply with.

General Conditions		
1	The project authorities must strictly adhere to the stipulation made by the State Pollution Control Board (SPCB), State Government and /or any other statutory authority.	PA agreed to comply with.
2	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	PA agreed to comply with.
3	The location of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations each is installed in the upwind and downwind direction as well as where maximum ground level concentration are anticipated.	Complied. Ambient air quality monitoring is being carried out at three (03) location within the plant. PA submitted that the locations were decided in consultation with MPCB. As per the monitoring data, the ambient air quality levels found to be within prescribed limits.
4	The National Ambient Air Quality Emission Standard issued by the Ministry vide G.S.R. No. 826€ dated 16th November, 2009 shall be complied with.	Complied. Ambient air quality monitoring is being carried out at three (03) location within the plant. PA submitted that the locations were decided in consultation with MPCB. As per the monitoring data, the ambient air quality levels found to be within prescribed limits.
5	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	Complied. Acoustic enclosures have been provided. Green belt has been developed around the plant area. As per the monitoring data, the noise levels found to be within stipulated limits. The copy is enclosed as <b>Annexure 4</b> .
6	The company shall harvest rainwater from the roof tops of the buildings to recharge ground water, and to utilize the same for different industrial operations within the plant.	Complied. Roof top harvesting has been provided for the sugar godowns. Two collection pits of capacities 2100 cu.m. and 1600 cu.m. have been provided for the storage of rain water.
7	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis.	Complied. Personnel protective equipment has been provided to workers. The report are enclosed as <b>Annexure</b> .

8	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, risk mitigation measures and public hearing shall be implemented.	Electrostatics Precipitator (E.S.P) with a stack of height 82 m will provide for Incineration boiler in Distillery of Cap. 75 KLPD. Also we will provide Effluent treatment plant (Condensate Polishing Unit). Treated effluent will use in the makeup of distillery cooling towers. Green belt has been provided. Environmental quality monitoring is being carried out. CSR works are being undertaken. Vermi composting is being carried out with the waste generated in the cane yard. Compost is being supplied to the farmers.
9	The company shall undertake all measures for improving socio-economic conditions of the surrounding area. CSR activities shall be undertaken by involving local villagers, administration and other stake holders. Also eco-developmental measures shall be undertaken for overall improvement for environment.	Complied
10	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and climate change as well as the State Government along with the implementation schedule for all the condition stipulated herein. The funds do earmarked for environment management / pollution control measures shall not be diverted for any other purpose.	Complied. As per the details provided, PA earmarked an amount of 26 cores towards capital expenditure and Rs. 6.30 cores towards recurring expenditure for environmental protection measures.
11	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad / Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestion / representations, if any, were received while processing the proposal.	Copy of the environmental clearance submitted to Zilla Parishad, Kolhapur and Gram Panchayat, Takaliwadi on 14.06.2019, The copy is enclosed as <b>Annexure.</b>
12	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including result of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF & CC, the respective Zonal office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	Complied. However same has been uploaded to the company website.

14	The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF & CC by e-mail.	PA agreed to comply with.
15	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB / Committee and may also be seen at Website of the Ministry at <a href="http://moef.nic.in">http://moef.nic.in</a> . This shall be advertised within seven days from the date of issue of the clearance letter, atleast in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Advertisement regarding to grant of EC was made on 15.06.2019. The copy is enclosed as <b>Annexure 7</b> .
16	The Ministry reserve the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.	PA agreed to comply with.
17	The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules, 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules.	PA agreed to comply with.

WATER BALANCE –SHRI GURUDATT SUGARS LTD.						
	Water Source	Qty Available (m <sup>3</sup> /day)	UTILIZATION	Qty Required (m <sup>3</sup> /day)	Condensate Qty Used (m <sup>3</sup> /day)	Raw Water Requirement (m <sup>3</sup> /day)
<b>SUGAR, CO-GEN. AND DISTILLERY IN OPERATION</b>						
<b>Number of Days 160</b>	Sugar Condensate	3120	1. Fermenter Makeup	841	841	-
			2. Cooling Tower Makeup (Co-Gen)	720	720	-
			3. Other Uses ( Sugar)	471	471	-
			4. Advanced WTP (Co-Gen)	432	432	-
			5. Distillation Column	240	240	-
			6. Boiler makeup( Distillery)	72	72	-
	Distillery Condensate & Spentleese	1500	1. Cooling Tower make-up (Dist.)	1080	1080	-
			2. Vacuum pump sealing (Dist.)	120	120	-
			3. Fermenter Makeup	300	300	
	Fresh Water		1. Domestic	30	-	30
			<b>Net Raw Water Requirement</b>			<b>30</b>
			<b>FRESH WATER REQUIREMENT PER YEAR - CUM</b>			<b>4800</b>

WATER BALANCE –SHRI GURUDATT SUGARS LTD.						
	Water Source	Qty Available (m <sup>3</sup> /day)	UTILIZATION	Qty Required (m <sup>3</sup> /day)	Condensate Qty Used (m <sup>3</sup> /day)	Raw Water Requirement (m <sup>3</sup> /day)
<b>CO-GEN. AND DISTILLERY IN OPERATION</b>						
<b>Number of Days 72</b>	Fresh Water	2320	1. Fermenter Makeup	841		841
			2. Cooling Tower Makeup (Co-Gen)	720		720
			3. Advanced WTP (Co-Gen)	432		432
			4. Distillation Column	240		240
			5. Boiler makeup( Distillery)	72		72
						-
	Distillery Condensate & Spentleese	1500	1. Cooling Tower make-up (Dist.)	1080	1080	-
			2. Vacuum pump sealing (Dist.)	120	120	-
			3. Fermenter Makeup	300	300	
	Fresh Water		1. Domestic	15	-	15
			<b>Net Fresh Water Requirement</b>			<b>2320</b>
			<b>FRESH WATER REQUIREMENT PER YEAR - CUM</b>			<b>167040</b>

WATER BALANCE –SHRI GURUDATT SUGARS LTD.						
	Water Source	Qty Available (m <sup>3</sup> /day)	UTILIZATION	Qty Required (m <sup>3</sup> /day)	Condensate Qty Used (m <sup>3</sup> /day)	Raw Water Requirement (m <sup>3</sup> /day)
<b>DISTILLERY IN OPERATION</b>						
<b>Number of Days 68</b>	Fresh Water	1163	1. Fermenter Makeup	841		841
			2. Distillation Column	240		240
			3. Boiler makeup( Distillery)	72		72
	Distillery Condensate & Spentleese	1500	1. Cooling Tower make-up (Dist.)	1080	1080	-
			2. Vacuum pump sealing (Dist.)	120	120	-
			3. Fermenter Makeup	300	300	
	Fresh Water		1. Domestic	10	-	10
			<b>Net Fresh Water Requirement</b>			<b>1163</b>
			<b>FRESH WATER REQUIREMENT PER YEAR - CUM</b>			<b>79084</b>
	<b>GRAND TOTAL REQUIREMENT OF FRESH WATER PER YEAR</b>				<b>CUM</b>	<b>250924</b>
	<b>PERMISSION FOR FRESH WATER LIFTING PER YEAR</b>				<b>CUM</b>	<b>254000</b>



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)  
Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.  
Lab OHSAS Approved

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.  
• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

### ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/1610A
M/s. M/s Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi, Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	10/12/2019
	LAB REFERENCE NO	HS/LAB/WA/762A
	DATE OF SAMPLING	05/12/2019
	DATE OF ANALYSIS	06/12/2019

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Well water sample	Shrusti Envirocare	---	Sujit Hegade

### RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	LIMITS IS 10500:2012	TEST METHOD
1	Odour	-	Agreeable	Agreeable	APHA 23 <sup>rd</sup> 2017, 2150 B
2	Colour	Hazen	1.10	< 5.00	APHA 23 <sup>rd</sup> 2017, 2120 C
3	pH	-	7.18	6.5 to 8.5	APHA 23 <sup>rd</sup> 2017, 4500-H <sup>+</sup> B
4	Electric Conductivity	µmhos/cm	170.00	Not Specified	APHA 23 <sup>rd</sup> 2017, 2510
5	Turbidity	NTU	0.72	< 1.00	APHA 23 <sup>rd</sup> 2017, 2130 B
6	Total Dissolved Solids	mg/lit	145.00	< 500.00	APHA 23 <sup>rd</sup> 2017, 2540 C
7	Chemical Oxygen Demand	mg/lit	10.00	Not Specified	APHA 23 <sup>rd</sup> 2017, 5220 C
8	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	4.00	Not Specified	APHA 23 <sup>rd</sup> 2017, 5210 B
9	Alkalinity as CaCO <sub>3</sub>	mg/lit	48.00	< 200.00	APHA 23 <sup>rd</sup> 2017, 2320 B
10	Total Hardness as CaCO <sub>3</sub>	mg/lit	72.00	< 200.00	APHA 23 <sup>rd</sup> 2017, 2340 C
11	Chlorides as Cl	mg/lit	36.00	< 250.00	APHA 23 <sup>rd</sup> 2017, 4500 Cl <sup>-</sup> B
12	Sulphates as SO <sub>4</sub>	mg/lit	28.00	< 200.00	APHA 23 <sup>rd</sup> 2017, 4500 SO <sub>4</sub> E
13	Sodium as Na	mg/lit	8.00	Not Specified	APHA 23 <sup>rd</sup> 2017, 3500 Na B
14	Calcium as Ca	mg/lit	24.00	< 75.00	APHA 23 <sup>rd</sup> 2017, 3500 Ca B
15	Magnesium as Mg	mg/lit	14.60	< 30.00	APHA 23 <sup>rd</sup> 2017, 3500 Mg B
16	Iron as Fe	mg/lit	0.10	< 0.30	APHA 23 <sup>rd</sup> 2017, 3500 Fe B
17	Fluoride as F	mg/lit	0.25	< 1.00	APHA 23 <sup>rd</sup> 2017, 4500-F <sup>-</sup> D

For HORIZON SERVICES

*M. N. A. G. A. K. A.*  
(LAB INCHARGE)





Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)  
Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.  
Lab OHSAS Approved

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.  
• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

### ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/1610A
M/s. M/s Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	10/12/2019
	LAB REFERENCE NO	HS/LAB/WA/762A
	DATE OF SAMPLING	05/12/2019
	DATE OF ANALYSIS	06/12/2019

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Soil sample	Shrusti Envirocare	----	Hegade

### RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT
01	pH (10 % Extract)	-	7.32
02	Ammonia as NH <sub>4</sub>	mg/kg	1.00
03	Available Nitrogen as N	%	7.12
04	Available Phosphorus as P	mg/kg	14.10
05	Nickel as Ni	mg/kg	6.20
06	Chloride as Cl <sup>-</sup>	mg/kg	218.00
07	Sulphate as SO <sub>4</sub> --	mg/kg	18.60
08	Cadmium as Cd	mg/kg	1.02
09	Chromium as Cr	mg/kg	1.08
10	Copper as Cu	mg/kg	5.10
11	Zinc as Zn	mg/kg	7.15

For HORIZON SERVICES

*mnaigolka*  
(LAB INCHARGE)





Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)  
Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.  
Lab OHSAS Approved

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.  
• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

### ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/1608A
M/s. M/s Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	10/12/2019
	LAB REFERENCE NO	HS/LAB/WA/760A
	DATE OF SAMPLING	05/12/2019
	DATE OF ANALYSIS	06/12/2019

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Waste-water sample	Shrusti Envirocare	Treated	ETP

### RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	MPCB LIMITS	TEST METHOD
1	pH	---	7.25	5.5 to 9.0	APHA 23 <sup>rd</sup> 2017, 4500-H <sup>+</sup> B
2	Total Suspended Solids	mg/lit	36.00	< 100.0	APHA 23 <sup>rd</sup> 2017, 2540 D
3	Total Dissolved Solids	mg/lit	1208.00	< 2100.0	APHA 23 <sup>rd</sup> 2017, 2540 C
4	Chemical Oxygen Demand	mg/lit	182.00	< 250.0	APHA 23 <sup>rd</sup> 2017, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	56.00	< 100.0	IS-3025 (Part 44)-1993 R-2003
6	Chlorides as Cl <sup>-</sup>	mg/lit	301.00	<600.0	APHA 23 <sup>rd</sup> 2017, 4500 Cl <sup>-</sup> B
7	Sulphates as SO <sub>4</sub> <sup>--</sup>	mg/lit	562.00	< 1000.0	APHA 23 <sup>rd</sup> 2017, 4500 SO <sub>4</sub> E
8	Oil & Grease	mg/lit	1.20	< 10.0	APHA 23 <sup>rd</sup> 2017, 5520 B
9	Dissolved Oxygen	mg/lit	3.00	Not Specified	APHA 23 <sup>rd</sup> 2017, 5210 B

For HORIZON SERVICES

*mnaigolka*  
(LAB INCHARGE)





WTP

Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)  
Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.  
Lab OHSAS Approved

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.  
• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

## AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

ULR No.	: TC70641900001606AF/1
Dated	: 10/12/2019
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

### RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	05/12/2019		
02	TEST LOCATION		Near Factory Main Gate		
03	TIME OF SAMPLING	Hrs	09:20		
04	TEMPERATURE (Max./Min)	Deg C	32/20		
05	RELATIVE HUMIDITY	% RH	52		
06	SAMPLING DURATION	Hrs	08		
07	PM <sub>10</sub>	µg/m <sup>3</sup>	68.47	≤100	IS 5182(part 23),2006
08	PM <sub>2.5</sub>	µg/m <sup>3</sup>	28.74	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO <sub>2</sub>	µg/m <sup>3</sup>	6.24	≤80	IS 5182(part 2),2001, RA 2006
10	NO <sub>2</sub>	µg/m <sup>3</sup>	27.0	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No. 12312	PICS/F/ADS/12-18/15	15/12/2018	14/12/2019
2	Respirable Dust Sampler; Sr. No 4	TECH/CAL/2019/J UN.1C/7	10/06/2019	09/06/2020

NAAQS – National Ambient Air Quality Standards (2009)

*Manoj Kumar*  
For HORIZON SERVICES



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)  
Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.  
Lab OHSAS Approved

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.  
• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

## AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

ULR No.	: TC70641900001606AF/2
Dated	: 10/12/2019
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

### RESULTS

Sr. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	05/12/2019		
02	TEST LOCATION		Near Weigh Bridge		
03	TIME OF SAMPLING	Hrs	09:30		
04	TEMPERATURE (Max./Min)	Deg C	32/20		
05	RELATIVE HUMIDITY	% RH	52		
06	SAMPLING DURATION	Hrs	08		
07	PM <sub>10</sub>	µg/m <sup>3</sup>	74.63	≤100	IS 5182(part 23),2006
08	PM <sub>2.5</sub>	µg/m <sup>3</sup>	29.99	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO <sub>2</sub>	µg/m <sup>3</sup>	8.74	≤80	IS 5182(part 2),2001, RA 2006
10	NO <sub>2</sub>	µg/m <sup>3</sup>	30.17	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No. 21914	PICS/F/ADS/03-18/04	5/03/2019	04/03/2020
2	Respirable Dust Sampler; Sr. No.2	TECH/CAL/2019/J UN.1C/3	10/06/2019	09/06/2020

NAAQS – National Ambient Air Quality Standards (2009)

For HORIZON SERVICES

*Mr. A. G. Kulkarni*





Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)  
Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.  
Lab OHSAS Approved

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.  
• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

## AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

ULR No.	:TC70641900001606AF/3
Dated	: 10/12/2019
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

### RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	05/12/2019		
02	TEST LOCATION		Near ETP		
03	TIME OF SAMPLING	Hrs	09:40		
04	TEMPERATURE (Max./Min)	Deg C	32/20		
05	RELATIVE HUMIDITY	% RH	52		
06	SAMPLING DURATION	Hrs	08		
07	PM <sub>10</sub>	µg/m <sup>3</sup>	64.13	≤100	IS 5182(part 23),2006
08	PM <sub>2.5</sub>	µg/m <sup>3</sup>	24.99	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO <sub>2</sub>	µg/m <sup>3</sup>	7.35	≤80	IS 5182(part 2),2001, RA 2006
10	NO <sub>2</sub>	µg/m <sup>3</sup>	25.40	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No. 11912	PICS/F/ADS/12-17/11	14/12/2018	13/12/2019
2	Respirable Dust Sampler; Sr. No. 5	TECH/CAL/2019/J UN.1C/9	10/06/2019	09/06/2020

NAAQS – National Ambient Air Quality Standards (2009)

*kmn adegkai*  
For HORIZON SERVICES  
PUNE



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)  
 Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.  
 Lab OHSAS Approved

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.  
 • Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

## NOISE LEVEL MONITORING REPORT

ULR No.	: TC70641900001606AF/4
Dated	: 10/12/2019
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE
Date of Sampling.	: 05/12/2019

### RESULTS

SR. NO.	TEST LOCATION	UNIT	DAY TIME READINGS	NIGHT TIME READINGS
01	Near Main Gate	dB (A)	67.1	64.2
02	Near Boiler	dB (A)	74.2	68.0
03	Near ETP Area	dB (A)	67.9	65.2
04	Near Sugar Godown	dB (A)	64.2	63.1
05	Near Laboratory	dB (A)	61.2	59.0
06	Near Mill House	dB (A)	73.8	68.4
07	Near Pan Section	dB (A)	74.0	68.6
08	Near Sugar Plant	dB (A)	74.4	68.3
09	Near Weigh Bridge	dB (A)	68.3	67.2
10	Near Centrifugal	dB (A)	73.2	67.5

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	Digital Sound level meter Lutron -SL.4030 Q623367	Tech/CAL/2018/DB /1	21/02/2019	20/02/2020

Limits:

Peripheral Area ≤75 dB (A) For Day Time  
 ≤70 dB (A) For Night Time

In plant

90 dB (A)

For HORIZON SERVICES





Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

## **STACK EMISSION MONITORING REPORT**

ULR No.	:TC70641900001578F/1
Dated	: 06/12/2019
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

### **RESULTS OF ANALYSIS**

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	Methods Used
01	DATE OF SAMPLING	DD/MM/YY	05/12/2019		
02	TEST LOCATION		Boiler 1 & 2 (Capacity-70 MT/Hr & 40 MT/Hr)		
03	TIME OF SAMPLING (00.00)	Hrs	10:30		
04	MATERIAL OF STACK		-		
05	STACK HEIGHT	Mtr	65		
06	TYPE OF STACK		Round		
07	FLUE GAS TEMPERATURE	Deg C	136		
08	VELOCITY	M/Sec	5.73		
09	DIAMETER OF STACK	M	3.43		
10	GAS VOLUME	Nm <sup>3</sup> /Hr	148037.98		
11	TPM	mg/Nm <sup>3</sup>	46.0	As per Consent	IS 11255 (Part 1)
12	SO <sub>2</sub>	Kg/Day	0.10	As per Consent	IS 11255 (Part2)

#### **Calibrations details: -**

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM-SMK 10B, Sr. No.7614	PICS/F/SMK/06-18/01	09/06/2019	08/06/2020

*Mr. Nageshkar*



For **HORIZON SERVICES**



# SHRI GURUDATT SUGARS LTD., Takaliwadi

ADD.: Gat No. : 61 / A, Akiwat Takaliwadi Road, Takaliwadi Tal.- Shirol Dist - Kolhapur (MH) Pin Code : 416 108  
PHONE : +91 231 2686086 | FAX : +91 231 2686000 | WEBSITE : www.sgsl.co.in | Email : gslsugars@gmail.com

SGSL/ 18 /2019-2020

Date – June 12, 2019

To,  
The Regional Officer,  
Ministry of Environment, Forest & Climate Change,  
Regional office (WCZ), Ground Floor, East Wing,  
New Secretariat Building, Civil Lines, Nagpur.  
Tel No. 0712 – 2531318  
Email: [moefregionalofficenagpur@gmail.com](mailto:moefregionalofficenagpur@gmail.com)

Sub: Submission of Environmental Clearance copy for Shri Gurudatt Sugars Ltd., Gat No. 61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal – Shirol, Dist – Kolhapur, Maharashtra – 416108

Ref: MOEF Letter No. F. No. J-11011/41/2015-IA-II(I) Date – 07.06.2019.

Dear Sir,

With reference to the abovementioned subject, we are submitting here with Environmental Clearance Copy of Sugar 4900 TCD to 13000 TCD, Cogeneration 21 MW to 90 MW, Distillery 150 KLDP & Refine Sugar 1755 TCD at Gat No. 61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal – Shirol, Dist – Kolhapur, Maharashtra – 416108 received from Ministry of Environment, Forest and Climate Change, New Delhi.


This is for your information.

Thanking You

Yours Faithfully,

FOR, SHRI GURUDATT SUGARS LTD.,

  
Executive Director

 Enclosed – Enclosed above with copy of EC

C.C to: 1. The Regional officer, MPC Board, Kolhapur.

2. The Sub - Regional officer, MPC Board, Kolhapur

Received  
13/06/2019  
REGIONAL OFFICE  
M. P. C. BOARD  
DR. YOG BHAVAN  
3RD FLOOR NEAR COLLECTOR OFFICE  
KOLHAPUR-416008



Regd. No. 25-14367, CIN-UI5424PN2000PLC014367

An ISO 9001 : 2008 Certified Company

# SHRI GURUDATT SUGARS LTD., Takaliwadi

I ADD.: Gat No. : 61 / A, Akiwat Takaliwadi Road, Takaliwadi Tal.- Shirol Dist - Kolhapur (MH) Pin Code : 416 108  
I PHONE : +91 231 2686086 I FAX : +91 231 2686000 I WEBSITE : www.sgsl.co.in I Email : gslsugars@gmail.com

SGSL/ 183 /2019-2020

Date – June 12, 2019

To,  
The Chief Executive Officer so,  
Zilha Parishad Office, Nagala Park,  
Kolhapur.

Sub: Submission of Environmental Clearance copy for Shri Gurudatt Sugars Ltd., Gat No. 61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal – Shirol, Dist – Kolhapur, Maharashtra – 416108

Ref: MOEF Letter No. F. No. J-11011/41/2015-IA-II(I) Date – 07.06.2019.

Dear Sir,

With reference to the abovementioned subject, we are submitting here with Environmental Clearance Copy of Sugar 4900 TCD to 13000 TCD, Cogeneration 21 MW to 90 MW, Distillery 150 KLPD & Refine Sugar 1755 TCD at Gat No. 61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal – Shirol, Dist – Kolhapur, Maharashtra – 416108 received from Ministry of Environment, Forest and Climate Change, New Delhi.

This is for your information.

Thanking You

Yours Faithfully,

FOR, SHRI GURUDATT SUGARS LTD.,

Executive Director

Enclosed – Enclosed above with copy of EC

9818195  
लेखनिक  
मुख्य कार्यकारी अधिकारी  
जिल्हा परिषद, कोल्हापूर.



Regd. No. 25-14367, CIN-UI5424PN2000PLC014367

An ISO 9001 : 2008 Certified Company

# SHRI GURUDATT SUGARS LTD., Takaliwadi

| ADD.: Gat No. : 61 / A, Akiwat Takaliwadi Road, Takaliwadi Tal.- Shirol Dist - Kolhapur (MH) Pin Code : 416 108  
| PHONE : +91 231 2686086 | FAX : +91 231 2686000 | WEBSITE : www.sgsl.co.in | Email : gslsugars@gmail.com

SGSL/182/2019-20.

Date - 12/06/2019.

प्रति,

मा.सरपंच / ग्रामविकास अधिकारी,

मु.पो.टाकळीवाडी, ता. शिरोळ,

जि. कोल्हापूर.

**विषय :- इनव्हायमेंटल क्लीअरन्सबाबत (ई.सी) बाबत..**

**संदर्भ :-** पर्यावरण मंत्रालय, नवी दिल्ली यांचे पत्र क्र. F.No.J-११०११/४१/२०१५-IA-II (I)  
दिनांक- ०७.०६.२०१९.

महोदय,

आमचे श्री गुरुदत्त शुगर्स लि., टाकळीवाडी या कारखान्याच्या सध्या असलेल्या गाळप क्षमता ६००० मे.टन. प्रतिदिन ते १३००० मे.टन. प्रतिदिन, सहवीजनिर्मिती प्रकल्प २१ मेगावॅट ते ९० मेगावॅट प्रतिदिन, तसेच नवीन आसवनी प्रकल्प १५० KLPD व शुद्ध साखर १७५५ टन प्रतिदिन यांस Ministry of Environment, Forest and Climate Change, New Delhi यांचेकडुन संदर्भित पत्रान्वये मान्यता मिळाली आहे. आपल्या माहितीसाठी सविनय सादर.

आपला विश्वासू,

व्यवस्थापकीय संचालक  
श्री गुरुदत्त शुगर्स लि.टाकळीवाडी.

सोबत :- संदर्भित मंजूरीपत्र जोडत आहे.

प्ररु मिळाली  
१२/०६/१९  
ग्रामपंचायत, टाकळीवाडी,  
ता. शिरोळ, जि. कोल्हापूर.

खंडूता पेपर

दिनांक: १४/०६/२०१९

## जाहीर नोटीस

### श्री. गुरुदत्त शुगर्स लिमिटेड, टाकळीवाडी पर्यावरण विषयक अनुमती

श्री. गुरुदत्त शुगर्स लिमिटेड, गट नं ६१/अ, अकिवाट-  
टाकळीवाडी रोड, टाकळीवाडी, ता. शिरोळ, जि. कोल्हापूर,  
४१६१०८ तर्फे कळविण्यात येते की, आमच्या कारखान्यामध्ये  
गाळप क्षमता ६००० TCD ते १३००० TGD,  
सहविजनिर्मिती प्रकल्प २१ MW ते ९० MW, आयुवनी  
प्रकल्प १५० KLPD व शुध्द साखर १७५५ टन प्रति दिवस,  
वाढीव व नवीन प्रकल्पास भारत सरकारचे पर्यावरण वनविभाग  
व हवामान बदल मंत्रालय, नवी दिल्ली कडील पत्र संदर्भ  
F.No. J-११०११/४१/२०१५/A-I (I) दिनांक  
०७/०६/२०१९ ने नवीन व विस्तारीकरण प्रकल्पास अनुमती  
मिळाली आहे.

श्री. माधवराव भगवानराव जाटगे

चेअरमन व कार्यकारी संचालक

श्री. गुरुदत्त शुगर्स, टाकळीवाडी.

**PUBLIC NOTICE**  
**To whomsoever it may concern**  
This is to inform to the public that Shri Gurudatt Sugars Ltd., Gat no. 61/A, Akiwat - Takaliwadi Road, Takaliwadi, Tal- Shirol, Dist - Kolhapur - 416 108 Maharashtra has been granted Environmental clearance for their proposed expansion & new project of Sugar Plant 6000 TCD to 13000 TCD, Co-generation 21 MW to 90 MW, distillery 150 KLPD & Refine Sugar 1755 TCD vide letter No. F. No. J-11011/41/2015-IA-II(I) dt. 07-06-2019.  
The copy of same can be viewed at website of Ministry of Envirment and Forest and Climate Change of <http://moef.gov.in>  
**Shri. Madhavrao B. Ghatage**  
Chairman and Managing Director

 **MSTC TECHNOLOGY DEVELOPMENT CENTER/ODDCA**  
**The Indian EXPRESS** Sun, 16 June 2019  
epaper editions [epaper.indianexpress.com/](http://epaper.indianexpress.com/) 





## Training Attendance Sheet

Date:	13-8-19
Topic/s:	Safety & Health Awareness
Trainer	Sandeep Gaikwad
Time From - To:	3-4 PM

Name and Ticket No	Designation / Department	Signature
Birendrakumar	Store keeper	Birendrakumar
Govind Singh	Site Incharge	Govind Singh
Jayprakash Singh	forman	Jayprakash Singh
Kamlesh Singh	fitter	Kamlesh Singh
Motiwar Ansari	Rigar	Motiwar Ansari
Kundan Ansari	Rigar	Kundan Ansari
Shahabuddin Ansari	Welder	Shahabuddin Ansari
Merajuddin Ansari	fitter	Merajuddin Ansari
Sakil Ansari	fitter	Sakil Ansari
Aslam Ansar	Khalasi	Aslam Ansar
Nuralam Ansari	Welder	Nuralam Ansari
Dharmendra yadav	Rigar forman	Dharmendra yadav
Sureman Prasad	Rigar	Sureman Prasad
Jitendra Khurwar	Rigar	Jitendra Khurwar
Haridat Prasad	Khalasi	Haridat Prasad
Raju Patel	Hydra operator	Raju Patel
mukul Patel	Welder	mukul Patel
manu Sah	Khalasi	manu Sah
Ajeet Patel	Khalasi	Ajeet Patel
Samsuddin Ansari	Rigar	Samsuddin Ansari
Sarfuldin Ansari	Rigar	Sarfuldin Ansari
Kyamuddin Ansari	Rigar	Kyamuddin Ansari
Prameshwar	Rigar	Prameshwar

Note: For contractor trainings, the name and designation / department are filled by the Manager)

## Effectiveness Evaluation:

--

Evaluated By:

Date:

Prepared By:

Mr. Sandeep B. Gaikwad

Approved By:

Mr. P. Datta Roy



Date:	9-9-19
Topic/s:	Safety Working at height
Trainer	Sandeep Gaikwad
Time From - To:	9 to 10

[illegible]

Note: For contractor trainings, the name and designation / department are filled by the Manager)

### Effectiveness Evaluation:

**Evaluated By:**

Date:

Prepared By:

**Mr. Sandeep B. Gaikwad**

Approved By:

Mr. P. Datta Roy

THE UNIVERSITY OF CHICAGO

Date:	22-7-19
Topic/s:	Safety General Rules
Trainer	Sandeep Gairwood
Time From - To:	10-11 AM

[illegible]

Note: For contractor trainings, the name and designation / department are filled by the Manager)

### Effectiveness Evaluation:

Evaluated By:

Date:

Prepared By:


Approved By:

Mr. Sandeep B. Gaikwad

Mr. P. Datta Roy

(ESTI)

(President)



## Training Attendance Sheet

Date:	19-8-19
Topic/s:	Fire Safety
Trainer	Sandeep Gairwad
Time From - To:	11-12 AM

[illegible]

Note: For contractor trainings, the name and designation / department are filled by the Manager)

### Effectiveness Evaluation:

Evaluated By:

Date:

Prepared By:

Approved By:

**Mr. Sandeep B. Gaikwad**

Mr. P. Datta Roy

(ESTI)

(President)

# HEALTH REGISTER

NAME OF COMPANY :-

**SHRI GURUDATT SUGARS LTD.**  
**(COMPANY)**

ADD – Gat No. 61/ A, Akiwat Takaliwadi Road, Takaliwadi, Tal. - Shirol

Dist. - Kolhapur (MH) Pincode - 416 108

**VALID FROM : - 20/02/2019 To 19/02/2020**

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFHH.(Mumbai)

## HEALTH REGISTER

**From:** 20/02/2019 **To** 19/02/2020

**Company Name :** SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
	000001	MR. SHARAD D. INAMDAR	40	M	09 E.D.P.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
	000011	MR. DNYANDEV KHOT	40	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
	000013	MR. SARJERAO A. JAGTAP	52	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
	000019	MR. BASAVRAJ C. SWAMI	40	M	08 CO-GEN.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
	000020	MR. PRAKASH R. BIRAJDAR	37	M	08 CO-GEN.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
	000021	MR. MADHAVRAO R. SHINDE	49	M	08 CO-GEN.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
	000022	MR. ANAND R. YADAV	43	M	08 CO-GEN.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
	000024	MR. SANJAY A. PATIL	50	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
	000028	MR. MARUTI T. UGALE	50	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
	000029	MR. AJIT L. SHINDE	50	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
	000034	MR. RAVSAHEB R. KOTE	40	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
	000039	MR. RAMESH A. CHOUGHULE	41	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	000042	MR. DASHRATH M. NARUTE	54	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	000043	MR. CHANDRAKANT G. RAVLUKEDARI	46	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	000045	MR. ANIL M. JADHAV	47	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	000050	MR. RAMESH R. POWAR	40	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	000051	MR. SURESH K. AMBI	45	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	000052	MR. SHITAL A. ALATE	41	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	000054	MR. BAHUBALI M. KANE	33	M	08 CO-GEN.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	

Page 1 of 28

**प्राधिकृत प्रमाणकशल्यचिकित्सक**

क्र. ACS 15-AM/2016

**Form No 7 (Prescribed under Rule 18 (17))**

**HEALTH REGISTER**

From: 20/02/2019 To 19/02/2020

**Certifying Surgeon**  
DR. ARVIND MANE  
MBBS DPH AFH (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
0	000064	MR. BALASO D. MANGALE	49	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
1	000069	MR. SURESH D. BHATMARE	40	M	21 SUGAR G.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
2	000080	MR. VIRENDRA V. PATIL	40	M	01 ACCOUNT	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
3	000085	MR. RAJU B. PATIL	41	M	08 CO-GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
4	000087	MR. CHANDRAKANT D. PATIL	46	M	14 H.R.D.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
5	000092	MR. RAVINDRA S. KUMBHAR	35	M	14 H.R.D.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
6	000095	MR. MOHAN S. VASAMKAR	43	M	17 PURCHASE	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
7	000096	MR. CHANDRAKANT Y. PATIL	45	M	21 SUGAR G.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
8	000097	MR. CHANGDEV N. JASUD	42	M	12 GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
9	000098	MR. SANDEEP B. BHOORE	32	M	01 ACCOUNT	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
30	000100	MR. BHARAT B. JADHAV	53	M	19 SECURITY	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
31	000102	MR. DILIP D. KILLEDAR	50	M	03 AGRI	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
32	000121	MR. AVINASH J. BASTWADE	38	M	03 AGRI	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
33	000127	MR. BHAIHUBALI B. PATIL	38	M	01 ACCOUNT	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
34	000135	MR. RAMCHANDRA M. NAIKWADE	48	M	03 AGRI	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
35	000140	MR. SURESH A. BANDGAR	42	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
36	000141	MR. SHABIR S. CHAUS	52	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
37	000142	MR. HARIBA M. HAWALDAR	38	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
38	000143	MR. ANANDA S. MAGDUM	41	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	

कोषाग्ने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे कोल्हापूर जिल्हाकारिता

प्राधिकृत प्रमाणकशाल्याधिकृतसक  
क्र. ACS 15-AM/2016

**Form No 7 (Prescribed under Rule 18 (17))**

**Certifying Surgeon**

DR. ARVIND MANE

MBBS DPH AFH.(Mumbai)

**HEALTH REGISTER**

From: 20/02/2019 To 19/02/2020

**Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)**

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
	000144	MR. BAJRAO V. GHORPADE	46	M	10 ENGG.	NA	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000146	MR. SATGONDA R. PATIL	47	M	10 ENGG.	NA	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000155	MR. AKASH G. MAGDUM	45	M	08 CO-GEN.	NA	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000163	MR. AMOL A. CHOUGULE	38	M	08 CO-GEN.	NA	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000164	MR. ANANDA S. BIROJE	41	M	08 CO-GEN.	NA	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000165	MR. CHANDRAKANT D. MALI	33	M	08 CO-GEN.	NA	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000168	MR. MAHADEV I. PATIL	53	M	08 CO-GEN.	NA	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000170	MR. SURYAKANT A. BHENDE	39	M	10 ENGG.	NA	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000174	MR. LOKESH S. EKSAMBE	38	M	10 ENGG.	NA	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000175	MR. YALLAPPA D. KOLI	46	M	10 ENGG.	NA	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000176	MR. KRISHNATH T. SANT	42	M	10 ENGG.	NA	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000178	MR. BANDU B. KOLI	37	M	10 ENGG.	NA	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000179	MR. SARJERAO A. KOLI	36	M	10 ENGG.	NA	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000183	MR. BALASO A. MULLA	38	M	10 ENGG.	NA	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000184	MR. SUNIL G. RAJPUT	36	M	10 ENGG.	NA	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000185	MR. SAMBHAJR. JADHAV	38	M	10 ENGG.	NA	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000187	MR. PANDURANG D. TAMBIRE	43	M	10 ENGG.	NA	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000188	MR. ANANDA A. HAWALDAR	34	M	10 ENGG.	NA	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000197	MR. SUNIL S. KADOLE	38	M	10 ENGG.	NA	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	

कोल्हापूर जिल्हाकरिता  
कासखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे

**Form No 7 (Prescribed under Rule 18 (17))**

**HEALTH REGISTER**

**Certifying Surgeon**  
DR. ARVIND MANE  
MBBS DPH AFPH (Mumbai)

From: 20/02/2019 To 19/02/2020

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sl. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
	000199	MR. UDAYKUMAR A. BARWADE	41	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000200	MR. SANDEEP D. BAGADE	37	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000202	MR. RAJENDRA A. SHINDE	37	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000204	MR. VIJAY S. AMBUPE	43	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000205	MR. KIRAN R. MANGSULE	46	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000206	MR. SAGAR S. HASURE	42	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000209	MR. AJIT A. CHOUGALE	42	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000213	MR. BHASKAR S. KAMBLE	48	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000215	MR. SANJAY A. BUENALE	39	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000217	MR. BHAUSO R. CHOPADE	39	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000218	MR. SIDRAM G. GAVANDI	45	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000229	MR. PARMESHWAR R. YADAV	48	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000240	MR. SAMBHAJI B. DESAI	59	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000244	MR. SURESH M. NAIKWADE	46	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000252	MR. KUMAR M. SUTAR	42	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000257	MR. HANAMANT L. PATIL	40	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000261	MR. SUNIL A. NIMBALKAR	39	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000264	MR. RAPIQ B. PATEL	34	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000270	MR. ARJUN K. SURYAVANSHI	38	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	

*(Signature)*  
Fit

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे  
कोल्हापूर जिल्हाकारिता

प्राधिकृत प्रमाणकशल्यचिकित्सक  
क्र. ACS 15-AM/2016

# Form No 7 (Prescribed under Rule 18 (17))

## HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

**Certifying Surgeon**  
DR. ARVIND MANE  
MBBS DPH AFPH (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
7	000274	MR. RAJENDRA D. LATAWADE	39	M	03 AGRI	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
8	000276	MR. DEVENDRA A. SHIRGUPPE	38	M	03 AGRI	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
9	000277	MR. SURESH P. GODHADE	38	M	03 AGRI	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
10	000285	MR. VIJAY R. DAKARE	50	M	14 H.R.D.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
11	000294	MR. NILESH V. YADAV	46	M	01 ACCOUNT	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
12	000295	MR. KIRAN R. GAIKWAD	56	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
13	000296	MR. PRADIP S. SAWANT	35	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
14	000300	MR. YELGONDA S. PATIL	40	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
15	000308	MR. SUBHASH M. KHOT	52	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
16	000313	MR. SUDESH N. MAGADUM	38	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
17	000317	MR. UDYKUMAR D. MAHIND	43	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
18	000318	MR. RAJGONDA P. PATIL	36	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
19	000319	MR. PANDURANG R. NANDIWALE	39	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
20	000320	MR. BALASO B. MAGDUM	43	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
21	000321	MR. ASHOK K. WANTE	39	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
22	000328	MR. POPAT M. KHOT	41	M	23 W. T. P.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
23	000330	MR. VIJAY S. PAWAR	37	M	03 AGRI	NA	NA	NA	NA	20/02/2019	NA	NA	Fit	NA	
24	000354	MR. RAMESH G. GAIKWAD	49	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
25	000359	MR. SANTOSH S. CHIKKODE	38	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	

कायदाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे कोल्हापूर जिल्हाकरिता

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFTH.(Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
000381	MR. SACHINKUMAR K. HEMGIRE	37	M	03 AGRI	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
000395	MR. SUBHASH S. PIMPALE	36	M	06 CANEYA.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
000399	MR. KHANDERAOM M. KAMBALE	41	M	06 CANEYA.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
000403	MR. VINOD A. PATIL	38	M	06 CANEYA.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
000404	MR. HANAMANT A. PATIL	45	M	06 CANEYA.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
000423	MR. KUMAR D. PATIL	38	M	19 SECURITY	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
000425	MR. RAJENDRA S. GHADGE	40	M	15 MANUFACTURING	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
000428	MR. PRITAM M. MARDANE	40	M	15 MANUFACTURING	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
000439	MR. ANANT S. PATTANKUDE	41	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
000441	MR. RUDRAGONDA B. PATIL	51	M	12 GEN.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
000446	MR. GAJANAN M. LATAWADE	38	M	06 CANEYA.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
000448	MR. GAJENDRA H. MANE	59	M	22 VEHICLE	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
000453	MR. SANJAY T. THORAWAT	48	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
000459	MR. MADHUKAR B. MALI	43	M	08 CO-GEN.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
000460	MR. SHANKAR R. BALIGADE	43	M	08 CO-GEN.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
000470	MR. VISHAL G. GHATAGE	32	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
000471	MR. MILIND D. KAMBLE	42	M	03 AGRI	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
000478	MR. HANMANT V. BABAR	57	M	04 BIOFERTL.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
000489	MR. SANJAY Y. KUMBHAR	39	M	22 VEHICLE	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	

*(Signature)*  
20/02/2019

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे

कोल्हापूर जिल्हाकरिता

**Form No 7 (Prescribed under Rule 18 (17))**

**HEALTH REGISTER**

From: 20/02/2019 To 19/02/2020

**Certifying Surgeon**

DR. ARVIND MANE

MBBS DPH AFPH (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
5	000494	MR. AJIT B. MURGUNE	39	M	01 ACCOUNT	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
6	000533	MR. TEJANAND B. DESAI	35	M	08 CO-GEN.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
7	000543	MR. PUNDALIK K. JADHAV	50	M	08 CO-GEN.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
8	000545	MR. SUBHASH K. MANE	47	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
9	000549	MR. MILIND M. MALEKARI	40	M	06 CANEYA.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
10	000551	MR. RAMA A. ZENDE	36	M	06 CANEYA.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
11	000553	MR. UMESH S. MITHARE	43	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
12	000558	MR. NILESH M. JADHAV	39	M	15 MANUFACTURING	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
13	000560	MR. BABASO D. PATIL	38	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
14	000561	MR. DIPAK P. CHAVAN	39	M	03 AGRI	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
15	000572	MR. SANTOSH A. BASTAWADE	35	M	06 CANEYA.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
16	000576	MR. NAZIM D. INAMDAR	52	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
17	000577	MR. PRAKASH K. LATWADE	41	M	06 CANEYA.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
18	000578	MR. SANJAY S. BHOSALE	38	M	06 CANEYA.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
19	000579	MR. UDAY S. PATIL	34	M	06 CANEYA.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
20	000580	MR. SANJAY G. PATIL	41	M	06 CANEYA.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
21	000581	MR. VINOD S. PATIL	34	M	06 CANEYA.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
22	000587	MR. SURESH M. UGARE	46	M	15 MANUFACTURING	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
23	000594	MR. HEMANTKUMAR S. POL	32	M	08 CO-GEN.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे कोल्हापूर जिल्हाकरिता

**Form No 7 (Prescribed under Rule 18 (17))**

**HEALTH REGISTER**

From: 20/02/2019 To 19/02/2020

**Certifying Surgeon**  
DR. ARVIND MANE  
MBBS DPH AFTH (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept. of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
4	000595	MR. ANIL S. MANE	37	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
5	000598	MR. DHANANJAY U. THORAWAT	39	M	15 MANUFACTURING	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
6	000601	MR. MADAN S. VASAMKAR	40	M	16 PETROL P.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
7	000603	MR. HEMANT B. KASARKAR	35	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
8	000603	MR. HEMANT B. KASARKAR	35	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
9	000604	MR. VILAS R. JAGTAP	46	M	12 GEN.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
10	000614	MR. KRISHNADEV K. MANE	43	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
11	000627	MR. JITENDRA M. GORE	52	M	19 SECURITY	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
12	000628	MR. BALASAHEB D. ALGOUDA	43	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
13	000636	MR. RAJUMAR S. MANE	42	M	08 CO-GEN.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
14	000638	MR. CHANDRAKANT S. SHINDE	32	M	03 AGRI	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
15	000640	MR. CHANDRAKANT K. PARIT	40	M	03 AGRI	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
16	000642	MR. PRASHANT R. SHETTI	33	M	03 AGRI	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
17	000645	MR. BALASO L. CHOUGALE	43	M	03 AGRI	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
18	000649	MR. DIPAK B. SHINDE	37	M	03 AGRI	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
19	000651	MR. VITTHALSING R. RAJAPUT	40	M	19 SECURITY	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
20	000654	MR. KAYUM B. MULLA	56	M	19 SECURITY	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
21	000655	MR. DILIP B. KADAM	32	M	19 SECURITY	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
22	000664	MR. PANDURANG H. BHOITE	46	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	

कमलाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे  
कोल्हापूर जिल्हाकरिता  
प्राधिकृत प्रमाणकशल्यचिकित्सक  
क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFTH.(Mumbai)

From: 20/02/2019 To 19/02/2020

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
3	000668	MR. BAJIRAO S. TIKODE	53	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
4	000669	MR. PRABHAKAR P. PATIL	36	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
5	000671	MR. RAMGONDA P. PATIL	36	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
6	000673	MR. DEEPAK D. MANE	47	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
7	000679	MR. VIKAS M. PATIL	41	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
8	000682	MR. KISHOR T. PAWAR	42	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
9	000685	MR. RANJIT G. YADAV	38	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
10	000689	MR. SHRIPATI N. JOLLE	45	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
11	00691	MR. ANANDA M. FAKANDE	35	M	04 BIOFERTI.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
12	000699	MR. MOHAN K. PATIL	42	M	03 AGRI	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
13	000702	MR. ISMAIL B. JAMADAR	46	M	14 H.R.D.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
14	000706	MR. BAHUBALI S. LATTE	30	M	06 CANEYA.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
15	000709	MR. ASHOK JADHAV	54	M	19 SECURITY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
16	000712	MR. SURESH B. GAIKWAD	48	M	19 SECURITY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
17	000715	MR. SHIVAJI M. BHOSALE	54	M	19 SECURITY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
18	00717	MR. MALHAR G. JADHAV	44	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
19	000718	MR. ARUN B. KAGWADE	43	M	19 SECURITY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
20	000726	MR. RAJENDRA K. PATIL	36	M	19 SECURITY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	000727	MR. RAJU P. KOLI	35	M	19 SECURITY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
										21/02/2019	Fit	NA	Fit	NA	

कायने अधिनियम १४८ च्या कलम १०(२) प्रमाणे

कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रमाणकशल्यधिकृत

क्र. ACS 15-AM/2016

**Form No 7 (Prescribed under Rule 18 (17))**

**Certifying Surgeon**

**HEALTH REGISTER**

DR. ARVIND MANE

MBBS DPH AFH (Mumbai)

From: 20/02/2019 To 19/02/2020

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
000729	MR. DILIP N. GORE	54	M	19 SECURITY	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000733	MR. SHAMRAO S. SHEDBALE	44	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000736	MR. MADHUSUDAN M. MORADE	34	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000738	MR. ANIL S. KAMBALE	40	M	08 CO-GEN.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000741	MR. RAJARAM A. BAKALE	50	M	19 SECURITY	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000746	MR. TUKARAM B. PATIL	42	M	21 SUGAR G.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000750	MR. SUKUMAR S. BHALE	45	M	07 CIVIL	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000759	MR. AMGONDA B. PATIL	37	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000760	MR. VINOD D. KAMBLE	35	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000769	MR. MAHIPAL T. GAVALI	52	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000773	MR. MEHUL C. LUGADE	32	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000774	MR. UTTAM V. PATIL	42	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000783	MR. ANANT S. RASANKAR	58	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000784	MR. SANJAY M. MAGADUM	37	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000785	MR. SHARAD M. INGALE	38	M	08 CO-GEN.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000792	MR. PREM K. WAGHARE	37	M	15 MANUFACTURING	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000793	MR. VIJAYKUMAR B. PATIL	36	M	06 CANEYA.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000796	MR. HIRASING B. RAJPUT	41	M	06 CANEYA.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000798	MR. AKARAM S. GAVADE	31	M	03 AGRI	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	

*(Signature)*

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे  
कोल्हापूर जिल्हाकरिता

Form No 7 (Prescribed under Rule 18 (17))

## HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

SR. NO.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
1	000799	MR. SURESH K. YADAV	37	M	03 AGRI	NA	NA			21/02/2019	Fit	NA	Fit	NA	
2	000800	MR. RAJENDRA B. GAVDE	32	M	06 CANEYA.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
3	000803	MR. SANTOSH B. LATWADE	39	M	03 AGRI	NA	NA			21/02/2019	Fit	NA	Fit	NA	
4	000811	MR. DHANAJI S. NIMBALKAR	44	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
5	000812	MR. BAHUBALI B. KOTHALI	35	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
6	000816	MR. CHANDRAKANT B. KUMBHAR	55	M	19 SECURITY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
7	000820	MR. TANAJI N. KAKADE	55	M	01 ACCOUNT	NA	NA			21/02/2019	Fit	NA	Fit	NA	
8	000824	MR. SITARAM M. PATIL	56	M	19 SECURITY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
9	000825	MR. BABASAHEB R. PATIL	57	M	19 SECURITY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
10	000828	MR. RAJSAHEB R. GUDE	55	M	19 SECURITY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
11	000830	MR. BABASO M. EDAKE	49	M	13 GUEST H.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
12	000831	MR. JAKAPPA K. MAHAJAN	48	M	13 GUEST H.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
13	000832	MR. SANJAY D. DANOLE	34	M	04 BIOFERTI.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
14	000837	MR. BABASO Y. INAMDAR	48	M	07 CIVIL	NA	NA			21/02/2019	Fit	NA	Fit	NA	
15	000844	MR. PRAVIN B. NARAKE	30	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
16	000847	MR. SADASHIV M. PATIL	59	M	19 SECURITY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
17	000848	MR. MANIK R. DESAI	39	M	19 SECURITY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
18	000849	MR. DILIP A. KORBU	46	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
19	000850	MR. RAVINDRA B. SUTAR	34	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	

कार्यालये अधिनियम १९४८ च्या कलम १०(२) प्रमाणे कोल्हापूर जिल्हाकरिता

कारेणने अधिनियम १९४८ च्या कॅलम १०(२) प्रमाणे  
कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रमाणकशल्यचिकित्सक

Page 11 of 20

क्र. ACS 15-AM/2016

**Form No 7 (Prescribed under Rule 18 (17))**

**HEALTH REGISTER**

From: 20/02/2019 To 19/02/2020

**Certifying Surgeon**

DR. ARVIND MANE

MBBS DPH AFIIH.(Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
000854	MR. POPAT K. SALUNKHE	41	M	08 CO-GEN.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000855	MR. VEERPRAKASH J. FUTANE	38	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000856	MR. MAKABUL S. DESAI	42	M	15 MANUFACTURING	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000857	MR. MIRASAB S. SHENDURE	35	M	15 MANUFACTURING	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000858	MR. KUMAR S. MANE	42	M	15 MANUFACTURING	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000859	MR. SWAPNIL A. KAMBLE	30	M	15 MANUFACTURING	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000864	MR. VIJAY S. KUMBHOJKAR	39	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000865	MR. SANDEEP S. SAJANE	37	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000871	MR. GANESH R. GORE	33	M	06 CANEYA.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000873	MR. AJIT A. PATIL	33	M	06 CANEYA.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000882	MR. JINGODA B. PATIL	38	M	07 CIVIL	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000883	MR. SANDIP S. MAGDUM	36	M	07 CIVIL	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000884	MR. ALAM S. PATEL	54	M	07 CIVIL	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000886	MR. ANAND J. SHINDE	46	M	19 SECURITY	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
0887	MR. FAJAHAMAD R. MULLA	52	M	19 SECURITY	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000890	MR. MAHESH B. ARADE	34	M	15 MANUFACTURING	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000902	MR. AMAR A. PATIL	32	M	03 AGRI	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000907	MR. APPASO B. GOURAJ	41	M	15 MANUFACTURING	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000908	MR. SACHIN B. CHIKHALE	38	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
									21/02/2019	Fit	कम्प्लाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे	कोल्हापूर जिल्हाकारिता		

**Form No 7 (Prescribed under Rule 18 (17))**

**HEALTH REGISTER**

From: 20/02/2019 To 19/02/2020

**Certifying Surgeon**

DR. ARVIND MANE

MBBS DPH AFHH(Mumbai)

Company Name : **SHRI GURUDATT SUGARS LTD. (COMPANY)**

Sl. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
	000909	MR. SATISH A. PARIT	36	M	22 VEHICLE	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000912	MR. NAVEED S. DANAWADE	36	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000928	MR. BALASO V. PARIT	54	M	19 SECURITY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000930	MR. DILIP T. KAMBLE	32	M	19 SECURITY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000935	MR. AMOL R. MANE-GAVDE	32	M	06 CANEYA.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000937	MR. RANJIT S. KOLEKAR	32	M	03 AGRI	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000939	MR. TUSHAR T. NIKAM	31	M	21 SUGAR G.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000940	MR. SANDIP M. GAIKWAD	33	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000941	MR. BAJIRAO S. BHALE	34	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000942	MR. SATISH D. VALWADE	33	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000943	MR. ASHOK A. SHINDE	32	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000944	MR. AMOL R. HUIJARE	31	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000952	MR. CHANDRAKANT B. BIRANAGE	42	M	11 E. T. P.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000954	MR. VILAS R. BALE	49	M	11 E. T. P.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000967	MR. SANDEEP B. GAIKWAD	46	M	02 ADMIN.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000974	MR. SANJAY T. PATIL	55	M	19 SECURITY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000976	MR. SIKANDAR D. FARAS	38	M	19 SECURITY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000977	MR. YASHWANT A. JADHAV	42	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000981	MR. MALGONDA B. PATIL	32	M	15 MANUFACTURING	NA	NA			21/02/2019	NA				

कायदाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे

कोल्हापूर जिल्हाकारिता

प्राधिकृत प्रमाणकशल्यचिकित्सक

क्र. ACS 15-AM/2016

## Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFPH.(Mumbai)

**From:** 20/02/2019 **To** 19/02/2020

**Company Name :** SHRI GURUDATT SUGARS LTD. (COMPANY)

Sl. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
	000982	MR. YUVRAJ S. NIMBALKAR	32	M	15 MANUFACTURING	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	000985	MR. FARUK S. DANWADE	32	M	15 MANUFACTURING	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	000991	MR. VISHAL A. CHOUDHARI	28	M	06 CANEYA.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	000993	MR. SAGAR D. PIRKANE	32	M	06 CANEYA.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	000994	MR. RAKESH R. MAGADUM	28	M	01 ACCOUNT	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	001000	MR. HAJILAL M. NAGARAJI	38	M	15 MANUFACTURING	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	001004	MR. SHAMGONDA N. ALATE	42	M	15 MANUFACTURING	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	001005	MR. JOTIBA R. AKKOLE	36	M	15 MANUFACTURING	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	001008	MR. DILIP N. MALAGAR	54	M	19 SECURITY	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	001011	MR. GUNDAPPA R. MANE	55	M	19 SECURITY	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	001015	MR. AMAR A. BIRANGE	31	M	19 SECURITY	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	001016	MR. SHAHIR S. CHAWARE	56	M	19 SECURITY	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	001017	MR. CHETANSHAN M. MANE	29	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	001018	MR. MAHAVIR J. NARADE	43	M	20 STORE	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	001020	MR. AMAR K. GIRIBUVA	34	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	001023	MR. RAJENDRA S. JADHAV	42	M	19 SECURITY	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	001026	MR. SHAMRAO N. PATIL	56	M	19 SECURITY	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	001029	MR. SURESH K. DESAI	34	M	15 MANUFACTURING	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	001031	MR. ARVIND R. HORTIKAR	57	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
										21/02/2019	Fit				

कार्यालये अधिनियम १९४८ च्या कसम १०(२) प्रमाणे

कोल्हापूर जिल्हाकरिता

Page 14 of 28

प्राधिकृत प्रमाणकशल्यचिकित्सक  
क्र. ACS 15-AM/2016

**Form No 7 (Prescribed under Rule 18 (17))**

**HEALTH REGISTER**

From: 20/02/2019 To 19/02/2020

**Certifying Surgeon**  
DR. ARVIND MANE  
MBBS DPH AFH (Mumbai)

Company Name : **SHRI GURUDATT SUGARS LTD. (COMPANY)**

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
67	001032	MR. GORAKHNATH P. NIRMAL	36	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
68	001033	MR. BAJIRAO I. SHEDBALE	49	M	07 CIVIL	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
69	001034	MR. SHIVAJI B. KHOT	48	M	07 CIVIL	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
70	001035	MR. NETAJI H. KHOT	39	M	07 CIVIL	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
71	001036	MR. NANASO S. KAMBLE	51	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
72	001038	MR. YOGESH K. KAMBLE	34	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
73	001039	MR. KIRAN S. CHIGARE	42	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
74	001040	MR. MAHAVIR A. BIRANGE	42	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
75	001041	MR. SANDIP R. KHOT	30	M	08 CO-GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
76	001042	SMT. MUKTABAI S. BIRANGE	45	F	18 SANITARY	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
77	001043	SOU. SAOUBAI A. BIRANGE	45	F	18 SANITARY	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
78	001044	SMT. USHATAI S. KAMBLE	42	F	18 SANITARY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
79	001045	MR. RAMESH K. KAMBLE	32	M	08 CO-GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
80	001046	MR. SUNIL S. NIRMAL	32	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
81	001047	MR. APPASO S. MAGDUM	38	M	04 BIOFERTIL.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
82	001048	MR. ANANDA S. KUMBHAR	34	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
83	001049	SOU. KASTURI P. KAMBLE	45	F	18 SANITARY	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
84	001051	MR. SRIKANT P. BIRANGE	33	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
85	001052	MR. SANDIP D. SUTAR	31	M	07 CIVIL	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	

कोशने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे  
कोल्हापूर जिल्हाकरिता

**Form No 7 (Prescribed under Rule 18 (17))**

**HEALTH REGISTER**

From: 20/02/2019 To 19/02/2020

**Certifying Surgeon**  
DR. ARVIND MANE  
MBBS DPH AFHI (Mumbai)

Company Name : **SHRI GURUDATT SUGARS LTD. (COMPANY)**

Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
001053	MR. YOGESH G. KAMBLE	28	M	18 SANITARY	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001054	MR. RANJIT R. PATIL	44	M	15 MANUFACTURING	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001056	MR. ASHOK B. PATIL	52	M	19 SECURITY	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001057	MR. DIPAK N. SANKPAL	34	M	10 ENGG.	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001063	MR. VAIBHAV S. PATIL	29	M	10 ENGG.	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001066	MR. SHIVAJI R. KOLI	39	M	10 ENGG.	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001068	MR. PRAKASH S. BADANIKAI	37	M	08 CO-GEN.	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001069	MR. SHIVAJI D. POWAR	46	M	08 CO-GEN.	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001070	MR. VAIBHAV N. CHANDORA	39	M	08 CO-GEN.	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001071	MR. SUBHASH R. JADHAV	45	M	15 MANUFACTURING	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001079	MR. SUHAS D. MAGDUM	32	M	01 ACCOUNT	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001080	MR. SANTOSH A. BIRANGE	34	M	15 MANUFACTURING	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001081	MR. BALASAHEB V. BANDAGAR	34	M	08 CO-GEN.	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001082	MR. ARVIND S. PATIL	32	M	06 CANEYA.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001083	MR. RAMDAS A. BIRANGE	33	M	18 SANITARY	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001084	MR. VITHAL G. NIRMAL	35	M	15 MANUFACTURING	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001085	MR. AJIT D. NIRMAL	34	M	10 ENGG.	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001086	MR. GOPICHAND J. BHANDARE	30	M	15 MANUFACTURING	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001087	MR. VINAYAK Y. KUMBHAR	29	M	10 ENGG.	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
										20/02/2019	Fit	NA	Fit	NA	

कारखाने अधिनियम 1947 च्या कलम 90(3) प्रमाणे  
कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रमाणकशाल्याधिकृत

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFTH (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
5	001088	MR. NITIN S. SHINDE	30	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
6	001089	MR. UTTAM N. GORE	29	M	20 STORE	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
7	001090	MR. RAHUL A. GORE	33	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
8	001091	MR. BAJARANG I. KOLI	36	M	07 CIVIL	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
9	001092	MR. SHANTINATH B. KHURPE	42	M	20 STORE	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
0	001094	MR. ANNASO R. DANOLE	36	M	07 CIVIL	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
1	001095	MR. BABASO B. MAISHALE	35	M	08 CO-GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
2	001096	MR. RAJU B. GAVADE	35	M	07 CIVIL	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
3	001097	MR. CHANDRAKANT A. KOLI	36	M	07 CIVIL	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
4	001098	MR. NITIN B. KOLI	34	M	07 CIVIL	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
5	001099	MR. MARUTIP. BHATMARE	37	M	08 CO-GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
6	001100	MR. ZAKIR M. KUDACHE	36	M	08 CO-GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
7	001101	MR. SADASHIV T. GAVANDI	45	M	08 CO-GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
8	001102	MR. SANTOSH M. BAVADEKAR	39	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
9	001103	MR. SANTOSH N. SAVANT	29	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
0	001104	MR. BALASAHEB V. GAIKWAD	32	M	18 SANITARY	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
1	001106	MR. PRAKASH T. AIWALE	42	M	05 CANE D.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
2	001107	MR. KUMAR A. SUTAR	38	M	07 CIVIL	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
3	001108	MR. VASANT B. POWAR	45	M	07 CIVIL	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	

आम्रवामे अधिमियम ११४८ ची कलम १०(२) प्रमाणे

कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रमाणकशल्यचिकित्सक

क्र. ACS 15-AM/2016

# Form No 7 (Prescribed under Rule 18 (17))

## HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

**Certifying Surgeon**  
DR. ARVIND MANE  
MBBS DPH AFPH (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
001109	MR. VIJAY R. CHAVAN	35	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
001110	MR. TATOBA A. HINGMIRE	34	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
001111	MR. SURESH S. ADARSHE	35	M	08 CO-GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
001112	MR. SACHIN S. SHINDE	35	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
001113	MR. AMOL Y. PATIL	33	M	14 H.R.D.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
001114	MR. UMESH P. GAIKWAD	38	M	20 STORE	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
001115	MR. BANDU N. SHINDE	36	M	07 CIVIL	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001116	MR. ASHOK B. POWAR	46	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001117	MR. DAYANAND K. PATIL	39	M	16 PETROL P.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001118	MR. SURESH N. MASKE	41	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001120	MR. TUKARAM P. PATIL	44	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001121	MR. SHIVAJI S. MAGDUM	30	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001122	MR. LAXMAN K. KORAVI	33	M	16 PETROL P.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001123	MR. MADAR A. NADAF	45	M	07 CIVIL	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001124	MR. RAJU S. MAGDUM	43	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001125	MR. MANOI A. MANE	34	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001126	MR. SURESH B. POWAR	35	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001127	MR. BALASO L. KHOMBHARE	34	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001128	MR. CHANDRAKANT S. LOHAR	43	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
									21/02/2019	Fit	NA	Fit	NA	

कारखाने अधिनियम १९४८ च्या मूलन १०(२) प्रमाणे

कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रमाणकालयधिकारितक

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon  
DR. ARVIND MANE  
MBBS DPH AFH (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
3	001129	MR. PRABHAKAR B. KOLI	39	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
4	001130	MR. KAPIL R. DANAWADE	33	M	07 CIVIL	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
5	001131	MR. LINGAPPA K. BANDAGAR	35	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
6	001132	MR. SANTOSH B. GORE	32	M	16 PETROL P.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
7	001133	MR. DHONDIRAM S. MANE	30	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
8	001134	MR. RAHUL G. PATTEKARI	32	M	03 AGRI	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
9	001135	MR. SANDIP S. PATIL	31	M	21 SUGAR G.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
10	001137	MR. SHIVPUTRA A. KOLI	39	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
11	001138	MR. AMIT B. PATIL	37	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
12	001139	MR. SURESH N. VADAR	45	M	07 CIVIL	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
13	001140	MR. RAJUMAR V. BAGE	41	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
14	001141	MR. GANESH B. INGALE	32	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
15	001142	MR. NITIN A. NALAVADE	37	M	07 CIVIL	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
16	001143	MR. TATYASO D. MANE	31	M	06 CANEYA.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
17	001144	MR. SUNILKUMAR J. SOUNDATTE	34	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
18	001145	MR. SANTOSH P. SAMADOLE	32	M	23 W. T. P.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
19	001146	MR. SANTOSH P. SASANE	31	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
20	001147	MR. PRASHANT D. PIMPALE	30	M	23 W. T. P.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
21	001148	MR. VIJAY R. KHOT	31	M	21 SUGAR G.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे कोल्हापूर जिल्हाकरिता

**Form No 7 (Prescribed under Rule 18 (17))**

**HEALTH REGISTER**

From: 20/02/2019 To 19/02/2020

**Certifying Surgeon**

DR. ARVIND MANE

MBBS DPH AFH (Mumbai)

Company Name : **SHRI GURUDATT SUGARS LTD. (COMPANY)**

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
2	001150	MR. RIYAJ G. SANADI	36	M	22 VEHICLE	NA	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA
3	001151	MR. UTTAM L. KARNALE	30	M	06 CANEYA.	NA	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA
4	001152	MR. SHEKHAR S. PARIT	36	M	23 W. T. P.	NA	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA
5	001153	MR. PRAVIN S. PATIL	33	M	14 H.R.D.	NA	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA
6	001154	MR. DHONDIRAM R. CHAVARE	37	M	23 W. T. P.	NA	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA
7	001156	MR. SANTOSH S. HINGMIRE	35	M	10 ENGG.	NA	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA
8	001157	MR. SAGAR S. JUGALE	32	M	10 ENGG.	NA	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA
9	001158	MR. DIGVIJAY M. KAMBLE	37	M	08 CO-GEN.	NA	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA
10	001160	MR. MAHANTESH V. UMARANI	36	M	08 CO-GEN.	NA	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA
	001162	MR. GOPAL S. BHANDARE	33	M	04 BIOFERT.	NA	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA
	001165	MR. SANTOSH K. KAMBLE	36	M	15 MANUFACTURING	NA	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA
	001166	MR. RAMESH S. MATHPATI	42	M	15 MANUFACTURING	NA	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA
	001168	MR. KRISHNAJI P. MALLEWADE	29	M	08 CO-GEN.	NA	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA
	001170	MR. YUNUS M. KUDACHE	33	M	13 GUEST H.	NA	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA
	001172	MR. SANTOSH S. NAGAYI	34	M	08 CO-GEN.	NA	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA
	001173	MR. SAMBHAJI B. DUBAL	57	M	08 CO-GEN.	NA	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA
	001176	MR. AMOL A. NIRMAL	33	M	08 CO-GEN.	NA	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA
	001177	MR. SANJAY B. CHOPADE	50	M	15 MANUFACTURING	NA	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA
	001179	MR. SANGRAM B. GHORPADE	34	M	05 CANE D.	NA	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA

कोरखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे  
कोल्हापूर जिल्हाकरिता

**Certifying Surgeon**  
DR.ARVIND MANE  
MBBS DPH AFH.(Mumbai)

## From: 20/02/2019 To 19/02/2020

From: 20/02/2019 To 19/02/2020

NA	Fit	NA
कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे		
कोल्हापर		जिल्हाकरिता

प्राधिकृत प्रमाणकशल्यचिकित्सक  
क्र. ACS 15-AM/2016

### Certifying Surgeon

## HEALTH REGISTER

DR. ARVIND MANE


MBBS DPH AFIH.(Mumbai)

From: 20/02/2019 To 19/02/2020

**Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)**

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work,state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
	001213	MR. PARSHURAM B. KAMBLE	36	M	05 CANE D.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001214	MR. AMIN S. MULLA	35	M	05 CANE D.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001216	SOU. SALONA A. SANADE	45	F	18 SANITARY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001217	MR. DASHRATH V. VADAR	45	M	07 CIVIL	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001220	MR. SANDIP T. MANE	36	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001224	MR. NARSINGH S. TODKAR	34	M	23 W. T. P.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001225	MR. RAMESH B. KADAM	35	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001226	MR. SURYAKANT L. SANKPAL	38	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001227	MR. DATTA TRAY N. MAGADUM	33	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001228	MR. RAJENDRA B. KAGALE	40	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001229	MR. OMKAR A. PIMPALE	28	M	06 CANEYA.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001231	MR. SURESH K. KALYANI	41	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001234	MR. SHRIDHAR J. KURANE	44	M	22 VEHICLE	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001236	MR. ANAND R. CHENDAKE	35	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001237	MR. SANJAY I. SHINDE	40	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001238	MR. HITENDRA R. SHIRGUPPE	42	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001244	MR. GAJANAN M. SAWANT	31	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001247	MR. VINAYKUMAR B. NAGAVE	42	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001249	MR. SUNIL G. PARTI	46	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	

कार्यालये अधिनियम १९४८ च्या कलम १०(२) प्रमाणे कोल्हापूर जिल्ह्याकरिता



Page 22 of 28

प्राधिकृत प्रमाणकृत अत्यधिकित्तक

Dr. ACS EAM2016

**Form No 7 (Prescribed under Rule 18 (17))**

**HEALTH REGISTER**

From: 20/02/2019 To 19/02/2020

**Certifying Surgeon**

DR. ARVIND MANE

MBBS DPH AFH (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sl. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
	001251	MR. SAHADEV G. JAGADALE	27	M	08 CO-GEN.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001254	MR. GOVINDA D. KHOT	27	M	23 W. T. P.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001255	MR. SRIDHAR A. SUTAR	39	M	23 W. T. P.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001256	MR. RAHUL S. BADAME	26	M	15 MANUFACTURING	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001261	MR. SANJAY S. CHAVAN	39	M	23 W. T. P.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001262	MR. SUNIL S. PATIL	40	M	20 STORE	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001263	MR. SUNIL A. GHEVADE	38	M	07 CIVIL	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001264	MR. VINOD A. GHATGE	27	M	10 ENGG.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001266	MR. SATAPPA R. CHAVAN	30	M	08 CO-GEN.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001267	MR. DIGAMBAR A. KUDACHE	32	M	15 MANUFACTURING	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001268	MR. SATISH M. GURAV	44	M	10 ENGG.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001273	MR. PAVANKUMAR J. ANKALE	38	M	08 CO-GEN.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001274	MR. OMPRAKASH B. TAMBALE	40	M	17 PURCHASE	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001276	MR. SANTOSH V. BHUTEKAR	37	M	17 PURCHASE	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001279	MR. VIKAS B. CHOUGALE	32	M	12 GEN.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001281	MR. ROHIT R. KATAGERI	31	M	08 CO-GEN.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001283	MR. ATUL J. PAWAR	38	M	15 MANUFACTURING	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001284	MR. CHANNAPPA R. ANIANEYA	35	M	01 ACCOUNT	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001290	MR. MAHESH PATIL	34	M	14 H.R.D.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	

कॉलेज ऑफ मेडिसिन १९४८ च्या कलम १०(२) प्रमाणे कोल्हापूर जिल्हाकरिता

**Form No 7 (Prescribed under Rule 18 (17))**

**HEALTH REGISTER**

From: 20/02/2019 To 19/02/2020

**Certifying Surgeon**  
DR. ARVIND MANE  
MBBS DPH AFTH (Mumbai)

**Company Name :** SHRI GURUDATT SUGARS LTD. (COMPANY)

Sl. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
	001293	MR. ABHJIT M. GAIKWAD	31	M	09 E.D.P.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001294	MR. GIRIDHAR B. SAHASTRABUDDHE	51	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001295	MR. VIKAS P. PATIL	27	M	09 E.D.P.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001296	MR. SUBHASH B. JUGALE	47	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001297	MR. BAPU A. CHAVAN	32	M	07 CIVIL	NA	NA			21/02/2019	NA	NA	Fit	NA	
	001298	MR. SHRISHAIL M. AMBI	38	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001299	MR. MEHBOOB D. JAMADAR	43	M	20 STORE	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001300	MR. PRADIP S. NAIK	33	M	08 CO-GEN.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001301	MR. SACHIN S. PATIL	29	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001302	MR. SUDHIR M. PATOLE	30	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001303	MR. GAJANAN M. BHATLE	32	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001304	MR. PRASAD M. CHOUGULE	29	M	20 STORE	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001305	MR. SALMAN I. BAIRAGDAR	27	M	23 W. T. P.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001306	MR. SANTOSH R. DHANAVADE	39	M	24 DISTILL.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001307	MR. SANDEEP B. KHARAT	31	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001309	MR. VIJAYSINH A. BHOSALE	37	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001310	MR. MAHADEO D. NANAWARE	40	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001311	MR. DIPAK V. MANGALE	39	M	08 CO-GEN.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001312	MR. BABU S. KOTABAGI	28	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	

अधिकृत प्रमाणक शल्य चिकित्सक  
कोल्हापूर जिल्हाकरिता  
क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))

Certifying Surgeon  
DR. ARVIND MANE  
MBBS DPH AFPH (Mumbai)

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sl. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
7	001313	MR. NISHIKANT D. KURADE	58	M	15 MANUFACTURING	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
8	001314	MR. TEJPAL A. GANE	35	M	09 E.D.P.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
9	005063	MR. BAHUBALI M. SOUNDATTE	34	M	20 STORE	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
0	005071	MR. PRAKASH B. MALEKARI	51	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
1	005077	MR. UDAY A. PATIL	29	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
2	005082	MR. SUNIL V. LATTHE	30	M	21 SUGAR G.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
3	005083	MR. RAMCHANDRA R. AMBI	34	M	15 MANUFACTURING	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
4	005086	MR. PRADIP M. SHINDE	38	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
5	005087	MR. DIPAK R. KAMBLE	31	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
6	005091	MR. MARUTI D. KATTIKAR	34	M	15 MANUFACTURING	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
7	005094	MR. SACHIN A. KHOT	31	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
8	005096	MR. VILAS D. GAIKWAD	33	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
9	005097	MR. RAJAN S. VALVE	38	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
0	005098	MR. SUNIL R. PATTEKARI	42	M	15 MANUFACTURING	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
1	005101	MR. HALAPPA B. SURYAVANSHI	54	M	21 SUGAR G.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
2	005102	MR. ARIF R. DESAI	28	M	15 MANUFACTURING	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
3	005103	MR. LALASO P. PATIL	46	M	21 SUGAR G.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
4	005105	MR. KUMAR A. ADUKE	32	M	18 SANITARY	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
5	005112	MR. DATTATRAY T. PATIL	38	M	20 STORE	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
												कायने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे कोल्हापूर जिल्हाकरिता			

# Form No 7 (Prescribed under Rule 18 (17))

## HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

**Certifying Surgeon**  
DR. ARVIND MANE  
MBBS DPH AFPH (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sl. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
6	005114	MR. SAGAR M. POWAR	30	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
7	005115	MR. SAGAR V. YADAV	32	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
8	005117	MR. SHAMRAO R. MIRJE	47	M	10 ENGG.	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
9	005122	MR. GURUPAD D. BORGAVE	47	M	23 W. T. P.	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
10	005123	MR. AJIT B. MHAISHALE	33	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
11	005124	MR. SHIVAJI G. JAKHALE	39	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
12	005125	MR. INDRAJIT R. SANKPAL	31	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
13	005126	MR. NITIN T. HINGMIRE	32	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
14	005130	MR. ANANDA Y. PATIL	33	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
15	005131	MR. VIJAY V. MANE	43	M	08 CO-GEN.	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
16	005132	MR. VISHWAS L. ZANJE	30	M	08 CO-GEN.	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
17	005134	MR. MARUTI B. BHADULE	46	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
18	005135	MR. SRIMANT S. KAMBLE	30	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
19	005148	MR. TIFUSULTAN R. TAHSILDAR	23	M	18 SANITARY	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
20	005150	MR. DADASO B. KAGALE	36	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
21	005152	MR. SAYYADALI I. MAKANDAR	38	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
22	005154	MR. SAGAR M. LOISURE	32	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
23	005155	MR. RAJENDRAKUMAR S. NIRMAL	31	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
24	005156	MR. RAJU G. NIMBALKAR	32	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	

क्र. १९४८ च्या केलम १०(२) प्रमाणे कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रमाणकशल्यचिकित्सक  
क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon  
DR. ARVIND MANE  
MBBS DPH AFH (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
5	005158	MR. BALASO K. SANKPAL	35	M 15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
6	005160	MR. SHANKAR R. KHARPI	39	M 15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
7	005165	MR. SAGAR D. KHOT	29	M 10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
8	005168	MR. AVINASH S. PATIL	29	M 15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
9	005172	MR. BIRDEV S. BANDAGAR	33	M 18 SANITARY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
0	005173	MR. SANTOSH V. KOLI	26	M 15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
1	005175	MR. PRAMOD C. KADAM	38	M 08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
2	005178	MR. RAFIQ N. JAMADAR	29	M 15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
3	005179	MR. SUNIL D. KOLI	27	M 15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
4	005180	MR. SURESH I. MIRJE	50	M 08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
5	005181	MR. GAJANAN Y. KAMATE	29	M 15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
6	005183	MR. ARIF D. DANVADE	32	M 15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
7	005184	MR. RAVINDRA B. UMRANI	35	M 15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
8	005185	MR. ROHIT G. PAGADE	27	M 04 BIOFERTI.	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
9	005187	MR. AVADHUT D. KOLI	29	M 15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
0	005188	MR. DADASO R. GASTE	29	M 15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
1	005190	MR. ARJUN A. KOLI	30	M 01 ACCOUNT	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
2	005193	MR. TUKARAM M. PAKHRE	46	M 07 CIVIL	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
3	005194	MR. UMESH A. PATIL	28	M 10 ENGG.	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
									22/02/2019	Fit	NA	Fit	NA	

काखाने अधीन १४८ औ कलम १०(२) प्रमाणे कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रमाणक शल्यचिकित्सक  
क्र. ACS 15-AM/2016

**Form No 7 (Prescribed under Rule 18 (17))**

**HEALTH REGISTER**

From: 20/02/2019 To 19/02/2020

**Certifying Surgeon**  
DR. ARVIND MANE  
MBBS DPH AFH (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
4	005195	MR. BACHARAM K. PATIL	37	M	08 CO-GEN.	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
5	005197	MR. DIPAK S. KAIKADI	28	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
6	005199	MR. NEMINATH A. KOTE	36	M	10 ENGG.	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
7	005200	MR. RAMCHANDRA G. DABHDE	26	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
8	005208	MR. VASANT B. LATKAR	45	M	06 CANEYA.	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
9	005209	MR. SANTOSH P. KOLI	37	M	07 CIVIL	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
10	005210	MR. CHANDRAKANT D. GAIKWAD	52	M	07 CIVIL	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
11	005211	MR. SOPAN V. NIRMAL	34	M	18 SANITARY	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
12	005213	MR. SIDDHA B. SALGARE	30	M	07 CIVIL	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
13	005214	MR. MANGESH V. PATIL	32	M	07 CIVIL	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
14	005217	MR. ANILSING M. RAJPUT	29	M	22 VEHICLE	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
15		MR. KEDARI V. MANE	30	M	-	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
16		MR. ASHISH B. BHANDARE	27	M	-	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
17		MR. KIRAN R. NIRMAL	26	M	-	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे  
कोल्हापूर जिल्हाकरिता  
प्राधिकृत प्रमाणकशल्यचिकित्सक  
डॉ. ACS 15-AM/2016

F. No.J-11011/41/2015-IA-II(I)  
Government of India  
Ministry of Environment, Forest and Climate Change  
IA Division

Indira Paryavaran Bhawan  
Jor bagh Road, New Delhi - 3  
Dated: 7<sup>th</sup> June, 2019

To,

M/s Shri Gurudatt Sugars Ltd,  
Gat No. 61/A, Akiwat Takaliwadi Road,  
Taluka Shirol,  
District **Kolhapur** (Maharashtra)

**Sub: Expansion of sugar & co-generation power plant and setting up molasses based distillery by M/s Shri Gurudatt Sugars Ltd at Gat No.61/A, Taluka Shirol, District Kolhapur (Maharashtra) - Environmental Clearance - reg.**

Sir,

This has reference to your online proposal No.IA/MH/IND2/59911/2014 dated 27<sup>th</sup> January, 2019 for environmental clearance to the above project.

2. The Ministry of Environment, Forest and Climate Change has examined the proposal for environmental clearance to the project for expansion of sugar plant from 6000 to 13000 TCD, co-generation power plant from 21 to 90 MW, and setting up molasses based distillery of 150 KLPD in existing area of 55 acres by M/s Shri Gurudatt Sugars Ltd at Gat No.61/A, Akiwat Takaliwadi Road, Taluka Shirol, District Kolhapur (Maharashtra).

3. The details of existing/proposed products are as under:-

S. No.	Products	Existing	Proposed	Total
1.	Sugar Unit	6000 TCD	7000 TCD	13000 TCD
2.	Co-Generation Unit	21 MW	69 MW	90 MW
3.	Distillery Unit	Nil	150 KLPD	150 KLPD
4.	Refined Sugar	Nil	1755 TPD	1755 TPD

4. Existing land area is 222577 m<sup>2</sup> (55 acres). No additional land shall be required for the proposed expansion. Green belt will be developed in 33% i.e. 73449 sqm out of the total project area. The estimated project cost is Rs.350 Crore. Total capital cost earmarked towards environmental pollution control measures is Rs.19.6 Crore and the recurring cost (O&M) will be about Rs.167.5 Lack per annum. Total Employment will be 300 persons as direct & 500 persons indirect.

5. There are no National Parks, Wildlife Sanctuaries, Biosphere Reserves, Tiger/Elephant Reserves and Wildlife Corridors etc. within 10 km distance from the project site. Krishna River flows at distance of 4 km in the West.

6. Total fresh water requirement of 760 m<sup>3</sup>/day is proposed to be met from Krishna River. Approval in this regard has been obtained from the Chief Engineer, Irrigation Department, Kolhapur (Maharashtra).



Effluent of 1300 m<sup>3</sup>/day from sugar and co-gen unit will be treated through ETP consisting of primary, secondary and tertiary treatment units, followed by Condensate Polishing Unit. The effluent of 1350 m<sup>3</sup>/day from distillery unit will be sent to MEE, and the concentrated spent wash would be fed to incineration boiler. There will be no discharge of treated/untreated waste water from the unit, and thus ensuring Zero Liquid Discharge.

Two multi fuel boilers of 120 TPH capacity each and one Multi fuel boiler of 60 TPH will be installed. Electrostatic Precipitator with a stack of height of 70 m each for 120 TPH capacity boiler and 90 m for 60 TPH boiler will be installed to control the particulate emissions within the statutory limits of 150 mg/Nm<sup>3</sup>.

7. The project/activity is covered under category A of item 5 (g) 'Distilleries', 1(d) 'Thermal Power Plants' and category B of item 5(j) 'Sugar Industry' of the Schedule to the EIA Notification, 2006 and requires consideration at central level in the Ministry.

8. Standard Terms of Reference for the project was granted on 17<sup>th</sup> August, 2017. Public hearing was conducted by the State Pollution Control Board on 5<sup>th</sup> December 2018.

9. The proposal for environmental clearance was considered by the EAC (Industry-2) in its meetings held on 8-9 April, 2019. The project proponent and their consultant presented the EIA/EMP report. The Committee found the EIA/EMP report to be satisfactory, complying with the ToR, and recommended the project for grant of environmental clearance.

10. Based on the proposal submitted by the project proponent and recommendations of the EAC (Industry-2), Ministry of Environment, Forest and Climate Change hereby accords environmental clearance to the project for **expansion of sugar plant from 6000 to 13000 TCD, co-generation power plant from 21 to 90 MW, and setting up molasses based distillery of 150 KLPD** by M/s Shri Gurudatt Sugars Ltd at Gat No.61/A, Akiwat Takaliwadi Road, Taluka Shirol, District Kolhapur (Maharashtra), under the provisions of the EIA Notification, 2006, and the amendments therein, subject to compliance of the terms and conditions as under:-

- (a) Prior approval shall be obtained from PESO for site and layout plan of storage facilities (Petroleum storage Class A installation).
- (b) Necessary permission as mandated under the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, shall be obtained from the State Pollution Control Board as required.
- (c) As already committed by the project proponent, Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises.
- (d) Necessary authorization required under the Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016, Solid Waste Management Rules, 2016 shall be obtained and the provisions contained in the Rules shall be strictly adhered to.
- (e) To control source and the fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and/or the NAAQS. The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.
- (f) Coal less than 0.5% sulphur content shall be used as fuel in boiler.



- (g) Total fresh water requirement shall not exceed 760 cum/day proposed to be met from Krishna River. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard.
- (h) Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm and the solvent transfer through pumps.
- (i) Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed off to the TSDF.
- (j) The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.
- (k) The company shall undertake waste minimization measures as below:-  
(i) Metering and control of quantities of active ingredients to minimize waste.  
(ii) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes.  
(iii) Use of automated filling to minimize spillage.  
(iv) Use of Close Feed system into batch reactors.  
(v) Venting equipment through vapour recovery system.  
(vi) Use of high pressure hoses for equipment clearing to reduce wastewater generation.
- (l) The green belt of 5-10 m width shall be developed in more than 33% of the total project area, mainly along the plant periphery, in downward wind direction, and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department.
- (m) All the commitments made regarding issues raised during the public hearing/consultation meeting shall be satisfactorily implemented.
- (n) At least 0.75% of the total project cost shall be allocated for Corporate Environment Responsibility (CER) and item-wise details along with time bound action plan shall be prepared and submitted to the Ministry's Regional Office.
- (o) For the DG sets, emission limits and the stack height shall be in conformity with the extant regulations and the CPCB guidelines. Acoustic enclosure shall be provided to DG set for controlling the noise pollution.
- (p) The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms.
- (q) Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
- (r) There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places.
- (s) Storage of raw materials shall be done either in silos or covered areas to prevent dust pollution and other fugitive emissions.



(t) Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.

(u) CO<sub>2</sub> generated from the process shall be bottled/made solid ice and sold to authorized vendors.

(v) There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places.

**10.1** The grant of Environmental Clearance is further subject to compliance of other generic conditions as under:-

(i) The project authorities must strictly adhere to the stipulations made by the state Pollution Control Board (SPCB), State Government and/ or any other statutory authority.

(ii) No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.

(iii) The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations each is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.

(iv) The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16<sup>th</sup> November, 2009 shall be complied with.

(v) The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).

(vi) The Company shall harvest rainwater from the roof tops of the buildings to recharge ground water, and to utilize the same for different industrial operations within the plant.

(vii) Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis.

(viii) The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, risk mitigation measures and public hearing shall be implemented.



(ix) The company shall undertake all measures for improving socio-economic conditions of the surrounding area. CSR activities shall be undertaken by involving local villagers, administration and other stake holders. Also eco-developmental measures shall be undertaken for overall improvement of the environment.

(x) A separate Environmental Management Cell equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.

(xi) The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.

(xii) A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zila Parishad/ Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.


(xiii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.

(xiv) The environmental statement for each financial year ending 31<sup>st</sup> March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional offices of MoEF&CC by e-mail.

(xv) The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at <http://moef.nic.in>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional office of the Ministry.


11. The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.

12. The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Water Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991, read with subsequent amendments therein.

  
7/6/2019  
**(S. K. Srivastava)**  
**Scientist E**

**Copy to: -**

1. The Principal Secretary, Environment Department, Government of Maharashtra, 15<sup>th</sup> Floor, New Administrative Building, Mantralaya, **Mumbai** (Maharashtra) – 32
2. The Additional Principal Chief Conservator of Forests, Regional Office (WCZ), Ministry of Environment, Forest and Climate Change, **Nagpur** (Maharashtra)
3. The Member Secretary, Central Pollution Control Board Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, **Delhi** - 32
4. The Member Secretary, Maharashtra Pollution Control Board, Kalpataru Point, 3<sup>rd</sup> and 4<sup>th</sup> floor, Opp. Cine Planet, Sion Circle, **Mumbai** - 22
5. Monitoring Cell, Ministry of Environment, Forest and Climate Change, Indira Paryavaran Bhawan, Jor Bagh Road, **New Delhi** - 3
6. Guard File/Monitoring File/Record File

  
7/6/2019  
**(S. K. Srivastava)**  
**Scientist E**