



Regd. No. 25-14367, CIN-UI5424PN2000PLC014367

An ISO 9001 : 2008 Certified Company

SHRI GURUDATT SUGARS LTD., Takaliwadi

ADD.: Gat No. : 61 / A, Akiwat Takaliwadi Road, Takaliwadi Tal.- Shirol Dist - Kolhapur (MH) Pin Code : 416 108
PHONE : +91 231 2686086 | FAX : +91 231 2686000 | WEBSITE : www.sgsl.co.in | Email : gslsugars@gmail.com

SGSL/ENVI/252/2020-2021

Date – October 01, 2020

To,
The Regional Officer,
Ministry of Environment, Forest & Climate Change,
Regional office (WCZ), Ground Floor, East Wing,
New Secretariat Building, Civil Lines, Nagpur.
Tel No. 0712 – 2531318
Email: moefregionalofficenagpur@gmail.com

Sub: Six Monthly (From April 2020 to September 2020) Compliance Report of Environmental Clearance issued by MoEF & CC, New Delhi.

Ref: You're Letter No. J - 11011/41/2015-IA-II (I) Date - 07.06.2019.

Dear Sir,

With reference to the abovementioned subject and your reference cited above. Please find enclosed herewith Six monthly (from April 2020 to September 2020) Compliance Report of Environmental Clearance issued by MoEF & CC, New Delhi vide letter no. J - 11011/41/2015-IA-II (I) Date – 07.06.2019.

We do hope that you will find the above information satisfactory. However, if you require additional information /clarification in this regard, kindly write back, so that we shall submit the information at the earliest.

Thanking You

Yours Faithfully,

FOR, SHRI GURUDATT SUGARS LTD.,

CHIEF EXECUTIVE OFFICER

Enclosed – Compliance Report

C.C to: 1. The Regional officer, MPC Board, Kolhapur.
2. The Sub - Regional officer, MPC Board, Kolhapur.

<p align="center">SHRI GURUDATT SUGARS LTD., Gat No. 61/A, Akiwat - Takaliwadi Road , Takaliwadi - 416108, Taluka - Shirol, Dist - Kolhapur, Maharashtra</p>		
<p align="center">Compliance of Conditions Stipulated in environmental clearance granted to expansion of Sugar Plant (From 6000 TCD to 13000 TCD), Co-generation Power Plant (From 21 MW to 90 MW), Distillery 150 KLPD & Refine Sugar 1755 TCD by MoEF & CC, New Delhi vide letter No. J - 11011/41/2015-IA-II (I) Date - 07/06/2019</p>		
EC No -	J - 11011/41/2015-IA-II (I) Date - 07/06/2019	
SR. NO.	EC Condition	Compliances
<p align="center">A) Terms And Condition</p>		
1	Prior approval shall be obtained from PESO for site and layout plan of storage facilities (Petroleum Storage Class A installation).	PA agreed to comply with.
2	Necessary permission as mandated under the water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, shall be obtained from the State Pollution Control Board as required.	MPCB was granted for 1st Consent to Operate for Distillery of having Cap. 75 KLPD by letter No. Format 1.0/CAC/UAN No. MPCB-CONSENT-0000083686/CO 2007000020 dt. 1/7/2020. Valid up to 31/08/2021.
3	As already committed by the project proponent. Zero Liquid Discharge shall be ensured and no waste / treated water shall be discharged outside the premises.	Now, out of total expansion is granted, we have commenced equipment commissioning activity for partially Distillery (Granted Capacity 150 KLLPD). We have start only equipment commissioning activity only distillery of cap. 75 KLPD out of 150 KLPD. The effluent of 675 m ³ /day from distillery will be sent to MEE + Incineration Boiler of Cap. 22 TPH. The plant will be based on Zero Liquid discharge system.
4	Necessary authorization required under the Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016 shall be obtained and the provision contained in the Rules shall be strictly adhered to.	PA agreed to comply with.
5	To control source and the fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and/or the NAAQS. The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.	Air pollution control system: ESP Stack Diameter: 4.1 m Stack Height: 82 m. - Now, We have installed of Distillery Cap. 75 KLPD with Incineration Boiler of Cap. 22 TPH of Stack Height 82 mtr. X Dia 4.1 mtr
6	Coal less than 0.5% sulphur content shall be used as fuel in boiler.	PA agreed to comply with.

7	Total fresh water requirement shall not exceed 760 cum/day proposed to be met from Krishna River. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard.	Ours is the first Sugar factory in Maharashtra, wherein, we run the entire industrial activity with treated and recycled condensates, which is accrued from cane and no fresh water is utilized, for sugar factory operation. We have installed Condensate Polishing Unit (C.P.U) for sugar factory excess condensate water treatment and recycled purpose. Annexure. Sugar 6000 TCD:738 m3/day [Source - cane Water] Cogeneration 21 MW: 667.25 m3/day [Source - CPU Treated water], And Distillery 75 KLPD : 313 m3/day [Source - Krishna River water]
8	Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm and the solvent transfer through pumps.	PA agreed to comply with.
9	Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TEDF.	PA agreed to comply with.
10	The company shall strictly comply with the rules and guidelines under Manufacture, storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.	PA agreed to comply with.
11	The company shall undertake waste minimization measures as below.	
	Metering and control of quantities of active ingredients to minimize waste.	PA agreed to comply with.
	Reuse of by-products from there process as raw materials or as raw material substitutes in other processes.	PA agreed to comply with.
	Use of automated filling to minimize spillage.	PA agreed to comply with.
	Use of Close Feed system into batch reactors.	PA agreed to comply with.
	Venting equipment through vapor recovery system.	PA agreed to comply with.
	Use of high pressure hoses for equipment cleaning to reduce wastewater generation.	PA agreed to comply with.
12	The green belt of 5-10 m width shall be developed in more than 33% of the total project area mainly along the plant periphery, in downward wind direction, and along road sides etc. Selection of the plant species shall be as per the CPCB guidelines in consultation with the State Forest Department.	We have already planted 4356 Nos of tree as site

13	All the commitments made regarding issues raised during the public Hearing/Consultation meeting shall be satisfactorily implemented.	PA agreed to comply with.
14	At least 0.75% of the total project cost shall be allocated for Corporate Environment Responsibility (CER) and item-wise details along with time bound action plan shall be prepared and submitted to the Ministry's Regional Office.	PA agreed to comply with.
15	For the DG sets, emission limits and the stack height shall be in conformity with the extant regulations and the CPCB guidelines. Acoustic enclosure shall be provided to DG set for controlling the noise pollution	PA agreed to comply with.
16	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms.	PA agreed to comply with.
17	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	PA agreed to comply with.
18	There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places.	PA agreed to comply with.
19	Storage of raw material shall be done either in silos or covered area to prevent dust pollution and other fugitive emissions.	PA agreed to comply with.
20	Continuous online (24 x 7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.	We have installed online monitoring system for incineration Boiler stack and flow meter with WEBCAM for Con. Spent wash storage lagoon.
21	CO2 generated from the process shall be bottled/made solid ice sold to authorized vendors.	PA agreed to comply with.
22	There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places.	PA agreed to comply with.

General Conditions		
1	The project authorities must strictly adhere to the stipulation made by the State Pollution Control Board (SPCB), State Government and /or any other statutory authority.	PA agreed to comply with.
2	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	PA agreed to comply with.
3	The location of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations each is installed in the upwind and downwind direction as well as where maximum ground level concentration are anticipated.	Complied. Ambient air quality monitoring is being carried out at three (03) location within the plant. PA submitted that the locations were decided in consultation with MPCB. As per the monitoring data, the ambient air quality levels found to be within prescribed limits.
4	The National Ambient Air Quality Emission Standard issued by the Ministry vide G.S.R. No. 826€ dated 16th November, 2009 shall be complied with.	Complied. Ambient air quality monitoring is being carried out at three (03) location within the plant. PA submitted that the locations were decided in consultation with MPCB. As per the monitoring data, the ambient air quality levels found to be within prescribed limits.
5	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	Complied. Acoustic enclosures have been provided. Green belt has been developed around the plant area. As per the monitoring data, the noise levels found to be within stipulated limits. The copy is enclosed as Annexure 4 .
6	The company shall harvest rainwater from the roof tops of the buildings to recharge ground water, and to utilize the same for different industrial operations within the plant.	Complied. Roof top harvesting has been provided for the sugar godowns. Two collection pits of capacities 2100 cu.m. and 1600 cu.m. have been provided for the storage of rain water.
7	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis.	Complied. Personnel protective equipment has been provided to workers. The report are enclosed as Annexure .

8	<p>The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, risk mitigation measures and public hearing shall be implemented.</p>	<p>Electrostatics Precipitator (E.S.P) with a stack of height 82 m will provide for Incineration boiler in Distillery of Cap. 75 KLPD. Also we will provide Effluent treatment plant (Condensate Polishing Unit). Treated effluent will use in the makeup of distillery cooling towers. Green belt has been provided. Environmental quality monitoring is being carried out. CSR works are being undertaken. Vermi composting is being carried out with the waste generated in the cane yard. Compost is being supplied to the farmers.</p>
9	<p>The company shall undertake all measures for improving socio-economic conditions of the surrounding area. CSR activities shall be undertaken by involving local villagers, administration and other stake holders. Also eco-developmental measures shall be undertaken for overall improvement for environment.</p>	<p>Complied</p>
10	<p>The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and climate change as well as the State Government along with the implementation schedule for all the condition stipulated herein. The funds do earmarked for environment management / pollution control measures shall not be diverted for any other purpose.</p>	<p>Complied. As per the details provided, PA earmarked an amount of 26 cores towards capital expenditure and Rs. 6.30 cores towards recurring expenditure for environmental protection measures.</p>
11	<p>A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad / Muncipal Corporation, Urban local Body and the local NGO, if any, from whom suggestion / representations, if any, were received while processing the proposal.</p>	<p>Copy of the environmental clearance submitted to Zilla Parishad, Kolhapur and Gram Panchayat, Takaliwadi on 14.06.2019, The copy is enclosed as Annexure.</p>
12	<p>The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including result of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF & CC, the respective Zonal office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.</p>	<p>Complied. However same has been uploaded to the company website.</p>

14	<p>The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF & CC by e-mail.</p>	<p>PA agreed to comply with.</p>
15	<p>The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB / Committee and may also be seen at Website of the Ministry at http://moef.nic.in. This shall be advertised within seven days from the date of issue of the clearance letter, atleast in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.</p>	<p>Advertisement regarding to grant of EC was made on 15.06.2019. The copy is enclosed as Annexure 7.</p>
16	<p>The Ministry reserve the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.</p>	<p>PA agreed to comply with.</p>
17	<p>The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules, 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules.</p>	<p>PA agreed to comply with.</p>

WATER BALANCE –SHRI GURUDATT SUGARS LTD.

	Water Source	Qty Available (m ³ /day)	UTILIZATION	Qty Required (m ³ /day)	Condensate Qty Used (m ³ /day)	Raw Water Requirement (m ³ /day)
SUGAR, CO-GEN. AND DISTILLERY IN OPERATION						
Number of Days 160	Sugar Condensate	3120	1. Fermenter Makeup	841	841	-
			2. Cooling Tower Makeup (Co-Gen)	720	720	-
			3. Other Uses (Sugar)	471	471	-
			4. Advanced WTP (Co-Gen)	432	432	-
			5. Distillation Column	240	240	-
			6. Boiler makeup(Distillery)	72	72	-
	Distillery Condensate & Spentleese	1500	1. Cooling Tower make-up (Dist.)	1080	1080	-
			2. Vacuum pump sealing (Dist.)	120	120	-
			3. Fermenter Makeup	300	300	
	Fresh Water		1. Domestic	30	-	30
			Net Raw Water Requirement			30
			FRESH WATER REQUIREMENT PER YEAR - CUM			4800

WATER BALANCE –SHRI GURUDATT SUGARS LTD.

	Water Source	Qty Available (m ³ /day)	UTILIZATION	Qty Required (m ³ /day)	Condensate Qty Used (m ³ /day)	Raw Water Requirement (m ³ /day)
CO-GEN. AND DISTILLERY IN OPERATION						
Number of Days 72	Fresh Water	2320	1. Fermenter Makeup	841		841
			2. Cooling Tower Makeup (Co-Gen)	720		720
			3. Advanced WTP (Co-Gen)	432		432
			4. Distillation Column	240		240
			5. Boiler makeup(Distillery)	72		72
						-
	Distillery Condensate & Spentleese	1500	1. Cooling Tower make-up (Dist.)	1080	1080	-
			2. Vacuum pump sealing (Dist.)	120	120	-
			3. Fermenter Makeup	300	300	
	Fresh Water		1. Domestic	15	-	15
			Net Fresh Water Requirement			2320
		FRESH WATER REQUIREMENT PER YEAR - CUM			167040	

WATER BALANCE –SHRI GURUDATT SUGARS LTD.						
	Water Source	Qty Available (m³/day)	UTILIZATION	Qty Required (m³/day)	Condensate Qty Used (m³/day)	Raw Water Requirement (m³/day)
DISTILLERY IN OPERATION						
Number of Days 68	Fresh Water	1163	1. Fermenter Makeup	841		841
			2. Distillation Column	240		240
			3. Boiler makeup(Distillery)	72		72
	Distillery Condensate & Spentleese	1500	1. Cooling Tower make-up (Dist.)	1080	1080	-
			2. Vacuum pump sealing (Dist.)	120	120	-
			3. Fermenter Makeup	300	300	
	Fresh Water		1. Domestic	10	-	10
			Net Fresh Water Requirement			1163
			FRESH WATER REQUIREMENT PER YEAR - CUM			79084
	GRAND TOTAL REQUIREMENT OF FRESH WATER PER YEAR				CUM	250924
	PERMISSION FOR FRESH WATER LIFTING PER YEAR				CUM	254000



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/1465A
M/s. M/s Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	18/08/2020
	LAB REFERENCE NO	HS/LAB/WA/173A
	DATE OF SAMPLING	12/08/2020
	DATE OF ANALYSIS	13/08/2020

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Well water sample	Shrusti Envirocare	---	Sujit Hegade

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	LIMITS IS 10500:2018	TEST METHOD
1	Odour	-	Agreeable	Agreeable	APHA 23 rd 2017, 2150 B
2	Colour	Hazen	1.10	< 5.00	APHA 23 rd 2017, 2120 C
3	pH	-	7.20	6.5 to 8.5	APHA 23 rd 2017, 4500-H ⁺ B
4	Electric Conductivity	µmhos/cm	182.00	Not Specified	APHA 23 rd 2017, 2510
5	Turbidity	NTU	0.50	< 1.00	APHA 23 rd 2017, 2130 B
6	Total Dissolved Solids	mg/lit	152.00	< 500.00	APHA 23 rd 2017, 2540 C
7	Chemical Oxygen Demand	mg/lit	9.00	Not Specified	APHA 23 rd 2017, 5220 C
8	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	3.50	Not Specified	APHA 23 rd 2017, 5210 B
9	Alkalinity as CaCO ₃	mg/lit	45.00	< 200.00	APHA 23 rd 2017, 2320 B
10	Total Hardness as CaCO ₃	mg/lit	75.00	< 200.00	APHA 23 rd 2017, 2340 C
11	Chlorides as Cl	mg/lit	32.00	< 250.00	APHA 23 rd 2017, 4500 Cl ⁻ B
12	Sulphates as SO ₄	mg/lit	25.00	< 200.00	APHA 23 rd 2017, 4500 SO ₄ E
13	Sodium as Na	mg/lit	5.42	Not Specified	APHA 23 rd 2017, 3500 Na B
14	Calcium as Ca	mg/lit	28.00	< 75.00	APHA 23 rd 2017, 3500 Ca B
15	Magnesium as Mg	mg/lit	17.20	< 30.00	APHA 23 rd 2017, 3500 Mg B
16	Iron as Fe	mg/lit	0.12	< 0.30	APHA 23 rd 2017, 3500 Fe B
17	Fluoride as F	mg/lit	0.23	< 1.00	APHA 23 rd 2017, 4500-F ⁻ D

For **HORIZON SERVICES**

M. N. Hegade

(LAB INCHARGE)



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/1465A
M/s. M/s Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	18/08/2020
	LAB REFERENCE NO	HS/LAB/WA/173A
	DATE OF SAMPLING	12/08/2020
	DATE OF ANALYSIS	13/08/2020

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Soil sample	Shrusti Envirocare	--	---

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT
01	pH (10 % Extract)	-	7.42
02	Ammonia as NH ₄	mg/kg	1.05
03	Available Nitrogen as N	%	6.95
04	Available Phosphorus as P	mg/kg	13.76
05	Nickel as Ni	mg/kg	6.35
06	Chloride as Cl ⁻	mg/kg	221.00
07	Sulphate as SO ₄ --	mg/kg	19.03
08	Cadmium as Cd	mg/kg	1.24
09	Chromium as Cr	mg/kg	1.15
10	Copper as Cu	mg/kg	5.31
11	Zinc as Zn	mg/kg	6.84

For **HORIZON SERVICES**

M. Nagarkar

(LAB INCHARGE)



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)
 Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.
 Lab OHSAS Approved

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
 • Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS M/s. M/s Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi, Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT NO	HS/LAB/WA/1610A
	REPORT DATE	10/12/2019
	LAB REFERENCE NO	HS/LAB/WA/762A
	DATE OF SAMPLING	05/12/2019
	DATE OF ANALYSIS	06/12/2019

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Well water sample	Shrusti Envirocare	---	Sujit Hegade

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	LIMITS IS 10500:2012	TEST METHOD
1	Odour	-	Agreeable	Agreeable	APHA 23 rd 2017, 2150 B
2	Colour	Hazen	1.10	< 5.00	APHA 23 rd 2017, 2120 C
3	pH	-	7.18	6.5 to 8.5	APHA 23 rd 2017, 4500-H ⁺ B
4	Electric Conductivity	µmhos/cm	170.00	Not Specified	APHA 23 rd 2017, 2510
5	Turbidity	NTU	0.72	< 1.00	APHA 23 rd 2017, 2130 B
6	Total Dissolved Solids	mg/lit	145.00	< 500.00	APHA 23 rd 2017, 2540 C
7	Chemical Oxygen Demand	mg/lit	10.00	Not Specified	APHA 23 rd 2017, 5220 C
8	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	4.00	Not Specified	APHA 23 rd 2017, 5210 B
9	Alkalinity as CaCO ₃	mg/lit	48.00	< 200.00	APHA 23 rd 2017, 2320 B
10	Total Hardness as CaCO ₃	mg/lit	72.00	< 200.00	APHA 23 rd 2017, 2340 C
11	Chlorides as Cl	mg/lit	36.00	< 250.00	APHA 23 rd 2017, 4500 Cl ⁻ B
12	Sulphates as SO ₄	mg/lit	28.00	< 200.00	APHA 23 rd 2017, 4500 SO ₄ E
13	Sodium as Na	mg/lit	8.00	Not Specified	APHA 23 rd 2017, 3500 Na B
14	Calcium as Ca	mg/lit	24.00	< 75.00	APHA 23 rd 2017, 3500 Ca B
15	Magnesium as Mg	mg/lit	14.60	< 30.00	APHA 23 rd 2017, 3500 Mg B
16	Iron as Fe	mg/lit	0.10	< 0.30	APHA 23 rd 2017, 3500 Fe B
17	Fluoride as F	mg/lit	0.25	< 1.00	APHA 23 rd 2017, 4500-F ⁻ D

For HORIZON SERVICES

M. N. A. G. K. A.
 (LAB INCHARGE)





Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)
 Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.
 Lab OHSAS Approved

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
 • Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS M/s. M/s Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT NO	HS/LAB/WA/1610A
	REPORT DATE	10/12/2019
	LAB REFERENCE NO	HS/LAB/WA/762A
	DATE OF SAMPLING	05/12/2019
	DATE OF ANALYSIS	06/12/2019

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Soil sample	Shrusti Envirocare	---	Hegade

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT
01	pH (10 % Extract)	-	7.32
02	Ammonia as NH ₄	mg/kg	1.00
03	Available Nitrogen as N	%	7.12
04	Available Phosphorus as P	mg/kg	14.10
05	Nickel as Ni	mg/kg	6.20
06	Chloride as Cl ⁻	mg/kg	218.00
07	Sulphate as SO ₄ ⁻⁻	mg/kg	18.60
08	Cadmium as Cd	mg/kg	1.02
09	Chromium as Cr	mg/kg	1.08
10	Copper as Cu	mg/kg	5.10
11	Zinc as Zn	mg/kg	7.15

For HORIZON SERVICES

(LAB INCHARGE)





Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)
 Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.
 Lab OHSAS Approved

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
 • Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS M/s. M/s Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT NO	HS/LAB/WA/1608A
	REPORT DATE	10/12/2019
	LAB REFERENCE NO	HS/LAB/WA/760A
	DATE OF SAMPLING	05/12/2019
	DATE OF ANALYSIS	06/12/2019

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Waste-water sample	Shrusti Envirocare	Treated	ETP

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	MPCB LIMITS	TEST METHOD
1	pH	---	7.25	5.5 to 9.0	APHA 23 rd 2017, 4500-H ⁺ B
2	Total Suspended Solids	mg/lit	36.00	< 100.0	APHA 23 rd 2017, 2540 D
3	Total Dissolved Solids	mg/lit	1208.00	< 2100.0	APHA 23 rd 2017, 2540 C
4	Chemical Oxygen Demand	mg/lit	182.00	< 250.0	APHA 23 rd 2017, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	56.00	< 100.0	IS-3025 (Part 44)-1993 R-2003
6	Chlorides as Cl ⁻	mg/lit	301.00	<600.0	APHA 23 rd 2017, 4500 Cl ⁻ B
7	Sulphates as SO ₄ ⁻⁻	mg/lit	562.00	< 1000.0	APHA 23 rd 2017, 4500 SO ₄ E
8	Oil & Grease	mg/lit	1.20	< 10.0	APHA 23 rd 2017, 5520 B
9	Dissolved Oxygen	mg/lit	3.00	Not Specified	APHA 23 rd 2017, 5210 B

For HORIZON SERVICES

M. Naigalkar
 (LAB INCHARGE)





WTP

Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)
 Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.
 Lab OHSAS Approved

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
 • Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

ULR No.	: TC70641900001606AF/1
Dated	: 10/12/2019
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	05/12/2019		
02	TEST LOCATION		Near Factory Main Gate		
03	TIME OF SAMPLING	Hrs	09:20		
04	TEMPERATURE (Max./Min)	Deg C	32/20		
05	RELATIVE HUMIDITY	% RH	52		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	68.47	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	28.74	≤60	CPCB Guidelines Volume - I Pg. No.15
09	SO ₂	µg/m ³	6.24	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	27.0	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM - ADS 2.5µ/10µ Sr. No. 12312	PICS/F/ADS/12-18/15	15/12/2018	14/12/2019
2	Respirable Dust Sampler; Sr. No 4	TECH/CAL/2019/J UN.1C/7	10/06/2019	09/06/2020

NAAQS - National Ambient Air Quality Standards (2009)

M. N. Agarkar
 For HORIZON SERVICES





Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)
 Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.
 Lab OHSAS Approved

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
 • Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

ULR No.	: TC70641900001606AF/2
Dated	: 10/12/2019
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	05/12/2019		
02	TEST LOCATION		Near Weigh Bridge		
03	TIME OF SAMPLING	Hrs	09:30		
04	TEMPERATURE (Max./Min)	Deg C	32/20		
05	RELATIVE HUMIDITY	% RH	52		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	74.63	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	29.99	≤60	CPCB Guidelines Volume - I Pg. No.15
09	SO ₂	µg/m ³	8.74	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	30.17	≤80	IS 5182(part 8),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM - ADS 2.5µ/10µ Sr. No. 21914	PICS/F/ADS/03-18/04	5/03/2019	04/03/2020
2	Respirable Dust Sampler; Sr. No.2	TECH/CAL/2019/J UN.1C/3	10/06/2019	09/06/2020

NAAQS - National Ambient Air Quality Standards (2009)

For HORIZON SERVICES

mn ajeerka





Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)
 Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.
 Lab OHSAS Approved

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
 • Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

ULR No.	:TC70641900001606AF/3
Dated	: 10/12/2019
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE


RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	05/12/2019		
02	TEST LOCATION		Near ETP		
03	TIME OF SAMPLING	Hrs	09:40		
04	TEMPERATURE (Max./Min)	Deg C	32/20		
05	RELATIVE HUMIDITY	% RH	52		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	64.13	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	24.99	≤60	CPCB Guidelines Volume - I Pg. No.15
09	SO ₂	µg/m ³	7.35	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	25.40	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No. 11912	PICS/F/ADS/12-17/11	14/12/2018	13/12/2019
2	Respirable Dust Sampler; Sr. No. 5	TECH/CAL/2019/J UN.1C/9	10/06/2019	09/06/2020

NAAQS – National Ambient Air Quality Standards (2009)

M. N. Agarkar
 For HORIZON SERVICES




Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)
 Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.
 Lab OHSAS Approved

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
 • Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

NOISE LEVEL MONITORING REPORT

ULR No.	: TC70641900001606AF/4
Dated	: 10/12/2019
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE
Date of Sampling.	: 05/12/2019

RESULTS

SR. NO.	TEST LOCATION	UNIT	DAY TIME READINGS	NIGHT TIME READINGS
01	Near Main Gate	dB (A)	67.1	64.2
02	Near Boiler	dB (A)	74.2	68.0
03	Near ETP Area	dB (A)	67.9	65.2
04	Near Sugar Godown	dB (A)	64.2	63.1
05	Near Laboratory	dB (A)	61.2	59.0
06	Near Mill House	dB (A)	73.8	68.4
07	Near Pan Section	dB (A)	74.0	68.6
08	Near Sugar Plant	dB (A)	74.4	68.3
09	Near Weigh Bridge	dB (A)	68.3	67.2
10	Near Centrifugal	dB (A)	73.2	67.5

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	Digital Sound level meter Lutron -SL.4030 Q623367	Tech/CAL/2018/DB /1	21/02/2019	20/02/2020

Limits:

Peripheral Area ≤75 dB (A) For Day Time
 ≤70 dB (A) For Night Time

In plant 90 dB (A)

For HORIZON SERVICES





Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

ULR No.	:TC70641900001578F/1
Dated	: 06/12/2019
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS OF ANALYSIS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	Methods Used
01	DATE OF SAMPLING	DD/MM/YY	05/12/2019		
02	TEST LOCATION		Boiler 1 & 2 (Capacity-70 MT/Hr & 40 MT/Hr)		
03	TIME OF SAMPLING (00.00)	Hrs	10:30		
04	MATERIAL OF STACK		-		
05	STACK HEIGHT	Mtr	65		
06	TYPE OF STACK		Round		
07	FLUE GAS TEMPERATURE	Deg C	136		
08	VELOCITY	M/Sec	5.73		
09	DIAMETER OF STACK	M	3.43		
10	GAS VOLUME	Nm ³ /Hr	148037.98		
11	TPM	mg/Nm ³	46.0	As per Consent	IS 11255 (Part 1)
12	SO ₂	Kg/Day	0.10	As per Consent	IS 11255 (Part2)

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM-SMK 10B, Sr. No.7614	PICS/F/SMK/06-18/01	09/06/2019	08/06/2020

M. Mangalika

For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/18-19/3175A/1
Dated	: 16/03/2020
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	10/03/2020		
02	TEST LOCATION		Near Factory Main Gate		
03	TIME OF SAMPLING	Hrs	09:20		
04	TEMPERATURE (Max./Min)	Deg C	31/20		
05	RELATIVE HUMIDITY	% RH	46		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	70.48	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	32.41	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	9.91	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	31.25	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No. 4411	PICS/F/ADS/09-19/32	21/09/2019	20/09/2020
2	Respirable Dust Sampler; Sr. No 4	TECH/CAL/2019/J UN.1C/7	10/06/2019	09/06/2020

NAAQS – National Ambient Air Quality Standards (2009)



For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/18-19/3175A/2
Dated	: 16/03/2020
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	10/03/2020		
02	TEST LOCATION		Near Weigh Bridge		
03	TIME OF SAMPLING	Hrs	09:30		
04	TEMPERATURE (Max./Min)	Deg C	31/20		
05	RELATIVE HUMIDITY	% RH	46		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	78.16	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	35.10	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	11.10	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	32.44	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No 16113	PICS/F/ADS/09-19/33	21/09/2019	20/09/2020
2	Respirable Dust Sampler; Sr. No. 5	TECH/CAL/2019/J UN.1C/9	10/06/2019	09/06/2020

NAAQS – National Ambient Air Quality Standards (2009)



For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/18-19/3175A/3
Dated	: 16/03/2020
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	10/03/2020		
02	TEST LOCATION		Near ETP		
03	TIME OF SAMPLING	Hrs	09:40		
04	TEMPERATURE (Max./Min)	Deg C	31/20		
05	RELATIVE HUMIDITY	% RH	46		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	71.67	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	31.42	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	9.59	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	30.55	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No. 2515	PICS/F/ADS/06-19/05	07/06/2019	06/06/2020
2	Respirable Dust Sampler; Sr. No.10	TECH/CAL/2019M Y.1A/2	16/05/2019	15/05/2020

NAAQS – National Ambient Air Quality Standards (2009)



For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

Report No.	: HS/REP/18-19/3175A/4
Dated	: 16/03/2020
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS OF ANALYSIS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	METHODS USED
01	DATE OF SAMPLING	DD/MM/YY	10/03/2020		
02	TEST LOCATION		Boiler 1 & 2 (Capacity-70 MT/Hr & 40 MT/Hr)		
03	TIME OF SAMPLING (00.00)	Hrs	11:30		
04	MATERIAL OF STACK		-		
05	STACK HEIGHT	Mtr	65		
06	TYPE OF STACK		Round		
07	FLUE GAS TEMPERATURE	Deg C	144		
08	VELOCITY	M/Sec	5.7		
09	DIAMETER OF STACK	M	3.43		
10	GAS VOLUME	Nm ³ /Hr	1.35159.82		
11	TPM	mg/Nm ³	45.49	As per Consent	IS 11255 (Part 1)
12	SO ₂	Kg/Day	0.14	As per Consent	IS 11255 (Part2)

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM-SMK 10B, Sr. No.7614	PICS/F/SMK/06-18/01	09/06/2019	08/06/2020



For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

NOISE LEVEL MONITORING REPORT

Report No.	: HS/REP/18-19/3175A/5
Dated	: 16/03/2020
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE
Date of Sampling.	: 10/03/2020

RESULTS

SR. NO.	TEST LOCATION	UNIT	DAY TIME READINGS	NIGHT TIME READINGS
01	Near Main Gate	dB (A)	67.6	64.4
02	Near Boiler	dB (A)	73.0	67.9
03	Near ETP Area	dB (A)	70.7	67.5
04	Near Sugar Godown	dB (A)	68.7	64.0
05	Near Laboratory	dB (A)	64.6	62.0
06	Near Mill House	dB (A)	72.8	68.2
07	Near Pan Section	dB (A)	69.9	67.1
08	Near Sugar Plant	dB (A)	72.5	66.4
09	Near Weigh Bridge	dB (A)	72.8	68.9
10	Near Centrifugal	dB (A)	70.0	67.8

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	Digital Sound level meter Lutron -SL.4001SR.Q622510	TECH/CAL/2020/F. DB/2	20/02/2020	19/02/2021

Limits:

Peripheral Area ≤75 dB (A) For Day Time
≤70 dB (A) For Night Time
In plant 90 dB (A)



For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/18-19/2193A/1
Dated	: 13/02/2020
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	07/02/2020		
02	TEST LOCATION		Near Factory Main Gate		
03	TIME OF SAMPLING	Hrs	09:20		
04	TEMPERATURE (Max./Min)	Deg C	30/19		
05	RELATIVE HUMIDITY	% RH	43		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	72.27	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	29.71	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	9.78	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	30.41	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No 16113	PICS/F/ADS/09-19/33	21/09/2019	20/09/2020
2	Respirable Dust Sampler; Sr. No. 5	TECH/CAL/2019/J UN.1C/9	10/06/2019	09/06/2020

NAAQS – National Ambient Air Quality Standards (2009)



For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/18-19/2193A/2
Dated	: 13/02/2020
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	07/02/2020		
02	TEST LOCATION		Near Weigh Bridge		
03	TIME OF SAMPLING	Hrs	09:30		
04	TEMPERATURE (Max./Min)	Deg C	30/19		
05	RELATIVE HUMIDITY	% RH	43		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	76.64	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	33.59	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	10.13	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	32.27	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No. 21914	PICS/F/ADS/03-18/04	05/03/2019	04/03/2020
2	Respirable Dust Sampler; Sr. No.2	TECH/CAL/2019/J UN.1C/3	10/06/2019	09/06/2020

NAAQS – National Ambient Air Quality Standards (2009)



For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/18-19/2193A/3
Dated	: 13/02/2020
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	07/02/2020		
02	TEST LOCATION		Near ETP		
03	TIME OF SAMPLING	Hrs	09:40		
04	TEMPERATURE (Max./Min)	Deg C	30/19		
05	RELATIVE HUMIDITY	% RH	43		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	75.88	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	34.65	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	10.41	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	31.15	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No 16113	PICS/F/ADS/09-19/33	21/09/2019	20/09/2020
2	Respirable Dust Sampler; Sr. No. 5	TECH/CAL/2019/J UN.1C/9	10/06/2019	09/06/2020

NAAQS – National Ambient Air Quality Standards (2009)



For HORIZON SERVICES



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

Report No.	: HS/REP/18-19/2193A/4
Dated	: 13/02/2020
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS OF ANALYSIS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	METHODS USED
01	DATE OF SAMPLING	DD/MM/YY	07/02/2020		
02	TEST LOCATION		Boiler 1 & 2 (Capacity-70 MT/Hr & 40 MT/Hr)		
03	TIME OF SAMPLING (00.00)	Hrs	11:30		
04	MATERIAL OF STACK		-		
05	STACK HEIGHT	Mtr	65		
06	TYPE OF STACK		Round		
07	FLUE GAS TEMPERATURE	Deg C	137		
08	VELOCITY	M/Sec	6.1		
09	DIAMETER OF STACK	M	3.43		
10	GAS VOLUME	Nm ³ /Hr	147114.26		
11	TPM	mg/Nm ³	48.64	As per Consent	IS 11255 (Part 1)
12	SO ₂	Kg/Day	0.16	As per Consent	IS 11255 (Part2)

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM-SMK 10B, Sr. No.7614	PICS/F/SMK/06-18/01	09/06/2019	08/06/2020



For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

NOISE LEVEL MONITORING REPORT

Report No.	: HS/REP/18-19/2193A/5
Dated	: 13/02/2020
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE
Date of Sampling.	: 07/02/2020

RESULTS


SR. NO.	TEST LOCATION	UNIT	DAY TIME READINGS	NIGHT TIME READINGS
01	Near Main Gate	dB (A)	66.9	65.1
02	Near Boiler	dB (A)	72.5	68.4
03	Near ETP Area	dB (A)	71.7	67.9
04	Near Sugar Godown	dB (A)	65.8	62.7
05	Near Laboratory	dB (A)	66.2	61.9
06	Near Mill House	dB (A)	70.1	67.1
07	Near Pan Section	dB (A)	68.8	64.8
08	Near Sugar Plant	dB (A)	71.7	67.5
09	Near Weigh Bridge	dB (A)	70.1	66.3
10	Near Centrifugal	dB (A)	71.0	68.7

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	Digital Sound level meter Lutron -SL.4030 Q623367	TECH/CAL/2019/D B/1	21/02/2019	20/02/2020

Limits:

Peripheral Area ≤75 dB (A) For Day Time
≤70 dB (A) For Night Time
In plant 90 dB (A)



For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/18-19/1799A/1
Dated	: 09/01/2020
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	03/01/2020		
02	TEST LOCATION		Near Factory Main Gate		
03	TIME OF SAMPLING	Hrs	09:20		
04	TEMPERATURE (Max./Min)	Deg C	30/21		
05	RELATIVE HUMIDITY	% RH	50		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	69.75	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	31.11	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	8.68	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	29.17	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No. 21914	PICS/F/ADS/03-19/24	28/02/2019	27/02/2020
2	Respirable Dust Sampler; Sr. No 4	TECH/CAL/2019/J UN.1C/7	10/06/2019	09/06/2020

NAAQS – National Ambient Air Quality Standards (2009)



For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/18-19/1799A/2
Dated	: 09/01/2020
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	03/01/2020		
02	TEST LOCATION		Near Weigh Bridge		
03	TIME OF SAMPLING	Hrs	09:30		
04	TEMPERATURE (Max./Min)	Deg C	30/21		
05	RELATIVE HUMIDITY	% RH	50		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	73.50	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	31.45	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	9.45	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	31.22	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No. 11912	PICS/F/ADS/12-19/13	18/12/2019	17/12/2020
2	Respirable Dust Sampler; Sr. No.2	TECH/CAL/2019/J UN.1C/3	10/06/2019	09/06/2020

NAAQS – National Ambient Air Quality Standards (2009)



For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/18-19/1799A/3
Dated	: 09/01/2020
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	03/01/2020		
02	TEST LOCATION		Near ETP		
03	TIME OF SAMPLING	Hrs	09:40		
04	TEMPERATURE (Max./Min)	Deg C	30/21		
05	RELATIVE HUMIDITY	% RH	50		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	69.42	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	31.11	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	9.53	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	28.19	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No 16113	PICS/F/ADS/09-19/33	21/09/2019	20/09/2020
2	Respirable Dust Sampler; Sr. No. 5	TECH/CAL/2019/J UN.1C/9	10/06/2019	09/06/2020

NAAQS – National Ambient Air Quality Standards (2009)



For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

Report No.	: HS/REP/18-19/1799A/4
Dated	: 09/01/2020
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS OF ANALYSIS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	METHODS USED
01	DATE OF SAMPLING	DD/MM/YY	03/01/2020		
02	TEST LOCATION		Boiler 1 & 2 (Capacity-70 MT/Hr & 40 MT/Hr)		
03	TIME OF SAMPLING (00.00)	Hrs	11:30		
04	MATERIAL OF STACK		-		
05	STACK HEIGHT	Mtr	65		
06	TYPE OF STACK		Round		
07	FLUE GAS TEMPERATURE	Deg C	141		
08	VELOCITY	M/Sec	5.91		
09	DIAMETER OF STACK	M	3.43		
10	GAS VOLUME	Nm ³ /Hr	141154.89		
11	TPM	mg/Nm ³	47.21	As per Consent	IS 11255 (Part 1)
12	SO ₂	Kg/Day	0.12	As per Consent	IS 11255 (Part2)

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM-SMK 10B, Sr. No.7614	PICS/F/SMK/06-18/01	09/06/2019	08/06/2020



For HORIZON SERVICES



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

NOISE LEVEL MONITORING REPORT

Report No.	: HS/REP/18-19/1799A/5
Dated	: 09/01/2020
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE
Date of Sampling.	: 03/01/2020

RESULTS

SR. NO.	TEST LOCATION	UNIT	DAY TIME READINGS	NIGHT TIME READINGS
01	Near Main Gate	dB (A)	67.5	66.0
02	Near Boiler	dB (A)	71.6	69.2
03	Near ETP Area	dB (A)	70.7	66.1
04	Near Sugar Godown	dB (A)	66.8	64.2
05	Near Laboratory	dB (A)	65.4	62.0
06	Near Mill House	dB (A)	72.1	67.6
07	Near Pan Section	dB (A)	69.8	65.4
08	Near Sugar Plant	dB (A)	73.9	66.8
09	Near Weigh Bridge	dB (A)	69.9	67.2
10	Near Centrifugal	dB (A)	70.1	65.3

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	Digital Sound level meter Lutron -SL.4030 Q623367	TECH/CAL/2019/D B/1	21/02/2019	20/02/2020

Limits:

Peripheral Area ≤ 75 dB (A) For Day Time

≤ 70 dB (A) For Night Time

In plant 90 dB (A)



For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/1803A
M/s. M/s Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	09/01/2020
	LAB REFERENCE NO	HS/LAB/WA/856A
	DATE OF SAMPLING	03/01/2020
	DATE OF ANALYSIS	04/01/2020

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Waste-water sample	Shrusti Envirocare	Untreated	ETP

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	TEST METHOD
1	pH	---	4.10	APHA 23 rd 2017, 4500-H ⁺ B
2	Total Suspended Solids	mg/lit	417.00	APHA 23 rd 2017, 2540 D
3	Total Dissolved Solids	mg/lit	2790.00	APHA 23 rd 2017, 2540 C
4	Chemical Oxygen Demand	mg/lit	2845.00	APHA 23 rd 2017, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	870.00	IS-3025 (Part 44) 2003
6	Chlorides as Cl ⁻	mg/lit	573.00	APHA 23 rd 2017, 4500 Cl ⁻ B
7	Sulphates as SO ₄ ⁻⁻	mg/lit	971.00	APHA 23 rd 2017, 4500 SO ₄ E
8	Oil & Grease	mg/lit	14.20	APHA 23 rd 2017, 5520 B
9	Dissolved Oxygen	mg/lit	1.11	APHA 23 rd 2017, 5210 B

For **HORIZON SERVICES**

M. N. Angalra

(LAB INCHARGE)



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/1803A
M/s. M/s Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	09/01/2020
	LAB REFERENCE NO	HS/LAB/WA/856A
	DATE OF SAMPLING	03/01/2020
	DATE OF ANALYSIS	04/01/2020

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Waste-water sample	Shrusti Envirocare	Treated	ETP

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	MPCB LIMITS	TEST METHOD
1	pH	---	6.80	5.5 to 9.0	APHA 23 rd 2017, 4500-H ⁺ B
2	Total Suspended Solids	mg/lit	73.00	< 100.0	APHA 23 rd 2017, 2540 D
3	Total Dissolved Solids	mg/lit	1845.00	< 2100.0	APHA 23 rd 2017, 2540 C
4	Chemical Oxygen Demand	mg/lit	215.00	< 250.0	APHA 23 rd 2017, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	72.80	< 100.0	IS-3025 (Part 44) 2003
6	Chlorides as Cl ⁻	mg/lit	567.00	<600.0	APHA 23 rd 2017, 4500 Cl ⁻ B
7	Sulphates as SO ₄ ⁻⁻	mg/lit	876.00	< 1000.0	APHA 23 rd 2017, 4500 SO ₄ E
8	Oil & Grease	mg/lit	3.40	< 10.0	APHA 23 rd 2017, 5520 B
9	Dissolved Oxygen	mg/lit	2.81	Not Specified	APHA 23 rd 2017, 5210 B

For **HORIZON SERVICES**

M. N. G. K. K.

(LAB INCHARGE)



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/2193A
M/s. M/s Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	13/02/2020
	LAB REFERENCE NO	HS/LAB/WA/968A
	DATE OF SAMPLING	07/02/2020
	DATE OF ANALYSIS	08/02/2020

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Waste-water sample	Shrusti Envirocare	Untreated	ETP

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	TEST METHOD
1	pH	---	4.70	APHA 23 rd 2017, 4500-H ⁺ B
2	Total Suspended Solids	mg/lit	381.00	APHA 23 rd 2017, 2540 D
3	Total Dissolved Solids	mg/lit	2876.00	APHA 23 rd 2017, 2540 C
4	Chemical Oxygen Demand	mg/lit	2675.00	APHA 23 rd 2017, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	824.00	IS-3025 (Part 44) 2003
6	Chlorides as Cl ⁻	mg/lit	715.00	APHA 23 rd 2017, 4500 Cl ⁻ B
7	Sulphates as SO ₄ ⁻⁻	mg/lit	873.00	APHA 23 rd 2017, 4500 SO ₄ E
8	Oil & Grease	mg/lit	14.20	APHA 23 rd 2017, 5520 B
9	Dissolved Oxygen	mg/lit	1.18	APHA 23 rd 2017, 5210 B

For **HORIZON SERVICES**

Manojkumar

(LAB INCHARGE)



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/2193A
M/s. M/s Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	13/02/2020
	LAB REFERENCE NO	HS/LAB/WA/968A
	DATE OF SAMPLING	07/02/2020
	DATE OF ANALYSIS	08/02/2020

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Waste-water sample	Shrusti Envirocare	Treated	ETP

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	MPCB LIMITS	TEST METHOD
1	pH	---	7.25	5.5 to 9.0	APHA 23 rd 2017, 4500-H ⁺ B
2	Total Suspended Solids	mg/lit	65.00	< 100.0	APHA 23 rd 2017, 2540 D
3	Total Dissolved Solids	mg/lit	1643.00	< 2100.0	APHA 23 rd 2017, 2540 C
4	Chemical Oxygen Demand	mg/lit	194.00	< 250.0	APHA 23 rd 2017, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	71.00	< 100.0	IS-3025 (Part 44) 2003
6	Chlorides as Cl ⁻	mg/lit	437.00	<600.0	APHA 23 rd 2017, 4500 Cl ⁻ B
7	Sulphates as SO ₄ ⁻⁻	mg/lit	604.00	< 1000.0	APHA 23 rd 2017, 4500 SO ₄ E
8	Oil & Grease	mg/lit	2.40	< 10.0	APHA 23 rd 2017, 5520 B
9	Dissolved Oxygen	mg/lit	2.77	Not Specified	APHA 23 rd 2017, 5210 B

For **HORIZON SERVICES**

M. Mangalika

(LAB INCHARGE)



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/3164A
M/s. M/s Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	16/03/2020
	LAB REFERENCE NO	HS/LAB/WA/1088A
	DATE OF SAMPLING	10/03/2020
	DATE OF ANALYSIS	11/03/2020

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Waste-water sample	Shrusti Envirocare	Untreated	ETP

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	TEST METHOD
1	pH	---	4.18	APHA 23 rd 2017, 4500-H ⁺ B
2	Total Suspended Solids	mg/lit	377.00	APHA 23 rd 2017, 2540 D
3	Total Dissolved Solids	mg/lit	2715.00	APHA 23 rd 2017, 2540 C
4	Chemical Oxygen Demand	mg/lit	2893.00	APHA 23 rd 2017, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	927.00	IS-3025 (Part 44) 2003
6	Chlorides as Cl ⁻	mg/lit	782.00	APHA 23 rd 2017, 4500 Cl ⁻ B
7	Sulphates as SO ₄ ⁻⁻	mg/lit	918.00	APHA 23 rd 2017, 4500 SO ₄ E
8	Oil & Grease	mg/lit	14.10	APHA 23 rd 2017, 5520 B
9	Dissolved Oxygen	mg/lit	1.27	APHA 23 rd 2017, 5210 B

For **HORIZON SERVICES**

Manojkumar

(LAB INCHARGE)



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/3164A
M/s. M/s Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	16/03/2020
	LAB REFERENCE NO	HS/LAB/WA/1088A
	DATE OF SAMPLING	10/03/2020
	DATE OF ANALYSIS	11/03/2020

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Waste-water sample	Shrusti Envirocare	Treated	ETP

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	MPCB LIMITS	TEST METHOD
1	pH	---	7.25	5.5 to 9.0	APHA 23 rd 2017, 4500-H ⁺ B
2	Total Suspended Solids	mg/lit	76.00	< 100.0	APHA 23 rd 2017, 2540 D
3	Total Dissolved Solids	mg/lit	1656.00	< 2100.0	APHA 23 rd 2017, 2540 C
4	Chemical Oxygen Demand	mg/lit	207.00	< 250.0	APHA 23 rd 2017, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	68.00	< 100.0	IS-3025 (Part 44) 2003
6	Chlorides as Cl ⁻	mg/lit	478.00	<600.0	APHA 23 rd 2017, 4500 Cl ⁻ B
7	Sulphates as SO ₄ ⁻⁻	mg/lit	705.00	< 1000.0	APHA 23 rd 2017, 4500 SO ₄ E
8	Oil & Grease	mg/lit	3.40	< 10.0	APHA 23 rd 2017, 5520 B
9	Dissolved Oxygen	mg/lit	2.88	Not Specified	APHA 23 rd 2017, 5210 B

For **HORIZON SERVICES**

M. N. Angalika

(LAB INCHARGE)



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/3164A
M/s. M/s Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	16/03/2020
	LAB REFERENCE NO	HS/LAB/WA/1088A
	DATE OF SAMPLING	10/03/2020
	DATE OF ANALYSIS	11/03/2020

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Well water sample	Shrusti Envirocare	---	Sujit Hegade

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	LIMITS IS 10500:2012	TEST METHOD
1	Odour	-	Agreeable	Agreeable	APHA 23 rd 2017, 2150 B
2	Colour	Hazen	1.14	< 5.00	APHA 23 rd 2017, 2120 C
3	pH	-	7.18	6.5 to 8.5	APHA 23 rd 2017, 4500-H ⁺ B
4	Electric Conductivity	µmhos/cm	128.00	Not Specified	APHA 23 rd 2017, 2510
5	Turbidity	NTU	0.72	< 1.00	APHA 23 rd 2017, 2130 B
6	Total Dissolved Solids	mg/lit	165.20	< 500.00	APHA 23 rd 2017, 2540 C
7	Chemical Oxygen Demand	mg/lit	10.00	Not Specified	APHA 23 rd 2017, 5220 C
8	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	4.00	Not Specified	APHA 23 rd 2017, 5210 B
9	Alkalinity as CaCO ₃	mg/lit	48.00	< 200.00	APHA 23 rd 2017, 2320 B
10	Total Hardness as CaCO ₃	mg/lit	72.00	< 200.00	APHA 23 rd 2017, 2340 C
11	Chlorides as Cl	mg/lit	36.00	< 250.00	APHA 23 rd 2017, 4500 Cl ⁻ B
12	Sulphates as SO ₄	mg/lit	28.00	< 200.00	APHA 23 rd 2017, 4500 SO ₄ E
13	Sodium as Na	mg/lit	6.12	Not Specified	APHA 23 rd 2017, 3500 Na B
14	Calcium as Ca	mg/lit	24.00	< 75.00	APHA 23 rd 2017, 3500 Ca B
15	Magnesium as Mg	mg/lit	14.60	< 30.00	APHA 23 rd 2017, 3500 Mg B
16	Iron as Fe	mg/lit	0.10	< 0.30	APHA 23 rd 2017, 3500 Fe B
17	Fluoride as F	mg/lit	0.25	< 1.00	APHA 23 rd 2017, 4500-F ⁻ D

For **HORIZON SERVICES**

M. Nagarkar

(LAB INCHARGE)



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)
Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/3164A
M/s. M/s Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	16/03/2020
	LAB REFERENCE NO	HS/LAB/WA/1088A
	DATE OF SAMPLING	10/03/2020
	DATE OF ANALYSIS	11/03/2020

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Soil sample	Shrusti Envirocare	--	Gondu Bhokare

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT
01	pH (10 % Extract)	-	7.32
02	Ammonia as NH ₄	mg/kg	1.00
03	Available Nitrogen as N	%	7.12
04	Available Phosphorus as P	mg/kg	14.10
05	Nickel as Ni	mg/kg	6.20
06	Chloride as Cl ⁻	mg/kg	218.00
07	Sulphate as SO ₄ --	mg/kg	18.60
08	Cadmium as Cd	mg/kg	1.02
09	Chromium as Cr	mg/kg	1.08
10	Copper as Cu	mg/kg	5.10
11	Zinc as Zn	mg/kg	7.15

For **HORIZON SERVICES**

M. Nagarkar

(LAB INCHARGE)



SHRI GURUDATT SUGARS LTD., Takaliwadi

ADD.: Gat No. : 61 / A, Akiwat Takaliwadi Road, Takaliwadi Tal.- Shirol Dist - Kolhapur (MH) Pin Code : 416 108
PHONE : +91 231 2686086 | FAX : +91 231 2686000 | WEBSITE : www.sgsl.co.in | Email : gslsugars@gmail.com

SGSL/ 18) /2019-2020

Date – June 12,2019

To,
The Regional Officer,
Ministry of Environment, Forest & Climate Change,
Regional office (WCZ), Ground Floor, East Wing,
New Secretariat Building, Civil Lines, Nagpur.
Tel No. 0712 – 2531318
Email: moefregionalofficenagpur@gmail.com

Sub: Submission of Environmental Clearance copy for Shri Gurudatt Sugars Ltd., Gat No. 61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal – Shirol, Dist – Kolhapur, Maharashtra – 416108

Ref: MOEF Letter No. F. No. J-11011/41/2015-IA-II(I) Date – 07.06.2019.

Dear Sir,

With reference to the abovementioned subject, we are submitting here with Environmental Clearance Copy of Sugar 4900 TCD to 13000 TCD, Cogeneration 21 MW to 90 MW, Distillery 150 KLPD & Refine Sugar 1755 TCD at Gat No. 61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal – Shirol, Dist – Kolhapur, Maharashtra – 416108 received from Ministry of Environment, Forest and Climate Change, New Delhi.


This is for your information.

Thanking You

Yours Faithfully,

FOR, SHRI GURUDATT SUGARS LTD.,


Executive Director

 Enclosed – Enclosed above with copy of EC

C.C to: 1. The Regional officer, MPC Board, Kolhapur.
2. The Sub - Regional officer, MPC Board, Kolhapur.

Received
13/06/2019
REGIONAL OFFICE I
M. P. C. BOARD
DR. YOG BHAVAN
3RD FLOOR NEAR COLLECTOR OFFICE
KOLHAPUR-416008



Regd. No. 25-14367, CIN-UI5424PN2000PLC014367

An ISO 9001 : 2008 Certified Company

SHRI GURUDATT SUGARS LTD., Takaliwadi

ADD.: Gat No. : 61 / A, Akiwat Takaliwadi Road, Takaliwadi Tal.- Shirol Dist - Kolhapur (MH) Pin Code : 416 108
PHONE : +91 231 2686086 | FAX : +91 231 2686000 | WEBSITE : www.sgsl.co.in | Email : gslsugars@gmail.com

SGSL/ 183 /2019-2020

Date – June 12,2019

To,
The Chief Executive Officer so,
Zilha Parishad Office, Nagala Park,
Kolhapur.

Sub: Submission of Environmental Clearance copy for Shri Gurudatt Sugars Ltd., Gat No. 61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal – Shirol, Dist – Kolhapur, Maharashtra – 416108

Ref: MOEF Letter No. F. No. J-11011/41/2015-IA-II(I) Date – 07.06.2019.

Dear Sir,

With reference to the abovementioned subject, we are submitting here with Environmental Clearance Copy of Sugar 4900 TCD to 13000 TCD, Cogeneration 21 MW to 90 MW, Distillery 150 KLPD & Refine Sugar 1755 TCD at Gat No. 61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal – Shirol, Dist – Kolhapur, Maharashtra – 416108 received from Ministry of Environment, Forest and Climate Change, New Delhi.

This is for your information.

Thanking You

Yours Faithfully,

FOR, SHRI GURUDATT SUGARS LTD.,

Executive Director

Enclosed – Enclosed above with copy of EC

9/8/19
लेखनिक
मुख्य कार्यकारी अधिकारी
जिल्हा परिषद, कोल्हापूर.



Regd. No. 25-14367, CIN-UI5424PN2000PLC014367

An ISO 9001 : 2008 Certified Company

SHRI GURUDATT SUGARS LTD., Takaliwadi

ADD.: Gat No. : 61 / A, Akiwat Takaliwadi Road, Takaliwadi Tal.- Shirol Dist - Kolhapur (MH) Pin Code : 416 108
PHONE : +91 231 2686086 | FAX : +91 231 2686000 | WEBSITE : www.sgsl.co.in | Email : gslsugars@gmail.com

SGSL/182/2019-20.

Date - 12/06/2019.

प्रति,
मा.सरपंच / ग्रामविकास अधिकारी,
मु.पो.टाकळीवाडी, ता. शिरोळ,
जि. कोल्हापूर.

विषय :- इनव्हारमेंटल क्लीअरन्सबाबत (ई.सी) बाबत..

संदर्भ :- पर्यावरण मंत्रालय, नवी दिल्ली यांचे पत्र क्र. F.No.J-११०११/४१/२०१५-IA-II (I)
दिनांक- ०७.०६.२०१९.

महोदय,

आमचे श्री गुरुदत्त शुगर्स लि., टाकळीवाडी या कारखान्याच्या सध्या असलेल्या गाळप क्षमता ६००० मे.टन. प्रतिदिन ते १३००० मे.टन. प्रतिदिन, सहवीजनिर्मिती प्रकल्प २१ मेगावॉट ते ९० मेगावॉट प्रतिदिन, तसेच नवीन आसवनी प्रकल्प १५० KLPD व शुध्द साखर १७५५ टन प्रतिदिन यांस **Ministry of Environment, Forest and Climate Change, New Delhi** यांचेकडून संदर्भिय पत्रान्वये मान्यता मिळाली आहे. आपल्या माहितीसाठी सविनय सादर.

आपला विश्वासू,

व्यवस्थापकीय संचालक
श्री गुरुदत्त शुगर्स लि.टाकळीवाडी.

सोबत :- संदर्भिय मंजूरीपत्र जोडत आहे.

प्र.पि.कॉ.सि.
१२/०६/१९
ग्रामपंचायत, टाकळीवाडी,
ता. शिरोळ, जि. कोल्हापूर.

खंडूता पेपर

दिनांक: १४/०६/२०१९

जाहीर नोटीस

श्री. गुरुदत्त शुगर्स लिमिटेड, टाकळीवाडी पर्यावरण विषयक अनुमती

श्री. गुरुदत्त शुगर्स लिमिटेड, गट नं ६१/अ, अकिवाट-
टाकळीवाडी रोड, टाकळीवाडी, ता. शिरोळ, जि. कोल्हापूर,
४१६१०८ तर्फे कळविण्यात येते की, आमच्या कारखान्यामध्ये
गाळप क्षमता ६००० TCD ते १३००० TGD,
सहविजनिर्मिती प्रकल्प २१ MW ते ९० MW, आसवनी
प्रकल्प १५० KLPD व शुध्द साखर १७५५ टन प्रति दिवस,
वाढीव व नवीन प्रकल्पास भारत सरकारचे पर्यावरण वनविभाग
व हवामान बदल मंत्रालय, नवी दिल्ली कडील पत्र संदर्भ
F.No. J-११०१९/४१/२०१५A-I (I) दिनांक
०७/०६/२०१९ ने नवीन व विस्तारीकरण प्रकल्पास अनुमती
मिळाली आहे.

श्री. माधवराव भगवानराव जाटगे
चेअरमन व कार्यकारी संचालक
श्री. गुरुदत्त शुगर्स, टाकळीवाडी.

PUBLIC NOTICE

To whomsoever it may concern

This is to inform to the public that Shri Gurudatt Sugars Ltd., Gat no. 61/A, Akiwat - Takaliwadi Road, Takaliwadi, Tal- Shirol, Dist - Kolhapur - 416 108 Maharashtra has been granted Environmental clearance for their proposed expansion & new project of Sugar Plant 6000 TCD to 13000 TCD, Co-generation 21 MW to 90 MW, distillery 150 KLPD & Refine Sugar 1755 TCD vide letter No. F. No. J-11011/41/2015-IA-II(I) dt. 07-06-2019.

The copy of same can be viewed at website of Ministry of Envirmnt and Forest and Climate Change of <http://moef.gov.in>

Shri. Madhavrao B. Ghatage
Chairman and Managing Director

MOME TECHNOLOGY DEVELOPMENT CENTER/ODDCA

The Indian EXPRESS Sun, 16 June 2019
epaper editions epaper.indianexpress.com/ 

ft
F
E
C
E
li
P
V
fr
1
N
C



भारतीय गैर न्यायिक

भारत INDIA

₹. 500

FIVE HUNDRED RUPEES

पाँच सौ रुपये

Rs. 500



सत्यमेव जयते

INDIA NON JUDICIAL

महाराष्ट्र MAHARASHTRA

2017 पाँच सौ रुपये अतिरिक्त नामा. AE-430989

नोंदणी होणार असल्याचा कुठला शिरोक कार्यालयाचे नांव :-

शिरोक कार्यालय :-

चेअरमन जी गुरुदत्त शुगर लि. टाकलीवाडी

मुद्रांक दिनांक :-

संविदा भारे. श. शिरोक

मुद्रांक क्रमांक :-

मुद्रांक क्रमांक :-

मुद्रांक क्रमांक :-

मुद्रांक क्रमांक :- 99001-

मुद्रांक क्रमांक :- 3826/28/92/96

मुद्रांक क्रमांक :-

परवाना क्रमांक :-

क्रमांक :-



09 OCT 2018

SUB - TREASURY OFFICER, SHIROL

श्री. सुभाष आप्पासाी पाटील

मु.पो.दत्तवाड, ता.शिरोक, जि.कोल्हापूर

प.वि.प.क्र. १५/१९९४/ Code - 2312036

जसा मुद्रांक दिनांक १५/०४/२०१७ रोजी केला त्यांनी त्याच परवानासाठी मुद्रांक खेती देण्यापासून ६ महिन्यात वापरणे बंधनकारक आहे.

AGREEMENT (For non-Irrigation water supply)

An agreement made on the 15th day of April Two thousand Nineteen between Shri Gurudatt Sugars Ltd. Takaliwadi, Tal - Shirol, Dist. -Kolhapur. The users such as Private company/industries / Entrepreneur /Organization (which expression herein-after referred to as the company shall, unless excluded by or it be repugnant to the context or meaning thereof be deemed to include its successors and assigns) registered under the Indian Companies Act,1913 (VII of 1913),the companies Act,1956 (I of 1956) and having its registered office at 'Bhagvavijeta',18th Lane, Shirol Road, Jaysingpur herein-after referred to as 'the



भारतीय गैर न्यायिक

भारत INDIA

रु. 500

FIVE HUNDRED
RUPEES

पाँच सौ रुपये

सत्यमेव जयते

Rs. 500

INDIA NON JUDICIAL

महाराष्ट्र MAHARASHTRA

2017 पाचवे वारे काटेनाम AE 430990

नोंदणी होणार असल्यास दुसरा दिवस कार्यालयाचे नांव :-

मिळवई :-

चेहरामन जो गुफत सुगले जि. कोल्हापूर

भोवदला शक्य :-

मुद्रांक :-

सविध भोरे श. शिरोळ

दुसऱ्या दिवसाचा दिनांक :-

हस्त :-

मुद्रांक :- 9900/-

मुद्रांक दिनांक :- 322/28/92/96

मुद्रांक दिनांक :-

परताना :-

क्रमांक :-



09 OCT 2018

SUB - TREASURY OFFICER,
SHIROL

श्री. सुभाष आप्पासाी घाटील

मु.पो.दनवाड,ता.शिरोळ,जि.कोल्हापूर

म.वि.प.क्र. १५/१९९४/ Code - 2312036

ज्या काळात या खरदी केला त्यांनी त्याच काळात या मुद्रांक सोबत केल्याचासून ६ महिन्यात वापर होणे आवश्यक आहे.



company' of the one part and the Governor of Maharashtra hereinafter referred to as '**the Government**' (which expression shall unless excluded by or it be repugnant to the context or meaning thereof be deemed to include his successors and assigns) **of the other part.**

Whereas the company is desirous of constructing a pumping station on the company's land at **Akiwat** for drawing water from the source Krishna River (Right Bank) (hereinafter referred to as "**the said source**") for the use by the company's Shri Gurudatt Sugars Ltd. Takaliwadi plant (hereinafter referred to as " the said plant") and laying underground and surface pipes and drains for discharge of the factory effluent .

AND whereas the company has applied to the Government for permission to draw 254 million liters of water per day /year form the said source.

AND whereas the company has paid Rs- _____
(Rupees _____) to Government towards the proportional cost of capital outlay of the project.

AND whereas the Government has agreed to grant the aforesaid permission to the company on the terms and conditions hereinafter appearing .

AND WHEREAS UNDER the said terms and conditions the company has to deposit with the Executive Engineer, Sangli, Irrigation Division Sangli to the government a sum of Rs.2,22,885/- as 'security' equivalent to 2 months company's probable annual water charges based on yearly sanctioned and as communicated In cash or In the form of fixed deposit receipt or a bank Guarantee issued by a scheduled / nationalized bank having it's main/ branch office situated locally for the due observance and performance by the company of the terms and conditions of this Agreement AND WHEREAS the company has accordingly prior to the execution of these presents deposited with the Government Rs.2,22,885/-as security for the due observance and performance by the company of the terms and conditions herein contained ;AND WHEREAS it has been agreed that the said amount will not carry any interest if deposited in cash .

Definitions:

Quota : Quota means yearly demand sanctioned and communicated to _____
by the Executive Engineer .

Corporation: corporation means the River Basini corporations like Maharashtra Krishna valley Development corporation (MKVDC) Godavari Marathwada Irrigation Development corporation (GMIDC) Tapi Irrigation Development Corporation (TIDC),Konkan Irrigation Development Corporation (KIDC) & Vidarbha Irrigation Development Corporation (VIDC)municipal corporation's Municipalities etc.

MIDC: MIDC means Maharashtra Industrial Development Corporation.

MJP: MJP means Maharashtra jeeven Pradhikaran:

Yearly Applicable demand : yearly Applicable demand means the water demand communicated by the USER for the period from 1st November to 31st October to the Executive Engineer & sanctioned by Irrigation Department every year in the month of September along with its bifurcation for industrial domestic and agricultural use.

USER: User means water using agency like individual companies users/industry Entrepreneur.

NOW THIS AGREEMENT WITNESSTH AS FOLLOWS:



1) a) In consideration of the company making payment to the Government as hereinafter specified and observing and performing the convenience and condition herein contained Government do hereby grants to the company permission to draw following quota of water for the specified purpose.

Sr. No.	Description/Use	Quantity {Million Liters per year}
1	Total sanctioned quota	0.162506
1.1	For Industry using potable water bottling plant	---
1.2	For other than water as raw material Industrial use	0.098306
1.3	For domestic use	0.064200
1.4	For agricultural use (nursery/gardening) within the company's premises.	---

And use the same for purpose of the company's said plant or project, for supply to residential colonies and for agricultural use (nursery / gardening) for a term of one years commencing from the 1st day of November 2018 on the following terms and conditions.

b) The quota assigned for domestic use for agricultural use shall not exceed 10% each of the individual water demand .in the cases where in the water used for Domestic and Agricultural use exceeds 10% in each case the excess use shall be charged at industrial applicable rate specified in clause 11 of this agreement.

c) The industrial water requirement the Domestic water requirement and agricultural (nursery /gardening) water requirement of the company as demanded deemed to be separate and Independent for the sole purpose and water charges assessment shall be accordingly separate and independent for the other clauses of this agreement.

2) The permission hereby granted shall be subject to the provisions of the Maharashtra Irrigation Act 1976 and the Bombay canal Rules 1934 and subsequent revisions, if any, in force and any executive orders issued in this behalf by Government and any statutory amendment there of from time to time and for the time being in force.

3) Nothing herein contained shall be deemed to imply any guarantee on the part of the Government as to the availability or otherwise of any specific quantity of water and Government shall not be responsible for non-supply or in adequate supply of water on any account whatsoever.

However in case of inadequate or non-supply due to shortage of water or reason **beyond the control of the Department**, bill shall be charged as per actual quantity of water lifted /supplied during such period.

4) The company shall use the water drawn from the said river for purpose of the company's said plant and for supply to the residential colonies constructed by the company within the area of the said plant for providing housing to its employees and workers (hereinafter referred to as "the said residential colonies"). The company shall not sell the water from the said river to any other person, firm or company, corporation or other body. In the event of the company selling water drawn from the said river, then the Government without prejudice to its right will forthwith revoke the license government shall be entitled to recover form the company the proceeds of any such sale made by the company.



5) Government shall be entitled to utilize water of the said river available after meeting the reasonable requirements of the company; as to which matter the decision of the Government shall be final and binding on the company, for such purpose as Government deems fit.

6) The permission hereby granted shall not in any manner prejudicially affect the existing water rights vested in the upstream riparian owners; not shall it in any way, prejudice Government right to here after launch or implement in public interest any new scheme or schemes on its own, on or in connection with the present source of channel of water supply available to the company, subject however to the safe-guarding of its reasonable demand referred to in clause (5) above.

7) The company shall not construct the pick-up weir in the Krishna river bed of the said river unless the proposals plans, drawing, specifications, estimates and all other details thereof are previously submitted to and approved in writing by an officer authorized in that behalf by the Government may conditions as it may in its discretion think fit .

8) a) For ascertaining the quantity of water drawn by the company, shall forthwith at its own cost and after obtaining prior approval in writing thereto of the Executive Engineer, Install Independent pipelines fitted with separate electronic water measuring devices for use of water for the said independent intention (hereinafter referred to as "the said electronic measuring devices") at such places as is

Indicated by the Executive Engineer. All the pipelines layout showing locations of the metering equipments from the said source for different purposes shall be got jointly verified and got approved from executive engineer, Irrigation Department. Layout from the said source shall be got approved from the Executive Engineer. no changes in the approved layout shall be made without the prior written approval from the Executive Engineer. In the event of the company failing to install and keep in proper working order the said electronic measuring devices for use of the water for the said residential colonies as aforesaid the company shall be liable to pay for the full sanctioned water quota as mentioned in clause 8 (d) I and II. During such period 125% of the proportionate sanctioned quantity will charged at the preventing rates for the said plan. The said electronic measuring devices shall always be kept under the lock and seal of the Executive Engineer and the key of such lock shall all times, remain with the Executive Engineer. The company shall at all times, during the substance of this agreement at it's own cost maintain the said electronic measuring devices in proper working order and condition.

b) Reading for the water so drawn by the company will be taken on the said electronic measuring devices, on the 1st day of each month /at agreed times , jointly by the authorized representatives of Executive Engineer and of the company .

(c) If at any time in the opinion of the Executive Engineer the said electronic measuring devices are found defective, the same shall be tested for the accuracy and the cost of such testing shall be borne and paid by the company. If on such testing the said electronic measuring devices are found to be defective the company shall forthwith.

get the same repaired and set right at its own cost and in the event of the company failing to do so within 30(Thirty) days thereafter the Executive Engineer may proceed to do so on account and at the cost of the company.

d) In the event of the said electronic measuring devices going out of order and becoming defective the quantity of water drawn by the company during the period when the meter was defective and not working shall be ascertained in the following manner.

(i) If the said electronic measuring devices remain out of the order for a period of less than 30 days then the quantity of water deemed to be drawn by the USER during the said period



shall be taken to be 90% of the yearly sanctioned demand as communicated in clause No.11 or average for the last six months whichever is higher .

(ii) If the said electronic measuring devices remain out of order for a period exceeding **30** days then the quantity of water deemed to be drawn by USER during the said period shall be taken to be 110% of the yearly sanctioned demand as communicated in clause II or average for the last six months whichever is higher. This will be made applicable for the period during which the measuring devices remained out of order.

The aforesaid provisions will also apply when the quantity of water drawn by the company cannot be measured on account of removal of the said electronic measuring devices for repairs or the same in the opinion of the Executive Engineer not working properly.

(iii) If electronic meter meant for domestic or for agricultural use is not fitted or remains out of order or is removed, the water charges will be levied as per the rates specified for the industrial use for the total quota as referred to in clause I (a) of this agreement.

9) Billing should be done on bimonthly basis. The bill for the water drawn by the company during the previous calendar month shall be sent in duplicate / triplicate by the Executive Engineer to the office of the company within 15 days after the end of the water consumption month. The company shall thereafter duly pay after the same by a demand draft drawn in the name of the Executive Engineer Sangli Irrigation Division Sangli. For and on behalf of the Government within fortnight from the date of receipt of the bill and shall not allow the same to fall in arrears. If the company fails to pay the amount within this stipulated time (15 days form the date of receipt of this bill i.e. before the end of the current month) extra charge not excluding 10% per annum of the amount due will charged. If the delay in payment of water charges exceeds six months, the irrigation department reserves the right to terminate the water supply with a notice of 15 days in advance.

10) The cost of all works in connection with the arrangements for water supply including the cost of measuring devices and its installation and maintenance, shall be borne by the company.

11) Subject to the provisions of clause (8) hereof, the company shall pay to the Government at the time and in the manner specified in clause (12) hereof water charges for the quantity of water drawn by the company from the said river as measured by the said electronic measuring devices at the following rates namely.

Here rates which are going to be applied to the company with mention of purpose of use of water sanctioned quota and present rate (subject to its revision) may be specified The water lifted by the USER during rainy season from the river where irrigation Department has not released the water concessional rate as decided by irrigation Department shall be charged.

i) Provided however that after the expiry of two years from the date the company starts drawing water from the said river if any quantity of water drawn by the company is less then 90% of the quantity of water specified in clause (1) hereof or for average of the quantity of water drawn by the company during the period of previous three months including the months in question whichever is greater.

ii) For any unforeseen reasons if the company /agency would like to reduce/ increase the demand of water made earlier /entered in the agreement, they will be required to make the revised annual demand before the commencement of the year i.e.1st day of November. On acceptance of such revised demand the company will be charged as per chanced demand for period specified, other conditions remaining same .A supplementary agreement on hundred rupees stamp paper for this changed quantity which will form part of mean agreement.



iii) No penal rate will be levied for the quantity limited to 10% in excess of the sanctioned one. In excess of this 10% without prior sanction a penal rate of 25% will be charged over the basic rate. The delay in payment on account of this also will be governed by clause 9 above.

iv) For any unforeseen reasons (such as sudden closure of the units or sudden rise in production etc) there could be the abrupt fluctuations in the demand on both sides. Such cases will be decided at government level only, by giving due considerations to the availability of water in the particular sub-basin and so on.

v) In addition to the payment of water charges referred to above the company shall also pay to the government local fund cess at the rate of 20 paise per every rupee of basic water charges.

vi) Water bills – The bi-monthly bills for the period from November to August (for 10 month) shall be prepared on the basis of actual quantity of water lifted at the prevailing rate. The bill for months of September & October (11th & 12th month) shall be prepared by taking review of annual sanctioned demand and the terms and conditions of the agreement and shall be adjusted and paid accordingly while adjusting so it shall be considered that the 90% of the annual sanctioned demand has been lifted /used.

The water lifted in excess above 10% of sanctioned demand shall be charged at single rate and excess above 10% (without prior permission) will be charged at penal rate of 1.25 times of the normal rate, as mentioned in the clause. However the local cess shall be charged on single rate only.

12 a) The company shall pay to the Executive Engineer water rate and local fund cess either in advance every alternate month on the basis of anticipated quantum of water to be drawn by it from the said source during the next two month or on monthly basis within fifteen (15) days from the date of receipt of the bimonthly demands by the USER from the Executive Engineer: On default of the USER to pay the water rate or local fund cess as aforesaid vide clause 9 and 11, Government shall without prejudice to its any other rights and remedies be entitled to terminate this agreement forthwith as per clause No.9.

b) In the case disputes regarding quantity of water billed or rate at which the bill is prepared the company /firm /individual water user shall first pay the complete amount of the bill and then claim for refund of any excess bill charged giving the reason / justification of wrong billing. However the decision of superintending Engineer, Sangli Irrigation Division sangli. In this regards shall be final and binding on the company

13) Government hereby reserves to itself the right to revise from time to time the water rate and local fund cess and company shall pay the revised water rates and local fund cess as may be fixed by Government from time to time.

14) The USER shall not discharge the effluent in, any nalla or river and shall not pollute directly or indirectly any portion of the said nalla / river even by septic tank effluents. **If any water sources are polluted by any industry as identified by irrigation pollution control Board /MIDC/MJP** the company shall be charged with a penalty of rupee's 5,000/- per such incident per day till it is rectified. The opinion of Maharashtra pollution control board in respect of degree of pollution will be binding on the company.

The company shall recycle the effluent water for their use such as gardening recreation cooling, cleaning, washing and manufacturing process etc. So that at least 50% reduction in consumption of fresh water is achieved.

15) The effluent disposal arrangement made by the company /industry shall be got approved by the company from the Maharashtra pollution control Board / Environment department of Government prior to commencing the operation of pumping /drawing water from the source.



16) The company shall at all the times allow an officer of irrigation Department of the Government authorized in that behalf to inspect the said works as well as accounts and copies taken of entries from the records maintained by the company.

17) Any notice or other document to be given to or served upon the company be given or served on behalf of the Government by the Executive Engineer Sangli Irrigation Division Sangli. and any such notice or document shall be deemed to have been duly given to or served upon the company or sent by registered post to the registered company, if it is delivered at the registered office of the company or sent by registered post to the registered address for time being of the company.

18) The said sum of Rs.2,22,885/- deposited in the form of FDR/bank guarantee/ cash by the company with the Executive Engineer, Sangli Irrigation Division Sangli. Division to the Government as aforesaid shall be held by the government for the due observance and performance by the company of the covenants terms and conditions herein contained. In case of default on the part of the company to perform and observe any of said covenants terms and conditions it shall be lawful for the Government in its absolute discretion to forfeit whole of the security deposit or any part thereof without prejudice nevertheless to any rights and remedies which the Government may have against the company under this presents for such breach and company shall forthwith pay up the amount so forfeited and shall always maintain the original amount of deposit throughout the period of this agreement. on the expiry of the terms of this agreement, the said security deposit of Rs.2,22,885/- or such part thereof as shall not have been appropriated as aforesaid shall be refunded to the company.

19) All amounts due to the Government by the company under this agreement shall be deemed to be arrears of land revenue and may without prejudice to any other rights and remedies of the government to recovered from the company as arrears of land revenue.

20) On the expiry of the term of this agreement, Government may renew this agreement within 90 days for such further period and such terms and conditions, as Government may at its absolute discretion deem fit.

21) The costs incurred in the execution of the incidental charges for this agreement including stamp duty shall be borne and paid the company.

22) Permission for extra water over and above the sanctioned quota will be granted only when the written permission for expansion produced by the company from the Industrial Department.

23) The agreement supercedes all the previous agreement entered into by the USER with the Government connection with the supply of water from Krishna River.

24) The company, should submit their water indent for every rotation to the Executive Engineer Sangli Irrigation Division Sangli. On or before starting of the rotation where the source is located on canal. The company should also furnish the exact quantity of water actually drawn in each rotation after completion of the rotation.

25) The company will have to make an agreement at it's own cost for adequate storage (Balancing Tank) of not less then two months requirement of water in case of perennial canal, five month requirements in case of 8 monthly canal system, four months requirements in case of water source from seasonal river/ nalla and one month water requirement in case of water



source of river /nalla so as to take care of the closure period. But if unexpectedly the closure period is increased by more than the specified period. stipulated herein the company will have to make an alterative arrangement for its water requirement at its own cost.

26) IF THE COMPANY COMMITS A BREACH OF ANY OF THE TERMS AND CONDITIONS THEREOF GOVERNMENT SHALL BE ENTITLED TO CANCEL THIS PERMISSION AND DISCONTINUE THE SUPPLY OF WATER WITHOUT PAYMENT OF ANY COMPENSATION WHATSOEVER TO THE COMPANY.


27) The Govt. hereby reserves to itself its right to change / amend modify /cancel /revise any of the terms and conditions, rules and regulations of water management and Maharashtra Irrigation Act and rules laid under them which shall be applicable for this agreement.

IN WITNESS WHERE OF THE common seal of the
_____ has been hereunto affixed

Executive Engineer, Sangli Irrigation Division Sangli. has for and on behalf of the Governor of Maharashtra hereto set his hand and affixed the seal of his office the day and year first herein above written. THE COMMON SEAL OF Sangli Irrigation Division Sangli.


was pursuant to a resolution of the Board of Directors of the company dated the _____

Hereto affixed in the presence of-
FOR SHRI GURUDATT SUGARS LTD


SHRI. R. M. GHATAGE
1. **EXECUTIVE DIRECTOR**


Two directors of the company who in taken thereof have hereto set their respective hands in the presence of.

1.  Shri Baban Adisha Chougule (Director)

2.  Shri Sanjay Ramchandra Gaikwad (Director)

SIGNED SEALED AND DELEVERED by the Executive Engineer, Sangli Irrigation Division Sangli. Division for and on behalf of the Governor of Maharashtra in the presence of _____


1. **पाटबंधारे शाख, नर्सिहवाडी.**

2. 
(V. D. Koli)

Sub Divisional Officer Page No. 8
Irrigation Sub Division Sangli



(N. S. Kars)
Executive Engineer,
Sangli Irrigation Division, Sangli.


GURUDATT SUGARS LIMITED
REG. NO. 14367



महाराष्ट्र शासन

जलसंपदा विभाग

कार्यकारी अभियंता सांगली पाटबंधारे विभाग, सांगली.
दुरध्वनी क्र. ०२३३/२३०२९२५, फॅक्स नं. ०२३३/२३०२७५०
ई मेल - : eesidsangli@gmail.com



सत्यमेव जयते

G OVERNMENT OF MAHARASHTRA
WATER RESOURCES DEPARTMENT
EXECUTIVE ENGINEER, SANGLI IRRIGATION
DIVISION, SANGLI
PH.NO. 0233/2302925 FAX NO. 0233/2302750
E-MAIL- eesidsangli@gmail.com

जा.क्र.सांपावि/प्रशा-४/१९०४/२०१८

दिनांक :- ५/१२/२०१८

RPAD

प्रति,

संचालक,

श्री. गुरुदत्त शुगर्स लि. ,

टाकळीवाडी ता. शिरोळ जि. कोल्हापूर

विषय :- सन २०१८-१९ करीता पाणी उपसा कोटा मंजूरी करणे बाबत,

संदर्भ :- १. आपले पत्र जा.क्र. ४८८ दि. ११.१०.२०१८.

२. पाटबंधारे उप वि.सांगली पत्र जा.क्र. पाउविसां/दका-२/२१२७ दि. २०.११.२०१८.

आपणास बिगर सिंचन वापरासाठी मा.मुख्य अभियंता, जलसंपदा विभाग, पुणे यांचे पत्र दि.१८.०६.२००२ अन्वये पिण्यासाठी ०.०७२ द.ल.घ.मी. व आद्यौगिक वापरासाठी ०.१८२ द.ल.घ.मी. असा एकूण ०.२५४ द.ल.घ.मी. पाणी परवाना मंजूर आहे.

संदर्भाय पत्र क्र.२ अन्वये आपणास सन २०१८-१९ करीता पिण्यासाठी ०.०६४२ द.ल.घ.मी. व औद्योगिक ०.०९८३०६ द.ल.घ.मी. अशी एकूण ०.१६२५०६ द.ल.घ.मी. मंजूरीची शिफारस उपविभागाने केलेली आहे. . तसेच आपणाकडे ऑक्टोबर २०१८ अखेर प्रलंबित थकबाकी रक्कम रु. ११.२४ लक्ष इतकी आहे. तेंव्हा आपले मागणी व उप विभागाचे शिफारसीनुसार खालील अटीवर दि. १ नोव्हेंबर २०१८ ते ३१ ऑक्टोबर २०१९ या कालावधीकरीता पाणीकोटा मंजूरी देणेत येत आहे.

१. प्रलंबित रक्कम रु. ११.२४ लक्ष इतकी भरणा करणे आपणावर बंधनकारक राहिल.
२. सदरची मंजूरी १.११.२०१८ ते ३१.१०.२०१९ या कालावधीकरीता मर्यादित राहिल.
३. सदर कोटयानुसार सुधारीत करारनामा आठ दिवसात करणेचा असून, त्याखेरीज सदरची मंजूरी ग्राह्य धरणेत येणार नाही.
४. वापरलेल्या पाण्याची आकारणी केलेली पाणीपट्टी नियमित व वेळेवर भरणे आपणास बंधनकारक राहिल.
५. उपसा यंत्रास ईलेक्ट्रॉनिक पाणी मोजणी यंत्र बसविले आहे. त्याचे दरवर्षी Calibration करणे बंधनकारक राहिल.
६. औद्योगिक वापरासाठी केलेल्या पाण्याचा प्रक्रिया करून पुर्न:वापर करणे बंधनकारक राहिल.
७. उपरोक्त थकीत रक्कम करारनामा करणेपूर्वी शाखा कार्यालयात भरणा करणेत यावी. अन्यथा शासन निर्णय क्रमांक - संकिर्ण-२०१४/(४३/१४)/सि.व्य. (धो) दिनांक २७/०२/२०१८ चे निर्देशानुसार थकित पाणीपट्टीवर द.सा.द.शे. १०% दराने दंडनिय आकारणी करणेत येईल.
८. शासन निर्णय क्रमांक -संकिर्ण- २०१४/(४३/१४)/सि.व्य. (धो) दिनांक २७/०२/२०१८ मधील सर्व अटी व शर्तीचे पालन करणे आपणांस बंधनकारक राहिल

स्थळ प्रत मा.का.अ.यांना मान्य असे.

(श्री. ह. मल्लयन)

उपकार्यकारी अभियंता
सांगली पाटबंधारे विभाग सांगली.

प्रत- उप विभागीय अधिकारी, पाटबंधारे उप विभाग सांगली यांना उपरोक्त अटीच्या क्र.१ ते ८ च्या पूर्तते साठीची जबाबदारी आपली व शाखाधिकारी यांची असून, त्याबाबत कार्यवाहीचा अहवाल १५ दिवसात विभागास सादर करावा.

प्रत -शाखाधिकारी, पाटबंधारे शाखा, नृसिंहवाडी यांना उपरोक्त सर्व अटीच्या आधीन राहून कार्यवाहीसाठी रवाना.
२/- मंजूर पाणी कोटानुसार व फेब्रुवारी २०१८ पासून लागू झालेल्या नवीन दराप्रमाणे दोन महिन्याची रक्कम परिगणित करून संबंधित ग्राहकाडून अनामत रक्कम भरून घेण्याची कार्यवाही करावी व करारनामा मंजूरीस्तव उपविभागामार्फत विभागास सादर करावा.



Regd. No. 25-14367, CIN-UI5424PN2000PLC014367

An ISO 9001:2015 & ISO 22000:2018 Certified Company

SHRI GURUDATT SUGARS LTD; Takaliwadi

ADD. : Gat No. 61/A, Akiwat Takaliwadi Road, Takaliwadi. Tal. : Shirol, Dist. : Kolhapur (MH) Pin Code : 416 108

PHONE. : +91 231 2686086 | FAX : +91 231 2686000 | WEBSITE : www.sgsl.co.in | Email : gslsugars@gmail.com

456 / 120 / 317 / 2019-20

24 10/10/19

प्रति,
मा. कार्यकारी अभियंता,
सांगली पाटबंधारे विभाग,
सांगली.


विषय :- श्री गुरुदत्त शुगर्स लि. टाकळीवाडी साखर कारखान्याच्या १ नोव्हेंबर २०१९ ते ३१ ऑक्टोबर २०२० च्या पाणी वापराबाबत.

महोदय,
वरील विषयास अनुसरून श्री गुरुदत्त शुगर्स लि. टाकळीवाडी यांस जापन क्र. सिंचन/का.अ२/मृद्रका/६९४८/३०४९ दिनांक १६/०६/२००२ अन्वये पिण्यासाठी ०.०७२ व औद्योगिक कारणाकरीता ०.१८२ एकुण ०.२५४ द.ल.घ.मी. पाणी परवाना प्राप्त झाला आहे.

तथापि श्री गुरुदत्त शुगर्स लि. टाकळीवाडी या कारखान्यास १ नोव्हेंबर २०१९ ते ३१ ऑक्टोबर २०२० या वर्षात सोबत जोडलेल्या सुची प्रमाणे पाण्याची आवश्यकता आहे. त्या प्रमाणात पाण्याचे परिमाणास मंजूरी मिळावी ही नम्र विनंती.

कळावे,
आपला विश्वासू,

FOR SHRI GURUDATT SUGARS LTD


SHRI. R. M. GHATAGE
EXECUTIVE DIRECTOR

सोबत :-

- १) पाणी वापर सुची
- २) प्रपत्र
- ३) पाणी परवाना झेरॉक्स प्रत.

प्रत :-

- १) मा. उप-विभागीय अभियंता, पाटबंधारे उप-विभाग, सांगली.
- २) मा. शाखाअधिकारी, सांगली पाटबंधारेविभाग शाखा: नृसिंहवाडी.


शाखाधिकारी

पाटबंधारे शाखा नृसिंहवाडी

बिगर सिंचनासाठी वार्षिक पाणीकोटा मंजूरीचे प्रस्ताव सादर करताना घ्यावयाची सूची

- १) ग्राहकाचे नाव :- श्री गुरुदत्त शुगर्स लि. टाकळीवाडी
- २) मुळ पाणी परवाना मंजूरीचे संदर्भ / दिनांक :- जा.क्र.सिंचन/काअ.२/मुदका/६९४८/३०४९ दि.१८जून २००२
- ३) मंजूर पाणीसाठी द.ल.घ.मी. :-
- | | |
|--------------------|-------|
| १) पिण्यासाठी वापर | ०.०७२ |
| २) औद्योगिक वापर | ०.१८२ |
| एकूण | ०.२५४ |
- ४) मागील वर्षीचा मंजूर कालावधी :- पासून :- नोव्हेंबर २०१८ पर्यंत :- आक्टोंबर २०१९
- ५) मागील वर्षी मंजूर केलेला पाणी कोटा :-
- | | |
|------------------|---------|
| १) पिण्यासाठी | ०.०६४२० |
| २) औद्योगिक वापर | ०.०९८३० |
| एकूण | ०.१६२५० |
- ६) मागील ३ वर्षीचा प्रत्यक्ष मासिक पाणी वापर :-

सन :- २०१६-२०१७

अ क्र	महिना	पिण्यासाठी वापर द.ल.घ.मी.	औद्योगिक वापर द.ल.घ.मी.	आकारणी रूपये	वसूली रूपये	प्रलंबित रक्कम रूपये
१	नोव्हेंबर १६	०.००४२३०	०.०२२७०६	२५४,१६१	२५४,१६१	०
२	डिसेंबर १६	०.००४३५०	०.०१००३४			
३	जानेवारी १७	०.००४५२३	०.०१००४१	१५६,२५७	१५६,२५७	०
४	फेब्रुवारी १७	०.००३८६५	०.००९५९३			
५	मार्च १७	०.००३२८५	०.००४०२०	४८,५२८	४८,५२८	०
६	एप्रिल १७	०.००३६८४	०.००००००			
७	मे १७	०.००३५६५	०.००००००	२,२३३	२,२३३	०
८	जून १७	०.००३४८९	०.००००००			
९	जुलै १७	०.००३२६५	०.००००००	२,०९१	२,०९१	०
१०	ऑगस्ट १७	०.००३६६४	०.००००००			
११	सप्टेंबर १७	०.००३४४९	०.००००००	१९५,१६५	१९५,१६५	०
१२	आक्टोंबर १७	०.००३४१४	०.००००००			
	एकूण	०.०४४७८५	०.०५६३९४	६५८,४३५	६५८,४३५	०

सन :- २०१७-२०१८

अ क्र	महिना	पिण्यासाठी वापर द.ल.घ.मी.	औदयोगिक वापर द.ल.घ.मी.	आकारणी रूपये	वसूली रूपये	प्रलंबित रक्कम रूपये
१	नोव्हेंबर १७	०.००५२७५	०.०२५४३३	२८६,३४२	२८६,३४२	०
२	डिसेंबर १७	०.००५००५	०.०११४२८			
३	जानेवारी १८	०.००४८१२	०.०१३१२६	१०२,३४८	१०२,३४८	०
४	फेब्रुवारी १८	०.००४३०७	०.०१२४२८	१४४,७४६	१४४,७४६	
५	मार्च १८	०.००५४२८	०.०१३७०३	१६०,११७	१६०,११७	०
६	एप्रिल १८	०.००३७१५	०.००७५७४	८८,२८५	८८,२८५	
७	मे १८	०.००४३६५	०.००००००	३,१२०	३,१२०	०
८	जून १८	०.००४३०१	०.००००००			
९	जुलै १८	०.००३७७८	०.००००००	३,०७९	३,०७९	०
१०	ऑगस्ट १८	०.००३९९६	०.००००००			
११	सप्टेंबर १८	०.००४०५०	०.००००००	६५,०९८	६५,०९८	०
१२	ऑक्टोबर १८	०.००४०७२	०.००००००			
	एकूण	०.०५३१०४	०.०८३६९२	८५३,१३५	८५३,१३५	०

सन :- २०१८-२०१९

अ क्र	महिना	पिण्यासाठी वापर द.ल.घ.मी.	औदयोगिक वापर द.ल.घ.मी.	आकारणी रूपये	वसूली रूपये	प्रलंबित रक्कम रूपये
१	नोव्हेंबर १८	०.००६०८७	०.०२३२०३	४७७,३७१	४७७,३७१	०
२	डिसेंबर १८	०.००६२७४	०.०१४०८२			
३	जानेवारी १९	०.००६०९८	०.०१३९०४	३५५,६८६	३५५,६८६	०
४	फेब्रुवारी १९	०.००५९९०	०.०१३७८७			
५	मार्च १९	०.००६१९५	०.०१४०९६	३४४,५८७	३४४,५८७	०
६	एप्रिल १९	०.००५५४२	०.०१२७२९			
७	मे १९	०.००४६२३	०.००३३१५	४५,३२५	४५,३२५	०
८	जून १९	०.००३७८६	०.००००००			
९	जुलै १९	०.००३८४१	०.००००००	१,६६०	१,६६०	०
१०	ऑगस्ट १९	०.००२४८५	०.००००००			
११	सप्टेंबर १९	०.००३८०४	०.००००००			०
१२	ऑक्टोबर १९	०.००००००	०.००००००			
	एकूण	०.०५४७२५	०.०९५११६	१,२२४,६२९	१,२२४,६२९	०

७) मागील वर्षाची आकारणी प्रलंबित :- नाही

असल्यास त्याची कारणे :-

८) चालू वर्षाकरता केलेली मासीक पाणी मागणी :- सन २०१९-२०२०

अ क्र	महिना	पिण्यासाठी वापर द.ल.घ.मी.	औदयोगिक वापर द.ल.घ.मी.	एकूण वापर द.ल.घ.मी.
१	नोव्हेंबर १९	०.००६५००	०.०२८०९८	०.०३४५९८
२	डिसेंबर १९	०.००६५००	०.०१८०८५	०.०२४५८५
३	जानेवारी २०	०.००६५००	०.०१८०८५	०.०२४५८५
४	फेब्रुवारी २०	०.००६५००	०.०१६९१९	०.०२३४१९
५	मार्च २०	०.००६५००	०.०१८०५८	०.०२४५५८
६	एप्रिल २०	०.००४२००	०.०१०९७४	०.०१५१७४
७	मे २०	०.००४२००	०.०१०९७४	०.०१५१७४
८	जून २०	०.००४२००	०.०१०९७४	०.०१५१७४
९	जुलै २०	०.००४२००	०.०१०९७४	०.०१५१७४
१०	ऑगस्ट २०	०.००४२००	०.००००००	०.००४२००
११	सप्टेंबर २०	०.००४२००	०.०१०९७४	०.०१५१७४
१२	ऑक्टोबर २०	०.००४२००	०.०१०९७४	०.०१५१७४
	एकूण	०.०६१९००	०.१६५०९०	०.२२६९९०

९) मूळ मंजूरीपेक्षा / मागील वर्षाच्या मागणीपेक्षा कमी / ज्यादा मागणी केली असल्यास त्याची कारणे :

१) सन २०१८-१९ च्या गाळप हंगामामध्ये शुगर व को-जनरेशन सुरू होते. सन २०१९-२० च्या गाळप हंगामामध्ये नवीन डिस्टलरी युनिट सुरू होत असलेमुळे मागील वर्षाच्या मागणीपेक्षा ज्यादा पाण्याची मागणी केली आहे.

२) कारखान्याने अद्यावत तंत्रज्ञान वापरून ऊसातील पाण्यावर प्रक्रीया करणेसाठी कन्डेन्सेट पॉलीसी युनिट बसविले असून त्यातुन येणारे पाणी साखर कारखान्याच्या व को-जनरेशनच्या निर्मितीसाठी वापरले आहे. त्यामुळे आमच्या कारखान्याला मुळ मंजूरीपेक्षा कमी पाण्याची आवश्यकता आहे.

३) कारखान्याने एक्सेस कन्डेन्सेट वॉटर सर्वात उंचीवर एम. एस. टँकमध्ये गोळा करून साखर कारखाना व को-जनरेशन प्लँटमध्ये वेगवेगळ्या अप्लीकेशनसाठी त्या पाण्याचा वापर केला आहे. त्यामुळे आमच्या कारखान्याला मुळ मंजूरीपेक्षा कमी पाण्याची आवश्यकता आहे.

१०) मंजूरीसाठी शिफारस :-

:-

FOR SHRI GURUDATT SUGARS LTD

SHRI. R. M. GHATAGE
EXECUTIVE DIRECTOR

संबंधित संस्था / योजना
सही व शिक्का

शाखाधिकारी

उपविभागीय अभियंता

प्रपत्र

अ.नं.	उद्योगाचे नांव	उत्पादन तपशिल	वार्षिक उत्पादन	मजनिप्रा ने विहित केलेल्या मापदंडानुसार आवश्यक पाणी / उत्पादन (लि.मथ्ने)	आवश्यक पाणी (द.ल.घ.मी.)	मागणी केलेला पाणी कोटा (द.ल.घ.मी.)	शेरा
१	श्री गुरुदत्त शुगर्स लि.	साखर	१०,१८,०९० किक्टल (सिजन २०१८-१९)				
२	श्री गुरुदत्त शुगर्स लि.	बीज	युनिट ४,६२,२२,१७२ (सिजन २०१८-१९)				

FOR SHRI GURUDATT SUGARS LTD


SHRI. R. M. GHATAGE
EXECUTIVE DIRECTOR

Kind Attn - K Bhasker

Project Finance Dept

No 3049 -

जा.क.सिंचन/काअ.२/मुदका/६९३८/

मुख्य अभियंता, पाटबंधारे विभाग, मुणे-१३

दिनांक:- 18 JUN 2002

शापनः

विषय:- श्री. गुरुदत्त शुगर्स लि, टाकळवाडी.

कृष्णा नदीतून पिण्यासाठी व औद्योगिक कारणासाठी पाणी उचलणेस परवानगी मिळणेबाबत.
संदर्भ:- अ.अ.सांगली पाटबंधारे मंडळ, सांगली यांचे पत्र क.सि/३३७९, दि.२२.५.२००२.

उपरोक्त विषयी सांगली पाटबंधारे मंडळ, सांगली यांचे संदर्भिय दि.२२.५.२००२ चे पत्रानुसार श्री. गुरुदत्त शुगर्स लि, टाकळवाडी, ता. शिरोळ, जि. कोल्हापूर योजनेसाठी कृष्णा नदी प्रवल्पातून कायम स्वरुपात पाणी घेण्यास खालीलप्रमाणे मंजूरी देण्यासाठी मान्यता देण्यात येत आहे.

अ.क्र.	पाणी वापरचा तपशील	निव्वळ वापर (द.ल.घ.मी.)	तुट (द.ल.घ.मी.)	एकूण वार्षिक पाणी मंजूरी (द.ल.घ.मी.)
१.	पिण्यासाठी	०.०६०३.०३	०.०१२	०.०७२
२.	औद्योगिक वापरसाठी	०.२५२०.१२	०.०३०	०.२८२
	एकूण	०.२१२	०.०४२	०.२५४

२. प्रस्तावित पाणी मंजूरीमुळे प्रकल्पाचे सिंचन क्षमतेमध्ये - हेक्टर क्षेत्राची वाढ/कपात करणेबाबत मान्यता देण्यात येत आहे.

३. सदरची मान्यता खालील अटी व शर्तीनुसार देण्यात येत आहे.

अटी व शर्ती :

१. अर्जदार संस्था स्वखर्चाने संबंधित योजना कार्यान्वीत करेल.

२. योजनेचे कामास प्रत्यक्ष सुरुवात करण्यापूर्वी महामंडळाकडील पाटबंधारे विभागाचे संबंधित कार्यवाही अर्जदाराचे बरोबर शासन परिपत्रक क. विपापु/३००१/(७९३/२००१)/ सिब्वर(धो), दि. १६.२.२००२ च्या अटी व शर्ती विहित मसुद्यानुसार करारनामा करावा लागेल. करारनामा वेळ्यानंतरच पाणी परवाना मंजूरी कार्यान्वीत होईल.

३. महामंडळाने वेळोवेळी ठरवून दिलेल्या पाणीपट्टीच्या दराने पाणी पुरवठ्याची आकारणी केली जाईल आणि विहित मुदतीत ही पाणीपट्टी आकारणी अर्जदार संस्थेने महामंडळाकडील संबंधित कार्यालयामध्ये भरविले जाईल. पाणीपट्टीची आकारणी ही एकूण पाणी वापरावर करण्यात येईल. एकूण पाणी वापरात प्रत्यक्ष वापर, जाणीवून घ्यावा अंतर्भाव राहिल.

४. योजनेत वापरलेल्या पाण्यातील काही भाग वापरानंतर दूषित स्वरुपात जलाशयात/कालव्यात / मळी सोडले न जाण्याची व्यवस्था अर्जदार स्वखर्चाने करेल व त्याबाबत अर्जदार पूर्णतः जबाबदार राईल. अर्जदार प्रकारे वापरलेल्या पाण्याची शुध्दीकरण व्यवस्था अर्जदार संस्थेने स्वखर्चाने करावी लागेल व त्याची लागवण्याचे संदर्भित महाराष्ट्र जलप्रदुषण मंडळाचे "ना हरकत प्रमाणपत्र" करारनामा करण्यापूर्वी सादर करावे लागेल.

प्रत :- मा. कार्यकारी संचालक, महाराष्ट्र कृष्णा खोरे विकास महामंडळ, पुणे यांना माहितीसाठी राखित राहिले.

प्रत :- अधीक्षक अभियंता, पाटबंधारे प्रकल्प व जलसंपत्ती अन्वेषण मंडळ, पुणे यांना माहितीसाठी.

प्रत :- कार्यकारी अभियंता, सांगली पाटबंधारे विभाग, सांगली यांना माहितीसाठी व कार्यवाहीसाठी.

१) शासन परिपत्रक विपापु-१००१/(७१३/२००१)/सि.ध्व.(धो), दिनांक १६-२-२००२ मधील सूचनानुसार उचित कार्यवाही करण्यात यावी.

२) करारनामा करणेपूर्वी संस्थेकडून महाराष्ट्र प्रदूषण नियंत्रण मंडळाचे मुदत वाढीचे व अटी व शर्ती यामधील अनुक्रमांक ४ प्रमाणे-प्रमाणपत्र मिळवून ते करारनाम्यास लावावे.

३) करारनाम्याचे नूतनीकरण करणेपूर्वी महामंडळाचे उपरोक्त अटी व शर्तीचे काटेकोरपणे पालन होणे महत्वाचे आहे.

४) पाणी परवाने हे महामंडळाच्या महसूल मिळवून देण्याचे साधन आहे. त्यामुळे महसूल वसुलीबाबत काटेकोरपणे व सतर्क राहणे अत्यंत महत्वाचे आहे.

प्रत :- बृहत धारिका,

जे/- N_HDK_PIC_2002.

sgslt@sgslt.com



(https://www.sgsit.com/)

SHRI GURUDATT SUGARS LTD.
TAKALIWADI

+91 231 2686086

Certificates

Description	Start Date	End Date	File
Sugar-4900-to-6000-TCD-Six-Monthly-EC-Compliance-Report-Oct-2019-to-March-2020_compressed	11.04.2020		View (http://www.sgsit.com/wp-content/uploads/2020/04/Shri-Gurudatt-Sugars-Ltd-Sugar-4900-to-6000-TCD...-Six-Monthly-EC-Compliance-Report-Oct-2019-to-March-2020_compressed.pdf)
Sugars-Ltd-13000-TCD-Six-Monthly-EC-Compliance-Report-Oct-2019-to-March-2020	11.04.2020		View (http://www.sgsit.com/wp-content/uploads/2020/04/Shri-Gurudatt-Sugars-Ltd-13000-TCD...-Six-Monthly-EC-Compliance-Report-Oct-2019-to-March-2020.pdf)
ENVIRONMENTAL-STATEMENT-FOR-YEAR-2019-2020	11.04.2020		View (http://www.sgsit.com/wp-content/uploads/2020/04/ENVIRONMENT-STATEMENT-FOR-YEAR-2019-2020.pdf)
MPCB C to O Sugar 6000 TCD & Cogen 21 MW – Valid up to 31.07.2022	10.01.2020		View (http://www.sgsit.com/wp-content/uploads/2017/09/MPCB-C-to-O-Sugar-6000-TCD-Cogen-21-MW-Valid-up-to-31.07.2022.pdf)

EC compliance for Sugar 13000 TCD, Cogen 90 MW & Distillery 150 KLPD – October 2019_compressed	01.10.2019		View (http://www.sgsit.com/wp-content/uploads/2019/10/EC-compliance-for-Sugar-13000-TCD-Cogen-90-MW-Distillery-150-KLPD-October-2019_compressed-1.pdf)
EC Compliance Sugar 4900 to 6000 TCD and Co-gen 15 to 21 MW – October 2019_compressed	01.10.2019		View (http://www.sgsit.com/wp-content/uploads/2019/10/EC-Compliance-Sugar-4900-to-6000-TCD-and-Co-gen-15-to-21-MW-October-2019_compressed.pdf)
Environmental Clearance copy for Sugar 6000 TCD to 13000 TCD, Cogen 21 to 90 MW, Distillery 150 KLPD, Refine Sugar 1755 TCD	07.06.2019		View (http://www.sgsit.com/wp-content/uploads/2019/07/gurudatt-EC.pdf)
Environmental Statement for Year 2018-2019	01.06.2019		View (http://www.sgsit.com/wp-content/uploads/2019/07/Env-Statement-May-2019.pdf)
Real Time Data Acquisition And Monitoring March-2019	03.03.2019	02.04.2019	View (http://www.sgsit.com/wp-content/uploads/2019/04/Real-Time-online-monitoring-data-March-2019.pdf)
EC Compliance March 2019	15.03.2019		View (http://www.sgsit.com/wp-content/uploads/2019/03/EC-Copliance-Report-March-2019.pdf)
Real Time Data Acquisition And Monitoring Feb-2019	31.01.2019	02.03.2019	View (http://www.sgsit.com/wp-content/uploads/2019/04/Online-monitoring-reading-Feb-2019.pdf)
Real Time Data Acquisition And Monitoring	04.01.2019	03.02.2019	View (http://www.sgsit.com/wp-content/uploads/2019/02/sgsit-Online-Monitoring-System-Reading.pdf)
EC Compliance September 2018	05.09.2018		View (http://www.sgsit.com/wp-content/uploads/2017/09/6.pdf)
Environment Statement April 2017 to March 2018	10.04.2018		View (http://www.sgsit.com/wp-content/uploads/2017/09/5.pdf)
EC Compliance March 2018	17.03.2018		View (http://www.sgsit.com/wp-content/uploads/2017/09/4.pdf)

EC Compliance September 2017	25.09.2017	View (http://www.sgsit.com/wp-content/uploads/2017/09/3.pdf)
Environmental Statement 2016-17	06.04.2017	View (http://www.sgsit.com/wp-content/uploads/2017/09/2.pdf)
Environmental Clearance for Sugar 1100 TCD and Co-gen 6 MW letter	20.03.2017	View (http://www.sgsit.com/wp-content/uploads/2017/09/1.pdf)

Keep in touch

SHRI GURUDATT SUGARS LTD.
Takaliwadi- 416 108. Tal. Shirol,
Dist. Kolhapur. Maharashtra state, India.

+91 231 2686086

+91 231 2686000

sgsit@sgsit.com

Social Links



(<https://www.facebook.com/gurudattsugar>)



(https://twitter.com/Gurudatt_Sugars)




(<https://www.google.co.in/maps/place/Shri+Gurudatt+Sugar's+Ltd./@16.6206733,74.5983171,15z/data=!4m5!3m4!1s0x0:0xe9379018ce520abb!8m2!3d16.6206733!4d74.5983171>)

Drop us a line

Copyright © 2020 | SHRI GURUDATT SUGARS LTD. | [Website Design](http://pixelchopper.com/) (http://pixelchopper.com/) & Developed by [Pixel Chopper](http://pixelchopper.com/) (http://pixelchopper.com/)

SHRI GURUDATT SUGARS LTD., TAKALIWADI

Environmental management cell



Environmental Management Cell.

Expenditure on Environmental Matters

The following shows Environmental Expenditures of Shri Gurudatt Sugar Ltd. Gat No. 61/A, Akiwat Takaliwadi Road, Takaliwadi – 416108, Tal – Shirol, Dist – Kolhapur, Maharashtra.

Expenditure on Environmental Matters

Sr. No.	Head	Capital cost per Annum (Rs. in Lacs)	2017 – 2018 (Rs. In Lacs)	2018-2019 (Rs. In Lacs)	2019-2020 (Rs. In Lacs)
1	Effluent Treatment Plant	200	6.36	3.12	13.22
2	Air Pollution Control	550	33	19	38
3	Condensate Facility	450	6.32	2.1	6.9
4	Tree Plantation	13.26	3.4	2.9	1.0
	Total	1213.26	49.08	27.12	59.10



Training Attendance Sheet

Date:	13-8-19
Topic/s:	Safety & Health Awareness
Trainer	Sandeep Gaikwad
Time From - To:	3-4 PM

Name and Ticket No	Designation / Department	Signature
Birendrakumar	Store keeper	Birendrakumar
Govind Singh	Site Incharge	[Signature]
Jayprakash Singh	forman	[Signature]
Kamlesh Singh	fitter	[Signature]
Motiwari Ansari	Rigar	[Signature]
Kundan Ansari	Rigar	[Signature]
Shahabudin Ansari	Welder	[Signature]
Merajudin Ansari	fitter	[Signature]
Sakil Ansari	fitter	[Signature]
Aslam Ansar	Khalasi	[Signature]
Nuralam Ansari	Welder	[Signature]
Dharmendra Yadav	Rigar forman	[Signature]
Sureman Prasad	Rigar	[Signature]
Jitendra Khoswar	Rigar	[Signature]
Haridat Prasad	Khalasi	[Signature]
Raju Patel	Hydra operator	[Signature]
Mukul Patel	Welder	[Signature]
Mantu Sah	Khalasi	[Signature]
Ajeet Patel	Khalasi	[Signature]
Samsudin Ansari	Rigar	[Signature]
Sarjudin Ansari	Rigar	[Signature]
Kyamudin Ansari	Rigar	[Signature]
Prameshwar	Rigar	[Signature]

Note: For contractor trainings, the name and designation / department are filled by the Manager)

Effectiveness Evaluation:

[Empty box for Effectiveness Evaluation]

Evaluated By:

Date:

[Signature]

Prepared By:

Mr. Sandeep B. Gaikwad

Approved By:

Mr. P. Datta Roy



Training Attendance Sheet

Date:	22-7-19
Topic/s:	Safety General Rules
Trainer	Sandeep Gaikwad
Time From - To:	10-11 AM

Name and Ticket No	Designation / Department	Signature
1) Balaso Bhikku		Balaso
2) Dinesh mandal		Dinesh Mandal
3) Jayanta mandal		Jayanta Mandal
4) Supta mukharji		Supta mukharji
5) Parthar mandal		Partha Mandal
6) Tekan mandal		Tekan mandal
7) Sumit mandal		Soumik mandal
8) Sohni mandal		Sovri kumar
9) Ramarada mandal		Ramarada mandal
10) Salil Ushwal		Salil Ushwal
11) Rahul Hazra		Rahul Hazra
12) Shrikant mandal		Shrikanta Biswas

Note: For contractor trainings, the name and designation / department are filled by the Manager)

Effectiveness Evaluation:

--

(Signature)

Evaluated By: Prepared By: Mr. Sandeep B. Gaikwad (ECTI)	Date: Approved By: Mr. P. Datta Roy (President)
---	--

HEALTH REGISTER

NAME OF COMPANY :-

SHRI GURUDATT SUGARS LTD.
(COMPANY)

ADD – Gat No. 61/ A, Akiwat Takaliwadi Road, Takaliwadi, Tal. - Shirol

Dist. - Kolhapur (MH) Pincode - 416 108

VALID FROM : - 20/02/2019 To 19/02/2020

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFHI, (Mumbai)

Company Name : SHRI GURUDAATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
	000001	MR. SHARAD D. INAMDAR	40	M	09 E.D.P.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000011	MR. DNYANDEV KHOT	40	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000013	MR. SARJERAO A. JAGTAP	52	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000019	MR. BASAVRAJ C. SWAMI	40	M	08 CO-GEN.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000020	MR. PRAKASH R. BIRAJDAR	37	M	08 CO-GEN.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000021	MR. MADHAVRAO R. SHINDE	49	M	08 CO-GEN.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000022	MR. ANAND R. YADAV	43	M	08 CO-GEN.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000024	MR. SANJAY A. PATIL	50	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000028	MR. MARUTI T. UGALE	50	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000029	MR. AJIT L. SHINDE	50	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000034	MR. RAVSAMBH R. KOTE	40	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000039	MR. RAMESH A. CHOUGHULE	41	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000042	MR. DASHRATH M. NARUTE	54	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000043	MR. CHANDRAKANT G. RAVLUKEDARI	46	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000045	MR. ANIL M. JADHAV	47	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000050	MR. RAMESH R. POWAR	40	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000051	MR. SURESH K. AMBI	45	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000052	MR. SHITAL A. ALATE	41	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000054	MR. BAHUBALIM. KANE	33	M	08 CO-GEN.	NA	NA			21/02/2019	Fit	NA	Fit	NA	

कासखाने अधीनियम १९४८ ची कलम १०(२) प्रामाणे कोल्हापूर जिल्हाकरिता

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFH (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sl. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
0	000064	MR. BALASO D. MANGALE	49	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	NA	NA	
1	000069	MR. SURESH D. BHATMARE	40	M	21 SUGAR G.	NA	NA	NA	NA	21/02/2019	Fit	NA	NA	NA	
2	000080	MR. VIRENDRA V. PATIL	40	M	01 ACCOUNT	NA	NA	NA	NA	20/02/2019	Fit	NA	NA	NA	
3	000085	MR. RAJU B. PATIL	41	M	08 CO-GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	NA	NA	
4	000087	MR. CHANDRAKANT D. PATIL	46	M	14 HR.D.	NA	NA	NA	NA	20/02/2019	Fit	NA	NA	NA	
5	000092	MR. RAVINDRA S. KUMBEHAR	35	M	14 HR.D.	NA	NA	NA	NA	20/02/2019	Fit	NA	NA	NA	
6	000095	MR. MOHAN S. VASAMKAR	43	M	17 PURCHASE	NA	NA	NA	NA	20/02/2019	Fit	NA	NA	NA	
7	000096	MR. CHANDRAKANT Y. PATIL	45	M	21 SUGAR G.	NA	NA	NA	NA	20/02/2019	Fit	NA	NA	NA	
8	000097	MR. CHANGDEV N. JASUD	42	M	12 GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	NA	NA	
9	000098	MR. SANDEEP B. BHORE	32	M	01 ACCOUNT	NA	NA	NA	NA	20/02/2019	Fit	NA	NA	NA	
10	000100	MR. BHARAT B. JADHAV	53	M	19 SECURITY	NA	NA	NA	NA	20/02/2019	Fit	NA	NA	NA	
11	000102	MR. DILIP D. KILLEDAR	50	M	03 AGRI	NA	NA	NA	NA	20/02/2019	Fit	NA	NA	NA	
12	000121	MR. AVINASH J. BASTWADE	38	M	03 AGRI	NA	NA	NA	NA	20/02/2019	Fit	NA	NA	NA	
13	000127	MR. BHAIHUBALI B. PATIL	38	M	01 ACCOUNT	NA	NA	NA	NA	20/02/2019	Fit	NA	NA	NA	
14	000135	MR. RAMCHANDRA M. NAIKWADE	48	M	03 AGRI	NA	NA	NA	NA	20/02/2019	Fit	NA	NA	NA	
15	000140	MR. SURESH A. BANDGAR	42	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	NA	NA	
16	000141	MR. SHABIR S. CHAUS	52	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	NA	NA	
17	000142	MR. HARIBA M. HAWALDAR	38	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	NA	NA	
18	000143	MR. ANANDA S. MAGDUM	41	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	NA	NA	

कार्यालये अधिवर्ष १९४८ व्या कलम १०(२) प्रमाणे कोल्हापूर जिल्हाकारिता

(Signature)
21/2/20

प्राधिकृत प्रमाणकअध्यक्षिकित्सक
क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFH, (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
	000144	MR. BAJIRAO V. GHORPADE	46	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000146	MR. SATGONDA R. PATIL	47	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000155	MR. AKASH G. MAGDUM	45	M	08 CO-GEN.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000163	MR. AMOL A. CHOUGULE	38	M	08 CO-GEN.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000164	MR. ANANDA S. BIROJE	41	M	08 CO-GEN.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000165	MR. CHANDRAKANT D. MALI	33	M	08 CO-GEN.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000168	MR. MAHADEV I. PATIL	53	M	08 CO-GEN.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000170	MR. SURYAKANT A. BHENDE	39	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000174	MR. LOKESH S. EKSAMBE	38	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000175	MR. YALLAPPA D. KOLI	46	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000176	MR. KRISHNATH T. SANT	42	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000178	MR. BANDU B. KOLI	37	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000179	MR. SARJERAO A. KOLI	36	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000183	MR. BALASO A. MULLA	38	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000184	MR. SUNIL G. RAJPUT	36	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000185	MR. SAMBHAJI R. JADHAV	38	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000187	MR. PANDURANG D. TAMBIRE	43	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000188	MR. ANANDA A. HAWALDAR	34	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000197	MR. SUNIL S. KADOLE	38	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	

(Signature)
Fit

कोरगाव अश्विनियम १९४८ च्या कलम १०(२) प्रमाणे

कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFHH (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or byc product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
000199	MR. UDAYKUMAR A. BARWADE	41	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
000200	MR. SANDEEP D. BAGADE	37	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
000202	MR. RAJENDRA A. SHINDE	37	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
000204	MR. VIJAY S. AMBUPE	43	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
000205	MR. KIRAN R. MANGSULE	46	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
000206	MR. SAGAK S. HASURE	42	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
000209	MR. AJIT A. CHOUGALE	42	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
000213	MR. BHASKAR S. KAMBLE	48	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
000215	MR. SANJAY A. BUNALE	39	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
000217	MR. BHAUSO R. CHOPADE	39	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
000218	MR. SIDRAM G. GAVANDI	45	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
000229	MR. PARMESHWAR K. YADAV	48	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
000240	MR. SAMBHAJI B. DESAI	59	M	15 MANUFACTURING	NA	NA			20/02/2019	Fit	NA	Fit	NA	
000244	MR. SURESH M. NAIKWADE	46	M	15 MANUFACTURING	NA	NA			20/02/2019	Fit	NA	Fit	NA	
000252	MR. KUMAR M. SUTAR	42	M	15 MANUFACTURING	NA	NA			20/02/2019	Fit	NA	Fit	NA	
000257	MR. HANAMANT L. PATIL	40	M	15 MANUFACTURING	NA	NA			20/02/2019	Fit	NA	Fit	NA	
000261	MR. SUNIL A. NIMBALKAR	39	M	15 MANUFACTURING	NA	NA			20/02/2019	Fit	NA	Fit	NA	
000264	MR. RAFIQ B. PATEL	34	M	15 MANUFACTURING	NA	NA			20/02/2019	Fit	NA	Fit	NA	
000270	MR. ARUN K. SURYAVANSHI	38	M	15 MANUFACTURING	NA	NA			20/02/2019	Fit	NA	Fit	NA	

Signature of Certifying Surgeon
DR. ARVIND MANE

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रमाणकशाल्यचिकित्सक
क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon

DR. ARVIND MANE
MBBS DPH AFTH, (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
7	000274	MR. RAJENDRA D. LATAWADE	39	M	03 AGRI	NA	NA			20/02/2019	Fit	NA	Fit	NA	
8	000276	MR. DEVENDRA A. SHIRGUPPE	38	M	03 AGRI	NA	NA			20/02/2019	Fit	NA	Fit	NA	
9	000277	MR. SURESH P. GODHADE	38	M	03 AGRI	NA	NA			20/02/2019	Fit	NA	Fit	NA	
10	000285	MR. VIJAY R. DAKARE	50	M	14 H.R.D.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
11	000294	MR. NILESH V. YADAV	46	M	01 ACCOUNT	NA	NA			20/02/2019	Fit	NA	Fit	NA	
12	000295	MR. KIRAN R. GAIKWAD	56	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
13	000296	MR. PRADIP S. SAWANT	35	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
14	000300	MR. YELGONDA S. PATIL	40	M	15 MANUFACTURING	NA	NA			20/02/2019	Fit	NA	Fit	NA	
15	000308	MR. SUBHASH M. KHOT	52	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
16	000313	MR. SUDESH N. MAGADUM	38	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
17	000317	MR. UDYKUMAR D. MAHIND	43	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
18	000318	MR. RAJGONDA P. PATIL	36	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
19	000319	MR. PANDURANG R. NANDIWALE	39	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
20	000320	MR. BALASO B. MAGDUM	43	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
21	000321	MR. ASHOK K. WANTE	39	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
22	000328	MR. POPAT M. KHOT	41	M	23 W. T. P.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
23	000330	MR. VIJAY S. PAWAR	37	M	03 AGRI	NA	NA			20/02/2019	NA	NA	Fit	NA	
24	000354	MR. RAMESH G. GAIKWAD	49	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
25	000359	MR. SANTOSH S. CHIKKODE	38	M	15 MANUFACTURING	NA	NA			20/02/2019	Fit	NA	Fit	NA	
											Fit	NA	Fit	NA	NA

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रमाणक शल्यचिकित्सक
क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFIHL (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
000381	MR. SACHINKUMAR K. HEMGIRE	37	M	03 AGRI	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000395	MR. SUBHASH S. PIMPALE	36	M	06 CANEYA.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000399	MR. KHANDERAOM KAMBALE	41	M	06 CANEYA.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000403	MR. VINOD A. PATIL	38	M	06 CANEYA.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000404	MR. HANAMANT A. PATIL	45	M	06 CANEYA.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000423	MR. KUMAR D. PATIL	38	M	19 SECURITY	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000425	MR. RAJENDRA S. GHADGE	40	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000428	MR. PRITAM M. MARDANE	40	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000439	MR. ANANT S. PATTANKUDE	41	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000441	MR. RUDRAGONDA B. PATIL	51	M	12 GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000446	MR. GAJANAN M. LATAWADE	38	M	06 CANEYA.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000448	MR. GAJENDRA H. MANE	59	M	22 VEHICLE	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000453	MR. SANJAY T. THORAWAT	48	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000459	MR. MADHUKAR B. MALI	43	M	08 CO-GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000460	MR. SHANKAR R. BALIGADE	43	M	08 CO-GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000470	MR. VISHAL G. GHATAGE	32	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000471	MR. MILIND D. KAMBLE	42	M	03 AGRI	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000478	MR. HANMANT V. BABAR	57	M	04 BIOFERTIL	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000489	MR. SANJAY Y. KUMBHAR	39	M	22 VEHICLE	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	

20/02/2019

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे कोल्हापूर जिल्हाकारिता

प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFPH.(Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
5	000494	MR. AJIT B. MURGUNDE	39	M	01 ACCOUNT	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
5	000533	MR. TEJANAND B. DESAI	35	M	08 CO-GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
7	000543	MR. PUNDALIK K. JADHAV	50	M	08 CO-GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
3	000545	MR. SUBHASH K. MANE	47	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
9	000549	MR. MILIND M. MALEKARI	40	M	06 CANEYA.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
0	000551	MR. RAMA A. ZENDE	36	M	06 CANEYA.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
1	000553	MR. UMESH S. MITHARE	43	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
2	000558	MR. NILESH M. JADHAV	39	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
3	000560	MR. BABASO D. PATIL	38	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
4	000561	MR. DIPAK P. CHAVAN	39	M	03 AGRI	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
5	000572	MR. SANTOSH A. BASTAWADE	35	M	06 CANEYA.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
5	000576	MR. NAZIM D. INAMDAR	52	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
7	000577	MR. PRAKASH K. LATWADE	41	M	06 CANEYA.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
3	000578	MR. SANJAY S. BHOSALE	38	M	06 CANEYA.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
9	000579	MR. UDAY S. PATIL	34	M	06 CANEYA.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
9	000580	MR. SANJAY G. PATIL	41	M	06 CANEYA.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000581	MR. VINOD S. PATIL	34	M	06 CANEYA.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000587	MR. SURESH M. UGARE	46	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000594	MR. HEMANTKUMAR S. POL	32	M	08 CO-GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	

कारखाने अधिनियम १९४८ चा क्लम १०(२) प्रमाणे
कोल्हापूर फिलहाकरिता

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFIH.(Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
4	000595	MR. ANIL S. MANE	37	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
5	000598	MR. DHANANJAY U. THORAWAT	39	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
5	000601	MR. MADAN S. VASAMKAR	40	M	16 PETROL P.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
7	000603	MR. HEMANT B. KASARKAR	35	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
3	000603	MR. HEMANT B. KASARKAR	35	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
9	000604	MR. VILAS R. JAGTAP	46	M	12 GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
9	000614	MR. KRISHNADEV K. MANE	43	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
1	000627	MR. JITENDRA M. GORE	52	M	19 SECURITY	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
2	000628	MR. BALASAHEB D. ALGOUDA	43	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
3	000636	MR. RAJKUMAR S. MANE	42	M	08 CO-GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
4	000638	MR. CHANDRAKANT S. SHINDE	32	M	03 AGRI	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
5	000640	MR. CHANDRAKANT K. PARIT	40	M	03 AGRI	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
5	000642	MR. PRASHANT R. SHETTI	33	M	03 AGRI	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
7	000645	MR. BALASO L. CHOUGALE	43	M	03 AGRI	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
4	000649	MR. DIPAK B. SHINDE	37	M	03 AGRI	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
9	000651	MR. VITTHALSING R. RAJAPUT	40	M	19 SECURITY	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
4	000654	MR. KAYUM B. MULLA	56	M	19 SECURITY	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
2	000655	MR. DILIP B. KADAM	32	M	19 SECURITY	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
2	000664	MR. PANDURANG H. BEHOTTE	46	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	

कसवाने अधिनियम १९४८ च्या क्लेम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रमाणकशाल्याधिकृतसक
क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFHL (Mumbai)

From: 20/02/2019 To 19/02/2020

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
3	000668	MR. BAJIRAO S. TIKODE	53	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
4	000669	MR. PRABHAKAR P. PATIL	36	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
5	000671	MR. RAMGONDA P. PATIL	36	M	08 CO-GEN.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
6	000673	MR. DEEPAK D. MANE	47	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
7	000679	MR. VIKAS M. PATIL	41	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
8	000682	MR. KISHOR T. PAWAR	42	M	08 CO-GEN.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
9	000685	MR. RANJIT G. YADAV	38	M	08 CO-GEN.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
10	000689	MR. SHRIPATI N. JOLLE	45	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
11	00691	MR. ANANDA M. FAKANDE	35	M	04 BIOFERTIL.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
12	000699	MR. MOHAN K. PATIL	42	M	03 AGRI	NA	NA			21/02/2019	Fit	NA	Fit	NA	
13	000702	MR. ISMAIL B. JAMADAR	46	M	14 HR D.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
14	000706	MR. BAHUBALI S. LATTE	30	M	06 CANEYA.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
15	000709	MR. ASHOK JADHAV	54	M	19 SECURITY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
16	000712	MR. SURESH B. GAIKWAD	48	M	19 SECURITY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
17	000715	MR. SHIVAJI M. BHOSALE	54	M	19 SECURITY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
18	00717	MR. MALHAR G. JADHAV	44	M	08 CO-GEN.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
19	000718	MR. ARUN B. KAGWADE	43	M	19 SECURITY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
20	000726	MR. RAJENDRA K. PATIL	36	M	19 SECURITY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
21	000727	MR. RAJU P. KOLI	35	M	19 SECURITY	NA	NA			21/02/2019	Fit	NA	Fit	NA	

कायदाने अधिनियम १४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रमाणकशाखाधिकारि
क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFPH, (Mumbai)

From: 20/02/2019 To 19/02/2020

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
000729	MR. DILIP N. GORE	54	M	19 SECURITY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000733	MR. SHAMRAO S. SHEDBALE	44	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000736	MR. MADHUSUDAN M. MORADE	34	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000738	MR. ANIL S. KAMBALE	40	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000741	MR. RAJARAM A. BAKALE	50	M	19 SECURITY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000746	MR. TUKARAM B. PATIL	42	M	21 SUGAR G.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000750	MR. SUKUMAR S. BHALE	45	M	07 CIVIL	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000759	MR. AMGONDA B. PATIL	37	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000760	MR. VINOD D. KAMBLE	35	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000769	MR. MAHPAL T. GAVALI	52	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000773	MR. MEHUL C. LUGADE	32	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000774	MR. UTTAM V. PATIL	42	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000783	MR. ANANT S. RASANKAR	58	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000784	MR. SANJAY M. MAGADUM	37	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000785	MR. SHARAD M. INGALE	38	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000792	MR. PREM K. WAGHMARE	37	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000793	MR. VIJAYKUMAR B. PATIL	36	M	06 CANEYA.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000796	MR. HIRASING B. RAJPUT	41	M	06 CANEYA.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000798	MR. AKARAM S. GAYADE	31	M	03 AGRI	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	

(Handwritten signature)

कारखाने अधीनस्थित १९४८ च्या कलम १०(२) प्रमाणे कोल्हापूर जिल्हाकरिता

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFIIH.(Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
000854	MR. POPAT K. SALUNKHE	41	M	08 CO-GEN.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
000855	MR. VEERPRAKASH J. FUTANE	38	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
000856	MR. MAKABUL S. DESAI	42	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
000857	MR. MIRASAB S. SHENDURE	35	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
000858	MR. KUMAR S. MANE	42	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
000859	MR. SWAPNIL A. KAMBLE	30	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
000864	MR. VIJAY S. KUMBHOJKAR	39	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
000865	MR. SANDEEP S. SAJANE	37	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
000871	MR. GANESH R. GORE	33	M	06 CANEYA.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
000873	MR. AJIT A. PATIL	33	M	06 CANEYA.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
000882	MR. JINGODA B. PATIL	38	M	07 CIVIL	NA	NA			21/02/2019	Fit	NA	Fit	NA	
000883	MR. SANDIP S. MAGDUM	36	M	07 CIVIL	NA	NA			21/02/2019	Fit	NA	Fit	NA	
000884	MR. ALAM S. PATEL	54	M	07 CIVIL	NA	NA			21/02/2019	Fit	NA	Fit	NA	
000886	MR. ANAND J. SHINDE	46	M	19 SECURITY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
0887	MR. FAJAHAMAD R. MULLA	52	M	19 SECURITY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
000890	MR. MAHESH B. AKADE	34	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
000902	MR. AMAR A. PATIL	32	M	03 AGRI	NA	NA			21/02/2019	Fit	NA	Fit	NA	
000907	MR. APPASO B. GOURAJ	41	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
000908	MR. SACHIN B. CHIKHALE	38	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	

कम्प्लाने अधिनियम १९४८ चा फिलम १०(२) प्रमाणे कोल्हापूर जिल्हाकरिता

Form No 7 (Prescribed under Rule 18 (17))

Certifying Surgeon

HEALTH REGISTER

DR. ARVIND MANE

From: 20/02/2019 To 19/02/2020

MBBS DPH AFIL(Mumbai)

Company Name : **SHRI GURUDATT SUGARS LTD. (COMPANY)**

Sl. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
	000909	MR. SATISH A. PARIT	36	M	22 VEHICLE	NA	NA	occupation		21/02/2019	Fit	NA	Fit	NA	
	000912	MR. NAVEED S. DANAWADE	36	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000928	MR. BALASO V. PARIT	54	M	19 SECURITY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000930	MR. DILIP T. KAMBLE	32	M	19 SECURITY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000935	MR. AMOL R. MANE-GAVDE	32	M	06 CANEYA.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000937	MR. RANJIT S. KOLEKAR	32	M	03 AGRI	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000939	MR. TUSHAR T. NIKAM	31	M	21 SUGAR G.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000940	MR. SANDIP M. GAIKWAD	33	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000941	MR. BAJIRAO S. BHALE	34	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000942	MR. SATISH D. VALWADE	33	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000943	MR. ASHOK A. SHINDE	32	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000944	MR. AMOL R. HUIJARE	31	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000952	MR. CHANDRAKANT B. BIRANAGE	42	M	11 E. T. P.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000954	MR. VILAS R. BALE	49	M	11 E. T. P.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000967	MR. SANDEEP B. GAIKWAD	46	M	02 ADMIN.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000974	MR. SANJAY T. PATIL	55	M	19 SECURITY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000976	MR. SIKANDAR D. FARAS	38	M	19 SECURITY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000977	MR. YASHWANT A. JADHAV	42	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000981	MR. MALGONDA B. PATIL	32	M	15 MANUFACTURING	NA	NA			21/02/2019	NA	NA	Fit	NA	

कार्यालये अधिनियम १९४८ च्या अनुसूची १०(२) प्रमाणे

कोल्हापूर जिल्हाकारिता

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFH. (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
000982	MR. YUVIRAJ S. NIMBALKAR	32	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000985	MR. FARUK S. DANWADE	32	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000991	MR. VISHAL A. CHOUDHARI	28	M	06 CANEYA.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000993	MR. SAGAR D. PIRKANE	32	M	06 CANEYA.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000994	MR. RAKESH R. MAGADUM	28	M	01 ACCOUNT	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001000	MR. IAJILAL M. NAGARAJI	38	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001004	MR. SHAMGONDA N. ALATE	42	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001005	MR. JOTIBA R. AKKOLE	36	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001008	MR. DILIP N. MALAGAR	54	M	19 SECURITY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001011	MR. GUNDAPPA R. MANE	55	M	19 SECURITY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001015	MR. AMAR A. BIRANGE	31	M	19 SECURITY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001016	MR. SHAHIR S. CHAWARE	56	M	19 SECURITY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001017	MR. CHETANSHAN M. MANE	29	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001018	MR. MAHAVIR J. NARADE	43	M	20 STORE	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001020	MR. AMAR K. GIRIBUVA	34	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001023	MR. RAJENDRA S. JADHAV	42	M	19 SECURITY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001026	MR. SHAMRAO N. PATIL	56	M	19 SECURITY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001029	MR. SURESH K. DESAI	34	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001031	MR. ARVIND R. HORTIKAR	57	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	

कायदाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे

कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रभागाक शिथिलीकरण

क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFIH (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
67	001032	MR. GORAKHINATH P. NIRMALE	36	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
68	001033	MR. BAJIRAO I. SHEDBALE	49	M	07 CIVIL	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
69	001034	MR. SHIVAJI B. KHOT	48	M	07 CIVIL	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
70	001035	MR. NETAJI H. KHOT	39	M	07 CIVIL	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
71	001036	MR. NANASO S. KAMBLE	51	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
72	001038	MR. YOGESH K. KAMBLE	34	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
73	001039	MR. KIRAN S. CHIGARE	42	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
74	001040	MR. MAHAVIR A. BIRANGE	42	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
75	001041	MR. SANDIP R. KHOT	30	M	08 CO-GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
76	001042	SMT. MUKTABAI S. BIRANGE	45	F	18 SANITARY	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
77	001043	SOU. SAOURAI A. BIRANGE	45	F	18 SANITARY	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
78	001044	SMT. USHATAI S. KAMBLE	42	F	18 SANITARY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
79	001045	MR. RAMESH K. KAMBLE	32	M	08 CO-GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
80	001046	MR. SUNIL S. NIRMALE	32	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
81	001047	MR. APPASO S. MAGDUM	38	M	04 BIOFERTI.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
82	001048	MR. ANANDA S. KUMBHAR	34	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
83	001049	SOU. KASTURI P. KAMBLE	45	F	18 SANITARY	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
84	001051	MR. SRIKANT P. BIRANGE	33	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
85	001052	MR. SANDIP D. SUTAR	31	M	07 CIVIL	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	

कोशिके अधिवर्ति १९४६ व्या क्रम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon

DR. ARVIND MANE
MBBS DPHAFIH, (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with	signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
001053	MR. YOGESH G. KAMBLE	28	M	18 SANITARY	NA	NA	NA			20/02/2019	Fit	NA	Fit	Fit	NA	
001054	MR. RANJIT R. PATIL	44	M	15 MANUFACTURING	NA	NA	NA			20/02/2019	Fit	NA	Fit	Fit	NA	
001056	MR. ASHOK B. PATIL	52	M	19 SECURITY	NA	NA	NA			20/02/2019	Fit	NA	Fit	Fit	NA	
001057	MR. DIPAK N. SANKPAL	34	M	10 ENGG.	NA	NA	NA			20/02/2019	Fit	NA	Fit	Fit	NA	
001063	MR. VAIBHAV S. PATIL	29	M	10 ENGG.	NA	NA	NA			20/02/2019	Fit	NA	Fit	Fit	NA	
001066	MR. SHIVAJI R. KOLI	39	M	10 ENGG.	NA	NA	NA			20/02/2019	Fit	NA	Fit	Fit	NA	
001068	MR. PRAKASH S. BADANIKAI	37	M	08 CO-GEN.	NA	NA	NA			20/02/2019	Fit	NA	Fit	Fit	NA	
001069	MR. SHIVAJI D. POWAR	46	M	08 CO-GEN.	NA	NA	NA			20/02/2019	Fit	NA	Fit	Fit	NA	
001070	MR. VAIBHAV N. CHANDOBA	39	M	08 CO-GEN.	NA	NA	NA			20/02/2019	Fit	NA	Fit	Fit	NA	
001071	MR. SUBHASH R. JADHAV	45	M	15 MANUFACTURING	NA	NA	NA			20/02/2019	Fit	NA	Fit	Fit	NA	
001079	MR. SUHAS D. MAGDUM	32	M	01 ACCOUNT	NA	NA	NA			20/02/2019	Fit	NA	Fit	Fit	NA	
001080	MR. SANTOSH A. BIRANGE	34	M	15 MANUFACTURING	NA	NA	NA			20/02/2019	Fit	NA	Fit	Fit	NA	
001081	MR. BALASAHEB V. BANDAGAR	34	M	08 CO-GEN.	NA	NA	NA			20/02/2019	Fit	NA	Fit	Fit	NA	
001082	MR. ARVIND S. PATIL	32	M	06 CANEYA.	NA	NA	NA			21/02/2019	Fit	NA	Fit	Fit	NA	
001083	MR. RAMDAS A. BIRANGE	33	M	18 SANITARY	NA	NA	NA			20/02/2019	Fit	NA	Fit	Fit	NA	
001084	MR. VITTHAL G. NIRMAL	35	M	15 MANUFACTURING	NA	NA	NA			20/02/2019	Fit	NA	Fit	Fit	NA	
001085	MR. AJIT D. NIRMAL	34	M	10 ENGG.	NA	NA	NA			20/02/2019	Fit	NA	Fit	Fit	NA	
001086	MR. GOPICHAND J. BHANDARE	30	M	15 MANUFACTURING	NA	NA	NA			20/02/2019	Fit	NA	Fit	Fit	NA	
001087	MR. VINAYAK Y. KUMBHAR	29	M	10 ENGG.	NA	NA	NA			20/02/2019	Fit	NA	Fit	Fit	NA	

कारखाने अधीनस्थ १५४८ छा कक्ष १०(२) प्रमाण
कोल्हापूर जिल्हाकरिता

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFTH (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sl. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
5	001088	MR. NITIN S. SHINDE	30	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
6	001089	MR. UTTAM N. GORE	29	M	20 STORE	NA	NA			20/02/2019	Fit	NA	Fit	NA	
7	001090	MR. RAHUL A. GORE	33	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
8	001091	MR. BAJARANGI KOLI	36	M	07 CIVIL	NA	NA			20/02/2019	Fit	NA	Fit	NA	
9	001092	MR. SHANTINATH B. KHURPE	42	M	20 STORE	NA	NA			20/02/2019	Fit	NA	Fit	NA	
0	001094	MR. ANNASO R. DANOLE	36	M	07 CIVIL	NA	NA			20/02/2019	Fit	NA	Fit	NA	
1	001095	MR. BABASO B. MAISHALE	35	M	08 CO-GEN.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
2	001096	MR. RAJU B. GAVADE	35	M	07 CIVIL	NA	NA			20/02/2019	Fit	NA	Fit	NA	
3	001097	MR. CHANDRAKANT A. KOLI	36	M	07 CIVIL	NA	NA			20/02/2019	Fit	NA	Fit	NA	
4	001098	MR. NITIN B. KOLI	34	M	07 CIVIL	NA	NA			20/02/2019	Fit	NA	Fit	NA	
5	001099	MR. MARUTIP. BHATMARE	37	M	08 CO-GEN.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
6	001100	MR. ZAKIR M. KUDACHE	36	M	08 CO-GEN.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
7	001101	MR. SADASHIV T. GAVANDI	45	M	08 CO-GEN.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
8	001102	MR. SANTOSH M. BAVADEKAR	39	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
9	001103	MR. SANTOSH N. SAVANT	29	M	10 ENGG.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
0	001104	MR. BALASAHEB V. GAIKWAD	32	M	18 SANITARY	NA	NA			20/02/2019	Fit	NA	Fit	NA	
1	001106	MR. PRAKASH T. AIWALE	42	M	05 CANE D.	NA	NA			20/02/2019	Fit	NA	Fit	NA	
2	001107	MR. KUMAR A. SUTAR	38	M	07 CIVIL	NA	NA			20/02/2019	Fit	NA	Fit	NA	
3	001108	MR. VASANT B. POWAR	45	M	07 CIVIL	NA	NA			20/02/2019	Fit	NA	Fit	NA	

कारखाने अधीनियम १९४८ ची कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रमाणकशाल्यचिकित्सक
क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFTH, (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or by product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
001109	MR. VIJAY R. CHAVAN	35	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
001110	MR. TATOBA A. HINGMIRE	34	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
001111	MR. SURESH S. ADARSHE	35	M	08 CO-GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
001112	MR. SACHIN S. SHINDE	35	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
001113	MR. AMOL Y. PATIL	33	M	14 H.R.D.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
001114	MR. UMESH P. GAIKWAD	38	M	20 STORE	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
001115	MR. BANDU N. SHINDE	36	M	07 CIVIL	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001116	MR. ASHOK B. POWAR	46	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001117	MR. DAYANAND K. PATIL	39	M	16 PETROL P.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001118	MR. SURESH N. MASKE	41	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001120	MR. TUKARAM P. PATIL	44	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001121	MR. SHIVAJI S. MAGDUM	30	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001122	MR. LAXMAN K. KORAVI	33	M	16 PETROL P.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001123	MR. MADAR A. NADAF	45	M	07 CIVIL	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001124	MR. RAJU S. MAGDUM	43	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001125	MR. MANOJ A. MANE	34	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001126	MR. SURESH B. POWAR	35	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001127	MR. BALASO L. KHOMBHARE	34	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001128	MR. CHANDRAKANT S. LOHAR	43	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	

कायाने अधिनियम १९४८ च्या अनुसूची १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकारी अधिकारी

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFH (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
3	001129	MR. PRABHAKAR B. KOLI	39	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
4	001130	MR. KAPIL R. DANAWADE	33	M	07 CIVIL	NA	NA			21/02/2019	Fit	NA	Fit	NA	
5	001131	MR. LINGAPPA K. BANDAGAR	35	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
6	001132	MR. SANTOSH B. GORE	32	M	16 PETROL P.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
7	001133	MR. DHONDIRAM S. MANE	30	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
8	001134	MR. RAHUL G. PAITEKARI	32	M	03 AGRI	NA	NA			21/02/2019	Fit	NA	Fit	NA	
9	001135	MR. SANDIP S. PATIL	31	M	21 SUGAR G.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
10	001137	MR. SHIVPUTRA A. KOLI	39	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
11	001138	MR. AMIT B. PATIL	37	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
12	001139	MR. SURESH N. VADAR	45	M	07 CIVIL	NA	NA			21/02/2019	Fit	NA	Fit	NA	
13	001140	MR. RAJKUMAR V. BAGE	41	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
14	001141	MR. GANESH B. INGALE	32	M	08 CO-GEN.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
15	001142	MR. NITIN A. NALAVADE	37	M	07 CIVIL	NA	NA			21/02/2019	Fit	NA	Fit	NA	
16	001143	MR. TATYASO D. MANE	31	M	06 CANEYA.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
17	001144	MR. SUNILKUMAR J. SOUNDATTE	34	M	08 CO-GEN.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
18	001145	MR. SANTOSH P. SAMADOLE	32	M	23 W. T. P.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
19	001146	MR. SANTOSH P. SASANE	31	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
20	001147	MR. PRASHANT D. PIMPALE	30	M	23 W. T. P.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
21	001148	MR. VIJAY R. KHOT	31	M	21 SUGAR G.	NA	NA			21/02/2019	Fit	NA	Fit	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) अन्वये
कोल्हापूर जिल्हाकरिता

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFH (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
2	001150	MR. RIYAJ G. SANADI	36	M	22 VEHICLE	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
3	001151	MR. UTTAM L. KARNALE	30	M	06 CANEYA.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
4	001152	MR. SHEKHAR S. PARIT	36	M	23 W. T. P.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
5	001153	MR. PRAVIN S. PATIL	33	M	14 H.R.D.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
5	001154	MR. DHONDIRAM R. CHAVARE	37	M	23 W. T. P.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
7	001156	MR. SANTOSH S. HINGMIRE	35	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
8	001157	MR. SAGAR S. JUGALE	32	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
9	001158	MR. DIGVIJAY M. KAMBLE	37	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
10	001160	MR. MAHANTESH V. UMARANT	36	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
11	001162	MR. GOPAL S. BHANDARE	33	M	04 BIOFERTL.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
12	001165	MR. SANTOSH K. KAMBLE	36	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
13	001166	MR. RAMESH S. MATHPATI	42	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
14	001168	MR. KRISHNAJI P. MALLEWADE	29	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
15	001170	MR. YUNUS M. KUDACHE	33	M	13 GUEST H.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
16	001172	MR. SANTOSH S. NAGAYI	34	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
17	001173	MR. SAMBHAJI B. DUBAL	57	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
18	001176	MR. AMOL A. NIRMAL	33	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
19	001177	MR. SANJAY B. CHOPADE	50	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
20	001179	MR. SANGRAM B. GHORPADE	34	M	05 CANE D.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	

(Signature)

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon
DR.ARVIND MANE
MBBS DPH AFIH.(Mumbai)

Company Name : **SHRI GURUDATT SUGARS LTD. (COMPANY)**

Sl. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
	001182	MR. VIJAY M. MALI	30	M	20 STORE	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001186	MR. PRAKASH A. PATIL	36	M	23 W. T. P.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001187	MR. KULHUSEAN S. GADAVE	30	M	03 AGRI	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001188	MR. SACHIN V. TADE	35	M	04 BIOFERTI.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001190	MR. SOMNATH M. KUMBHAR	35	M	23 W. T. P.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001192	MR. RAJARAM L. JAGTAP	41	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001193	MR. SHIVANAND S. HOSPET	37	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001194	MR. RUPESH M. SAKHALE	31	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001196	MR. NETAJN. CHAVAN	41	M	23 W. T. P.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001197	MR. SUDHAKAR R. DESHMUKH	42	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001200	MR. VIDYANAND A. BHOJE	38	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001201	MR. PRASHANT M. SHINDE	35	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001205	MR. AMOL T. MAHADIK	30	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001206	MR. SUHAS B. SIRSATTI	33	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001208	MR. KRUSHNAT T. PATIL	38	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001209	MR. AJIT S. VASAMKAR	36	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001210	MR. ANIL V. HERWADE	36	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001211	MR. AZURDIN M. APARADHI	32	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001212	MR. SURESH S. KAMBLE	42	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	

कारखाने अधिनियम १९४८ या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFPH, (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sl. No.	Fmp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
	001213	MR. PARSHURAM B. KAMBLE	36	M	05 CANE D.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001214	MR. AMIN S. MULLA	35	M	05 CANE D.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001216	SOU. SALONA A. SANADE	45	F	18 SANITARY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001217	MR. DASHRATH V. VADAR	45	M	07 CIVIL	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001220	MR. SANDIP T. MANE	36	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001224	MR. NARSINGH S. TODKAR	34	M	23 W. T. P.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001225	MR. RAMESH B. KADAM	35	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001226	MR. SURYAKANT L. SANKPAL	38	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001227	MR. DATTATRAY N. MAGADUM	33	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001228	MR. RAJENDRA B. KAGALE	40	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001229	MR. OMKAR A. PIMPALE	28	M	06 CANEYA.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001231	MR. SURESH K. KALYANI	41	M	08 CO-GEN.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001234	MR. SHRIDIHAR J. KURANE	44	M	22 VEHICLE	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001236	MR. ANAND R. CHENDAKE	35	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001237	MR. SANJAY J. SHINDE	40	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001238	MR. HITENDRA R. SHIRGUPPE	42	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001244	MR. GAJANAN M. SAWANT	31	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001247	MR. VINAYKUMAR B. NAGAVE	42	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001249	MR. SUNIL G. PARIT	46	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	

कारखाने अधिनियम १९४८ व्हा कलम १०(२) प्रमाणे कोरहापूर जिल्हाकरिता

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFPH (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
001293	MR. ABHJIT M. GAIKWAD	31	M	09 E.D.P.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001294	MR. GIRIDHAR B. SAHASTRABUDDHE	51	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001295	MR. VIKAS P. PATIL	27	M	09 E.D.P.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001296	MR. SUBHASH B. JUGALE	47	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001297	MR. BAPU A. CHAVAN	32	M	07 CIVIL	NA	NA			21/02/2019	NA	NA	Fit	NA	
001298	MR. SHRISHAIL M. AMBI	38	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001299	MR. MEHBOOB D. JAMADAR	43	M	20 STORE	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001300	MR. PRADIP S. NAIK	33	M	08 CO-GEN.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001301	MR. SACHIN S. PATIL	29	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001302	MR. SUDHIR M. PATOLE	30	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001303	MR. GAJANAN M. BHATLE	32	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001304	MR. PRASAD M. CHOUGULE	29	M	20 STORE	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001305	MR. SALMAN I. BAIRAGDAR	27	M	23 W. T. P.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001306	MR. SANTOSH R. DHANAVADE	39	M	24 DISTILL.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001307	MR. SANDEEP B. KHARAT	31	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001309	MR. VIJAYSINH A. BHOSALE	37	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001310	MR. MAHADEO D. NANAWARE	40	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001311	MR. DIPAK V. MANGALE	39	M	08 CO-GEN.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001312	MR. BABU S. KOTABAGI	28	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	

कमलाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रमाणकराश्याधिकारिस्तक
क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFPH (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
7	001313	MR. NISHIKANT D. KURADE	58	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
8	001314	MR. TEJPAL A. GANE	35	M	09 E.D.P.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
9	005063	MR. BAHUBALI M. SOUNDATTE	34	M	20 STORE	NA	NA			21/02/2019	Fit	NA	Fit	NA	
0	005071	MR. PRAKASH B. MALEKARI	51	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
1	005077	MR. UDAY A. PATIL	29	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
2	005082	MR. SUNIL V. LATTHE	30	M	21 SUGAR G.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
3	005083	MR. RAMCHANDRA R. AMBI	34	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
4	005086	MR. PRADIP M. SHINDE	38	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
5	005087	MR. DIPAK R. KAMBLE	31	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
5	005091	MR. MARUTID. KATTIKAR	34	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
7	005094	MR. SACHIN A. KHOT	31	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
3	005096	MR. VILAS D. GAIKWAD	33	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
0	005097	MR. RAJAN S. VALVE	38	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
0	005098	MR. SUNIL R. PATTEKARI	42	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
1	005101	MR. HALAPPA B. SURYAVANSHI	54	M	21 SUGAR G.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
2	005102	MR. ARIF R. DESAI	28	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
3	005103	MR. LALASO P. PATIL	46	M	21 SUGAR G.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
4	005105	MR. KUMAR A. ADUKE	32	M	18 SANITARY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
5	005112	MR. DATTATRAY T. PATIL	38	M	20 STORE	NA	NA			21/02/2019	Fit	NA	Fit	NA	

कारखाने अधिनियम 1987 च्या कलम 10(2) प्रमाणे

कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रमाणकशाखाचे क्लिस्तक

क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))
HEALTH REGISTER

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFPH.(Mumbai)

From: 20/02/2019 To 19/02/2020

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
6	005114	MR. SAGAR M. POWAR	30	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
7	005115	MR. SAGAR Y. YADAV	32	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
8	005117	MR. SEAMRAO R. MIRJE	47	M	10 ENGG.	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
9	005122	MR. GURUPAD D. BORGAVE	47	M	23 W. T. P.	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
10	005123	MR. AJIT B. MIAISHALE	33	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
11	005124	MR. SHIVAJI G. JAKHALE	39	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
12	005125	MR. INDRAJIT R. SANKPAL	31	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
13	005126	MR. NITIN T. HINGMIRE	32	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
14	005130	MR. ANANDA Y. PATIL	33	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
15	005131	MR. VIJAY V. MANE	43	M	08 CO-GEN.	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
16	005132	MR. VISHWAS L. ZANJE	30	M	08 CO-GEN.	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
17	005134	MR. MARUTI B. BHADULE	46	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
18	005135	MR. SRIMANT S. KAMBLE	30	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
19	005148	MR. TIFUSULTAN R. TAHSILDAR	23	M	18 SANITARY	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
20	005150	MR. DADASO B. KAGALE	36	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
21	005152	MR. SAYYADALI I. MAKANDAR	38	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
22	005154	MR. SAGAR M. LOLSURE	32	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
23	005155	MR. RAJENDRAKUMAR S. NIRMAL	31	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
24	005156	MR. RAJU G. NIMBALKAR	32	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	

कोरखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रमाणक शल्यचिकित्सक
क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFIH.(Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
5	005158	MR. BALASO K. SANKPAL	35	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
6	005160	MR. SHANKAR R. KHARPI	39	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
7	005165	MR. SAGAR D. KHOT	29	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
8	005168	MR. AVINASH S. PATIL	29	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
9	005172	MR. BIRDEV S. BANDAGAR	33	M	18 SANITARY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
0	005173	MR. SANTOSH V. KOLI	26	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
1	005175	MR. PRAMOD C. KADAM	38	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
2	005178	MR. RAFIQ N. JAMADAR	29	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
3	005179	MR. SUNIL D. KOLI	27	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
4	005180	MR. SURESH I. MIRJE	50	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
5	005181	MR. GAJANAN Y. KAMATE	29	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
6	005183	MR. ARIF D. DANVADE	32	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
7	005184	MR. RAVINDRA B. UMRANI	35	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
8	005185	MR. ROHIT G. PAGADE	27	M	04 BIOFERTL.	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
9	005187	MR. AVADHUT D. KOLI	29	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
0	005188	MR. DADASO R. GASTE	29	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
1	005190	MR. ARJUN A. KOLI	30	M	01 ACCOUNT	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
2	005193	MR. TUKARAM M. PAKHRE	46	M	07 CIVIL	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
3	005194	MR. UMESH A. PATIL	28	M	10 ENGG.	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	

कायाने अधिसिद्ध १९४८ आ कलम १०(३) प्रमाणे

कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFIH (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
4	005195	MR. BACHARAM K. PATIL	37	M	08 CO-GEN.	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
5	005197	MR. DIPAK S. KAIKADI	28	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
5	005199	MR. NEMINATH A. KOTE	36	M	10 ENGG.	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
7	005200	MR. RAMCHANDRA G. DABHIDE	26	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
8	005208	MR. VASANT B. LATKAR	45	M	06 CANEYA.	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
9	005209	MR. SANTOSH P. KOLI	37	M	07 CIVIL	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
9	005210	MR. CHANDRAKANT D. GAIKWAD	52	M	07 CIVIL	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
1	005211	MR. SOPAN V. NIRMAL	34	M	18 SANITARY	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
2	005213	MR. SIDDHA B. SALGARE	30	M	07 CIVIL	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
3	005214	MR. MANGESH V. PATIL	32	M	07 CIVIL	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
4	005217	MR. ANILSING M. RAJPUT	29	M	22 VEHICLE	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
5		MR. KEDARI V. MANE	30	M	-	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
5		MR. ASHISH B. BHANDARE	27	M	-	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
5		MR. KIRAN R. NIRMAL	26	M	-	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
डॉ. ACS 15-AM/2016

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/L.S.I (R60)

Date: 01/07/2020

No:- Format1.0/CAC/UAN No.MPCB-
CONSENT-0000083686/CO - 2007000020

To,
Shri Gurudatt Sugars Ltd.,
Gat No. 61/A, Gat 61/A, Takaliwadi - 416108
Shirol, Kolhapur.

Sub: 1st Consent to Operate for 75 KLPD Molasses based Distillery. under RED Category.

- Ref:**
1. Environmental Clearance granted vide letter No. F. No. J-11011/41/2015-IA II(I) dtd. 07.06.2019
 2. Consent to Establish granted by Board vide No. BO/CAC-CELL/UAN NO. 0000065499/CE/CAC- 1911000451 dtd. 13.11.2019
 3. Minutes of CAC Meeting dtd.05.06.2020.

Your application No.MPCB-CONSENT-0000083686 Dated 27.11.2019

For: Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The consent to operate is granted for a period up to 31/08/2021**
2. **The capital investment of the project is Rs.140.04 Crs. (As per C.A Certificate submitted by industry)**
3. **Consent is valid for the manufacture of:**

Sr No	Product	Maximum Quantity	UOM
Products			
1	Rectified Spirit (Captive)/Denaturde Spirit (Captive) OR	75	KL/D
2	Extra Neutral Alcohol	69.75	KL/D
3	Impure Spirit/Technical Alcohol	5.25	KL/D
4	EThanol	71.25	KL/D
5	Fusel Oil	3.75	KL/D
6	Electricity	2.5	KL/D

Distillery Capacity shall not exceed (Molasses base) 75 KLPD.



4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to	Disposal Path
1.	Trade effluent	150	As per Schedule-I	MEE and Incineration Boiler
2.	Domestic effluent	0.8	As per Schedule-I	On land for irrigation.

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

Sr No.	Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
1	1	Boiler (22 TPH)	1	As per Schedule -II

6. **Non-Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	NA	0	--NA--	0	NA

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for treatment and disposal of hazardous waste:**

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
	NA				

- 8 The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
- 9 This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
- 10 This consent is issued pursuant to the decision of the Consent Appraisal Committee Meeting held on 05.06.2020
- 11 The applicant shall comply with the conditions of the Environmental Clearance granted vide letter No. F. No. J-11011/41/2015-IA II(I) dtd. 07.06.2019
- 12 Industry shall install online continuous monitoring system as per CPCB guidelines & data to be transmitted directly from Data Logger to Board server .
- 13 PP shall provide separate energy meter for MEE and Incineration Boiler and maintain power consumption record on daily basis.
- 14 The applicant shall make an application for renewal of consent 60 days prior to date of expiry of the consent.

For and on behalf of the
Maharashtra Pollution Control Board.

(E. Ravendiran IAS),
Member Secretary



Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	280080.00	TXN1911002146	27/11/2019	Online Payment
2	75000.00	TXN2001001206	13/01/2020	Online Payment
3	280080.00	TXN2006001005	19/06/2020	Online Payment

Copy to:

1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Kolhapur
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. CC/CAC desk - for record & website updation purposes.





SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. Conditions for Trade effluent:

A) You have provided comprehensive treatment i.e Effluent treatment plant with the design capacity of 750 CMD for trade effluent 750 CMD including MEE for volume reduction (150 CMD after volume reduction) and Incineration Boiler for achieving zero discharge. In no any spent wash shall discharge outside the factory premises/ on land / into stream directly or indirectly.

2. Conditions for Sewage/ Domestic effluent:

- i. You have provided septic tank and soak pit (for sewage below 20 CMD).
- ii. The industry shall operate sewage treatment system to treat the sewage/ domestic effluent so as to achieve the standards as prescribed by the board/under EP Act, 1986 and rules made thereunder from time to time whichever is stringent.

Sr.No	Parameter	Concentration not to exceed(in mg/l except for pH
1.	pH	6.5-9.0
2.	BOD	30
3.	TSS	100

iii. The sewage shall be treated by using septic tank and soak pit and overflow if any shall be used on-land for gardening/irrigation.

3. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	72.00
2.	Domestic purpose	1.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	593.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0

Fresh water requirement is restricted to 313 CMD as per Environmental clearance.

4. Industry shall install online monitoring system as per the guidelines of CPCB and data to be transmitted to Board's server.
5. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance.



SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM
1	Boiler (22 TPH)	ESP	82	Coal + Con. Spent Wash (150 CMD)	50 MT/Day

2. Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.
3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	50 mg/Nm ³
--------------------	---------------	-----------------------

6. Storage of raw materials, coal etc. shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.
7. The industry shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules, 1986 and connected to MPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
8. The industry shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality /fugitive emissions to Regional Office MPCB.
9. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).



SCHEDULE-III
Details of Bank Guarantees:

Sr. No	Consent (C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to O	500000	15 days/extended	Towards compliance of Consent conditions & O & M of pollution control system.	31.08.2020	31.12.2020

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				





SCHEDULE-IV
General Conditions:

1. The Energy source for lighting purpose shall preferably be LED based
2. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
3. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
4. The applicant shall maintain good housekeeping.
5. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
6. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
7. The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
8. The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
9. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
10. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.



Maharashtra Pollution Control Board

5efc205c99513b24b0caed7a

11. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
12. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
13. The PP shall provide personal protection equipment as per norms of Factory Act
14. Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
15. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
16. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
17. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
18. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
19. Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
20. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
21. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
22. The industry should not cause any nuisance in surrounding area.
23. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
24. The industry shall create the Environmental Cell by appointing an Environmental Engineer, Chemist and Agriculture expert for looking after day to day activities related to Environment and irrigation field where treated effluent is used for irrigation.

25. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
26. The industry should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year.
27. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
28. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
29. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.
30. The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
31. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
32. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
33. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.



F. No.J-11011/41/2015-IA-II(I)
Government of India
Ministry of Environment, Forest and Climate Change
IA Division

Indira Paryavaran Bhawan
Jor bagh Road, New Delhi - 3
Dated: 7th June, 2019

To,

M/s Shri Gurudatt Sugars Ltd,
Gat No. 61/A, Akiwat Takaliwadi Road,
Taluka Shirol,
District **Kolhapur** (Maharashtra)

Sub: Expansion of sugar & co-generation power plant and setting up molasses based distillery by M/s Shri Gurudatt Sugars Ltd at Gat No.61/A, Taluka Shirol, District Kolhapur (Maharashtra) - Environmental Clearance - reg.

Sir,

This has reference to your online proposal No.IA/MH/IND2/59911/2014 dated 27th January, 2019 for environmental clearance to the above project.

2. The Ministry of Environment, Forest and Climate Change has examined the proposal for environmental clearance to the project for expansion of sugar plant from 6000 to 13000 TCD, co-generation power plant from 21 to 90 MW, and setting up molasses based distillery of 150 KLPD in existing area of 55 acres by M/s Shri Gurudatt Sugars Ltd at Gat No.61/A, Akiwat Takaliwadi Road, Taluka Shirol, District Kolhapur (Maharashtra).

3. The details of existing/proposed products are as under:-

S. No.	Products	Existing	Proposed	Total
1.	Sugar Unit	6000 TCD	7000 TCD	13000 TCD
2.	Co-Generation Unit	21 MW	69 MW	90 MW
3.	Distillery Unit	Nil	150 KLPD	150 KLPD
4.	Refined Sugar	Nil	1755 TPD	1755 TPD

4. Existing land area is 222577 m² (55 acres). No additional land shall be required for the proposed expansion. Green belt will be developed in 33% i.e. 73449 sqm out of the total project area. The estimated project cost is Rs.350 Crore. Total capital cost earmarked towards environmental pollution control measures is Rs.19.6 Crore and the recurring cost (O&M) will be about Rs.167.5 Lack per annum. Total Employment will be 300 persons as direct & 500 persons indirect.

5. There are no National Parks, Wildlife Sanctuaries, Biosphere Reserves, Tiger/Elephant Reserves and Wildlife Corridors etc. within 10 km distance from the project site. Krishna River flows at distance of 4 km in the West.

6. Total fresh water requirement of 760 m³/day is proposed to be met from Krishna River. Approval in this regard has been obtained from the Chief Engineer, Irrigation Department, Kolhapur (Maharashtra).



Effluent of 1300 m³/day from sugar and co-gen unit will be treated through ETP consisting of primary, secondary and tertiary treatment units, followed by Condensate Polishing Unit. The effluent of 1350 m³/day from distillery unit will be sent to MEE, and the concentrated spent wash would be fed to incineration boiler. There will be no discharge of treated/untreated waste water from the unit, and thus ensuring Zero Liquid Discharge.

Two multi fuel boilers of 120 TPH capacity each and one Multi fuel boiler of 60 TPH will be installed. Electrostatic Precipitator with a stack of height of 70 m each for 120 TPH capacity boiler and 90 m for 60 TPH boiler will be installed to control the particulate emissions within the statutory limits of 150 mg/Nm³.

7. The project/activity is covered under category A of item 5 (g) 'Distilleries', 1(d) 'Thermal Power Plants' and category B of item 5(j) 'Sugar Industry' of the Schedule to the EIA Notification, 2006 and requires consideration at central level in the Ministry.

8. Standard Terms of Reference for the project was granted on 17th August, 2017. Public hearing was conducted by the State Pollution Control Board on 5th December 2018.

9. The proposal for environmental clearance was considered by the EAC (Industry-2) in its meetings held on 8-9 April, 2019. The project proponent and their consultant presented the EIA/EMP report. The Committee found the EIA/EMP report to be satisfactory, complying with the ToR, and recommended the project for grant of environmental clearance.

10. Based on the proposal submitted by the project proponent and recommendations of the EAC (Industry-2), Ministry of Environment, Forest and Climate Change hereby accords environmental clearance to the project for **expansion of sugar plant from 6000 to 13000 TCD, co-generation power plant from 21 to 90 MW, and setting up molasses based distillery of 150 KLPD** by M/s Shri Gurudatt Sugars Ltd at Gat No.61/A, Akiwat Takaliwadi Road, Taluka Shirol, District Kolhapur (Maharashtra), under the provisions of the EIA Notification, 2006, and the amendments therein, subject to compliance of the terms and conditions as under:-

(a) Prior approval shall be obtained from PESO for site and layout plan of storage facilities (Petroleum storage Class A installation).

(b) Necessary permission as mandated under the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, shall be obtained from the State Pollution Control Board as required.

(c) As already committed by the project proponent, Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises.

(d) Necessary authorization required under the Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016, Solid Waste Management Rules, 2016 shall be obtained and the provisions contained in the Rules shall be strictly adhered to.

(e) To control source and the fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and/or the NAAQS. The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.

(f) Coal less than 0.5% sulphur content shall be used as fuel in boiler.



- (g) Total fresh water requirement shall not exceed 760 cum/day proposed to be met from Krishna River. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard.
- (h) Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm and the solvent transfer through pumps.
- (i) Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed off to the TSDF.
- (j) The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.
- (k) The company shall undertake waste minimization measures as below:-
- (i) Metering and control of quantities of active ingredients to minimize waste.
 - (ii) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes.
 - (iii) Use of automated filling to minimize spillage.
 - (iv) Use of Close Feed system into batch reactors.
 - (v) Venting equipment through vapour recovery system.
 - (vi) Use of high pressure hoses for equipment clearing to reduce wastewater generation.
- (l) The green belt of 5-10 m width shall be developed in more than 33% of the total project area, mainly along the plant periphery, in downward wind direction, and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department.
- (m) All the commitments made regarding issues raised during the public hearing/consultation meeting shall be satisfactorily implemented.
- (n) At least 0.75% of the total project cost shall be allocated for Corporate Environment Responsibility (CER) and item-wise details along with time bound action plan shall be prepared and submitted to the Ministry's Regional Office.
- (o) For the DG sets, emission limits and the stack height shall be in conformity with the extant regulations and the CPCB guidelines. Acoustic enclosure shall be provided to DG set for controlling the noise pollution.
- (p) The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms.
- (q) Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
- (r) There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places.
- (s) Storage of raw materials shall be done either in silos or covered areas to prevent dust pollution and other fugitive emissions.

SKJ

(t) Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.

(u) CO₂ generated from the process shall be bottled/made solid ice and sold to authorized vendors.

(v) There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places.

10.1 The grant of Environmental Clearance is further subject to compliance of other generic conditions as under:-

(i) The project authorities must strictly adhere to the stipulations made by the state Pollution Control Board (SPCB), State Government and/ or any other statutory authority.

(ii) No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.

(iii) The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations each is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.

(iv) The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be complied with.

(v) The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).

(vi) The Company shall harvest rainwater from the roof tops of the buildings to recharge ground water, and to utilize the same for different industrial operations within the plant.

(vii) Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis.

(viii) The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, risk mitigation measures and public hearing shall be implemented.



(ix) The company shall undertake all measures for improving socio-economic conditions of the surrounding area. CSR activities shall be undertaken by involving local villagers, administration and other stake holders. Also eco-developmental measures shall be undertaken for overall improvement of the environment.

(x) A separate Environmental Management Cell equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.

(xi) The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.

(xii) A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zila Parishad/ Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.


(xiii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.

(xiv) The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional offices of MoEF&CC by e-mail.

(xv) The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at <http://moef.nic.in>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional office of the Ministry.


11. The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.

12. The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Water Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991, read with subsequent amendments therein.


7/6/2019
(S. K. Srivastava)
Scientist E

Copy to: -

1. The Principal Secretary, Environment Department, Government of Maharashtra, 15th Floor, New Administrative Building, Mantralaya, **Mumbai** (Maharashtra) – 32
2. The Additional Principal Chief Conservator of Forests, Regional Office (WCZ), Ministry of Environment, Forest and Climate Change, **Nagpur** (Maharashtra)
3. The Member Secretary, Central Pollution Control Board Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, **Delhi** - 32
4. The Member Secretary, Maharashtra Pollution Control Board, Kalpataru Point, 3rd and 4th floor, Opp. Cine Planet, Sion Circle, **Mumbai** - 22
5. Monitoring Cell, Ministry of Environment, Forest and Climate Change, Indira Paryavaran Bhawan, Jor Bagh Road, **New Delhi** - 3
6. Guard File/Monitoring File/Record File


7/6/2019
(S. K. Srivastava)
Scientist E