



Regd. No. 25-14367, CIN-UI5424PN2000PLC014367

An ISO 9001:2015 & ISO 22000:2018 Certified Company

SHRI GURUDATT SUGARS LTD; Takaliwadi

ADD. : Gat No. 61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal. : Shirol, Dist. : Kolhapur (MH) Pin Code : 416 108

PHONE. : +91 231 2686086 FAX : +91 231 2686000 WEBSITE : www.sgsl.co.in Email : gslsugars@gmail.com

SGSL/ENVI/ 253 /2020 - 2021

Date – October 01, 2020

To,
The Regional Officer,
Ministry of Environment, Forest & Climate Change,
Regional office (WCZ), Ground Floor, East Wing,
New Secretariat Building, Civil Lines, Nagpur.
Tel No. 0712 – 2531318
Email: moefregionalofficenagpur@gmail.com

Sub: Six Monthly (April 2020 to September 2020) Compliance Report of Environmental Clearance issued
by MoEF & CC, New Delhi.

Ref: You're Letter No. J - 11011/41/2015-IA-II (I) Date - 20.03.2017.

Dear Sir,

With reference to the abovementioned subject and your reference cited above. Please find enclosed herewith Six Monthly (From April 20 to September 2020) Compliance Report of Environmental Clearance issued by MoEF & CC, New Delhi vide letter no. J - 11011/41/2015-IA-II (I).Date - 20.03.2017.

We do hope that you will find the above information satisfactory. However, if you require additional information /clarification in this regard, kindly write back, so that we shall submit the information at the earliest.

Thanking You

Yours Faithfully,

FOR, SHRI GURUDATT SUGARS LTD.,

CHIEF EXECUTIVE OFFICER

Enclosed – Compliance Report

C.C to: 1. The Regional officer, MPC Board, Kolhapur.
2. The Sub - Regional officer, MPC Board, Kolhapur.

Shri Gurudatt Sugars Ltd., Gat No. 61/A, Akiwat - Takaliwadi Road , Takaliwadi - 416108, Taluka - Shirol, Dist - Kolhapur, Maharashtra		
Compliance of Conditions Stipulated in environmental clearance granted to expansion of Sugar Plant (From 4900 TCD to 6000 TCD) & Co-generation Power Plant (From 15 MW to 21 MW) by MoEF & CC, New Delhi vide letter No. J - 11011/41/2015-IA-II (I) Date - 20.03.2017		
EC No -	J - 11011/41/2015-IA-II (I) Date - 20.03.2017	Oct-20
SR. NO.	EC Condition	Compliances
	A) Specific Condition	
1	Zero liquid Discharge System shall be ensured	We have full-fledged disposal method carried out in a scientific manner on land for irrigation in available 50 Acres for crop irrigation.
2	Water requirement to be reduced at extent possible by using latest process methodology being used worldwide.	Ours is the first Sugar factory in Maharashtra, wherein, we run the entire industrial activity with treated and recycled condensates, which is accrued from cane and no fresh water is utilized, for sugar factory operation. We have installed Condensate Polishing Unit (C.P.U) for sugar factory excess condensate water treatment and recycled purpose. Annexure 1
3	Fly ash be generated shall be sent to nearby cement industry.	The measurity of fly ash is utilize of our press mud composting yard the remaining of the small quantity is we have sold ash to brick manufactures and farmers.
4	Green belt (10 m wide) of perennial plant species like Neem, Seesam, Teak etc. to be developed around the plant periphery ensuring the 33% area of the plant as green area. The forest department may be consulted in this regard.	We have already planted 4356 Nos of tree as site.
5	Air emission from all point source to be controlled by latest technology instrument. The emissions shall conform to the limits imposed by Maharashtra Pollution Control Board (MPCB)	We have already installed air pollution control equipment as per consent stipulation. The efficiency further increase bagasse drying mechanism was installed.
6	Periodic soil and water sampling in nearby villages and water bodies to be done by the project authorities through 3rd part expert and report shall be submitted to the concerned Regional office of the Ministry.	The soil and water sampling in nearby villages carried out periodically. The report are enclosed as Annexure 2

7	RO plant of sufficient capacity to be installed in the nearby villages to ensure safe drinking water supply. Maintenance of the RO plant will be owned by the project authorities.	The RO plant installed for drinking water purpose and benefits all nearby villages.
8	Health checkup camps to be organized periodically in nearby villages.	The health checkup camps carried out periodically.
9	A regular environmental manager having PG qualification in environmental sciences / environmental engineering to be appointed for looking after the environmental management practices in the plant.	We have already recruit Environmental Engineer having PG Qualification with full-fledged division of Environmental Management, wherein, all our Environmental management Plants are monitored on daily basis, along with requisite analysis carried out in our laboratory by trained chemists.
10	Automatic/ online monitoring system (24*7 monitoring devices) for flow measurement and relevant pollutants in the treatment system to be installed. The data to be made available to the respective SPCB and in the Company's website.	We have already installed and completed the connectivity to CPCB / MPCB server of online monitoring system of ETP outlet water parameter (Flow, PH, TSS, COD & BOD) & Boiler stack (SPM /TPM) . The continuous monitoring results of ETP outlet water parameter & boiler stack emission depict that we are achieving norms stipulated by MPCB on a continuous time basis. And also online monitoring data is uploaded in company website. The photo of instrument is attached as Annexure 3 .
B) General Conditions:		
1	The project authorities must strictly adhere to the stipulations made by the Maharashtra Pollution Control Board, State Government and any other statutory authority.	PA agreed to comply with
2	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change. In case of deviations or alteration in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environment protection measures required, if any.	PA agreed to comply with

3	The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one station is installed in the upwind and downwind direction as well as where maximum ground level concentration are anticipated.	Complied. Ambient air quality monitoring is being carried out at three (03) location within the plant. PA submitted that the locations were decided in consultation with MPCB. As per the monitoring data, the ambient air quality levels found to be within prescribed limits.
4	The National ambient air quality emission standards issued by the ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be followed.	Complied. Acoustic enclosures have been provided. Green belt has been developed around the plant area. As per the monitoring data, the noise levels found to be within stipulated limits. The copy is enclosed as Annexure 4 .
5	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time)	Complied. Acoustic enclosures have been provided. Green belt has been developed around the plant area. As per the monitoring data, the noise levels found to be within stipulated limits. The copy is enclosed as Annexure 4 .
6	The company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground and use the same water for the process activities of the project to conserve fresh water.	Complied. Roof top harvesting has been provided for the sugar godowns. Two collection pits of capacities 2100 cu.m. and 1600 cu.m. Have been provided for the storage of rain water.
7	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examination for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.	Complied. Personnel protective equipment has been provided to workers. The report are enclosed as Annexure 5 .
8	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management and risk mitigation measures relating to the project shall be implemented.	E.S.P, Wet scrubber & bagasse Dryer with a stack of height 65 m has been provided. Effluent treatment plant has been provided. Treated effluent is used in the seed farms of the industry also supplied to the agriculture fields of farmers of nearby villages upon prior request from farmers. Green belt has been provided. Environmental quality monitoring is being carried out. CSR works are being undertaken. Vermi composting is being carried out with the waste generated in the cane yard. Compost is being supplied to the farmers.
9	The company shall undertake all relevant measures for improving the socioeconomic conditions of the surrounding area. CSR activities	Complied.

	shall be undertaken by involving local villages and administration.	
10	The company shall undertake eco-development measures including community welfare measures in the project area for the overall improvement of the environment.	Being complied. As per the details provided, PA distributed 500 nos trees to farmers of nearby villagers under eco-development measures.
11	A separate Environmental Management Cell equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	Complied. Environmental management cell has been established.
12	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and climate change as well as the State Government along with the implementation schedule for all the condition stipulated herein. The funds do earmarked for environment management / pollution control measures shall not be diverted for any other purpose.	Complied. As per the details provided, PA earmarked an amount of 13.5 cores towards capital expenditure and Rs. 3.31 cores towards recurring expenditure for environmental protection measures.
13	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zillah Parishad / Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestion / representations, if any, were received while processing the proposal.	Copy of the environmental clearance submitted to Zillah Parishad, Kolhapur and Gram Panchayat, Takaliwadi on 27.03.2017, The copy is enclosed as Annexure 6 .
14	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including result of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF & CC, the respective Zonal office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	Complied. However same has been uploaded to the company website.
15	The environmental statement for each financial year ending 31th March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the	Complied. Environment statement for the FY 2019-20 submitted to MPCB vide letter dated 09.04.2020, however the same was uploaded to the company website.

	respective Regional Offices of MoEF & CC by e-mail.	
16	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB / Committee and may also be seen at Website of the Ministry at http://moef.nic.in . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Advertisement regarding to grant of EC was made on 31.03.2017. The copy is enclosed as Annexure 7 .
17	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	PA agreed to comply with.
18	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	PA agreed to comply with.
19	The Ministry reserve the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.	PA agreed to comply with.
20	The above conditions will be enforced, inter alia under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules, 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules.	PA agreed to comply with.

Shri Gurudatt Sugars Ltd., Takaliwadi

ANNEXURE - 1

- 1) The increase in capacity of Sugarcane crushing from 4900 TCD to 6000 TCD is not an expansion in true sense and this is TO CATER FOR REQUIREMENT TO INCREASE CRUSHING BY 10-15% DUE TO CANE HARVESTING REQUIRED TO BE CARRIED OUT AS PER MATURITY, as otherwise there is sugar loss.
 - A) Modernization, **without increasing either resource consumption or pollutional load** is a constant endeavor and as a result, with Technological Advances carried out, we are able to ensure **'NO POLLUTIONAL LOAD INCREASE'** in terms of volume or concentration of effluents, both water and air due to the abovementioned measures. This is clearly depicted in Annexure I and II attached herewith. THAT THERE IS NO CHANGE IN ANY MACHINERY CAPACITY AND THE CAPACITY INCREASE IS ACHIEVED THROUGH THE TECHNOLOGY CHANGES MENTIONED ABOVE.
 - B) DUE TO MEASURES TAKEN FOR CONSERVATION OF RESOURCES, NO INCREASE IN WATER OR FUEL CONSUMPTION IS WARRANTED, THEREBY ACHIEVING ZERO DISCHARGE TECHNICALLY FOR THE EXPANSION MODE.

The salient points of our efforts in above direction are:

- i) Ours is the **first Sugar factory in Maharashtra**, wherein, we run the entire industrial activity with treated and recycled condensates, which is accrued from cane and **no fresh water is utilized**, for sugar factory operation. As given in Annexure I, the same condition prevails for additional capacity as well, wherein, we are not required to consume any raw water, and therefore, there is no effluent generation from the same.
 - ii) We also have installed Bagasse drying mechanism, with waste heat from flue gas, thus minimizing consumption of Bagasse for combustion, thereby effectively reducing the emissions at source itself. We have also taken various measures as given in Annexure II, which depict the sembalance of fuel consumption and therefore there is no air emission increase in this respect.
- 2) We have provided a full fledged Effluent Treatment Plant and operating the same with due vigil. Analysis of the treatment efficiency is a routine and corrective measures are taken immediately.
- 3) We have taken care that no untreated/ treated effluent from factory enters any water course and all the treated effluent is utilized on our own Land for Cane seed Plantation Irrigation, employing scientific practices.
- 4) We have a full fledged division of Environmental Management, wherein, all our Environmental management Plants are monitored on daily basis, along with requisite analysis carried out in our laboratory by trained chemists. We also have installed 'Online Monitoring Systems for Water and Air Pollution Control System monitoring, as per stipulations in this regard.

The above measures have resulted in waste generation minimization, and it implies that there is 'zero increase in pollutional load', due to the measures taken above.

ANNEXURE I

WATER BUDGET FOR EXISTING AND PROPOSED CAPACITY AFTER MODERNISATION AT SHRI GURUDATT SUGARS LTD

EXISTING 4900 TCD,15 MW					ADDITIONAL 1100 TCD,6 MW				
PURPOSE	INPUT	Purpose	LOSSES	EFFLUENT	PURPOSE	INPUT	Purpose	LOSSES	EFFLUENT
	Cum/d		Cum/d	Cum/d		Cum/d		Cum/d	Cum/d
Water in Cane	3430	Bagasse	686		Water in Cane	770	Bagasse	154	
Imbibition	1470	Mollasses	98		Imbibition	330	Mollasses	22	
Washings	470	Press mud	98	470	Washings (No New Machine)	0	Pressmud	22	0
		(Evaporation & Cooling Loss)	500				Evaporation & Cooling Loss)	100	
Total	5370		1382	470	Total	1100		298	
Condensate	3518	Imbibition	1470		Condensate	798	Imbibition	330	
		Other use	686				Other use	154	
		Washing	470				Washing	0	
Total Internal Use			2626		Total Internal Use			484	

Excess Condensate			892		Excess Condensate			314	
Treated Condensate		Utilization	Cum/d						
		Co-Gen Make-up	450				Co-Gen Make-up	0 (As Back Pressure Turbine added does not require cooling Tower)	
		Cooling Circuit Make up	120				Cooling Circuit Make up	24	
		Excess to Other Applications	322				Excess to Other Applications	296	

ANNEXURE II-EFFICIENCY INCREASE IN CO-GENERATION DUE TO IMPROVED TECHNOLOGY

PARAMETER	EARLIER CONDITION	IMPROVEMENT	IMPACT ON % EFFICIENCY INCREASE
BOILER TPH	70+40	70+40	Nil , Since No Change
Max.Working Steam Consumption	85	104	
Bagasse Consumption	36.95	36.49	Nil , Since No Change
I) STEAM TEMPERATURE INCREASE DUE TO SUPERHEATER MODIFICATION			
A)Steam temperature (°c)	420	500	Positive, as Power Generation Shall Improve For The Same Steam Quantity
B) Enthalpy	777.15	821.79	5.7%
II) BAGASSE MOISTURE REDUCTION DUE TO IMPROVED MILL SETTING			
A) Bagasse Moisture	50	47	
B) Enthalpy	2273.84	2411.84	6.1%
III) BAGASSE DRYING MECHANISM BASED ON FLUE GAS			
A) Bagasse Moisture	47	40	
B) Enthalpy	2411.84	2691.80	11.6%
	TOTAL INCREASE IN EFFICIENCY		23.4%



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/1465A
M/s. M/s Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	18/08/2020
	LAB REFERENCE NO	HS/LAB/WA/173A
	DATE OF SAMPLING	12/08/2020
	DATE OF ANALYSIS	13/08/2020

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Well water sample	Shrusti Envirocare	---	Sujit Hegade

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	LIMITS IS 10500:2018	TEST METHOD
1	Odour	-	Agreeable	Agreeable	APHA 23 rd 2017, 2150 B
2	Colour	Hazen	1.10	< 5.00	APHA 23 rd 2017, 2120 C
3	pH	-	7.20	6.5 to 8.5	APHA 23 rd 2017, 4500-H ⁺ B
4	Electric Conductivity	µmhos/cm	182.00	Not Specified	APHA 23 rd 2017, 2510
5	Turbidity	NTU	0.50	< 1.00	APHA 23 rd 2017, 2130 B
6	Total Dissolved Solids	mg/lit	152.00	< 500.00	APHA 23 rd 2017, 2540 C
7	Chemical Oxygen Demand	mg/lit	9.00	Not Specified	APHA 23 rd 2017, 5220 C
8	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	3.50	Not Specified	APHA 23 rd 2017, 5210 B
9	Alkalinity as CaCO ₃	mg/lit	45.00	< 200.00	APHA 23 rd 2017, 2320 B
10	Total Hardness as CaCO ₃	mg/lit	75.00	< 200.00	APHA 23 rd 2017, 2340 C
11	Chlorides as Cl	mg/lit	32.00	< 250.00	APHA 23 rd 2017, 4500 Cl ⁻ B
12	Sulphates as SO ₄	mg/lit	25.00	< 200.00	APHA 23 rd 2017, 4500 SO ₄ E
13	Sodium as Na	mg/lit	5.42	Not Specified	APHA 23 rd 2017, 3500 Na B
14	Calcium as Ca	mg/lit	28.00	< 75.00	APHA 23 rd 2017, 3500 Ca B
15	Magnesium as Mg	mg/lit	17.20	< 30.00	APHA 23 rd 2017, 3500 Mg B
16	Iron as Fe	mg/lit	0.12	< 0.30	APHA 23 rd 2017, 3500 Fe B
17	Fluoride as F	mg/lit	0.23	< 1.00	APHA 23 rd 2017, 4500-F ⁻ D

For **HORIZON SERVICES**

M. N. Angika

(LAB INCHARGE)



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/1465A
M/s. M/s Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	18/08/2020
	LAB REFERENCE NO	HS/LAB/WA/173A
	DATE OF SAMPLING	12/08/2020
	DATE OF ANALYSIS	13/08/2020

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Soil sample	Shrusti Envirocare	--	---

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT
01	pH (10 % Extract)	-	7.42
02	Ammonia as NH ₄	mg/kg	1.05
03	Available Nitrogen as N	%	6.95
04	Available Phosphorus as P	mg/kg	13.76
05	Nickel as Ni	mg/kg	6.35
06	Chloride as Cl ⁻	mg/kg	221.00
07	Sulphate as SO ₄ --	mg/kg	19.03
08	Cadmium as Cd	mg/kg	1.24
09	Chromium as Cr	mg/kg	1.15
10	Copper as Cu	mg/kg	5.31
11	Zinc as Zn	mg/kg	6.84

For **HORIZON SERVICES**

M. Nagarkar

(LAB INCHARGE)



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)
Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.
Lab OHSAS Approved

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/1610A
M/s. M/s Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi, Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	10/12/2019
	LAB REFERENCE NO	HS/LAB/WA/762A
	DATE OF SAMPLING	05/12/2019
	DATE OF ANALYSIS	06/12/2019


DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Well water sample	Shrusti Envirocare	---	Sujit Hegade

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	LIMITS IS 10500:2012	TEST METHOD
1	Odour	-	Agreeable	Agreeable	APHA 23 rd 2017, 2150 B
2	Colour	Hazen	1.10	< 5.00	APHA 23 rd 2017, 2120 C
3	pH	-	7.18	6.5 to 8.5	APHA 23 rd 2017, 4500-H ⁺ B
4	Electric Conductivity	µmhos/cm	170.00	Not Specified	APHA 23 rd 2017, 2510
5	Turbidity	NTU	0.72	< 1.00	APHA 23 rd 2017, 2130 B
6	Total Dissolved Solids	mg/lit	145.00	< 500.00	APHA 23 rd 2017, 2540 C
7	Chemical Oxygen Demand	mg/lit	10.00	Not Specified	APHA 23 rd 2017, 5220 C
8	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	4.00	Not Specified	APHA 23 rd 2017, 5210 B
9	Alkalinity as CaCO ₃	mg/lit	48.00	< 200.00	APHA 23 rd 2017, 2320 B
10	Total Hardness as CaCO ₃	mg/lit	72.00	< 200.00	APHA 23 rd 2017, 2340 C
11	Chlorides as Cl	mg/lit	36.00	< 250.00	APHA 23 rd 2017, 4500 Cl ⁻ B
12	Sulphates as SO ₄	mg/lit	28.00	< 200.00	APHA 23 rd 2017, 4500 SO ₄ E
13	Sodium as Na	mg/lit	8.00	Not Specified	APHA 23 rd 2017, 3500 Na B
14	Calcium as Ca	mg/lit	24.00	< 75.00	APHA 23 rd 2017, 3500 Ca B
15	Magnesium as Mg	mg/lit	14.60	< 30.00	APHA 23 rd 2017, 3500 Mg B
16	Iron as Fe	mg/lit	0.10	< 0.30	APHA 23 rd 2017, 3500 Fe B
17	Fluoride as F	mg/lit	0.25	< 1.00	APHA 23 rd 2017, 4500-F ⁻ D

For HORIZON SERVICES

M. N. A. G. A. K. A.
(LAB INCHARGE)





Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)
Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.
Lab OHSAS Approved

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/1610A
M/s. M/s Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	10/12/2019
	LAB REFERENCE NO	HS/LAB/WA/762A
	DATE OF SAMPLING	05/12/2019
	DATE OF ANALYSIS	06/12/2019

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Soil sample	Shruti Envirocare	----	Hegade

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT
01	pH (10 % Extract)	-	7.32
02	Ammonia as NH ₄	mg/kg	1.00
03	Available Nitrogen as N	%	7.12
04	Available Phosphorus as P	mg/kg	14.10
05	Nickel as Ni	mg/kg	6.20
06	Chloride as Cl ⁻	mg/kg	218.00
07	Sulphate as SO ₄ --	mg/kg	18.60
08	Cadmium as Cd	mg/kg	1.02
09	Chromium as Cr	mg/kg	1.08
10	Copper as Cu	mg/kg	5.10
11	Zinc as Zn	mg/kg	7.15

For HORIZON SERVICES

mnaigolka
(LAB INCHARGE)





Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)
Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.
Lab OHSAS Approved

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/1608A
M/s. M/s Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	10/12/2019
	LAB REFERENCE NO	HS/LAB/WA/760A
	DATE OF SAMPLING	05/12/2019
	DATE OF ANALYSIS	06/12/2019

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Waste-water sample	Shrusti Envirocare	Treated	ETP

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	MPCB LIMITS	TEST METHOD
1	pH	---	7.25	5.5 to 9.0	APHA 23 rd 2017, 4500-H ⁺ B
2	Total Suspended Solids	mg/lit	36.00	< 100.0	APHA 23 rd 2017, 2540 D
3	Total Dissolved Solids	mg/lit	1208.00	< 2100.0	APHA 23 rd 2017, 2540 C
4	Chemical Oxygen Demand	mg/lit	182.00	< 250.0	APHA 23 rd 2017, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	56.00	< 100.0	IS-3025 (Part 44)-1993 R-2003
6	Chlorides as Cl ⁻	mg/lit	301.00	<600.0	APHA 23 rd 2017, 4500 Cl ⁻ B
7	Sulphates as SO ₄ ⁻⁻	mg/lit	562.00	< 1000.0	APHA 23 rd 2017, 4500 SO ₄ E
8	Oil & Grease	mg/lit	1.20	< 10.0	APHA 23 rd 2017, 5520 B
9	Dissolved Oxygen	mg/lit	3.00	Not Specified	APHA 23 rd 2017, 5210 B

For HORIZON SERVICES

mnaigolka
(LAB INCHARGE)





WTP

Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)
Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.
Lab OHSAS Approved

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

ULR No.	: TC70641900001606AF/1
Dated	: 10/12/2019
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	05/12/2019		
02	TEST LOCATION		Near Factory Main Gate		
03	TIME OF SAMPLING	Hrs	09:20		
04	TEMPERATURE (Max./Min)	Deg C	32/20		
05	RELATIVE HUMIDITY	% RH	52		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	68.47	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	28.74	≤60	CPCB Guidelines Volume - I Pg. No.15
09	SO ₂	µg/m ³	6.24	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	27.0	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM - ADS 2.5µ/10µ Sr. No. 12312	PICS/F/ADS/12-18/15	15/12/2018	14/12/2019
2	Respirable Dust Sampler; Sr. No 4	TECH/CAL/2019/J UN.1C/7	10/06/2019	09/06/2020

NAAQS - National Ambient Air Quality Standards (2009)

Manoj Kumar
For HORIZON SERVICES



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)
Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.
Lab OHSAS Approved

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

ULR No.	: TC70641900001606AF/2
Dated	: 10/12/2019
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

Sr. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	05/12/2019		
02	TEST LOCATION		Near Weigh Bridge		
03	TIME OF SAMPLING	Hrs	09:30		
04	TEMPERATURE (Max./Min)	Deg C	32/20		
05	RELATIVE HUMIDITY	% RH	52		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	74.63	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	29.99	≤60	CPCB Guidelines Volume - I Pg. No.15
09	SO ₂	µg/m ³	8.74	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	30.17	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM - ADS 2.5µ/10µ Sr. No. 21914	PICS/F/ADS/03-18/04	5/03/2019	04/03/2020
2	Respirable Dust Sampler; Sr. No.2	TECH/CAL/2019/J UN.1C/3	10/06/2019	09/06/2020

NAAQS - National Ambient Air Quality Standards (2009)

For HORIZON SERVICES

Mr. A. G. Kulkarni





Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)
Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.
Lab OHSAS Approved

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

ULR No.	:TC70641900001606AF/3
Dated	: 10/12/2019
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	05/12/2019		
02	TEST LOCATION		Near ETP		
03	TIME OF SAMPLING	Hrs	09:40		
04	TEMPERATURE (Max./Min)	Deg C	32/20		
05	RELATIVE HUMIDITY	% RH	52		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	64.13	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	24.99	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	7.35	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	25.40	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No. 11912	PICS/F/ADS/12-17/11	14/12/2018	13/12/2019
2	Respirable Dust Sampler; Sr. No. 5	TECH/CAL/2019/J UN.1C/9	10/06/2019	09/06/2020

NAAQS – National Ambient Air Quality Standards (2009)

kmn adegkai
For HORIZON SERVICES
PUNE



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)
 Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.
 Lab OHSAS Approved

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
 • Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

NOISE LEVEL MONITORING REPORT

ULR No.	: TC70641900001606AF/4
Dated	: 10/12/2019
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE
Date of Sampling.	: 05/12/2019

RESULTS

SR. NO.	TEST LOCATION	UNIT	DAY TIME READINGS	NIGHT TIME READINGS
01	Near Main Gate	dB (A)	67.1	64.2
02	Near Boiler	dB (A)	74.2	68.0
03	Near ETP Area	dB (A)	67.9	65.2
04	Near Sugar Godown	dB (A)	64.2	63.1
05	Near Laboratory	dB (A)	61.2	59.0
06	Near Mill House	dB (A)	73.8	68.4
07	Near Pan Section	dB (A)	74.0	68.6
08	Near Sugar Plant	dB (A)	74.4	68.3
09	Near Weigh Bridge	dB (A)	68.3	67.2
10	Near Centrifugal	dB (A)	73.2	67.5

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	Digital Sound level meter Lutron -SL.4030 Q623367	Tech/CAL/2018/DB /1	21/02/2019	20/02/2020

Limits:

Peripheral Area ≤75 dB (A) For Day Time
 ≤70 dB (A) For Night Time

In plant

90 dB (A)

For HORIZON SERVICES





Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

ULR No.	:TC70641900001578F/1
Dated	: 06/12/2019
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS OF ANALYSIS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	Methods Used
01	DATE OF SAMPLING	DD/MM/YY	05/12/2019		
02	TEST LOCATION		Boiler 1 & 2 (Capacity-70 MT/Hr & 40 MT/Hr)		
03	TIME OF SAMPLING (00.00)	Hrs	10:30		
04	MATERIAL OF STACK		-		
05	STACK HEIGHT	Mtr	65		
06	TYPE OF STACK		Round		
07	FLUE GAS TEMPERATURE	Deg C	136		
08	VELOCITY	M/Sec	5.73		
09	DIAMETER OF STACK	M	3.43		
10	GAS VOLUME	Nm ³ /Hr	148037.98		
11	TPM	mg/Nm ³	46.0	As per Consent	IS 11255 (Part 1)
12	SO ₂	Kg/Day	0.10	As per Consent	IS 11255 (Part2)

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM-SMK 10B, Sr. No.7614	PICS/F/SMK/06-18/01	09/06/2019	08/06/2020

Mr. Nageshkar



For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/1465A
M/s. M/s Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	18/08/2020
	LAB REFERENCE NO	HS/LAB/WA/173A
	DATE OF SAMPLING	12/08/2020
	DATE OF ANALYSIS	13/08/2020

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Well water sample	Shrusti Envirocare	---	Sujit Hegade

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	LIMITS IS 10500:2018	TEST METHOD
1	Odour	-	Agreeable	Agreeable	APHA 23 rd 2017, 2150 B
2	Colour	Hazen	1.10	< 5.00	APHA 23 rd 2017, 2120 C
3	pH	-	7.20	6.5 to 8.5	APHA 23 rd 2017, 4500-H ⁺ B
4	Electric Conductivity	µmhos/cm	182.00	Not Specified	APHA 23 rd 2017, 2510
5	Turbidity	NTU	0.50	< 1.00	APHA 23 rd 2017, 2130 B
6	Total Dissolved Solids	mg/lit	152.00	< 500.00	APHA 23 rd 2017, 2540 C
7	Chemical Oxygen Demand	mg/lit	9.00	Not Specified	APHA 23 rd 2017, 5220 C
8	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	3.50	Not Specified	APHA 23 rd 2017, 5210 B
9	Alkalinity as CaCO ₃	mg/lit	45.00	< 200.00	APHA 23 rd 2017, 2320 B
10	Total Hardness as CaCO ₃	mg/lit	75.00	< 200.00	APHA 23 rd 2017, 2340 C
11	Chlorides as Cl	mg/lit	32.00	< 250.00	APHA 23 rd 2017, 4500 Cl ⁻ B
12	Sulphates as SO ₄	mg/lit	25.00	< 200.00	APHA 23 rd 2017, 4500 SO ₄ E
13	Sodium as Na	mg/lit	5.42	Not Specified	APHA 23 rd 2017, 3500 Na B
14	Calcium as Ca	mg/lit	28.00	< 75.00	APHA 23 rd 2017, 3500 Ca B
15	Magnesium as Mg	mg/lit	17.20	< 30.00	APHA 23 rd 2017, 3500 Mg B
16	Iron as Fe	mg/lit	0.12	< 0.30	APHA 23 rd 2017, 3500 Fe B
17	Fluoride as F	mg/lit	0.23	< 1.00	APHA 23 rd 2017, 4500-F ⁻ D

For **HORIZON SERVICES**

M. Nagarkar

(LAB INCHARGE)



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/1465A
M/s. M/s Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	18/08/2020
	LAB REFERENCE NO	HS/LAB/WA/173A
	DATE OF SAMPLING	12/08/2020
	DATE OF ANALYSIS	13/08/2020

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Soil sample	Shrusti Envirocure	--	---

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT
01	pH (10 % Extract)	-	7.42
02	Ammonia as NH ₄	mg/kg	1.05
03	Available Nitrogen as N	%	6.95
04	Available Phosphorus as P	mg/kg	13.76
05	Nickel as Ni	mg/kg	6.35
06	Chloride as Cl ⁻	mg/kg	221.00
07	Sulphate as SO ₄ --	mg/kg	19.03
08	Cadmium as Cd	mg/kg	1.24
09	Chromium as Cr	mg/kg	1.15
10	Copper as Cu	mg/kg	5.31
11	Zinc as Zn	mg/kg	6.84

For **HORIZON SERVICES**

M. Nagarkar

(LAB INCHARGE)



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/18-19/3175A/1
Dated	: 16/03/2020
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	10/03/2020		
02	TEST LOCATION		Near Factory Main Gate		
03	TIME OF SAMPLING	Hrs	09:20		
04	TEMPERATURE (Max./Min)	Deg C	31/20		
05	RELATIVE HUMIDITY	% RH	46		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	70.48	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	32.41	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	9.91	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	31.25	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No. 4411	PICS/F/ADS/09-19/32	21/09/2019	20/09/2020
2	Respirable Dust Sampler; Sr. No 4	TECH/CAL/2019/J UN.1C/7	10/06/2019	09/06/2020

NAAQS – National Ambient Air Quality Standards (2009)



For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/18-19/3175A/2
Dated	: 16/03/2020
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	10/03/2020		
02	TEST LOCATION		Near Weigh Bridge		
03	TIME OF SAMPLING	Hrs	09:30		
04	TEMPERATURE (Max./Min)	Deg C	31/20		
05	RELATIVE HUMIDITY	% RH	46		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	78.16	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	35.10	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	11.10	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	32.44	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No 16113	PICS/F/ADS/09-19/33	21/09/2019	20/09/2020
2	Respirable Dust Sampler; Sr. No. 5	TECH/CAL/2019/J UN.1C/9	10/06/2019	09/06/2020

NAAQS – National Ambient Air Quality Standards (2009)



For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/18-19/3175A/3
Dated	: 16/03/2020
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	10/03/2020		
02	TEST LOCATION		Near ETP		
03	TIME OF SAMPLING	Hrs	09:40		
04	TEMPERATURE (Max./Min)	Deg C	31/20		
05	RELATIVE HUMIDITY	% RH	46		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	71.67	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	31.42	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	9.59	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	30.55	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No. 2515	PICS/F/ADS/06-19/05	07/06/2019	06/06/2020
2	Respirable Dust Sampler; Sr. No.10	TECH/CAL/2019M Y.1A/2	16/05/2019	15/05/2020

NAAQS – National Ambient Air Quality Standards (2009)



For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

Report No.	: HS/REP/18-19/3175A/4
Dated	: 16/03/2020
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS OF ANALYSIS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	METHODS USED
01	DATE OF SAMPLING	DD/MM/YY	10/03/2020		
02	TEST LOCATION		Boiler 1 & 2 (Capacity-70 MT/Hr & 40 MT/Hr)		
03	TIME OF SAMPLING (00.00)	Hrs	11:30		
04	MATERIAL OF STACK		-		
05	STACK HEIGHT	Mtr	65		
06	TYPE OF STACK		Round		
07	FLUE GAS TEMPERATURE	Deg C	144		
08	VELOCITY	M/Sec	5.7		
09	DIAMETER OF STACK	M	3.43		
10	GAS VOLUME	Nm ³ /Hr	1.35159.82		
11	TPM	mg/Nm ³	45.49	As per Consent	IS 11255 (Part 1)
12	SO ₂	Kg/Day	0.14	As per Consent	IS 11255 (Part2)

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM-SMK 10B, Sr. No.7614	PICS/F/SMK/06-18/01	09/06/2019	08/06/2020



For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

NOISE LEVEL MONITORING REPORT

Report No.	: HS/REP/18-19/3175A/5
Dated	: 16/03/2020
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE
Date of Sampling.	: 10/03/2020

RESULTS

SR. NO.	TEST LOCATION	UNIT	DAY TIME READINGS	NIGHT TIME READINGS
01	Near Main Gate	dB (A)	67.6	64.4
02	Near Boiler	dB (A)	73.0	67.9
03	Near ETP Area	dB (A)	70.7	67.5
04	Near Sugar Godown	dB (A)	68.7	64.0
05	Near Laboratory	dB (A)	64.6	62.0
06	Near Mill House	dB (A)	72.8	68.2
07	Near Pan Section	dB (A)	69.9	67.1
08	Near Sugar Plant	dB (A)	72.5	66.4
09	Near Weigh Bridge	dB (A)	72.8	68.9
10	Near Centrifugal	dB (A)	70.0	67.8

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	Digital Sound level meter Lutron -SL.4001SR.Q622510	TECH/CAL/2020/F. DB/2	20/02/2020	19/02/2021

Limits:

Peripheral Area ≤75 dB (A) For Day Time
≤70 dB (A) For Night Time
In plant 90 dB (A)



For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/18-19/2193A/1
Dated	: 13/02/2020
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

Sr. No.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	07/02/2020		
02	TEST LOCATION		Near Factory Main Gate		
03	TIME OF SAMPLING	Hrs	09:20		
04	TEMPERATURE (Max./Min)	Deg C	30/19		
05	RELATIVE HUMIDITY	% RH	43		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	72.27	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	29.71	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	9.78	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	30.41	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No 16113	PICS/F/ADS/09-19/33	21/09/2019	20/09/2020
2	Respirable Dust Sampler; Sr. No. 5	TECH/CAL/2019/J UN.1C/9	10/06/2019	09/06/2020

NAAQS – National Ambient Air Quality Standards (2009)



For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/18-19/2193A/2
Dated	: 13/02/2020
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	07/02/2020		
02	TEST LOCATION		Near Weigh Bridge		
03	TIME OF SAMPLING	Hrs	09:30		
04	TEMPERATURE (Max./Min)	Deg C	30/19		
05	RELATIVE HUMIDITY	% RH	43		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	76.64	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	33.59	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	10.13	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	32.27	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No. 21914	PICS/F/ADS/03-18/04	05/03/2019	04/03/2020
2	Respirable Dust Sampler; Sr. No.2	TECH/CAL/2019/J UN.1C/3	10/06/2019	09/06/2020

NAAQS – National Ambient Air Quality Standards (2009)



For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/18-19/2193A/3
Dated	: 13/02/2020
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

Sr. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	07/02/2020		
02	TEST LOCATION		Near ETP		
03	TIME OF SAMPLING	Hrs	09:40		
04	TEMPERATURE (Max./Min)	Deg C	30/19		
05	RELATIVE HUMIDITY	% RH	43		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	75.88	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	34.65	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	10.41	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	31.15	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No 16113	PICS/F/ADS/09-19/33	21/09/2019	20/09/2020
2	Respirable Dust Sampler; Sr. No. 5	TECH/CAL/2019/J UN.1C/9	10/06/2019	09/06/2020

NAAQS – National Ambient Air Quality Standards (2009)



For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

Report No.	: HS/REP/18-19/2193A/4
Dated	: 13/02/2020
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS OF ANALYSIS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	METHODS USED
01	DATE OF SAMPLING	DD/MM/YY	07/02/2020		
02	TEST LOCATION		Boiler 1 & 2 (Capacity-70 MT/Hr & 40 MT/Hr)		
03	TIME OF SAMPLING (00.00)	Hrs	11:30		
04	MATERIAL OF STACK		-		
05	STACK HEIGHT	Mtr	65		
06	TYPE OF STACK		Round		
07	FLUE GAS TEMPERATURE	Deg C	137		
08	VELOCITY	M/Sec	6.1		
09	DIAMETER OF STACK	M	3.43		
10	GAS VOLUME	Nm ³ /Hr	147114.26		
11	TPM	mg/Nm ³	48.64	As per Consent	IS 11255 (Part 1)
12	SO ₂	Kg/Day	0.16	As per Consent	IS 11255 (Part2)

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM-SMK 10B, Sr. No.7614	PICS/F/SMK/06-18/01	09/06/2019	08/06/2020



For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

NOISE LEVEL MONITORING REPORT

Report No.	: HS/REP/18-19/2193A/5
Dated	: 13/02/2020
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE
Date of Sampling.	: 07/02/2020

RESULTS

SR. NO.	TEST LOCATION	UNIT	DAY TIME READINGS	NIGHT TIME READINGS
01	Near Main Gate	dB (A)	66.9	65.1
02	Near Boiler	dB (A)	72.5	68.4
03	Near ETP Area	dB (A)	71.7	67.9
04	Near Sugar Godown	dB (A)	65.8	62.7
05	Near Laboratory	dB (A)	66.2	61.9
06	Near Mill House	dB (A)	70.1	67.1
07	Near Pan Section	dB (A)	68.8	64.8
08	Near Sugar Plant	dB (A)	71.7	67.5
09	Near Weigh Bridge	dB (A)	70.1	66.3
10	Near Centrifugal	dB (A)	71.0	68.7

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	Digital Sound level meter Lutron -SL.4030 Q623367	TECH/CAL/2019/D B/1	21/02/2019	20/02/2020

Limits:

Peripheral Area ≤75 dB (A) For Day Time
≤70 dB (A) For Night Time
In plant 90 dB (A)

M. Mayekar

For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/18-19/1799A/1
Dated	: 09/01/2020
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

Sr. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	03/01/2020		
02	TEST LOCATION		Near Factory Main Gate		
03	TIME OF SAMPLING	Hrs	09:20		
04	TEMPERATURE (Max./Min)	Deg C	30/21		
05	RELATIVE HUMIDITY	% RH	50		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	69.75	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	31.11	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	8.68	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	29.17	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No. 21914	PICS/F/ADS/03-19/24	28/02/2019	27/02/2020
2	Respirable Dust Sampler; Sr. No 4	TECH/CAL/2019/J UN.1C/7	10/06/2019	09/06/2020

NAAQS – National Ambient Air Quality Standards (2009)



For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/18-19/1799A/2
Dated	: 09/01/2020
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

Sr. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	03/01/2020		
02	TEST LOCATION		Near Weigh Bridge		
03	TIME OF SAMPLING	Hrs	09:30		
04	TEMPERATURE (Max./Min)	Deg C	30/21		
05	RELATIVE HUMIDITY	% RH	50		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	73.50	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	31.45	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	9.45	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	31.22	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No. 11912	PICS/F/ADS/12-19/13	18/12/2019	17/12/2020
2	Respirable Dust Sampler; Sr. No.2	TECH/CAL/2019/J UN.1C/3	10/06/2019	09/06/2020

NAAQS – National Ambient Air Quality Standards (2009)

M. Mangalika

For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/18-19/1799A/3
Dated	: 09/01/2020
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

Sr. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	03/01/2020		
02	TEST LOCATION		Near ETP		
03	TIME OF SAMPLING	Hrs	09:40		
04	TEMPERATURE (Max./Min)	Deg C	30/21		
05	RELATIVE HUMIDITY	% RH	50		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	69.42	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	31.11	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	9.53	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	28.19	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No 16113	PICS/F/ADS/09-19/33	21/09/2019	20/09/2020
2	Respirable Dust Sampler; Sr. No. 5	TECH/CAL/2019/J UN.1C/9	10/06/2019	09/06/2020

NAAQS – National Ambient Air Quality Standards (2009)



For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

Report No.	: HS/REP/18-19/1799A/4
Dated	: 09/01/2020
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS OF ANALYSIS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	METHODS USED
01	DATE OF SAMPLING	DD/MM/YY	03/01/2020		
02	TEST LOCATION		Boiler 1 & 2 (Capacity-70 MT/Hr & 40 MT/Hr)		
03	TIME OF SAMPLING (00.00)	Hrs	11:30		
04	MATERIAL OF STACK		-		
05	STACK HEIGHT	Mtr	65		
06	TYPE OF STACK		Round		
07	FLUE GAS TEMPERATURE	Deg C	141		
08	VELOCITY	M/Sec	5.91		
09	DIAMETER OF STACK	M	3.43		
10	GAS VOLUME	Nm ³ /Hr	141154.89		
11	TPM	mg/Nm ³	47.21	As per Consent	IS 11255 (Part 1)
12	SO ₂	Kg/Day	0.12	As per Consent	IS 11255 (Part2)

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM-SMK 10B, Sr. No.7614	PICS/F/SMK/06-18/01	09/06/2019	08/06/2020



For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

NOISE LEVEL MONITORING REPORT

Report No.	: HS/REP/18-19/1799A/5
Dated	: 09/01/2020
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE
Date of Sampling.	: 03/01/2020

RESULTS


SR. NO.	TEST LOCATION	UNIT	DAY TIME READINGS	NIGHT TIME READINGS
01	Near Main Gate	dB (A)	67.5	66.0
02	Near Boiler	dB (A)	71.6	69.2
03	Near ETP Area	dB (A)	70.7	66.1
04	Near Sugar Godown	dB (A)	66.8	64.2
05	Near Laboratory	dB (A)	65.4	62.0
06	Near Mill House	dB (A)	72.1	67.6
07	Near Pan Section	dB (A)	69.8	65.4
08	Near Sugar Plant	dB (A)	73.9	66.8
09	Near Weigh Bridge	dB (A)	69.9	67.2
10	Near Centrifugal	dB (A)	70.1	65.3

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	Digital Sound level meter Lutron -SL.4030 Q623367	TECH/CAL/2019/D B/1	21/02/2019	20/02/2020

Limits:

Peripheral Area ≤75 dB (A) For Day Time
≤70 dB (A) For Night Time
In plant 90 dB (A)



For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/3164A
M/s. M/s Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	16/03/2020
	LAB REFERENCE NO	HS/LAB/WA/1088A
	DATE OF SAMPLING	10/03/2020
	DATE OF ANALYSIS	11/03/2020

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Well water sample	Shrusti Envirocare	---	Sujit Hegade

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	LIMITS IS 10500:2012	TEST METHOD
1	Odour	-	Agreeable	Agreeable	APHA 23 rd 2017, 2150 B
2	Colour	Hazen	1.14	< 5.00	APHA 23 rd 2017, 2120 C
3	pH	-	7.18	6.5 to 8.5	APHA 23 rd 2017, 4500-H ⁺ B
4	Electric Conductivity	µmhos/cm	128.00	Not Specified	APHA 23 rd 2017, 2510
5	Turbidity	NTU	0.72	< 1.00	APHA 23 rd 2017, 2130 B
6	Total Dissolved Solids	mg/lit	165.20	< 500.00	APHA 23 rd 2017, 2540 C
7	Chemical Oxygen Demand	mg/lit	10.00	Not Specified	APHA 23 rd 2017, 5220 C
8	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	4.00	Not Specified	APHA 23 rd 2017, 5210 B
9	Alkalinity as CaCO ₃	mg/lit	48.00	< 200.00	APHA 23 rd 2017, 2320 B
10	Total Hardness as CaCO ₃	mg/lit	72.00	< 200.00	APHA 23 rd 2017, 2340 C
11	Chlorides as Cl	mg/lit	36.00	< 250.00	APHA 23 rd 2017, 4500 Cl ⁻ B
12	Sulphates as SO ₄	mg/lit	28.00	< 200.00	APHA 23 rd 2017, 4500 SO ₄ E
13	Sodium as Na	mg/lit	6.12	Not Specified	APHA 23 rd 2017, 3500 Na B
14	Calcium as Ca	mg/lit	24.00	< 75.00	APHA 23 rd 2017, 3500 Ca B
15	Magnesium as Mg	mg/lit	14.60	< 30.00	APHA 23 rd 2017, 3500 Mg B
16	Iron as Fe	mg/lit	0.10	< 0.30	APHA 23 rd 2017, 3500 Fe B
17	Fluoride as F	mg/lit	0.25	< 1.00	APHA 23 rd 2017, 4500-F ⁻ D

For **HORIZON SERVICES**

M. Nagarkar

(LAB INCHARGE)



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/3164A
M/s. M/s Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	16/03/2020
	LAB REFERENCE NO	HS/LAB/WA/1088A
	DATE OF SAMPLING	10/03/2020
	DATE OF ANALYSIS	11/03/2020

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Soil sample	Shrusti Envirocare	--	Gondubhokare

RESULTS OF ANALYSIS


SR NO	DESCRIPTION	UNIT	RESULT
01	pH (10 % Extract)	-	7.32
02	Ammonia as NH ₄	mg/kg	1.00
03	Available Nitrogen as N	%	7.12
04	Available Phosphorus as P	mg/kg	14.10
05	Nickel as Ni	mg/kg	6.20
06	Chloride as Cl ⁻	mg/kg	218.00
07	Sulphate as SO ₄ --	mg/kg	18.60
08	Cadmium as Cd	mg/kg	1.02
09	Chromium as Cr	mg/kg	1.08
10	Copper as Cu	mg/kg	5.10
11	Zinc as Zn	mg/kg	7.15

For **HORIZON SERVICES**


M. Nagarkar 


(LAB INCHARGE)

Condensate Polishing Unit




Online Monitoring System at SGSL





SHRI GURUDATT SUGARS LIMITED

Gat No.61, Akiwat-Takaliwadi Road, Near Balumama Mandir,
TAKALIWADI - 416 108 Tal.: Shirol, Dist.:Kolhapur (Maharashtra State)
Reg. No. 25-14367, Tele Fax : (02322) 241577, 241877, 241977
Ph. (0231) 2686086 Fax No. (0231) 2686000 E-mail : gslsugars@gmail.com



AN ISO 9001 : 2008
Certified Company

Shri. Bhagawanrao G. Ghatge
Founder
Shri. Madhavrao B. Ghatge
Chairman & Managing Director

Ref. No. राकजीएसएल/शिरोल/149/2017

Date : 26/03/2017

प्रति,
मा.सरपंच / ग्रामसेवक
मु.पो. टाकलीवाडी ता. शिरोळ
जि. कोल्हापूर

विषय :- ना हरकत दाखला मिळणेबाबत ..

महोदय

आमचे श्री गुरुदत्त शुगर्स लि.टाकलीवाडी या कारखान्याच्या सध्या असलेल्या ४९०० मे.टन प्रतिदिन गाळप क्षमता व १५ मेगावॉट विजनिर्मिती प्रकल्पाची क्षमता विस्तारीकरण प्रतिदिन ६००० मे.टन उस गाळप व २१ मेगावॉट विजनिर्मिती करणेस central Pollution control Board ,Delhi.यांचेकडून दि.२०/०३/२०१७ च्या पत्राने मान्यता मिळाली आहे.

तरी सदरच्या वाढीव गाळप क्षमता व विजनिर्मिती प्रकल्पाचे विस्तारीकरणास आपल्या ग्रामपंचायतीचा ना हरकत दाखला मिळावा हि विनंती.

सोबत :- CPCB चे मंजूरीचे पत्र.

आपला विश्वासू

प्रेसीडेंट

श्री गुरुदत्त शुगर्स लि.टाकलीवाडी.

Received

26/3/2017

ग्रामसेवक,
ग्रामपंचायत टाकलीवाडी,
ता. शिरोळ, जि. कोल्हापूर.



! ADD.: Gat No. : 61 / A, Akiwat Takaliwadi Road, Takaliwadi Tal.- Shirol Dist - Kolhapur (MH) Pin Code : 416 10
! PHONE : +91 231 2686086 **! FAX :** +91 231 2686000 **! WEBSITE :** www.sgsi.co.in **! Email :** gsisugars@gmail.com

Date - 24/03/2017

8/8/2016

जाहीर नोटीस

श्री गुरुदत्त शुगर्स लिमिटेड टाकळीवाडी पर्यावरण विषयक अनुमती

श्री गुरुदत्त शुगर्स लिमिटेड, गट नं.६१/अ,
अकिवाट टाकळीवाडी रोड, टाकळीवाडी, ता.शिरोळ,
जि.कोल्हापूर पिन नं.४१६१०८ तर्फे कळविणेत येते
की, आमच्या कारखान्यामध्ये गाळप क्षमता 4900 TCD
ते 6000 TCD व सहविजनिर्मिती प्रकल्प 15MW ते 21
MW वाढीव प्रकल्पास भारत सरकारचे पर्यावरण,
वनविभाग व हवामान बदल, मंत्रालय, नवी दिल्ली कडील
पत्र संदर्भ F. No. J-11011/41/2015-IA-II (I) दिनांक
२०/३/२०१७ ने विस्तारीकरणास अनुमती मिळालेली
आहे.

श्री. माधवराव भगवानराव घाटगे

चेअरमन व कार्यकारी संचालक

श्री गुरुदत्त शुगर्स लिमिटेड, टाकळीवाडी

बंधुता पेपर



Training Attendance Sheet

Date:	13-8-19
Topic/s:	Safety & Health Awareness
Trainer	Sandeep Gaikwad
Time From - To:	3-4 PM

Name and Ticket No	Designation / Department	Signature
Birendrakumar	Store keeper	Birendrakumar
Govind Singh	Site Incharge	Govind Singh
Jayprakash Singh	forman	Jayprakash Singh
Kamlesh Singh	fitter	Kamlesh Singh
Motiwar Ansari	Rigar	Motiwar Ansari
Kundan Ansari	Rigar	Kundan Ansari
Shahabuddin Ansari	Welder	Shahabuddin Ansari
Merajuddin Ansari	fitter	Merajuddin Ansari
Sakil Ansari	fitter	Sakil Ansari
Aslam Ansar	Khalasi	Aslam Ansar
Nuralam Ansari	Welder	Nuralam Ansari
Dharmendra yadav	Rigar forman	Dharmendra yadav
Sureman Prasad	Rigar	Sureman Prasad
Jitendra Khurwar	Rigar	Jitendra Khurwar
Haridat Prasad	Khalasi	Haridat Prasad
Raju Patel	Hydra operator	Raju Patel
mukul Patel	Welder	mukul Patel
manu Sah	Khalasi	manu Sah
Ajeet Patel	Khalasi	Ajeet Patel
Samsuddin Ansari	Rigar	Samsuddin Ansari
Sarfuldin Ansari	Rigar	Sarfuldin Ansari
Kyamuddin Ansari	Rigar	Kyamuddin Ansari
Prameshwar	Rigar	Prameshwar

Note: For contractor trainings, the name and designation / department are filled by the Manager)

Effectiveness Evaluation:

--

Evaluated By:

Date:

Prepared By:

Mr. Sandeep B. Gaikwad

Approved By:

Mr. P. Datta Roy



Date:	9-9-19
Topic/s:	Safety Working at height
Trainer	Sandeep Gairwad
Time From - To:	9 to 10

[illegible]

Note: For contractor trainings, the name and designation / department are filled by the Manager)

Effectiveness Evaluation:

Evaluated By:

Date:

Prepared By:

Mr. Sandeep B. Gaikwad

Approved By:

Mr. P. Datta Roy

1940

Date:	22-7-19
Topic/s:	Safety General Rules
Trainer	Sandeep Gairwad
Time From - To:	10-11 AM

[illegible]

Note: For contractor trainings, the name and designation / department are filled by the Manager)

Effectiveness Evaluation:

Evaluated By:

Date:

Prepared By:

Approved By:

Mr. Sandeep B. Gaikwad

Mr. P. Datta Roy

(ESTI)

(President)

ମି. ରଞ୍ଜନ କୁମାର

Training Attendance Sheet

Date:	19-8-19
Topic/s:	Fire Safety
Trainer	Sandeep Gairwad
Time From - To:	11-12 AM

[illegible]

Note: For contractor trainings, the name and designation / department are filled by the Manager)

Effectiveness Evaluation:

Evaluated By:

Date:

Prepared By:

Approved By:

Mr. Sandeep B. Gaikwad

Mr. P. Datta Roy

(ESTI)

(President)

HEALTH REGISTER

NAME OF COMPANY :-

SHRI GURUDATT SUGARS LTD.
(COMPANY)

ADD – Gat No. 61/ A, Akiwat Takaliwadi Road, Takaliwadi, Tal. - Shirol

Dist. - Kolhapur (MH) Pincode - 416 108

VALID FROM : - 20/02/2019 To 19/02/2020

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFH (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

St. No.	Emp. No.	Name	Age	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
	000001	MR. SHARAD D. INAMDAR	40	M	09 E.D.P.	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000011	MR. DNYANDEV KHOT	40	M	10 ENGG.	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000013	MR. SARJERAO A. JAGTAP	52	M	10 ENGG.	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000019	MR. BASAVRAJ C. SWAMI	40	M	08 CO-GEN.	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000020	MR. PRAKASH R. BIRAJDAR	37	M	08 CO-GEN.	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000021	MR. MADHAVRAO R. SHINDE	49	M	08 CO-GEN.	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000022	MR. ANAND R. YADAV	43	M	08 CO-GEN.	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000024	MR. SANJAY A. PATIL	50	M	10 ENGG.	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000028	MR. MARUTI T. UGALE	50	M	10 ENGG.	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000029	MR. AJIT L. SHINDE	50	M	10 ENGG.	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000034	MR. RAVSAHEB R. KOTE	40	M	10 ENGG.	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000039	MR. RAMESH A. CHOUGHULE	41	M	10 ENGG.	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	000042	MR. DASHRATH M. NARUTE	54	M	10 ENGG.	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	000043	MR. CHANDRAKANT G. RAVLUKEDARI	46	M	10 ENGG.	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	000045	MR. ANIL M. JADHAV	47	M	10 ENGG.	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	000050	MR. RAMESH R. POWAR	40	M	10 ENGG.	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	000051	MR. SURESH K. AMBI	45	M	10 ENGG.	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	000052	MR. SHITAL A. ALATE	41	M	10 ENGG.	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	000054	MR. BAHUBALI M. KANE	33	M	08 CO-GEN.	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	

कोसखाने अधीनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFH (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
0	000064	MR. BALASO D. MANGALE	49	M	15 MANUFACTURING	NA	NA	NA		22/02/2019	Fit	NA	Fit	NA	
1	000069	MR. SURESH D. BHATWARE	40	M	21 SUGAR G.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
2	000080	MR. VIRENDRA V. PATIL	40	M	01 ACCOUNT	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
3	000085	MR. RAJU B. PATIL	41	M	08 CO-GEN.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
4	000087	MR. CHANDRAKANT D. PATIL	46	M	14 H.R.D.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
5	000092	MR. RAVINDRA S. KUMBHAR	35	M	14 H.R.D.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
6	000095	MR. MOHAN S. VASAMKAR	43	M	17 PURCHASE	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
7	000096	MR. CHANDRAKANT Y. PATIL	45	M	21 SUGAR G.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
8	000097	MR. CHANGDEV N. JASUD	42	M	12 GEN.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
9	000098	MR. SANDEEP B. BHOIRE	32	M	01 ACCOUNT	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
0	000100	MR. BHARAT B. JADHAV	53	M	19 SECURITY	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
1	000102	MR. DILIP D. KILLEDAR	50	M	03 AGRI	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
2	000121	MR. AVINASH J. BASTWADE	38	M	03 AGRI	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
3	000127	MR. BHAIHUBALI B. PATIL	38	M	01 ACCOUNT	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
4	000135	MR. RAMCHANDRA M. NAIKWADE	48	M	03 AGRI	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
5	000140	MR. SURESH A. BANDGAR	42	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
6	000141	MR. SHABIR S. CHAUS	52	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
7	000142	MR. HARIBA M. HAWALDAR	38	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
8	000143	MR. ANANDA S. MAGDUM	41	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	

कोषाग्ने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे कोल्हापूर जिल्हाकारिता

प्राधिकृत प्रमाणकशाल्याधिकृतसक
क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFH.(Mumbai)

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
	000144	MR. BAJIRAO V. GHORPADE	46	M	10 ENGG.	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000146	MR. SATGONDA R. PATIL	47	M	10 ENGG.	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000155	MR. AKASH G. MAGDUM	45	M	08 CO-GEN.	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000163	MR. AMOL A. CHOUGULE	38	M	08 CO-GEN.	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000164	MR. ANANDA S. BIROJE	41	M	08 CO-GEN.	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000165	MR. CHANDRAKANT D. MALI	33	M	08 CO-GEN.	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000168	MR. MAHADEV I. PATIL	53	M	08 CO-GEN.	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000170	MR. SURYAKANT A. BHENDE	39	M	10 ENGG.	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000174	MR. LOKESH S. EKSAMBE	38	M	10 ENGG.	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000175	MR. YALLAPPA D. KOLI	46	M	10 ENGG.	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000176	MR. KRISHNATH T. SANT	42	M	10 ENGG.	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000178	MR. BANDU B. KOLI	37	M	10 ENGG.	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000179	MR. SARJERAO A. KOLI	36	M	10 ENGG.	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000183	MR. BALASO A. MULLA	38	M	10 ENGG.	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000184	MR. SUNIL G. RAJPUT	36	M	10 ENGG.	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000185	MR. SAMBHAJIR. JADHAV	38	M	10 ENGG.	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000187	MR. PANDURANG D. TAMBIRE	43	M	10 ENGG.	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000188	MR. ANANDA A. HAWALDAR	34	M	10 ENGG.	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
	000197	MR. SUNIL S. KADOLE	38	M	10 ENGG.	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	

कोल्हापूर जिल्हाकरिता
कासखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFPH (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sl. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
	000199	MR. UDAYKUMAR A. BARWADE	41	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000200	MR. SANDEEP D. BAGADE	37	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000202	MR. RAJENDRA A. SHINDE	37	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000204	MR. VIJAY S. AMBUPE	43	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000205	MR. KIRAN R. MANGSULE	46	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000206	MR. SAGAR S. HASURE	42	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000209	MR. AJIT A. CHOUGALE	42	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000213	MR. BHASKAR S. KAMBLE	48	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000215	MR. SANJAY A. BUENALE	39	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000217	MR. BHAUSO R. CHOPADE	39	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000218	MR. SIDRAM G. GAVANDI	45	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000229	MR. PARMESHWAR R. YADAV	48	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000240	MR. SAMBHAJI B. DESAI	59	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000244	MR. SURESH M. NAIKWADE	46	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000252	MR. KUMAR M. SUTAR	42	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000257	MR. HANAMANT L. PATIL	40	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000261	MR. SUNIL A. NIMBALKAR	39	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000264	MR. RAPIQ B. PATEL	34	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
	000270	MR. ARJUN K. SURYAVANSHI	38	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	

(Signature)
Fit

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकारिता

प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))

Certifying Surgeon

DR. ARVIND MANE
MBBS DPH AFTH (Mumbai)

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
7	000274	MR. RAJENDRA D. LATAWADE	39	M	03 AGRI	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
8	000276	MR. DEVENDRA A. SHIRGUPPE	38	M	03 AGRI	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
9	000277	MR. SURESH P. GODHADE	38	M	03 AGRI	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
10	000285	MR. VIJAY R. DAKARE	50	M	14 H.R.D.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
11	000294	MR. NILESH V. YADAV	46	M	01 ACCOUNT	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
12	000295	MR. KIRAN R. GAIKWAD	56	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
13	000296	MR. PRADIP S. SAWANT	35	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
14	000300	MR. YELGONDA S. PATIL	40	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
15	000308	MR. SUBHASH M. KHOT	52	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
16	000313	MR. SUDESH N. MAGADUM	38	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
17	000317	MR. UDYKUMAR D. MAHIND	43	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
18	000318	MR. RAJGONDA P. PATIL	36	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
19	000319	MR. PANDURANG R. NANDIWALE	39	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
20	000320	MR. BALASO B. MAGDUM	43	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
21	000321	MR. ASHOK K. WANTE	39	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
22	000328	MR. POPAT M. KHOT	41	M	23 W. T. P.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
23	000330	MR. VIJAY S. PAWAR	37	M	03 AGRI	NA	NA	NA	NA	20/02/2019	NA	NA	Fit	NA	
24	000354	MR. RAMESH G. GAIKWAD	49	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
25	000359	MR. SANTOSH S. CHIKKODE	38	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	

कासखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे कोल्हापूर जिल्हाकरिता

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFTH.(Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
000381	MR. SACHINKUMAR K. HEMGIRE	37	M	03 AGRI	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000395	MR. SUBHASH S. PIMPALE	36	M	06 CANEYA.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000399	MR. KHANDERAU M. KAMBALE	41	M	06 CANEYA.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000403	MR. VINOD A. PATIL	38	M	06 CANEYA.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000404	MR. HANAMANT A. PATIL	45	M	06 CANEYA.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000423	MR. KUMAR D. PATIL	38	M	19 SECURITY	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000425	MR. RAJENDRA S. GHADGE	40	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000428	MR. PRITAM M. MARDANE	40	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000439	MR. ANANT S. PATTANKUDE	41	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000441	MR. RUDRAGONDA B. PATIL	51	M	12 GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000446	MR. GAJANAN M. LATAWADE	38	M	06 CANEYA.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000448	MR. GAJENDRA H. MANE	59	M	22 VEHICLE	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000453	MR. SANJAY T. THORAWAT	48	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000459	MR. MADHUKAR B. MALI	43	M	08 CO-GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000460	MR. SHANKAR R. BALIGADE	43	M	08 CO-GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000470	MR. VISHAL G. GHATAGE	32	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000471	MR. MILIND D. KAMBLE	42	M	03 AGRI	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000478	MR. HANMANT V. BABAR	57	M	04 BIOFERTL.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
000489	MR. SANJAY Y. KUMBHAR	39	M	22 VEHICLE	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	

(Signature)
20/02/2019

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे

कोल्हापूर जिल्हाकरिता

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFPH (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
5	000494	MR. AJIT B. MURGUNDE	39	M	01 ACCOUNT	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
5	000533	MR. TEJANAND B. DESAI	35	M	08 CO-GEN.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
7	000543	MR. PUNDALIK K. JADHAV	50	M	08 CO-GEN.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
3	000545	MR. SUBHASH K. MANE	47	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
9	000549	MR. MILIND M. MALEKARI	40	M	06 CANEYA.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
0	000551	MR. RAMA A. ZENDE	36	M	06 CANEYA.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
1	000553	MR. UMESH S. MITHARE	43	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
2	000558	MR. NILESH M. JADHAV	39	M	15 MANUFACTURING	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
3	000560	MR. BABASO D. PATIL	38	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
4	000561	MR. DIPAK P. CHAVAN	39	M	03 AGRI	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
5	000572	MR. SANTOSH A. BASTAWADE	35	M	06 CANEYA.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
5	000576	MR. NAZIM D. INAMDAR	52	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
7	000577	MR. PRAKASH K. LATWADE	41	M	06 CANEYA.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
3	000578	MR. SANJAY S. BHOSALE	38	M	06 CANEYA.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
9	000579	MR. UDAY S. PATIL	34	M	06 CANEYA.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
0	000580	MR. SANJAY G. PATIL	41	M	06 CANEYA.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
	000581	MR. VINOD S. PATIL	34	M	06 CANEYA.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
	000587	MR. SURESH M. UGARE	46	M	15 MANUFACTURING	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
5	000594	MR. HEMANTKUMAR S. POL	32	M	08 CO-GEN.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे कोल्हापूर जिल्हाकरिता

Form No 7 (Prescribed under Rule 18 (17))

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFTH (Mumbai)

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept. of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
4	000595	MR. ANIL S. MANE	37	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
5	000598	MR. DHANANJAY U. THORAWAT	39	M	15 MANUFACTURING	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
6	000601	MR. MADAN S. VASAMKAR	40	M	16 PETROL P.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
7	000603	MR. HEMANT B. KASARKAR	35	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
8	000603	MR. HEMANT B. KASARKAR	35	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
9	000604	MR. VILAS R. JAGTAP	46	M	12 GEN.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
10	000614	MR. KRISHNADEV K. MANE	43	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
11	000627	MR. JITENDRA M. GORE	52	M	19 SECURITY	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
12	000628	MR. BALASAHEB D. ALGOUDA	43	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
13	000636	MR. RAJUMAR S. MANE	42	M	08 CO-GEN.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
14	000638	MR. CHANDRAKANT S. SHINDE	32	M	03 AGRI	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
15	000640	MR. CHANDRAKANT K. PARIT	40	M	03 AGRI	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
16	000642	MR. PRASHANT R. SHETTI	33	M	03 AGRI	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
17	000645	MR. BALASO L. CHOUGALE	43	M	03 AGRI	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
18	000649	MR. DIPAK B. SHINDE	37	M	03 AGRI	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
19	000651	MR. VITTHALSING R. RAJAPUT	40	M	19 SECURITY	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
20	000654	MR. KAYUM B. MULLA	56	M	19 SECURITY	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
21	000655	MR. DILIP B. KADAM	32	M	19 SECURITY	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	
22	000664	MR. PANDURANG H. BHOITE	46	M	10 ENGG.	NA	NA	NA		20/02/2019	Fit	NA	Fit	NA	

कमलाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFTH.(Mumbai)

From: 20/02/2019 To 19/02/2020

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
3	000668	MR. BAJIRAO S. TIKODE	53	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
4	000669	MR. PRABHAKAR P. PATIL	36	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
5	000671	MR. RAMGONDA P. PATIL	36	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
6	000673	MR. DEEPAK D. MANE	47	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
7	000679	MR. VIKAS M. PATIL	41	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
8	000682	MR. KISHOR T. PAWAR	42	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
9	000685	MR. RANJIT G. YADAV	38	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
10	000689	MR. SHRIPATI N. JOLLE	45	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
11	00691	MR. ANANDA M. FAKANDE	35	M	04 BIOFERTI.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
12	000699	MR. MOHAN K. PATIL	42	M	03 AGRI	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
13	000702	MR. ISMAIL B. JAMADAR	46	M	14 H.R.D.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
14	000706	MR. BAHUBALI S. LATTE	30	M	06 CANEYA.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
15	000709	MR. ASHOK JADHAV	54	M	19 SECURITY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
16	000712	MR. SURESH B. GAIKWAD	48	M	19 SECURITY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
17	000715	MR. SHIVAJI M. BHOSALE	54	M	19 SECURITY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
18	00717	MR. MALHAR G. JADHAV	44	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
19	000718	MR. ARUN B. KAGWADE	43	M	19 SECURITY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
20	000726	MR. RAJENDRA K. PATIL	36	M	19 SECURITY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	000727	MR. RAJU P. KOLI	35	M	19 SECURITY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
										21/02/2019	Fit	NA	Fit	NA	

कायने अधिनियम १४८ च्या कलम १०(२) प्रमाणे

कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रमाणकशल्यधिकृत

क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))

Certifying Surgeon

HEALTH REGISTER

DR. ARVIND MANE

MBBS DPH AFH (Mumbai)

From: 20/02/2019 To 19/02/2020

Company Name : **SHRI GURUDATT SUGARS LTD. (COMPANY)**

Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
000729	MR. DILIP N. GORE	54	M	19 SECURITY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000733	MR. SHAMRAO S. SHEDBALE	44	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000736	MR. MADHUSUDAN M. MORADE	34	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000738	MR. ANIL S. KAMBALE	40	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000741	MR. RAJARAM A. BAKALE	50	M	19 SECURITY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000746	MR. TUKARAM B. PATIL	42	M	21 SUGAR G.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000750	MR. SUKUMAR S. BHALE	45	M	07 CIVIL	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000759	MR. AMGONDA B. PATIL	37	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000760	MR. VINOD D. KAMBLE	35	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000769	MR. MAHIPAL T. GAVALI	52	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000773	MR. MEHUL C. LUGADE	32	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000774	MR. UTTAM V. PATIL	42	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000783	MR. ANANT S. RASANKAR	58	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000784	MR. SANJAY M. MAGADUM	37	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000785	MR. SHARAD M. INGALE	38	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000792	MR. PREM K. WAGHARE	37	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000793	MR. VIJAYKUMAR B. PATIL	36	M	06 CANEYA.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000796	MR. HIRASING B. RAJPUT	41	M	06 CANEYA.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000798	MR. AKARAM S. GAVADE	31	M	03 AGRI	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	

(Signature)

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFIH.(Mumbai)

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sl. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
1	000799	MR. SURESH K. YADAV	37	M	03 AGRI	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
2	000800	MR. RAJENDRA B. GAVDE	32	M	06 CANEYA.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
3	000803	MR. SANTOSH B. LATWADE	39	M	03 AGRI	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
4	000811	MR. DHANAJI S. NIMBALKAR	44	M	15 MANUFACTURING	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
5	000812	MR. BAHUBALI B. KOTHALI	35	M	15 MANUFACTURING	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
6	000816	MR. CHANDRAKANT B. KUMBHAR	55	M	19 SECURITY	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
7	000820	MR. TANAJI N. KAKADE	55	M	01 ACCOUNT	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
8	000824	MR. SITARAM M. PATIL	56	M	19 SECURITY	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
9	000825	MR. BABASAHEB R. PATIL	57	M	19 SECURITY	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
10	000828	MR. RAVSAHEB R. GUDE	55	M	19 SECURITY	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
11	000830	MR. BABASO M. EDAKE	49	M	13 GUEST H.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
12	000831	MR. JAKAPPA K. MAHAJAN	48	M	13 GUEST H.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
13	000832	MR. SANJAY D. DANOLE	34	M	04 BIOFERTI.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
14	000837	MR. BABASO Y. INAMDAR	48	M	07 CIVIL	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
15	000844	MR. PRAVIN B. NARAKE	30	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
16	000847	MR. SADASHIV M. PATIL	59	M	19 SECURITY	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
17	000848	MR. MANIK R. DESAI	39	M	19 SECURITY	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
18	000849	MR. DILIP A. KORBU	46	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
19	000850	MR. RAVINDRA B. SUTAR	34	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता

Page 11 of 28

प्राधिकृत प्रमाणकक्षीयचिकित्सक

क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFIIH.(Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
000854	MR. POPAT K. SALUNKHE	41	M	08 CO-GEN.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000855	MR. VEERPRAKASH J. FUTANE	38	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000856	MR. MAKABUL S. DESAI	42	M	15 MANUFACTURING	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000857	MR. MIRASAB S. SHENDURE	35	M	15 MANUFACTURING	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000858	MR. KUMAR S. MANE	42	M	15 MANUFACTURING	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000859	MR. SWAPNIL A. KAMBLE	30	M	15 MANUFACTURING	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000864	MR. VIJAY S. KUMBHOJKAR	39	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000865	MR. SANDEEP S. SAJANE	37	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000871	MR. GANESH R. GORE	33	M	06 CANEYA.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000873	MR. AJIT A. PATIL	33	M	06 CANEYA.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000882	MR. JINGODA B. PATIL	38	M	07 CIVIL	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000883	MR. SANDIP S. MAGDUM	36	M	07 CIVIL	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000884	MR. ALAM S. PATEL	54	M	07 CIVIL	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000886	MR. ANAND J. SHINDE	46	M	19 SECURITY	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
0887	MR. FAJAHAMAD R. MULLA	52	M	19 SECURITY	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000890	MR. MAHESH B. ARADE	34	M	15 MANUFACTURING	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000902	MR. AMAR A. PATIL	32	M	03 AGRI	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000907	MR. APPASO B. GOURAJ	41	M	15 MANUFACTURING	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
000908	MR. SACHIN B. CHIKHALE	38	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
									21/02/2019	Fit	कम्प्लाने अधिनियम १९४८ च्या क्लेम १०(२) प्रमाणे	कोल्हापूर जिल्हाकरिता		

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFHH(Mumbai)

Company Name : **SHRI GURUDATT SUGARS LTD. (COMPANY)**

Sl. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
	000909	MR. SATISH A. PARIT	36	M	22 VEHICLE	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000912	MR. NAVEED S. DANAWADE	36	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000928	MR. BALASO V. PARIT	54	M	19 SECURITY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000930	MR. DILIP T. KAMBLE	32	M	19 SECURITY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000935	MR. AMOL R. MANE-GAVDE	32	M	06 CANEYA.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000937	MR. RANJIT S. KOLEKAR	32	M	03 AGRI	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000939	MR. TUSHAR T. NIKAM	31	M	21 SUGAR G.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000940	MR. SANDIP M. GAIKWAD	33	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000941	MR. BAJIRAO S. BHALE	34	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000942	MR. SATISH D. VALWADE	33	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000943	MR. ASHOK A. SHINDE	32	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000944	MR. AMOL R. HUIJARE	31	M	15 MANUFACTURING	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000952	MR. CHANDRAKANT B. BIRANAGE	42	M	11 E. T. P.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000954	MR. VILAS R. BALE	49	M	11 E. T. P.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000967	MR. SANDEEP B. GAIKWAD	46	M	02 ADMIN.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000974	MR. SANJAY T. PATIL	55	M	19 SECURITY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000976	MR. SIKANDAR D. FARAS	38	M	19 SECURITY	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000977	MR. YASHWANT A. JADHAV	42	M	10 ENGG.	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	000981	MR. MALGONDA B. PATIL	32	M	15 MANUFACTURING	NA	NA			21/02/2019	NA				

कायदाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे

कोल्हापूर जिल्हाकारिता

प्राधिकृत प्रमाणकशल्यचिकित्सक

क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFTH, (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
000982	MR. YUVRAJ S. NIMBALKAR	32	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000985	MR. FARUK S. DANWADE	32	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000991	MR. VISHAL A. CHOUDHARI	28	M	06 CANEYA.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000993	MR. SAGAR D. PIRKANE	32	M	06 CANEYA.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
000994	MR. RAKESH R. MAGADUM	28	M	01 ACCOUNT	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001000	MR. HAJILAL M. NAGARAJI	38	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001004	MR. SHAMGONDA N. ALATE	42	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001005	MR. JOTIBA R. AKKOLE	36	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001008	MR. DILIP N. MALAGAR	54	M	19 SECURITY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001011	MR. GUNDAPPA R. MANE	55	M	19 SECURITY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001015	MR. AMAR A. BIRANGE	31	M	19 SECURITY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001016	MR. SHAHIR S. CHAWARE	56	M	19 SECURITY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001017	MR. CHETANSIHAN M. MANE	29	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001018	MR. MAHAVIR J. NARADE	43	M	20 STORE	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001020	MR. AMAR K. GIRIBUVA	34	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001023	MR. RAJENDRA S. JADHAV	42	M	19 SECURITY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001026	MR. SHAMRAO N. PATIL	56	M	19 SECURITY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001029	MR. SURESH K. DESAI	34	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001031	MR. ARVIND R. HORTIKAR	57	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
					NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	

कारखाने अधिनियम १९४८ च्या कसम १०(२) प्रमाणे

कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रमाणकशाल्याधिकृतसक

क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFPH (Mumbai)

Company Name : **SHRI GURUDATT SUGARS LTD. (COMPANY)**

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
67	001032	MR. GORAKHNATH P. NIRMAL	36	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
68	001033	MR. BAJIRAO I. SHEDBALE	49	M	07 CIVIL	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
69	001034	MR. SHIVAJI B. KHOT	48	M	07 CIVIL	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
70	001035	MR. NETAJI H. KHOT	39	M	07 CIVIL	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
71	001036	MR. NANASO S. KAMBLE	51	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
72	001038	MR. YOGESH K. KAMBLE	34	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
73	001039	MR. KIRAN S. CHIGARE	42	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
74	001040	MR. MAHAVIR A. BIRANGE	42	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
75	001041	MR. SANDIP R. KHOT	30	M	08 CO-GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
76	001042	SMT. MUKTABAI S. BIRANGE	45	F	18 SANITARY	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
77	001043	SOU. SAOUBAI A. BIRANGE	45	F	18 SANITARY	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
78	001044	SMT. USHATAI S. KAMBLE	42	F	18 SANITARY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
79	001045	MR. RAMESH K. KAMBLE	32	M	08 CO-GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
80	001046	MR. SUNIL S. NIRMAL	32	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
81	001047	MR. APPASO S. MAGDUM	38	M	04 BIOFERTIL.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
82	001048	MR. ANANDA S. KUMBHAR	34	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
83	001049	SOU. KASTURI P. KAMBLE	45	F	18 SANITARY	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
84	001051	MR. SRIKANT P. BIRANGE	33	M	15 MANUFACTURING	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
85	001052	MR. SANDIP D. SUTAR	31	M	07 CIVIL	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	

कोषाग्ने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFHI (Mumbai)

Company Name : **SHRI GURUDATT SUGARS LTD. (COMPANY)**

Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
001053	MR. YOGESH G. KAMBLE	28	M	18 SANITARY	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001054	MR. RANJIT R. PATIL	44	M	15 MANUFACTURING	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001056	MR. ASHOK B. PATIL	52	M	19 SECURITY	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001057	MR. DIPAK N. SANKPAL	34	M	10 ENGG.	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001063	MR. VAIBHAV S. PATIL	29	M	10 ENGG.	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001066	MR. SHIVAJI R. KOLI	39	M	10 ENGG.	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001068	MR. PRAKASH S. BADANIKAI	37	M	08 CO-GEN.	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001069	MR. SHIVAJI D. POWAR	46	M	08 CO-GEN.	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001070	MR. VAIBHAV N. CHANDORA	39	M	08 CO-GEN.	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001071	MR. SUBHASH R. JADHAV	45	M	15 MANUFACTURING	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001079	MR. SUHAS D. MAGDUM	32	M	01 ACCOUNT	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001080	MR. SANTOSH A. BIRANGE	34	M	15 MANUFACTURING	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001081	MR. BALASAHEB V. BANDAGAR	34	M	08 CO-GEN.	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001082	MR. ARVIND S. PATIL	32	M	06 CANEYA.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
001083	MR. RAMDAS A. BIRANGE	33	M	18 SANITARY	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001084	MR. VITTHAL G. NIRMAL	35	M	15 MANUFACTURING	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001085	MR. AJIT D. NIRMAL	34	M	10 ENGG.	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001086	MR. GOPICHAND J. BHANDARE	30	M	15 MANUFACTURING	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
001087	MR. VINAYAK Y. KUMBHAR	29	M	10 ENGG.	NA	NA	NA			20/02/2019	Fit	NA	Fit	NA	
										20/02/2019	Fit	NA	Fit	NA	

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFTH (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
5	001088	MR. NITIN S. SHINDE	30	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
6	001089	MR. UTTAM N. GORE	29	M	20 STORE	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
7	001090	MR. RAHUL A. GORE	33	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
8	001091	MR. BAJARANG I. KOLI	36	M	07 CIVIL	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
9	001092	MR. SHANTINATH B. KHURPE	42	M	20 STORE	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
0	001094	MR. ANNASO R. DANOLE	36	M	07 CIVIL	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
1	001095	MR. BABASO B. MAISHALE	35	M	08 CO-GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
2	001096	MR. RAJU B. GAVADE	35	M	07 CIVIL	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
3	001097	MR. CHANDRAKANT A. KOLI	36	M	07 CIVIL	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
4	001098	MR. NITIN B. KOLI	34	M	07 CIVIL	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
5	001099	MR. MARUTIP. BHATMARE	37	M	08 CO-GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
6	001100	MR. ZAKIR M. KUDACHE	36	M	08 CO-GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
7	001101	MR. SADASHIV T. GAVANDI	45	M	08 CO-GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
8	001102	MR. SANTOSH M. BAVADEKAR	39	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
9	001103	MR. SANTOSH N. SAVANT	29	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
0	001104	MR. BALASAHEB V. GAIKWAD	32	M	18 SANITARY	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
1	001106	MR. PRAKASH T. AIWALE	42	M	05 CANE D.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
2	001107	MR. KUMAR A. SUTAR	38	M	07 CIVIL	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
3	001108	MR. VASANT B. POWAR	45	M	07 CIVIL	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	

प्रमाणित अधीनस्थ ११४८ ची कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFHI (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
001109	MR. VIJAY R. CHAVAN	35	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
001110	MR. TATOBA A. HINGMIRE	34	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
001111	MR. SURESH S. ADARSHE	35	M	08 CO-GEN.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
001112	MR. SACHIN S. SHINDE	35	M	10 ENGG.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
001113	MR. AMOL Y. PATIL	33	M	14 H.R.D.	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
001114	MR. UMESH P. GAIKWAD	38	M	20 STORE	NA	NA	NA	NA	20/02/2019	Fit	NA	Fit	NA	
001115	MR. BANDU N. SHINDE	36	M	07 CIVIL	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001116	MR. ASHOK B. POWAR	46	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001117	MR. DAYANAND K. PATIL	39	M	16 PETROL P.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001118	MR. SURESH N. MASKE	41	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001120	MR. TUKARAM P. PATIL	44	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001121	MR. SHIVAJI S. MAGDUM	30	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001122	MR. LAXMAN K. KORAVI	33	M	16 PETROL P.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001123	MR. MADAR A. NADAF	45	M	07 CIVIL	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001124	MR. RAJU S. MAGDUM	43	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001125	MR. MANOI A. MANE	34	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001126	MR. SURESH B. POWAR	35	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001127	MR. BALASO L. KHOMBHARE	34	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
001128	MR. CHANDRAKANT S. LOHAR	43	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	

कारखाने अधिनियम १९४८ च्या नखल नं० (२) प्रमाणे

कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रमाणकालयधिकारितक

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFH (Mumbai)

Company Name : **SHRI GURUDATT SUGARS LTD. (COMPANY)**

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
3	001129	MR. PRABHAKAR B. KOLI	39	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
4	001130	MR. KAPIL R. DANAWADE	33	M	07 CIVIL	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
5	001131	MR. LINGAPPA K. BANDAGAR	35	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
6	001132	MR. SANTOSH B. GORE	32	M	16 PETROL P.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
7	001133	MR. DHONDIRAM S. MANE	30	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
8	001134	MR. RAHUL G. PATTEKARI	32	M	03 AGRI	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
9	001135	MR. SANDIP S. PATIL	31	M	21 SUGAR G.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
10	001137	MR. SHIVPUTRA A. KOLI	39	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
11	001138	MR. AMIT B. PATIL	37	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
12	001139	MR. SURESH N. VADAR	45	M	07 CIVIL	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
13	001140	MR. RAJUMAR V. BAGE	41	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
14	001141	MR. GANESH B. INGALE	32	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
15	001142	MR. NITIN A. NALAVADE	37	M	07 CIVIL	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
16	001143	MR. TATYASO D. MANE	31	M	06 CANEYA.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
17	001144	MR. SUNILKUMAR J. SOUNDATTE	34	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
18	001145	MR. SANTOSH P. SAMADOLE	32	M	23 W. T. P.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
19	001146	MR. SANTOSH P. SASANE	31	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
20	001147	MR. PRASHANT D. PIMPALLE	30	M	23 W. T. P.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
21	001148	MR. VIJAY R. KHOT	31	M	21 SUGAR G.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे कोल्हापूर जिल्हाकरिता

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFH (Mumbai)

Company Name : **SHRI GURUDATT SUGARS LTD. (COMPANY)**

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
2	001150	MR. RIYAJ G. SANADI	36	M	22 VEHICLE	NA	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA
3	001151	MR. UTTAM L. KARNALE	30	M	06 CANEYA.	NA	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA
4	001152	MR. SHEKHAR S. PARIT	36	M	23 W. T. P.	NA	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA
5	001153	MR. PRAVIN S. PATIL	33	M	14 H.R.D.	NA	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA
6	001154	MR. DHONDIRAM R. CHAVARE	37	M	23 W. T. P.	NA	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA
7	001156	MR. SANTOSH S. HINGMIRE	35	M	10 ENGG.	NA	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA
8	001157	MR. SAGAR S. JUGALE	32	M	10 ENGG.	NA	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA
9	001158	MR. DIGVIJAY M. KAMBLE	37	M	08 CO-GEN.	NA	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA
10	001160	MR. MAHANTESH V. UMARANI	36	M	08 CO-GEN.	NA	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA
	001162	MR. GOPAL S. BHANDARE	33	M	04 BIOFERTI.	NA	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA
	001165	MR. SANTOSH K. KAMBLE	36	M	15 MANUFACTURING	NA	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA
	001166	MR. RAMESH S. MATHPATI	42	M	15 MANUFACTURING	NA	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA
	001168	MR. KRISHNAJI P. MALLEWADE	29	M	08 CO-GEN.	NA	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA
	001170	MR. YUNUS M. KUDACHE	33	M	13 GUEST H.	NA	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA
	001172	MR. SANTOSH S. NAGAYI	34	M	08 CO-GEN.	NA	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA
	001173	MR. SAMBHAJI B. DUBAL	57	M	08 CO-GEN.	NA	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA
	001176	MR. AMOL A. NIRMAL	33	M	08 CO-GEN.	NA	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA
	001177	MR. SANJAY B. CHOPADE	50	M	15 MANUFACTURING	NA	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA
	001179	MR. SANGRAM B. GHORPADE	34	M	05 CANE D.	NA	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	NA

कोसखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता

Certifying Surgeon
DR.ARVIND MANE
MBBS DPH AFH.(Mumbai)

From: 20/02/2019 To 19/02/2020

From: 20/02/2019 To 19/02/2020

NA	Fit	NA
कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे		
कोल्हापर		जिल्हाकरिता

प्राधिकृत प्रमाणकशैल्यधिकृतसक
क्र. ACS 15-AM/2016

Certifying Surgeon

HEALTH REGISTER

DR. ARVIND MANE


MBBS DPH AFIH.(Mumbai)

From: 20/02/2019 To 19/02/2020

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
	001213	MR. PARSHURAM B. KAMBLE	36	M	05 CANE D.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	001214	MR. AMIN S. MULLA	35	M	05 CANE D.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	001216	SOU. SALONA A. SANADE	45	F	18 SANITARY	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	001217	MR. DASHRATH V. VADAR	45	M	07 CIVIL	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	001220	MR. SANDIP T. MANE	36	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	001224	MR. NARSINGH S. TODKAR	34	M	23 W. T. P.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	001225	MR. RAMESH B. KADAM	35	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	001226	MR. SURYAKANT L. SANKPAL	38	M	15 MANUFACTURING	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	001227	MR. DATTATRAY N. MAGADUM	33	M	15 MANUFACTURING	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	001228	MR. RAJENDRA B. KAGALE	40	M	15 MANUFACTURING	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	001229	MR. OMKAR A. PIMPALE	28	M	06 CANEYA.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	001231	MR. SURESH K. KALYANI	41	M	08 CO-GEN.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	001234	MR. SHRIDHAR J. KURANE	44	M	22 VEHICLE	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	001236	MR. ANAND R. CHENDAKE	35	M	15 MANUFACTURING	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	001237	MR. SANJAY I. SHINDE	40	M	15 MANUFACTURING	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	001238	MR. HITENDRA R. SHIRGUPPE	42	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	001244	MR. GAJANAN M. SAWANT	31	M	15 MANUFACTURING	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	001247	MR. VINAYKUMAR B. NAGAVE	42	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
	001249	MR. SUNIL G. PARIT	46	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	

कार्यालये अधिनियम १९४८ च्या कलम १०(२) प्रमाणे कोल्हापूर जिल्हाकरिता



Page 22 of 28

प्राधिकृत प्रमाणपत्रालयचिकित्सक.

Dr. ACS EAM2016

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFHI (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sl. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
	001251	MR. SAHADEV G. JAGADALE	27	M	08 CO-GEN.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001254	MR. GOVINDA D. KHOT	27	M	23 W. T. P.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001255	MR. SRIDHAR A. SUTAR	39	M	23 W. T. P.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001256	MR. RAHUL S. BADAME	26	M	15 MANUFACTURING	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001261	MR. SANJAY S. CHAVAN	39	M	23 W. T. P.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001262	MR. SUNIL S. PATIL	40	M	20 STORE	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001263	MR. SUNIL A. GHEVADE	38	M	07 CIVIL	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001264	MR. VINOD A. GHATGE	27	M	10 ENGG.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001266	MR. SATAPPA R. CHAVAN	30	M	08 CO-GEN.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001267	MR. DIGAMBAR A. KUDACHE	32	M	15 MANUFACTURING	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001268	MR. SATISH M. GURAV	44	M	10 ENGG.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001273	MR. PAVANKUMAR J. ANKALE	38	M	08 CO-GEN.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001274	MR. OMPRAKASH B. TAMBALE	40	M	17 PURCHASE	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001276	MR. SANTOSH V. BHUTEKAR	37	M	17 PURCHASE	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001279	MR. VIKAS B. CHOUGALE	32	M	12 GEN.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001281	MR. ROHIT R. KATAGERI	31	M	08 CO-GEN.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001283	MR. ATUL J. PAWAR	38	M	15 MANUFACTURING	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001284	MR. CHANNAPPA R. ANIANEYA	35	M	01 ACCOUNT	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	
	001290	MR. MAHESH PATIL	34	M	14 H.R.D.	NA	NA	NA			21/02/2019	Fit	NA	Fit	NA	

कोरखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे कोल्हापूर जिल्हाकरिता

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFTH (Mumbai)

Company Name : **SHRI GURUDATT SUGARS LTD. (COMPANY)**

Sl. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or by product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
	001293	MR. ABHJIT M. GAIKWAD	31	M	09 E.D.P.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001294	MR. GIRIDHAR B. SAHASTRABUDDHE	51	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001295	MR. VIKAS P. PATIL	27	M	09 E.D.P.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001296	MR. SUBHASH B. JUGALE	47	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001297	MR. BAPU A. CHAVAN	32	M	07 CIVIL	NA	NA	NA	NA	21/02/2019	NA	NA	Fit	NA	
	001298	MR. SHRISHAIL M. AMBI	38	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001299	MR. MEHBOOB D. JAMADAR	43	M	20 STORE	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001300	MR. PRADIP S. NAIK	33	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001301	MR. SACHIN S. PATIL	29	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001302	MR. SUDHIR M. PATOLE	30	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001303	MR. GAJANAN M. BHATLE	32	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001304	MR. PRASAD M. CHOUGULE	29	M	20 STORE	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001305	MR. SALMAN I. BAIRAGDAR	27	M	23 W. T. P.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001306	MR. SANTOSH R. DHANAVADE	39	M	24 DISTILL.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001307	MR. SANDEEP B. KHARAT	31	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001309	MR. VIJAYSINH A. BHOSALE	37	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001310	MR. MAHADEO D. NANAWARE	40	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001311	MR. DIPAK V. MANGALE	39	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
	001312	MR. BABU S. KOTABAGI	28	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	

अधिकृत प्रमाणक शल्य चिकित्सक
कोल्हापूर जिल्हाकरिता
क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFPH (Mumbai)

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
7	001313	MR. NISHIKANT D. KURADE	58	M	15 MANUFACTURING	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
8	001314	MR. TEJPAL A. GANE	35	M	09 E.D.P.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
9	005063	MR. BAHUBALI M. SOUNDATTE	34	M	20 STORE	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
0	005071	MR. PRAKASH B. MALEKARI	51	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
1	005077	MR. UDAY A. PATIL	29	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
2	005082	MR. SUNIL V. LATTHE	30	M	21 SUGAR G.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
3	005083	MR. RAMCHANDRA R. AMBI	34	M	15 MANUFACTURING	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
4	005086	MR. PRADIP M. SHINDE	38	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
5	005087	MR. DIPAK R. KAMBLE	31	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
6	005091	MR. MARUTI D. KATTIKAR	34	M	15 MANUFACTURING	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
7	005094	MR. SACHIN A. KHOT	31	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
8	005096	MR. VILAS D. GAIKWAD	33	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
9	005097	MR. RAJAN S. VALVE	38	M	10 ENGG.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
0	005098	MR. SUNIL R. PATTEKARI	42	M	15 MANUFACTURING	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
1	005101	MR. HALAPPA B. SURYAVANSHI	54	M	21 SUGAR G.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
2	005102	MR. ARIF R. DESAI	28	M	15 MANUFACTURING	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
3	005103	MR. LALASO P. PATIL	46	M	21 SUGAR G.	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
4	005105	MR. KUMAR A. ADUKE	32	M	18 SANITARY	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
5	005112	MR. DATTATRAY T. PATIL	38	M	20 STORE	NA	NA	NA		21/02/2019	Fit	NA	Fit	NA	
												कायने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे कोल्हापूर जिल्हाकरिता			

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFPH (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sl. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
6	005114	MR. SAGAR M. POWAR	30	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
7	005115	MR. SAGAR V. YADAV	32	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
8	005117	MR. SHAMRAO R. MIRJE	47	M	10 ENGG.	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
9	005122	MR. GURUPAD D. BORGAVE	47	M	23 W. T. P.	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
10	005123	MR. AJIT B. MHAISHALE	33	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
11	005124	MR. SHIVAJI G. JAKHALE	39	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
12	005125	MR. INDRAJIT R. SANKPAL	31	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
13	005126	MR. NITIN T. HINGMIRE	32	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
14	005130	MR. ANANDA Y. PATIL	33	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
15	005131	MR. VIJAY V. MANE	43	M	08 CO-GEN.	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
16	005132	MR. VISHWAS L. ZANJE	30	M	08 CO-GEN.	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
17	005134	MR. MARUTI B. BHADULE	46	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
18	005135	MR. SRIMANT S. KAMBLE	30	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
19	005148	MR. TIFUSULTAN R. TAHSILDAR	23	M	18 SANITARY	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
20	005150	MR. DADASO B. KAGALE	36	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
21	005152	MR. SAYYADALI I. MAKANDAR	38	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
22	005154	MR. SAGAR M. LOISURE	32	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
23	005155	MR. RAJENDRAKUMAR S. NIRMAL	31	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
24	005156	MR. RAJU G. NIMBALKAR	32	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	

कोरखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFH (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
5	005158	MR. BALASO K. SANKPAL	35	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
6	005160	MR. SHANKAR R. KHARPI	39	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
7	005165	MR. SAGAR D. KHOT	29	M	10 ENGG.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
8	005168	MR. AVINASH S. PATIL	29	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
9	005172	MR. BIRDEV S. BANDAGAR	33	M	18 SANITARY	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
0	005173	MR. SANTOSH V. KOLI	26	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
1	005175	MR. PRAMOD C. KADAM	38	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
2	005178	MR. RAFIQ N. JAMADAR	29	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
3	005179	MR. SUNIL D. KOLI	27	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
4	005180	MR. SURESH I. MIRJE	50	M	08 CO-GEN.	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
5	005181	MR. GAJANAN Y. KAMATE	29	M	15 MANUFACTURING	NA	NA	NA	NA	21/02/2019	Fit	NA	Fit	NA	
6	005183	MR. ARIF D. DANVADE	32	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
7	005184	MR. RAVINDRA B. UMRANI	35	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
8	005185	MR. ROHIT G. PAGADE	27	M	04 BIOFERTI.	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
9	005187	MR. AVADHUT D. KOLI	29	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
0	005188	MR. DADASO R. GASTE	29	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
1	005190	MR. ARJUN A. KOLI	30	M	01 ACCOUNT	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
2	005193	MR. TUKARAM M. PAKHRE	46	M	07 CIVIL	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
3	005194	MR. UMESH A. PATIL	28	M	10 ENGG.	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
										22/02/2019	Fit	NA	Fit	NA	

काखाने अधीन १४८ औ कलम १०(२) प्रमाणे कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रमाणक शल्यचिकित्सक
क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 20/02/2019 To 19/02/2020

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFH (Mumbai)

Company Name : SHRI GURUDATT SUGARS LTD. (COMPANY)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate of certifying surgeon.
4	005195	MR. BACHARAM K. PATIL	37	M	08 CO-GEN.	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
5	005197	MR. DIPAK S. KAIKADI	28	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
6	005199	MR. NEMINATH A. KOTE	36	M	10 ENGG.	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
7	005200	MR. RAMCHANDRA G. DABHDE	26	M	15 MANUFACTURING	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
8	005208	MR. VASANT B. LATKAR	45	M	06 CANEYA.	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
9	005209	MR. SANTOSH P. KOLI	37	M	07 CIVIL	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
10	005210	MR. CHANDRAKANT D. GAIKWAD	52	M	07 CIVIL	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
11	005211	MR. SOPAN V. NIRMAL	34	M	18 SANITARY	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
12	005213	MR. SIDDHA B. SALGARE	30	M	07 CIVIL	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
13	005214	MR. MANGESH V. PATIL	32	M	07 CIVIL	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
14	005217	MR. ANILSING M. RAJPUT	29	M	22 VEHICLE	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
15		MR. KEDARI V. MANE	30	M	-	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
16		MR. ASHISH B. BHANDARE	27	M	-	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	
17		MR. KIRAN R. NIRMAL	26	M	-	NA	NA	NA	NA	22/02/2019	Fit	NA	Fit	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016



Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

FORM V

Environmental Audit Report for the financial Year ending the 31st March 2020

Unique Application Number

MPCB-ENVIRONMENT_STATEMENT-0000023461

Submitted Date

09-04-2020

Company Information**Company Name**

Shri Gurudatt Sugars Ltd

Application UAN number

MPCB-CONSENT-0000072465

Address

Gat No - 61/A, A/p - Takaliwadi

Plot no

Gat No 61/A

Taluka

Shirol

Village

Akiwat -Takaliwadi Road

Capital Investment (In lakhs)

24598.27

Scale

L.S.I

City

Kolhapur

Pincode**Person Name**

Mr. Rahul Madhavrao Ghatage

Designation

Executive Director

Telephone Number

7350799494

Fax Number

0231-2686000

Email

gslsugars.env@gmail.com

Region

SRO-Kolhapur

Industry Category

Red

Industry Type

R12 Sugar (excluding Khandsari)

Last Environmental statement submitted online

no

Consent Number

MPCB-CONSENT-0000072465

Consent Issue Date

02.01.2020

Consent Valid Upto

31.07.2022

Product Information

Product Name	Consent Quantity	Actual Quantity	UOM
Sugar	259200	79547	MT/A
Molasses	87816	27448.170	MT/A
Press Mud	87816	26210	MT/A
Bagasse	648000	177573	MT/A
Electric Power (Cogeneration)	21	19.097	Mwh

By-product Information

By Product Name	Consent Quantity	Actual Quantity	UOM
NA	0	0	CMD

1) Water Consumption in m3/day

Water Consumption for Process	Consent Quantity in m3/day	Actual Quantity in m3/day
	1100	1070
Cooling	475	475
Domestic	60	48

All others	0	0
Total	1635	1593

1) Effluent Generation in CMD / MLD

Particulars	Consent Quantity	Actual Quantity	UOM
Daily Quantity of Trade Effluent from the Factory	518	371	CMD

2) Product Wise Process Water Consumption (cubic meter of process water per unit of product)

Name of Products (Production)	During the Previous financial Year	During the current Financial year	UOM
Sugar (excluding Khandsari)	0.78	0.77	MT/A

3) Raw Material Consumption (Consumption of raw material per unit of product)

Name of Raw Materials	During the Previous financial Year	During the current Financial year	UOM
Sugar Cane	759441	663818	MT/A
Lime	129104.97	112849.06	MT/A
Sulphure	34174.845	29871.81	MT/A

4) Fuel Consumption

Fuel Name	Consent quantity	Actual Quantity	UOM
Bagasse	1147992	888000	

Pollution discharged to environment/unit of output (Parameter as specified in the consent issued)

[A] Water

Pollutants Detail	Quantity of Pollutants discharged (kL/day)	Concentration of Pollutants discharged(Mg/Lit) Except PH,Temp,Colour	Percentage of variation from prescribed standards with reasons		
	Quantity	Concentration	%variation	Standard	Reason
PH	15.31	0	0	0	0
COD	33.51	0	0	0	0
BOD	12.37	0	0	0	0
Suspended Solids	11.31	0	0	0	0

[B] Air (Stack)

Pollutants Detail	Quantity of Pollutants discharged (kL/day)	Concentration of Pollutants discharged(Mg/NM3)	Percentage of variation from prescribed standards with reasons		
	Quantity	Concentration	%variation	Standard	Reason
Total Particulate Matter	431.42	56.31	0	0	0

HAZARDOUS WASTES

1) From Process

Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
5.1 Used /spent oil	0.55	0.48	MT/A

2) From Pollution Control Facilities

Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
5.1 Used /spent oil	0.221	0.210	MT/A

SOLID WASTES**1) From Process**

Non Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
Boiler Ash	3161.82	2841.168	MT/A

2) From Pollution Control Facilities

Non Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
Boiler Ash	0	0	MT/A

3) Quantity Recycled or Re-utilized within the unit

Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
5.1 Used /spent oil	0.221	0.210	MT/A

Please specify the characteristics(in terms of concentration and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

1) Hazardous Waste

Type of Hazardous Waste Generated	Qty of Hazardous Waste	UOM	Concentration of Hazardous Waste
5.1 Used /spent oil	0.21	MT/A	0.21

2) Solid Waste

Type of Solid Waste Generated	Qty of Solid Waste	UOM	Concentration of Solid Waste
Boiler Ash	2841.168	MT/A	2841.168

Impact of the pollution Control measures taken on conservation of natural resources and consequently on the cost of production.

Description	Reduction in Water Consumption (M3/day)	Reduction in Fuel & Solvent Consumption (KL/day)	Reduction in Raw Material (Kg)	Reduction in Power Consumption (KWH)	Capital Investment(in Lacs)	Reduction in Maintenance(in Lacs)
The 100% treated water from E.T.P. is recycled for land irrigation.	75	167.4	531	4.01	1800000	147500

Additional measures/investment proposal for environmental protection abatement of pollution, prevention of pollution.

[A] Investment made during the period of Environmental Statement

Detail of measures for Environmental Protection	Environmental Protection Measures	Capital Investment (Lacks)
Good House Keeping kept in a mfg plant as well as ETP massive tree plantation done on available land.	Tree Plantation (Quantity 4250 Nos)	92

[B] Investment Proposed for next Year

Detail of measures for Environmental Protection	Environmental Protection Measures	Capital Investment (Lacks)
Good House Keeping kept in a mfg plant as well as ETP massive tree plantation done on available land.	Tree plantation (Quantity 500 Nos)	2.5

Any other particulars in respect of environmental protection and abatement of pollution.

Particulars

We have planted about 1000 Nos plants around the Bagasse yard for develop green belt around the premises. We are proposed to plant various type of tree in this year also.

Name & Designation

Somnath Mahadev Kumbhar - Environment Officer

sgslt@sgslt.com



(https://www.sgsit.com/)

SHRI GURUDATT SUGARS LTD.

TAKALIWADI

+91 231 2686086

Certificates

Description	Start Date	End Date	File
Sugar-4900-to-6000-TCD-Six-Monthly-EC-Compliance-Report-Oct-2019-to-March-2020_compressed	11.04.2020		View (http://www.sgsit.com/wp-content/uploads/2020/04/Shri-Gurudatt-Sugars-Ltd-Sugar-4900-to-6000-TCD...-Six-Monthly-EC-Compliance-Report-Oct-2019-to-March-2020_compressed.pdf)
Sugars-Ltd-13000-TCD-Six-Monthly-EC-Compliance-Report-Oct-2019-to-March-2020	11.04.2020		View (http://www.sgsit.com/wp-content/uploads/2020/04/Shri-Gurudatt-Sugars-Ltd-13000-TCD...-Six-Monthly-EC-Compliance-Report-Oct-2019-to-March-2020.pdf)
ENVIRONMENTAL-STATEMENT-FOR-YEAR-2019-2020	11.04.2020		View (http://www.sgsit.com/wp-content/uploads/2020/04/ENVIRONMENT-STATEMENT-FOR-YEAR-2019-2020.pdf)
MPCB C to O Sugar 6000 TCD & Cogen 21 MW – Valid up to 31.07.2022	10.01.2020		View (http://www.sgsit.com/wp-content/uploads/2017/09/MPCB-C-to-O-Sugar-6000-TCD-Cogen-21-MW-Valid-up-to-31.07.2022.pdf)

EC compliance for Sugar 13000 TCD, Cogen 90 MW & Distillery 150 KLPD – October 2019_compressed	01.10.2019		View (http://www.sgsit.com/wp-content/uploads/2019/10/EC-compliance-for-Sugar-13000-TCD-Cogen-90-MW-Distillery-150-KLPD-October-2019_compressed-1.pdf)
EC Compliance Sugar 4900 to 6000 TCD and Co-gen 15 to 21 MW – October 2019_compressed	01.10.2019		View (http://www.sgsit.com/wp-content/uploads/2019/10/EC-Compliance-Sugar-4900-to-6000-TCD-and-Co-gen-15-to-21-MW-October-2019_compressed.pdf)
Environmental Clearance copy for Sugar 6000 TCD to 13000 TCD, Cogen 21 to 90 MW, Distillery 150 KLPD, Refine Sugar 1755 TCD	07.06.2019		View (http://www.sgsit.com/wp-content/uploads/2019/07/gurudatt-EC.pdf)
Environmental Statement for Year 2018-2019	01.06.2019		View (http://www.sgsit.com/wp-content/uploads/2019/07/Env-Statement-May-2019.pdf)
Real Time Data Acquisition And Monitoring March-2019	03.03.2019	02.04.2019	View (http://www.sgsit.com/wp-content/uploads/2019/04/Real-Time-online-monitoring-data-March-2019.pdf)
EC Compliance March 2019	15.03.2019		View (http://www.sgsit.com/wp-content/uploads/2019/03/EC-Copliance-Report-March-2019.pdf)
Real Time Data Acquisition And Monitoring Feb-2019	31.01.2019	02.03.2019	View (http://www.sgsit.com/wp-content/uploads/2019/04/Online-monitoring-reading-Feb-2019.pdf)
Real Time Data Acquisition And Monitoring	04.01.2019	03.02.2019	View (http://www.sgsit.com/wp-content/uploads/2019/02/sgsit-Online-Monitoring-System-Reading.pdf)
EC Compliance September 2018	05.09.2018		View (http://www.sgsit.com/wp-content/uploads/2017/09/6.pdf)
Environment Statement April 2017 to March 2018	10.04.2018		View (http://www.sgsit.com/wp-content/uploads/2017/09/5.pdf)
EC Compliance March 2018	17.03.2018		View (http://www.sgsit.com/wp-content/uploads/2017/09/4.pdf)

EC Compliance September 2017	25.09.2017	View (http://www.sgsit.com/wp-content/uploads/2017/09/3.pdf)
Environmental Statement 2016-17	06.04.2017	View (http://www.sgsit.com/wp-content/uploads/2017/09/2.pdf)
Environmental Clearance for Sugar 1100 TCD and Co-gen 6 MW letter	20.03.2017	View (http://www.sgsit.com/wp-content/uploads/2017/09/1.pdf)

Keep in touch

SHRI GURUDATT SUGARS LTD.
Takaliwadi- 416 108. Tal. Shirol,
Dist. Kolhapur. Maharashtra state, India.

+91 231 2686086

+91 231 2686000

sgsit@sgsit.com

Social Links



(https://www.facebook.com/gurudattsugar)



(https://twitter.com/Gurudatt_Sugars)




(https://www.google.co.in/maps/place/Shri+Gurudatt+Sugar's+Ltd./@16.6206733,74.5983171,15z/data=!4m5!3m4!1s0x0:0xe9379018ce520abb!8m2!3d16.6206733!4d74.5983171)

Drop us a line

Copyright © 2020 | SHRI GURUDATT SUGARS LTD. | [Website Design](http://pixelchopper.com/) (http://pixelchopper.com/) & Developed by [Pixel Chopper](http://pixelchopper.com/) (http://pixelchopper.com/)

SHRI GURUDATT SUGARS LTD., TAKALIWADI

Environmental management cell



Environmental Management Cell.

Expenditure on Environmental Matters

The following shows Environmental Expenditures of Shri Gurudatt Sugar Ltd. Gat No. 61/A, Akiwat Takaliwadi Road, Takaliwadi – 416108, Tal – Shirol, Dist – Kolhapur, Maharashtra.

Expenditure on Environmental Matters

Sr. No.	Head	Capital cost per Annum (Rs. in Lacs)	2017 – 2018 (Rs. In Lacs)	2018-2019 (Rs. In Lacs)	2019-2020 (Rs. In Lacs)
1	Effluent Treatment Plant	200	6.36	3.12	13.22
2	Air Pollution Control	550	33	19	38
3	Condensate Facility	450	6.32	2.1	6.9
4	Tree Plantation	13.26	3.4	2.9	1.0
	Total	1213.26	49.08	27.12	59.10





महाराष्ट्र MAHARASHTRA

० 2017 ० पांच सौ रुपये का तनामा. AE 430989

नौदणी होणार असल्यास कुठला विभाग कार्यालयाचे नांव :-

मिळविले जाईल :-

चेअरमन जी गुरुदत्त शुगर लि. काकोली.

मोठ्या रकमे :-

मुद्रांक विभाग कार्यालयाचे नांव :-

मुद्रांक :-

हस्तो दस्त / तसलास / तसलास :-

मुद्रांक :- 99001-

मुद्रांक विभाग कार्यालयाचे नांव :- 3826/28/92/96

मुद्रांक :-

परवाना :-

क्रमांक :-

09 OCT 2018

SUB - TREASURY OFFICER,
SHIROL

श्री. सुभाष आप्पासा पाटील

मु.पो.दत्तवाड, ता.शिरोळ, जि.कोल्हापूर

म.वि.प.क्र. १५/१९९४/ Code - 2312036

ज्या बगरणासाठी मुद्रांक खरेदी केल्यापासून ६ महिन्यात वापरणे बंधनकारक आहे.

AGREEMENT (For non-Irrigation water supply)

An agreement made on the 15th day of April Two thousand Nineteen between Shri Gurudatt Sugars Ltd. Takaliwadi. Tal - Shirol, Dist. -Kolhapur. The users such as Private company/industries / Entrepreneur /Organization (which expression herein-after referred to as the company shall, unless excluded by or it be repugnant to the context or meaning thereof be deemed to include its successors and assigns) registered under the Indian Companies Act,1913 (VII of 1913),the companies Act,1956 (I of 1956) and having its registered office at 'Bhagyavijeta',18th Lane, Shirol Road, Jaysingpur herein-after referred to as 'the




भारतीय गैर न्यायिक

भारत INDIA

रु. 500

FIVE HUNDRED
RUPEES

पाँच सौ रुपये



सत्यमेव जयते

Rs. 500

INDIA NON JUDICIAL

महाराष्ट्र MAHARASHTRA

2017 पाटबंधारे कार्यालय AE 430990

नोंदणी होणार असल्यास दुसरा दिवस कार्यालयाचे नांव :-

मिळवई -

चेहरमन जी गुफ्तार बुगले जि. लाकोलीवाडी

मोबदला राखणे :-

मुद्रांक -

सविध भोटे. रा. शिरोळ

दुसऱ्या दिवसाचे दिनांक :-

हस्तो -

मुद्रांक -

मुद्रांक -

मुद्रांक -

परवाना -

क्रमांक -

09 OCT 2018

SUB - TREASURY OFFICER,
SHIROL

श्री. सुभाष आव्हासो घाटील

मु.पो.दत्तवाड, ता.शिरोळ, जि.कोल्हापूर

मु.वि.प.क्र. १५/१९९४/ Code - 2612036

ज्या कागदावर हा खरदी केला त्यांनी
त्याच कागदावर मुद्रांक घालणे केव्हापासून ६
महिन्यात कागद नोंदवायला आहे.




भारतीय गैर न्यायिक

एक सौ रुपये

Rs. 100

रु. 100



सत्यमेव जयते

ONE
HUNDRED RUPEES

भारत INDIA
INDIA NON JUDICIAL

महाराष्ट्र MAHARASHTRA

0 2018 0 पाटबंधारे खातानामा TY 770911

नोंदणी खातार खात्यास सुद्धा मिळविले जाईल नांव :-

मिळविले जाईल :-

चेअरमन श्री गुसदात शुगल. लि. कोल्हापूर

मोबदल रक्कम :-

मुद्रांक खातार खात्यास नांव :-

मुद्रांक खातार खात्यास नांव :-

हस्त लिखित नांव :-

संदिप भोरे. रा. शिरोळ

मुद्रांक खातार खात्यास नांव :- 9900/-

मुद्रांक खातार खात्यास नांव :- 3220/28/92/96

मुद्रांक खातार खात्यास नांव :-

परवाना खातार खात्यास नांव :-

क्रमांक खातार खात्यास नांव :-

ज्या यंत्रणेने या न्यायिक पत्राचे विलंबित केला त्यांनी
त्याच यंत्रणेसाठी मुद्रांक भरवी घ्यावेत असे सूचित
महिन्यात वापरणे बंधनकारक आहे.



16 OCT 2018

SUB - TREASURY OFFICER
SHIROL

श्री. सुभाष आत्मासो पाटील
मु.पो.दत्तवाड, ता.शिरोळ, जि.कोल्हापूर
म.वि.प.क्र. १५/१९९४/ Code - 2812036



company' of the one part and the Governor of Maharashtra hereinafter referred to as '**the Government**' (which expression shall unless excluded by or it be repugnant to the context or meaning thereof be deemed to include his successors and assigns) **of the other part.**

Whereas the company is desirous of constructing a pumping station on the company's land at Akiwat for drawing water from the source Krishna River (Right Bank) (hereinafter referred to as "**the said source**") for the use by the company's Shri Gurudatt Sugars Ltd. Takaliwadi plant (hereinafter referred to as " the said plant") and laying underground and surface pipes and drains for discharge of the factory effluent .

AND whereas the company has applied to the Government for permission to draw 254 million liters of water per day /year form the said source.

AND whereas the company has paid Rs- _____
(Rupees _____) to
Government towards the proportional cost of capital outlay of the project.

AND whereas the Government has agreed to grant the aforesaid permission to the company on the terms and conditions hereinafter appearing .

AND WHEREAS UNDER the said terms and conditions the company has to deposit with the Executive Engineer, Sangli, Irrigation Division Sangli to the government a sum of Rs.2,22,885/- as 'security' equivalent to 2 months company's probable annual water charges based on yearly sanctioned and as communicated In cash or In the form of fixed deposit receipt or a bank Guarantee issued by a scheduled / nationalized bank having it's main/ branch office situated locally for the due observance and performance by the company of the terms and conditions of this Agreement AND WHEREAS the company has accordingly prior to the execution of these presents deposited with the Government Rs.2,22,885/-as security for the due observance and performance by the company of the terms and conditions herein contained ;AND WHEREAS it has been agreed that the said amount will not carry any interest if deposited in cash .

Definitions:

Quota : Quota means yearly demand sanctioned and communicated to
by the Executive Engineer .

Corporation: corporation means the River Basini corporations like Maharashtra Krishna valley Development corporation (MKVDC) Godavari Marathwada Irrigation Development corporation (GMIDC) Tapi Irrigation Development Corporation (TIDC),Konkan Irrigation Development Corporation (KIDC) & Vidarbha Irrigation Development Corporation (VIDC)municipal corporation's Municipalities etc.

MIDC: MIDC means Maharashtra Industrial Development Corporation.

MJP: MJP means Maharashtra jeeven Pradhikaran:

Yearly Applicable demand : yearly Applicable demand means the water demand communicated by the USER for the period from 1st November to 31st October to the Executive Engineer & sanctioned by Irrigation Department every year in the month of September along with its bifurcation for industrial domestic and agricultural use.

USER: User means water using agency like individual companies users/industry Entrepreneur.

NOW THIS AGREEMENT WITNESSTH AS FOLLOWS:



1) a) In consideration of the company making payment to the Government as hereinafter specified and observing and performing the convenience and condition herein contained Government do hereby grants to the company permission to draw following quota of water for the specified purpose.

Sr. No.	Description/Use	Quantity {Million Liters per year}
1	Total sanctioned quota	0.162506
1.1	For Industry using potable water bottling plant	---
1.2	For other than water as raw material Industrial use	0.098306
1.3	For domestic use	0.064200
1.4	For agricultural use (nursery/gardening) within the company's premises.	---

And use the same for purpose of the company's said plant or project, for supply to residential colonies and for agricultural use (nursery / gardening) for a term of one years commencing from the 1st day of November 2018 on the following terms and conditions.

b) The quota assigned for domestic use for agricultural use shall not exceed 10% each of the individual water demand .in the cases where in the water used for Domestic and Agricultural use exceeds 10% in each case the excess use shall be charged at industrial applicable rate specified in clause 11 of this agreement.

c) The industrial water requirement the Domestic water requirement and agricultural (nursery /gardening) water requirement of the company as demanded deemed to be separate and Independent for the sole purpose and water charges assessment shall be accordingly separate and independent for the other clauses of this agreement.

2) The permission hereby granted shall be subject to the provisions of the Maharashtra Irrigation Act 1976 and the Bombay canal Rules 1934 and subsequent revisions, if any, in force and any executive orders issued in this behalf by Government and any statutory amendment there of from time to time and for the time being in force.

3) Nothing herein contained shall be deemed to imply any guarantee on the part of the Government as to the availability or otherwise of any specific quantity of water and Government shall not be responsible for non-supply or in adequate supply of water on any account whatsoever.

However in case of inadequate or non-supply due to shortage of water or reason **beyond the control of the Department**, bill shall be charged as per actual quantity of water lifted /supplied during such period.

4) The company shall use the water drawn from the said river for purpose of the company's said plant and for supply to the residential colonies constructed by the company within the area of the said plant for providing housing to its employees and workers (hereinafter referred to as "the said residential colonies"). The company shall not sell the water from the said river to any other person, firm or company, corporation or other body. In the event of the company selling water drawn from the said river, then the Government without prejudice to its right will forthwith revoke the license government shall be entitled to recover form the company the proceeds of any such sale made by the company.



6) The permission hereby granted shall not in any manner prejudicially affect the existing water rights vested in the upstream riparian owners; nor shall it in any way, prejudice Government right to here after launch or implement in public interest any new scheme or schemes on its own, on or in connection with the present source of channel of water supply available to the company, subject however to the safe-guarding of its reasonable demand referred to in clause (5) above.

8) a) For ascertaining the quantity of water drawn by the company, shall forthwith at its own cost and after obtaining prior approval in writing thereto of the Executive Engineer, Install Independent pipelines fitted with separate electronic water measuring devices for use of water for the said independent intention (hereinafter referred to as “the said electronic measuring devices”) at such places as is

b) Reading for the water so drawn by the company will be taken on the said electronic measuring devices, on the 1st day of each month /at agreed times , jointly by the authorized representatives of Executive Engineer and of the company .

get the same repaired and set right at its own cost and in the event of the company failing to do so within 30(Thirty) days thereafter the Executive Engineer may proceed to do so on account and at the cost of the company.

(i) If the said electronic measuring devices remain out of the order for a period of less than 30 days then the quantity of water deemed to be drawn by the **USER** during the said period

shall be taken to be 90% of the yearly sanctioned demand as communicated in clause No.11 or average for the last six months whichever is higher .

(ii) If the said electronic measuring devices remain out of order for a period exceeding 30 days then the quantity of water deemed to be drawn by USER during the said period shall be taken to be 110% of the yearly sanctioned demand as communicated in clause II or average for the last six months whichever is higher. This will be made applicable for the period during which the measuring devices remained out of order.

The aforesaid provisions will also apply when the quantity of water drawn by the company cannot be measured on account of removal of the said electronic measuring devices for repairs or the same in the opinion of the Executive Engineer not working properly.

(iii) If electronic meter meant for domestic or for agricultural use is not fitted or remains out of order or is removed, the water charges will be levied as per the rates specified for the industrial use for the total quota as referred to in clause I (a) of this agreement.

9) Billing should be done on bimonthly basis. The bill for the water drawn by the company during the previous calendar month shall be sent in duplicate / triplicate by the Executive Engineer to the office of the company within 15 days after the end of the water consumption month. The company shall thereafter duly pay after the same by a demand draft drawn in the name of the Executive Engineer Sangli Irrigation Division Sangli. For and on behalf of the Government within fortnight from the date of receipt of the bill and shall not allow the same to fall in arrears. If the company fails to pay the amount within this stipulated time (15 days from the date of receipt of this bill i.e. before the end of the current month) extra charge not excluding 10% per annum of the amount due will be charged. If the delay in payment of water charges exceeds six months, the irrigation department reserves the right to terminate the water supply with a notice of 15 days in advance.

10) The cost of all works in connection with the arrangements for water supply including the cost of measuring devices and its installation and maintenance, shall be borne by the company.

11) Subject to the provisions of clause (8) hereof, the company shall pay to the Government at the time and in the manner specified in clause (12) hereof water charges for the quantity of water drawn by the company from the said river as measured by the said electronic measuring devices at the following rates namely.

Here rates which are going to be applied to the company with mention of purpose of use of water sanctioned quota and present rate (subject to its revision) may be specified The water lifted by the USER during rainy season from the river where irrigation Department has not released the water concessional rate as decided by irrigation Department shall be charged.

i) Provided however that after the expiry of two years from the date the company starts drawing water from the said river if any quantity of water drawn by the company is less than 90% of the quantity of water specified in clause (1) hereof or for average of the quantity of water drawn by the company during the period of previous three months including the months in question whichever is greater.

ii) For any unforeseen reasons if the company /agency would like to reduce/ increase the demand of water made earlier /entered in the agreement, they will be required to make the revised annual demand before the commencement of the year i.e.1st day of November. On acceptance of such revised demand the company will be charged as per changed demand for period specified, other conditions remaining same .A supplementary agreement on hundred rupees stamp paper for this changed quantity which will form part of mean agreement.



iii) No penal rate will be levied for the quantity limited to 10% in excess of the sanctioned one. In excess of this 10% without prior sanction a penal rate of 25% will be charged over the basic rate. The delay in payment on account of this also will be governed by clause 9 above.

iv) For any unforeseen reasons (such as sudden closure of the units or sudden rise in production etc) there could be the abrupt fluctuations in the demand on both sides. Such cases will be decided at government level only, by giving due considerations to the availability of water in the particular sub-basin and so on.

v) In addition to the payment of water charges referred to above the company shall also pay to the government local fund cess at the rate of 20 paise per every rupee of basic water charges.

vi) Water bills – The bi-monthly bills for the period from November to August (for 10 months) shall be prepared on the basis of actual quantity of water lifted at the prevailing rate. The bill for months of September & October (11th & 12th month) shall be prepared by taking review of annual sanctioned demand and the terms and conditions of the agreement and shall be adjusted and paid accordingly while adjusting so it shall be considered that the 90% of the annual sanctioned demand has been lifted /used.

The water lifted in excess above 10% of sanctioned demand shall be charged at single rate and excess above 10% (without prior permission) will be charged at penal rate of 1.25 times of the normal rate as mentioned in the clause. However the local cess shall be charged on single rate only.

12 a) The company shall pay to the Executive Engineer water rate and local fund cess either in advance every alternate month on the basis of anticipated quantum of water to be drawn by it from the said source during the next two months or on monthly basis within fifteen (15) days from the date of receipt of the bimonthly demands by the USER from the Executive Engineer: On default of the USER to pay the water rate or local fund cess as aforesaid vide clause 9 and 11, Government shall without prejudice to its any other rights and remedies be entitled to terminate this agreement forthwith as per clause No.9.

b) In the case disputes regarding quantity of water billed or rate at which the bill is prepared the company /firm /individual water user shall first pay the complete amount of the bill and then claim for refund of any excess bill charged giving the reason / justification of wrong billing. However the decision of superintending Engineer, Sangli Irrigation Division sangli. In this regards shall be final and binding on the company

13) Government hereby reserves to itself the right to revise from time to time the water rate and local fund cess and company shall pay the revised water rates and local fund cess as may be fixed by Government from time to time.

14) The USER shall not discharge the effluent in, any nalla or river and shall not pollute directly or indirectly any portion of the said nalla / river even by septic tank effluents. **If any water sources are polluted by any industry as identified by irrigation pollution control Board /MIDC/MJP the company shall be charged with a penalty of rupee's 5,000/- per such incident per day till it is rectified. The opinion of Maharashtra pollution control board in respect of degree of pollution will be binding on the company.**

The company shall recycle the effluent water for their use such as gardening recreation cooling, cleaning, washing and manufacturing process etc. So that at least 50% reduction in consumption of fresh water is achieved.

15) The effluent disposal arrangement made by the company /industry shall be got approved by the company from the Maharashtra pollution control Board / Environment department of Government prior to commencing the operation of pumping /drawing water from the source.



16) The company shall at all the times allow an officer of irrigation Department of the Government authorized in that behalf to inspect the said works as well as accounts and copies taken of entries from the records maintained by the company.

17) Any notice or other document to be given to or served upon the company be given or served on behalf of the Government by the Executive Engineer Sangli Irrigation Division Sangli. and any such notice or document shall be deemed to have been duly given to or served upon the company or sent by registered post to the registered company, if it is delivered at the registered office of the company or sent by registered post to the registered address for time being of the company.

18) The said sum of Rs.2,22,885/- deposited in the form of FDR/bank guarantee/ cash by the company with the Executive Engineer, Sangli Irrigation Division Sangli. Division to the Government as aforesaid shall be held by the government for the due observance and performance by the company of the covenants terms and conditions herein contained. In case of default on the part of the company to perform and observe any of said covenants terms and conditions it shall be lawful for the Government in its absolute discretion to forfeit whole of the security deposit or any part thereof without prejudice nevertheless to any rights and remedies which the Government may have against the company under this presents for such breach and company shall forthwith pay up the amount so forfeited and shall always maintain the original amount of deposit throughout the period of this agreement. on the expiry of the terms of this agreement, the said security deposit of Rs.2,22,885/- or such part thereof as shall not have been appropriated as aforesaid shall be refunded to the company.

19) All amounts due to the Government by the company under this agreement shall be deemed to be arrears of land revenue and may without prejudice to any other rights and remedies of the government to recovered from the company as arrears of land revenue.

20) On the expiry of the term of this agreement, Government may renew this agreement within 90 days for such further period and such terms and conditions, as Government may at its absolute discretion deem fit.

21) The costs incurred in the execution of the incidental charges for this agreement including stamp duty shall be borne and paid the company.

22) Permission for extra water over and above the sanctioned quota will be granted only when the written permission for expansion produced by the company from the Industrial Department.

23) The agreement supercedes all the previous agreement entered into by the USER with the Government connection with the supply of water from Krishna River.

24) The company, should submit their water indent for every rotation to the Executive Engineer Sangli Irrigation Division Sangli. On or before starting of the rotation where the source is located on canal. The company should also furnish the exact quantity of water actually drawn in each rotation after completion of the rotation.

25) The company will have to make an agreement at it's own cost for adequate storage (Balancing Tank) of not less then two months requirement of water in case of perennial canal, five month requirements in case of 8 monthly canal system, four months requirements in case of water source from seasonal river/ nalla and one month water requirement in case of water



source of river /nalla so as to take care of the closure period. But if unexpectedly the closure period is increased by more than the specified period. stipulated herein the company will have to make an alterative arrangement for its water requirement at its own cost.

26) IF THE COMPANY COMMITS A BREACH OF ANY OF THE TERMS AND CONDITIONS THEREOF GOVERNMENT SHALL BE ENTITLED TO CANCEL THIS PERMISSION AND DISCONTINUE THE SUPPLY OF WATER WITHOUT PAYMENT OF ANY COMPENSATION WHATSOEVER TO THE COMPANY.

27) The Govt. hereby reserves to itself its right to change / amend modify /cancel /revise any of the terms and conditions, rules and regulations of water management and Maharashtra Irrigation Act and rules laid under them which shall be applicable for this agreement.

IN WITNESS WHERE OF THE common seal of the
_____ has been hereunto affixed

Executive Engineer, Sangli Irrigation Division Sangli. has for and on behalf of the Governor of Maharashtra hereto set his hand and affixed the seal of his office the day and year first herein above written. THE COMMON SEAL OF Sangli Irrigation Division Sangli.


was pursuant to a resolution
of the Board of Directors of
the company dated the _____

Hereto affixed in the presence of -
FOR SHRI GURUDATT SUGARS LTD


SHRI. R. M. GHATAGE
1. **EXECUTIVE DIRECTOR**


Two directors of the company who in taken thereof have hereto set their respective hands in the presence of.

1.  Shri Baban Adisha Chougule (Director)

2.  Shri Sanjay Ramchandra Gaikwad (Director)

SIGNED SEALED AND DELEVERED by the Executive Engineer, Sangli Irrigation Division Sangli. Division for and on behalf of the Governor of Maharashtra in the presence of _____


1. **पाटबंधारे साख, नर्सिहवाडी.**

2. 
(V. D. Koli)

Sub Divisional Officer Page No. 8
Irrigation Sub Division Sangli


(N. S. Kare)
Executive Engineer,
Sangli Irrigation Division, Sangli.



महाराष्ट्र शासन

जलसंपदा विभाग

कार्यकारी अभियंता सांगली पाटबंधारे विभाग, सांगली.

दुरध्वनी क्र. ०२३३/२३०२९२५, फॅक्स नं. ०२३३/२३०२७५०

ई मेल - : eesidsangli@gmail.com



सत्यमेव जयते

GOVERNMENT OF MAHARASHTRA
WATER RESOURCES DEPARTMENT
EXECUTIVE ENGINEER, SANGLI IRRIGATION
DIVISION, SANGLI
PH.NO. 0233/2302925 FAX NO. 0233/2302750
E-MAIL- eesidsangli@gmail.com

जा.क्र.सांपावि/प्रशा-४/१९०४/२०१८

दिनांक :- ५/१२/२०१८

RPAD

प्रति,

संचालक,

श्री. गुरुदत्त शुगर्स लि. ,

टाकळीवाडी ता. शिरोळ जि. कोल्हापूर

विषय :- सन २०१८-१९ करीता पाणी उपसा कोटा मंजूरी करणे बाबत,

संदर्भ :- १. आपले पत्र जा.क्र. ४८८ दि. ११.१०.२०१८.

२. पाटबंधारे उप वि.सांगली पत्र जा.क्र. पाउविसां/दका-२/२१२७ दि. २०.११.२०१८.

आपणास बिगर सिंचन वापरासाठी मा.मुख्य अभियंता, जलसंपदा विभाग, पुणे यांचे पत्र दि.१८.०६.२००२ अन्वये पिण्यासाठी ०.०७२ द.ल.घ.मी. व औद्योगिक वापरासाठी ०.१८२ द.ल.घ.मी. असा एकूण ०.२५४ द.ल.घ.मी. पाणी परवाना मंजूर आहे.

संदर्भीय पत्र क्र.२ अन्वये आपणास सन २०१८-१९ करीता पिण्यासाठी ०.०६४२ द.ल.घ.मी. व औद्योगिक ०.०९८३०६ द.ल.घ.मी. अशी एकूण ०.१६२५०६ द.ल.घ.मी. मंजूरीची शिफारस उपविभागाने केलेली आहे. . तसेच आपणाकडे ऑक्टोबर २०१८ अखेर प्रलंबित थकबाकी रक्कम रु. ११.२४ लक्ष इतकी आहे. तेंव्हा आपले मागणी व उप विभागाचे शिफारसीनुसार खालील अटीवर दि. १ नोव्हेंबर २०१८ ते ३१ ऑक्टोबर २०१९ या कालावधीकरीता पाणीकोटा मंजूरी देणेत येत आहे.

१. प्रलंबित रक्कम रु. ११.२४ लक्ष इतकी भरणा करणे आपणावर बंधनकारक राहिल.
२. सदरची मंजूरी १.११.२०१८ ते ३१.१०.२०१९ या कालावधीकरीता मर्यादित राहिल.
३. सदर कोटयानुसार सुधारीत करारनामा आठ दिवसात करणेचा असून, त्याखेरीज सदरची मंजूरी ग्राहक धरणेत येणार नाही.
४. वापरलेल्या पाण्याची आकारणी केलेली पाणीपट्टी नियमित व वेळेवर भरणे आपणास बंधनकारक राहिल.
५. उपसा यंत्रास ईलेक्ट्रॉनिक पाणी मोजणी यंत्र बसविले आहे. त्याचे दरवर्षी Calibration करणे बंधनकारक राहिल.
६. औद्योगिक वापरासाठी केलेल्या पाण्याचा प्रक्रिया करून पुनःवापर करणे बंधनकारक राहिल.
७. उपरोक्त थकीत रक्कम करारनामा करणेपुर्वी शाखा कार्यालयात भरणा करणेत यावी. अन्यथा शासन निर्णय क्रमांक - संकिर्ण-२०१४/(४३/१४)/सि.व्य. (धो) दिनांक २७/०२/२०१८ चे निर्देशानुसार थकित पाणीपट्टीवर द.सा.द.शे. १०% दराने दंडनिय आकारणी करणेत येईल.
८. शासन निर्णय क्रमांक -संकिर्ण- २०१४/(४३/१४)/सि.व्य. (धो) दिनांक २७/०२/२०१८ मधील सर्व अटी व शर्तीचे पालन करणे आपणास बंधनकारक राहिल

स्थळ प्रत मा.का.अ.यांना मान्य असे.

(श्री. ह. मल्हन)

उपकार्यकारी अभियंता
सांगली पाटबंधारे विभाग सांगली.

प्रत- उप विभागीय अधिकारी, पाटबंधारे उप विभाग सांगली यांना उपरोक्त अटीच्या क्र.१ ते ८ च्या पूर्तते साठीची जबाबदारी आपली व शाखाधिकारी यांची असून, त्याबाबत कार्यवाहीचा अहवाल १५ दिवसात विभागास सादर करावा.

प्रत -शाखाधिकारी, पाटबंधारे शाखा, नृसिंहवाडी यांना उपरोक्त सर्व अटीच्या आधीन राहून कार्यवाहीसाठी रवाना.

२/- मंजूर पाणी कोटानुसार व फेब्रुवारी २०१८ पासून लागू झालेल्या नवीन दराप्रमाणे दोन महिन्याची रक्कम परिगणित करून संबंधित ग्राहकाडून अनामत रक्कम भरून घेण्याची कार्यवाही करावी व करारनामा मंजूरीस्तव उपविभागामार्फत विभागास सादर करावा.

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and 4th
floor, Opp. Cine Planet
Cinema, Near Sion Circle, Sion
(E), Mumbai-400022

No:- Format1.0//UAN No.MPCB-
CONSENT-0000072465/CR - 200/000070

Date: 02/01/2020

To,
Shri Gurudatt Sugars Ltd
Gat No 61/A, Akiwat Takaliwadi Road, Takaliwadi
Shirol, Kolhapur-Kolhapur

**Sub: Renewal of consent for 6000 TCD Sugar & 21 MW Co-generation unit
Under L.S.I RED Category**

Ref: 1. Consent to Operate accorded by Board vide No. BO/CAC-
CELL/UAN-No. 000001616 & 0000019783/R/CAC-1804000889 dtd
19.04.2018
2. Minutes of CAC meeting dtd. 13.09.2019.

Your application No.MPCB-CONSENT-0000072465 Dated 06.06.2019

For: grant of Consent to Renewal or 6000 TCD Sugar & 21 MW Co-generation unit under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The Consent to Renewal is granted upto: 31.07.2022**
2. **The capital investment of the industry is Rs.245.9827 Crs. (As per C.A Certificate submitted by industry).**
3. **Consent is valid for the manufacture of:**

Sr No	Product/Co-Product Name	Maximum Quantity	UOM
1	Sugar	21600.00	MT/M
2	Molasses	7318.00	MT/M
3	Press Mud	7318.00	MT/M
4	Bagasse	54000.00	MT/M
5	Electric Power (Cogeneration)	21.00	MW

(The Cane crushing capacity of Sugar industry shall not exceed 6000 TCD.)

4. **Conditions under Water (P&CP) Act, 1974 for discharge of effluent:**

Sr No	Description	Permitted	Standards to	Disposal
1.	Trade effluent	518	As per Schedule -I	48 CMD shall be recycle & remaning 470 CMD shall be use on land for irrigation purpose.

Sr No	Description	Permitted	Standards to	Disposal
2.	Domestic effluent	48	As per Schedule - I	onland for gardening / irrigation

5. **Conditions under the Air (P& CP) Act, 1981 for air emissions:**

Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
1	Boiler (70 TPH)	1	As per Schedule -II
1	Boiler (40 TPH)	1	As per Schedule -II
2	D.G. Set - (500 KVA)	1	As per Schedule -II
3	D.G. Set - (125 KVA)	1	As per Schedule -II
4	D.G. Set - (625 KVA X 2 NO.)	1	As per Schedule -II

6. **Conditions about Non Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Boiler Ash	4536	MT/A	NA	Sale for Bricks Manufactures and for soil conditioning.
2	Sludge from waste water treatment	6.8	MT/A	NA	Use as Manure

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:**

Sr No	Type of Waste	HW Category.	Quantity & UoM	Treatment	Disposal
1	5.1 Used /spent oil	5.1	280 Kg/Annum	Recycle	Sale to authorized recycler.

The applicant shall ensure disposal to the Actual user having permissions under Rule 9 of Hazardous and other Waste (M & TM) Rules, 2016.

a. The applicant shall properly collect, transport & regularly dispose of the hazardous waste to CHWTSDf, in compliance of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016 and keep proper manifest thereof.

- 8 The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9 This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- 10 Industry shall connect online CMS data as per CPCB guidelines to CPCB & MPCB Servers.



- 11 Industry shall stop production activity voluntarily in case of failure of operation and maintenance of the ETP system as preventive measures.
- 12 Industry shall extend all existing BGs towards O&M of pollution control systems and towards compliance of the Consent conditions.
- 13 This consent is issued as per the Consent Appraisal Committee meeting dated 13.09.2019.
- 14 The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.

For and on behalf of the
Maharashtra Pollution Control
Board.

(E. Ravendiran IAS),
Member Secretary

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	1369380.00	TXN1906000416	06/06/2019	Online Payment
2	150000.00	TXN1907000242	03/07/2019	Online Payment
3	6516.00	TXN1912000894	11/12/2019	Online Payment

Copy to:

1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Kolhapur
- They are directed to ensure the compliance of the consent conditions.
2. Cheif Accounts Officer, MPCB, Sion, Mumbai
3. CC/CAC desk - For record and website updation purpose.

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

- 1) **A] As per your application, you have Provided Effluent Treatment Plant (ETP) of designed capacity of 600.00 CMD consisting of Primary, Secondary, Tertiary for the treatment of 518.00 CMD industrial effluent**
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.**

Sr. No.	Parameters	Limiting concentration not to exceed in mg/l, except for pH
(1)	pH	5.5-9.0
(2)	Oil & Grease	10
(3)	BOD (3 days 27 ^o C)	100
(4)	Sulphate	1000
(5)	Suspended Solids	100
(6)	COD	250
(7)	Chloride	600
(8)	Total Dissolved Solids	2100

C] The treated effluent 470.00 CMD shall be disposed on land for irrigation on 21.00 hectares of own land /as per the bilateral agreement with farmers. In no any case treated/untreated effluent shall find its way outside the factory premises directly or indirectly.

D] Trade effluent of 48.00 CMD generated from Co-gen shall be 100% recycle in process.

E] CREP conditions for Sugar Factory

- i. Operation of ETP shall be started at least one month before starting of cane crushing to achieve desired MLSS. So as to meet prescribed standards from day one the operation of mill.
- ii. Waste water generation shall be reduced to 100 liters per tone of cane crushed.
- iii. Industry shall achieve zero discharge into in land surface water bodies.
- iv. 15 days' storage capacity tank shall be provided for treated effluent to take care during no demand for irrigation.

F] Industry to make necessary arrangement to cover the effluent collection system and to avoid the ingress of Bagasse and other material.

G] The unit shall operate ETP even after completion of the crushing season so that any effluent generated during washing & maintenance activity is to be discharged after proper treatment.

H] The unit shall optimize water use in industrial process & maintain records.


2) A] **As per your application, you have provided septic tank and soak pit for the treatment of 48.00 CMD sewage.**

B] **The applicant shall operate sewage treatment system to treat sewage so as to achieve the following standards/ prescribed under EP Act 1986 and rules made under time to time, whichever is stringent.**

1	Suspended Solids	Not to exceed	100 mg/l
2	BOD 3 days (27°C)	Not to exceed	100 mg/l

C] **The treated sewage shall be 100% reused/recycled for gardening purpose within premise. In no any case, sewage shall find its way outside Company's premises.**

- 3) The industry shall have bilateral agreement with the farmers on whose land the treated effluent is used for irrigation purposes and a copy of the agreements with validity shall be submitted to the Regional/Sub- Regional Office of the Board.
- 4) The industry shall create Environmental Cell by appointing an Environmental Engineer, Chemist and Agriculture expert for looking after day to day activities related to Environment and irrigation field where treated effluent is used for irrigation.
- 5) **CONDITIONS FOR MOLASSES STORAGE:**
 - (i) The molasses shall be properly collected and stored in steel tanks which shall be leak proof. At no stage of handling of molasses, there shall be leakage or spillage.
 - (ii) The capacity of tanks for storage of molasses shall be such that it will take care of bumper production of sugar, non-lifting of molasses etc.
 - (iii) All the area on which molasses are stored and handled should be provided with drain for diverting the spills to the treatment plant/ molasses tank. Suitable arrangements for accidental discharges of molasses from the tanks shall be provided to contain the same within factory premises.
 - (iv) Destruction of molasses and its disposal shall not be done without specific permission in writing from the authorized officer of the Board. Intimation of intention to destroy or dispose of the molasses shall be given to the Board at least 15 (fifteen) days in advance by registered post under intimation to the Sub-Regional officer and Regional officer of the Board under whose jurisdiction the factory is situated.
 - (v) The storage tanks shall be kept in good conditions all the year round with adequate maintenance. The tanks size and capacity per cm, height, total capacity in tonnes shall be displayed prominently near /on the tank.
 - (vi) The above conditions shall be in addition to and not in derogation of the provisions contained in the "Bombay Molasses Rules, 1955" and "Maharashtra Molasses Storage and Supply Regulation, 1965".
- 6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines if applicable.
- 7) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.



- 8) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 9) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters, and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	475.00
2.	Domestic purpose	60.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	1100.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Grandening	0

- 10) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

- 1) As per your application, you have provided the Air pollution control (APC) system and erected following stack(s) and observe the following fuel pattern-

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S%	SO ₂
1	Boiler (70 TPH)	Bagasse Dryer & WET Scrubber	65	Bagasse	730 MT/Day	0.20	2920.00
1	Boiler (40 TPH)	ESP	65	Bagasse	418 MT/Day	0.20	1672.00
2	D.G. Set - 500 KVA	Acoustic Enclosure	6	HSD	40 Ltr/Hr	1.00	19.20
3	D.G. Set - 125 KVA	Acoustic Enclosure	30	HSD	10 Ltr/Hr	1.00	4.80
4	D.G. Set - (625 KVA X 2 NO.)	Acoustic Enclosure	30	HSD	128 Ltr/Hr	1.00	61.44

- 2) The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

1 The Applicant shall provide ESP/ Bag filter/ Wet scrubber to the Bagasse fired boiler and Dust Collector to Sugar bagging section as an Air Pollution control equipments OR as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines.

2 The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³
--------------------	---------------	------------------------

3 The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

4 The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

5 Industry should not use auxiliary fuel more than 15 % (as per amendment in EIA Notification 2009, power plant upto 15 MW based on Bio-mass and using auxiliary fuel as coal upto 15% are exempt.) as co-gen capacity is below 15 MW.

- 3) The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

- 4) The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

SCHEDULE-III
Details of Bank Guarantees:

Sr. No.	Consent(C2E/C20/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to R	1250000	15 days/ To be extended	Towards compliance of Consent conditions & O & M of pollution control system.	31.07.2022.	31.12.2022
2	C to R	2000000	15 Days/ to be extended	Towards not to carry out excess crushing more than the consented capacity.	31.07.2022.	31.12.2022.


BG Forfeiture History

Srno.	Consent (C2E/C20/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

SCHEDULE-IV


General Conditions:

- 1 The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2 The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 3 Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipment, the production process connected to it shall be stopped.
- 4 The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 5 The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 6 The industry should comply with the Hazardous & Other Wastes (M & TM) Rules, 2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous & Other Wastes (M & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year.
- 7 An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 8 The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 9 The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 10 The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
- 11 The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 12 Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.



- 13 The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the H&OW(M&TM) Rules 2016, which can be recycled/processed/ reused/ recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/ reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 14 Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act,1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 15 Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 16 Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
17. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
- 18 The industry should not cause any nuisance in surrounding area.
- 19 The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 20 The applicant shall maintain good housekeeping.
- 21 The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 22 The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipment provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.



- 23 The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
 - 24 The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended.
- 

F. No. J-11011/41/2015-IA-II (I)
Government of India
Ministry of Environment, Forest and Climate Change
(Impact Assessment Division)

Indira Paryavaran Bhawan
Aliganj, Jor Bagh Road,
New Delhi -110 003

Telefax: 011-24695365
E-mail: yogendra78@nic.in

Dated: 20th March, 2017

To,

The Chief Executive Officer
M/s Shri Gurudatt Sugars Limited
Gat No.61/A, Akiwat - Takaliwadi Road
Takaliwadi, Taluka Shirol
District - Kolhapur - 416 108
Maharashtra


Sub: Expansion of Sugar Plant (4900 TCD to 6000 TCD) and Co-generation Power Plant (15 MW to 21 MW) by M/s Shri Gurudatt Sugars Limited at Gat No.61/A, Akiwat-Takaliwadi Road, Takaliwadi, Taluka Shirol, District - Kolhapur, Maharashtra - Environmental Clearance - reg.

Ref: Online Proposal No. IA/MH/IND2/59911/2014 dated 22nd October, 2016.

Sir,

This has reference to your online proposal no. IA/MH/IND2/59911/2014 dated 22nd October, 2016, along with project documents including Form I, Terms of References, Pre-feasibility Report and EIA/EMP Report with public hearing report regarding the above mentioned project.

2. The Ministry of Environment, Forest and Climate Change has examined the application. It is noted that the proposal is Expansion of Sugar Plant (4900 TCD to 6000 TCD) and Co-generation Power Plant (15 MW to 21 MW) by M/s Shri Gurudatt Sugars Limited at Gat No.61/A, Akiwat-Takaliwadi Road, Takaliwadi, Taluka Shirol, District-Kolhapur, Maharashtra. As informed and as per the documents submitted by the Project Proponent (PP), no additional land is required as the project is proposed in the premises of sugar plant. The land area is 55 Acres. Area for green belt is 15 Acres. The total cost of the project is Rs. 86.34 crores. Raw Material is Sugarcane and Bagasse. No Protected area/Eco-sensitive area/Reserve forests are reported to be located within 10 km area of the project site. Krishna River (3 km), Panchganga River (5 km), and Dudhganga River (7 Km) are located within 10 km radius of the project site. Karnataka State is located within 4 km from the project site. The project thus falls in the interstate boundary region of Karnataka and Maharashtra. The plant will have the following configuration and production capacity:



Units	Existing Capacity	Proposed Capacity	Total Capacity after expansion	Working days
Sugar Plant	4900 TCD	1100 TCD	6000 TCD	160
Cogeneration Plant	15 MW	6 MW	21 MW	160+124

3. All Sugar Industry (≥ 5000 TCD cane crushing capacity) are listed at Sl. No. 5(j) of Schedule of EIA Notification under Category 'B'. However, considering the general condition that the project is located at distance of 4 km from the interstate boundary of Karnataka State, the project is considered under Category 'A' and are appraised at Central Level by Expert Appraisal Committee (EAC).

4. The project proposal was considered by the Expert Appraisal Committee (Industry-2) in its 36th meeting held during 16th- 17th March, 2015 and recommended Terms of References (TORs) for the Project. The TOR has been issued by Ministry vide letter dated 18th May, 2015.

5. The project proposal was considered by the Expert Appraisal Committee (Industry -2) in its 17th meeting held during 26th - 29th December, 2016. The Project Proponent and the accredited consultant M/s SD Engineering Services Pvt. Ltd, Aurangabad, gave a detailed presentation on the salient features of the project and proposed environmental protection measures to be undertaken, as per Terms of References (TORs) awarded in the 36th meeting of the EAC held during 16th - 17th March, 2015.

6. The State Pollution Control Board, Maharashtra has issued CTE vide letter no. 1.0/BO/CAC-CELL/EIC No. KP-15740-14/EIC. 4729 dated 27/04/2015 and CTO vide letter no. 1.0/BO/CAC CELL/EIC-KP-17292-15/ O&R/CAC-418 dated 8/10/2016. The existing unit has been operating with Consent to Operate from the State Pollution Control Board. Consent of Industry was valid up to 31.07.2016. The PP has informed the EAC that the application for renewal is submitted and same is under consideration of the SPCB which will be issued under auto-renewal policy of State Government.

7. Public Hearing for the proposed project has been conducted by the Maharashtra State Pollution Control Board 24.08.2016. The EAC has deliberated upon the issues raised during the public hearing. The concerns were raised regarding employment opportunities, pollution due to waste water discharge from plant, etc. The EAC noted that the issues have satisfactorily been responded by the project proponent and incorporated in the final EIA-EMP report.

8. The Project Proponent has informed the EAC that the ambient air quality monitoring was carried out at 9 locations during October, 2015- December, 2015 and submitted baseline data indicates that ranges of concentrations of PM₁₀ (25 $\mu\text{g}/\text{m}^3$ to 47.8 $\mu\text{g}/\text{m}^3$), PM_{2.5} (7.5 $\mu\text{g}/\text{m}^3$ to 18.5 $\mu\text{g}/\text{m}^3$), SO₂ (7.1 $\mu\text{g}/\text{m}^3$ to 9.2 $\mu\text{g}/\text{m}^3$), CO (0.09 $\mu\text{g}/\text{m}^3$ -0.16 $\mu\text{g}/\text{m}^3$) and NO_x (8.6 $\mu\text{g}/\text{m}^3$ to 11.1 $\mu\text{g}/\text{m}^3$) respectively.

9. The total requirement of water for sugar and cogeneration is 1405.25 m³/day for process, cooling, boiler and domestic purpose. Fresh water

Permission has been obtained from the concerned authority. Balance water shall be met through recycling of condensate water. Under no circumstances ground water shall be used in the factory.

10. Power requirement is 6 MW/day for sugar and co-gen unit, the same is met through own generation. The steam generating system for the proposed Cogeneration Project comprises of two multi-fuel fired boiler with a Maximum Continuous Rating (MCR) of 70 TPH and 40 TPH (total capacity 110 TPH), with the outlet steam parameters at 45 kg/cm² and 5000 C. Fuel for Boiler is Bagasse. The bagasse requirement is 182054 MT/year.

11. The PP has submitted a letter no. MPCB/RO/KOP- 2878/2016 dated 28/07/2016 issued by the Regional Officer, Kolhapur, Maharashtra Pollution Control Board mentioning that the effluent/wastewater generated by the existing plant is well within the prescribed limit, based on the direction of the EAC.

12. The EAC, in its 17th meeting held on 26th- 29th December, 2016 has found that the final EIA/EMP report submitted by the PP is adequate. The EAC after detailed deliberations, on the basis of the information and presentation made by the PP, has recommended the project for environmental clearance with certain conditions.

13. Based on the proposal and information submitted by the Project Proponent, and considering the recommendation of the Expert Appraisal Committee (Industry-2), the Ministry of Environment, Forest and Climate Change hereby accords Environmental Clearance to the above project under the provisions of EIA Notification dated 14th September 2006, subject to the compliance of the following Specific and General Conditions:

A. Specific Conditions:

- i. Zero liquid Discharge System shall be ensured.
- ii. Water requirement to be reduced at extent possible by using latest process methodology being used worldwide.
- iii. Fly Ash be generated shall be sent to nearby cement industry.
- iv. Green belt (10 m wide) of perennial plant species like Neem, Seesam, Teak etc., to be developed around the plant periphery ensuring the 33% area of the plant as green area. The Forest department may be consulted in this regard.
- v. Air emissions from all point source to be controlled by latest technology instruments. The emissions shall conform to the limits imposed by Maharashtra Pollution Control Board (MPCB).
- vi. Periodic soil and water sampling in nearby villages and water bodies to be done by the Project Authorities through 3rd part expert and report shall be submitted to the concerned regional office of the Ministry.
- vii. RO plant of sufficient capacity to be installed in the nearby villages to ensure safe drinking water supply. Maintenance of the RO plant will be owned by the Project Authorities.
- viii. Health check-up camps to be organized periodically in nearby villages.

- ix. A regular environmental manager having PG qualification in environmental sciences/environmental engineering to be appointed for looking after the environmental management practices in the plant.
- x. Automatic/online monitoring system (24 x 7 monitoring devices) for flow measurement and relevant pollutants in the treatment system to be installed. The data to be made available to the respective SPCB and in the Company's website.

B. General Conditions:

- i. The project authorities must strictly adhere to the stipulations made by the Maharashtra Pollution Control Board, State Government and any other statutory authority.
- ii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- iii. The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one station is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.
- iv. The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be followed.
- v. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
- vi. The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water.
- vii. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
- viii. The company shall also comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management and risk mitigation measures relating to the project shall be implemented.




- ix. The company shall undertake all relevant measures for improving the socioeconomic conditions of the surrounding area. CSR activities shall be undertaken by involving local villages and administration.
- x. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.
- xi. A separate Environmental Management Cell equipped with full fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.
- xii. The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/pollution control measures shall not be diverted for any other purpose.
- xiii. A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal.
- xiv. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.
- xv. The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.
- xvi. The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at <http://moef.nic.in>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.
- xvii. The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.



14. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.


15. The Ministry reserves the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.

16. The above conditions will be enforced, *inter alia* under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules, 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules.


20.3.2017
(Yogendra Pal Singh)
Scientist 'D'

Copy to:-

1. The Secretary, Environment Department, Government of Maharashtra, 15th Floor, New Administrative Building, Mantralaya, Mumbai- 400 032.
2. The Additional Principal Chief Conservator of Forests (C), Ministry of Environment, Forest and Climate Change, Regional Office(WCZ), Ground Floor, East Wing, New Secretariat Building, Civil Line, Nagpur-440001.
3. The Chairman, Central Pollution Control Board, Parivesh Bhawan, CBD-cum-Office Complex East Arjun Nagar, Delhi - 110 032.
4. The Chairman, Maharashtra Pollution Control Board, Kalpataru Point, 3rd and 4th floor, Opp. Cine Planet, Sion Circle, Mumbai-400 022.
5. Monitoring Cell, Ministry of Environment, Forest and Climate Change, Indira Paryavaran Bhavan, Jor Bhag, New Delhi- 110 003.
6. Guard File/Monitoring File/Website/Record File.


20.3.2017
(Yogendra Pal Singh)
Scientist 'D'