



Regd. No. 25-14367, CIN-UI5424PN2000PLC014367

An ISO 9001:2015 & ISO 22000:2018 Certified Company

SHRI GURUDATT SUGARS LTD; Takaliwadi

ADD. : Gat No. 61/A, Akiwat Takaliwadi Road, Takaliwadi. Tal. : Shirol, Dist. : Kolhapur (MH) Pin Code : 416 108
PHONE. : +91 231 2686086 **FAX** : +91 231 2686000 **WEBSITE** : www.sgsl.co.in **Email** : gslsugars@gmail.com

SGSL/ENVI/ 11 /2020 - 2021

Date – April 3, 2021

To,
The Regional Officer,
Ministry of Environment, Forest & Climate Change,
Regional office (WCZ), Ground Floor, East Wing,
New Secretariat Building, Civil Lines, Nagpur.
Tel No. 0712 – 2531318
Email: moefregionalofficenagpur@gmail.com

Sub: Six Monthly (October 2020 to March 2021) Compliance Report of Environmental Clearance issued by MoEF & CC, New Delhi.

Ref: You're Letter No. J - 11011/41/2015-IA-II (I) Date - 20.03.2017.

Dear Sir,

With reference to the abovementioned subject and your reference cited above. Please find enclosed herewith Six Monthly (From October 2020 to March 2021) Compliance Report of Environmental Clearance issued by MoEF & CC, New Delhi vide letter no. J - 11011/41/2015-IA-II (I) Date - 20.03.2017.

We do hope that you will find the above information satisfactory. However, if you require additional information /clarification in this regard, kindly write back, so that we shall submit the information at the earliest.

Thanking You

Yours Faithfully,

FOR, SHRI GURUDATT SUGARS LTD.,

CHIEF EXECUTIVE OFFICER

Enclosed – Compliance Report

C.C to: 1. The Regional officer, MPC Board, Kolhapur.
2. The Sub - Regional officer, MPC Board, Kolhapur.

<p style="text-align: center;">Shri Gurudatt Sugars Ltd., Gat No. 61/A, Akiwat - Takaliwadi Road , Takaliwadi - 416108, Taluka - Shirol, Dist - Kolhapur, Maharashtra</p>		
<p style="text-align: center;">Compliance of Conditions Stipulated in environmental clearance granted to expansion of Sugar Plant (From 4900 TCD to 6000 TCD) & Co-generation Power Plant (From 15 MW to 21 MW) by MoEF & CC, New Delhi vide letter No. J - 11011/41/2015-IA-II (I) Date - 20.03.2017</p>		
EC No -	J - 11011/41/2015-IA-II (I) Date - 20.03.2017	APRIL 2021
SR. NO.	EC Condition	Compliances
A) Specific Condition		
1	Zero liquid Discharge System shall be ensured	We have full-fledged disposal method carried out in a scientific manner on land for irrigation in available 50 Acres for crop irrigation.
2	Water requirement to be reduced at extent possible by using latest process methodology being used worldwide.	Ours is the first Sugar factory in Maharashtra, wherein, we run the entire industrial activity with treated and recycled condensates, which is accrued from cane and no fresh water is utilized, for sugar factory operation. We have installed Condensate Polishing Unit (C.P.U) for sugar factory excess condensate water treatment and recycled purpose. Annexure 1
3	Fly ash be generated shall be sent to nearby cement industry.	The measurity of fly ash is utilize of our press mud composting yard the remaining of the small quantity is we have sold ash to brick manufactures and farmers.
4	Green belt (10 m wide) of perennial plant species like Neem, Seasam, Teak etc. to be developed around the plant periphery ensuring the 33% area of the plant as green area. The forest department may be consulted in this regard.	We have already planted 4356 Nos of tree as site.
5	Air emission from all point source to be controlled by latest technology instrument. The emissions shall conform to the limits imposed by Maharashtra Pollution Control Board (MPCB)	We have already installed air pollution control equipment as per consent stipulation. The efficiency further increase bagasse drying mechanism was installed.
6	Periodic soil and water sampling in nearby villages and water bodies to be done by the project authorities through 3rd part expert and report shall be submitted to the concerned Regional office of the Ministry.	The soil and water sampling in nearby villages carried out periodically. The report are enclosed as Annexure 2

7	RO plant of sufficient capacity to be installed in the nearby villages to ensure safe drinking water supply. Maintenance of the RO plant will be owned by the project authorities.	The RO plant installed for drinking water purpose and benefits all nearby villages.
8	Health checkup camps to be organized periodically in nearby villages.	The health checkup camps carried out periodically.
9	A regular environmental manager having PG qualification in environmental sciences / environmental engineering to be appointed for looking after the environmental management practices in the plant.	We have already recruit Environmental Engineer having PG Qualification with full-fledged division of Environmental Management, wherein, all our Environmental management Plants are monitored on daily basis, along with requisite analysis carried out in our laboratory by trained chemists.
10	Automatic/ online monitoring system (24*7 monitoring devices) for flow measurement and relevant pollutants in the treatment system to be installed. The data to be made available to the respective SPCB and in the Company's website.	We have already installed and completed the connectivity to CPCB / MPCB server of online monitoring system of ETP outlet water parameter (Flow, PH, TSS, COD & BOD) & Boiler stack (SPM /TPM) . The continuous monitoring results of ETP outlet water parameter & boiler stack emission depict that we are achieving norms stipulated by MPCB on a continuous time basis. And also online monitoring data is uploaded in company website. The photo of instrument is attached as Annexure 3 .
B) General Conditions:		
1	The project authorities must strictly adhere to the stipulations made by the Maharashtra Pollution Control Board, State Government and any other statutory authority.	PA agreed to comply with
2	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change. In case of deviations or alteration in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environment protection measures required, if any.	PA agreed to comply with

3	The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one station is installed in the upwind and downwind direction as well as where maximum ground level concentration are anticipated.	Complied. Ambient air quality monitoring is being carried out at three (03) location within the plant. PA submitted that the locations were decided in consultation with MPCB. As per the monitoring data, the ambient air quality levels found to be within prescribed limits.
4	The National ambient air quality emission standards issued by the ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be followed.	Complied. Acoustic enclosures have been provided. Green belt has been developed around the plant area. As per the monitoring data, the noise levels found to be within stipulated limits. The copy is enclosed as Annexure 4.
5	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time)	Complied. Acoustic enclosures have been provided. Green belt has been developed around the plant area. As per the monitoring data, the noise levels found to be within stipulated limits. The copy is enclosed as Annexure 4.
6	The company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground and use the same water for the process activities of the project to conserve fresh water.	Complied. Roof top harvesting has been provided for the sugar godowns. Two collection pits of capacities 2100 cu.m. and 1600 cu.m. Have been provided for the storage of rain water.
7	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examination for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.	Complied. Personnel protective equipment has been provided to workers. The report are enclosed as Annexure 5.
8	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management and risk mitigation measures relating to the project shall be implemented.	E.S.P, Wet scrubber & bagasse Dryer with a stack of height 65 m has been provided. Effluent treatment plant has been provided. Treated effluent is used in the seed farms of the industry also supplied to the agriculture fields of farmers of nearby villages upon prior request from farmers. Green belt has been provided. Environmental quality monitoring is being carried out. CSR works are being undertaken. Vermi composting is being carried out with the waste generated in the cane yard. Compost is being supplied to the farmers.
9	The company shall undertake all relevant measures for improving the socioeconomic conditions of the surrounding area. CSR activities	Complied.

	shall be undertaken by involving local villages and administration.	
10	The company shall undertake eco-development measures including community welfare measures in the project area for the overall improvement of the environment.	Being complied. As per the details provided, PA distributed 500 nos trees to farmers of nearby villagers under eco-development measures.
11	A separate Environmental Management Cell equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	Complied. Environmental management cell has been established.
12	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and climate change as well as the State Government along with the implementation schedule for all the condition stipulated herein. The funds do earmarked for environment management / pollution control measures shall not be diverted for any other purpose.	Complied. As per the details provided, PA earmarked an amount of 13.5 cores towards capital expenditure and Rs. 3.31 cores towards recurring expenditure for environmental protection measures.
13	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zillah Parishad / Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestion / representations, if any, were received while processing the proposal.	Copy of the environmental clearance submitted to Zillah Parishad, Kolhapur and Gram Panchayat, Takaliwadi on 27.03.2017, The copy is enclosed as Annexure 6 .
14	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including result of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF & CC, the respective Zonal office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	Complied. However same has been uploaded to the company website.
15	The environmental statement for each financial year ending 31th March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the	Complied. Environment statement for the FY 2020-21 submitted to MPCB vide letter dated 02.04.2021, however the same was uploaded to the company website.

	respective Regional Offices of MoEF & CC by e-mail.	
16	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB / Committee and may also be seen at Website of the Ministry at http://moef.nic.in . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Advertisement regarding to grant of EC was made on 31.03.2017. The copy is enclosed as Annexure 7 .
17	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	PA agreed to comply with.
18	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	PA agreed to comply with.
19	The Ministry reserve the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.	PA agreed to comply with.
20	The above conditions will be enforced, inter alia under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules, 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules.	PA agreed to comply with.

Condensate Polishing Unit



**CERTIFICATE OF ANALYSIS****ANALYSIS REPORT FOR AMBIENT AIR QUALITY**

Sample / Report Ref. No.	GESEC/PRO/2020-21/12/424
Date of Report	03/12/2020
Name of the Industry	M/s Shree Gurudatta Sugars Ltd. A/p- Takaliwadi, Tal- Shirol, Dist- Kolhapur.
Sample Collected By	M/s SAHYADRI ENVIROCARE
Date of Sampling	27/11/2020

AMBIENT AIR STATION / HIGH VOLUME SAMPLER (H.V.S.) LOCATION

Location of H.V.S.	: Near Main Gate
Duration	: 480 Min.
Time	: 09.30hrs. to 17.30hrs.

Pollution Parameters

Parameters	Results	NAAQ Standards*	Units	Method Used
Suspended Particulate Matter < 10µm/PM ₁₀	57	100	µg / m ³	IS 5182 (Part-23):2006, R-2012
Suspended Particulate Matter < 2.5µm/PM _{2.5}	33	60	µg / m ³	Gravimetric (NAAQS Volume -I)
SO ₂ Conc.	11.5	80	µg / m ³	IS 5182 (Part-02):2001, R-2012
NO _x Conc.	17.2	80	µg / m ³	IS 5182 (Part-06):2006

Calibrations details :-

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	AFDS - SE/ADS-01	TECH/CAL/2020/09/01/02/03/04	04/09/2020	03/09/2021
2	HVS- SE/HVS-01	TECH/CAL/2020/09/05/06	04/09/2020	03/09/2021

Remarks: All above results are within National Ambient Air Quality standards.

Stanell
ANALYZED BY




Prade
AUTHORIZED SIGNATORY

Terms and conditions

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.
- MoEF approved Lab by Govt. of India. From date. 09/02/2017 to 08/02/2022.






Recognised by Ministry of Environment, Forest & Climate Change (MoEF) Govt. of India and ISO/IEC 17025:2005 (NABL), ISO 9001:2015 and OHSAS 18001:2007 Certified Company

CERTIFICATE OF ANALYSIS				
ANALYSIS REPORT FOR AMBIENT AIR QUALITY				
Sample / Report Ref. No.		GESEC/PRO/2020-21/12/425		
Date of Report		03/12/2020		
Name of the Industry		M/s Shree Gurudatta Sugars Ltd. A/p- Takaliwadi, Tal- Shirol, Dist- Kolhapur.		
Sample Collected By		M/s SAHYADRI ENVIROCARE		
Date of Sampling		27/11/2020		
AMBIENT AIR STATION / HIGH VOLUME SAMPLER (H.V.S.) LOCATION				
Location of H.V.S.		: Near ETP		
Duration		: 480 Min.		
Time		: 09.40 hrs. to 17.40hrs.		
Pollution Parameters				
Parameters	Results	NAAQ Standards*	Units	Method Used
Suspended Particulate Matter < 10µm/PM ₁₀	76	100	µg / m ³	IS 5182 (Part-23):2006, R-2012
Suspended Particulate Matter < 2.5µm/PM _{2.5}	38	60	µg / m ³	Gravimetric (NAAQS Volume -I)
SO ₂ Conc.	13.4	80	µg / m ³	IS 5182 (Part-02):2001, R-2012
NO _x Conc.	20.5	80	µg / m ³	IS 5182 (Part-06):2006
Calibrations details :-				
Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	AFDS – SE/ADS-02	TECH/CAL/2020/09/13/14/15/16	04/09/2020	03/09/2021
2	HVS- SE/HVS-02	TECH/CAL/2020/09/07/08	04/09/2020	03/09/2021
Remarks: All above results are within National Ambient Air Quality standards.				
<i>Standle</i> ANALYZED BY		 AUTHORIZED SIGNATORY		

Terms and conditions

1. The report is refer only to the sample tested and not applies to the bulk.
2. The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
3. The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
4. Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
5. We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.
6. MoEF approved Lab by Govt. of India. From date. 09/02/2017 to 08/02/2022.

CERTIFICATE OF ANALYSIS				
ANALYSIS REPORT FOR AMBIENT AIR QUALITY				
Sample / Report Ref. No.		GESEC/PRO/2020-21/12/426		
Date of Report		03/12/2020		
Name of the Industry		M/s Shree Gurudatta Sugars Ltd. A/p- Takaliwadi, Tal- Shirol, Dist- Kolhapur.		
Sample Collected By		M/s SAHYADRI ENVIROCARE		
Date of Sampling		27/11/2020		
AMBIENT AIR STATION / HIGH VOLUME SAMPLER (H.V.S.) LOCATION				
Location of H.V.S.		: Near WTP		
Duration		: 480 Min.		
Time		: 09.50 hrs. to 17.50hrs.		
Pollution Parameters				
Parameters	Results	NAAQ Standards*	Units	Method Used
Suspended Particulate Matter < 10µm/PM ₁₀	69	100	µg / m ³	IS 5182 (Part-23):2006, R-2012
Suspended Particulate <2.5µm/PM _{2.5}	31	60	µg / m ³	Gravimetric (NAAQS Volume -I)
SO ₂ Conc.	14.7	80	µg / m ³	IS 5182 (Part-02):2001, R-2012
NO _x Conc.	20.3	80	µg / m ³	IS 5182 (Part-06):2006
Calibrations details :-				
Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	AFDS - SE/ADS-03	TECH/CAL/2020/09/17/18/19/20	04/09/2020	03/09/2021
2	HVS- SE/HVS-03	TECH/CAL/2020/09/09/10	04/09/2020	03/09/2021
Remarks: All above results are within National Ambient Air Quality standards.				
 ANALYZED BY		 AUTHORIZED SIGNATORY		
				

Terms and conditions

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.
- MoEF approved Lab by Govt. of India. From date. 09/02/2017 to 08/02/2022.

**CERTIFICATE OF ANALYSIS****ANALYSIS REPORT FOR AMBIENT AIR QUALITY**

Sample / Report Ref. No.	GESEC/PRO/2020-21/12/427
Date of Report	03/12/2020
Name of the Industry	M/s Shree Gurudatta Sugars Ltd. A/p- Takaliwadi, Tal- Shirol, Dist- Kolhapur.
Sample Collected By	M/s SAHYADRI ENVIROCARE
Date of Sampling	27/11/2020

AMBIENT AIR STATION / HIGH VOLUME SAMPLER (H.V.S.) LOCATION

Location of H.V.S.	: Near Bagasse Yard
Duration	: 480 Min.
Time	: 09.50 hrs. to 17.50hrs.

Pollution Parameters

Parameters	Results	NAAQ Standards*	Units	Method Used
Suspended Particulate Matter < 10µm/PM ₁₀	88	100	µg / m ³	IS 5182 (Part-23):2006, R-2012
Suspended Particulate < 2.5µm/PM _{2.5}	41	60	µg / m ³	Gravimetric (NAAQS Volume -I)
SO ₂ Conc.	16.3	80	µg / m ³	IS 5182 (Part-02):2001, R-2012
NOx Conc.	21.2	80	µg / m ³	IS 5182 (Part-06):2006

Calibrations details :-

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	AFDS - SE/ADS-04	TECH/CAL/2020/09/21/22/23/24	04/09/2020	03/09/2021
2	HVS- SE/HVS-04	TECH/CAL/2020/16/01/02	27/01/2020	26/01/2021

Remarks: All above results are within National Ambient Air Quality standards.

Stande
ANALYZED BY






Patel
AUTHORIZED SIGNATORY

Terms and conditions

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.
- MoEF approved Lab by Govt. of India. From date. 09/02/2017 to 08/02/2022.



Recognised by Ministry of Environment, Forest & Climate Change (MoEF) Govt. of India and ISO/IEC 17025:2005 (NABL), ISO 9001:2015 and OHSAS 18001:2007 Certified Company

CERTIFICATE OF ANALYSIS				
ANALYSIS REPORT FOR STACK EMISSION				
Sample / Report Ref. No.	GESEC/PRO/2020-21/12/428			
Date of Report	03/12/2020			
Name of the Industry	M/s Shree Gurudatta Sugars Ltd. A/p- Takaliwadi, Tal- Shirol, Dist- Kolhapur.			
Sample Collected By	M/s SAHYADRI ENVIROCARE			
Date of Sampling	27/11/2020	Time of sampling : Day Time		
PARTICULARS OF STACK				
Stack Attached to	Boiler (22 TPH Distillery)			
Stack Diameter (Meter)	3.43			
Stack Height (Meter)	82			
Stack Temperature(°C)	129			
Stack Velocity of Flue Gas (m/s)	5.1			
Stack Volume of Flue Gases (Nm ³ /Hr.)	125444			
Type of Fuel Used	Spent Wash/ Coal			
Pollution Parameters				
Parameters	Result	Units.	Method Used	
Total Particulate Matter	24	Mg/ Nm ³	EPA- Method – 17	
SO ₂ Conc.	4.9	Kg /Hr.	IS – 11255 (Part 2) 1985, Reaffirmed -2009	
Calibrations details :-				
Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	SE/SMK-02	TECH/CAL/2019/Dec.10/1/2/3/4/5	26/12/2019	25/12/2020
Remarks: All above results are within MPCB Standards.				
 ANALYZED BY		 AUTHORIZED SIGNATORY		
				

Terms and conditions

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.
- MoEF approved Lab by Govt. of India. From date. 09/02/2017 to 08/02/2022.



CERTIFICATE OF ANALYSIS

Sample/Report Ref. No.: GESEC/PRO/2020-21/12/435

Name of Industry : M/s. Shree Gurudatta Sugars Ltd.
At/post – Takaliwadi, Tal- Shirol,
Dist – Kolhapur, Maharashtra.

Nature of Sample : Potable Water (Canteen)

Sample Quantity : 2000ml

Date of Collection: 27/11/2020

Sample Collected by : M/s SAHYADRI ENVIROCARE Date of Receiving: 28/11/2020

Sr. No	Test Parameters	Result	Unit	Limit	Test Method
01	pH	7.0	-	6.5-8.5	IS – 3025 (Part 11)-1983 R-2012
02	Colour	< 5	Hazen	5	IS – 3025 (Part 4)-1984 R-2012
03	Odour	Agreeable	-	-	IS – 3025 (Part 5)-1991 R-2009
04	Taste	Agreeable	-	-	IS – 3025 (Part 07 & 08)
05	Chlorides	50	mg/lit	250	IS – 3025 (Part 44)-1993 R-2009
06	Sulphates	43	mg/lit	200	IS – 3025 (Part 39)-1991 R-2009
07	Total Hardness as CaCO ₃	78	mg/lit	300	IS – 3025 (Part 21)-1991 R-2009
08	Total Dissolved solids	94	mg/lit	500	IS – 3025 (Part 16)-1984 R-2012
09	Turbidity	<5	NTU	5	IS – 3025 (Part 10)-1991 R-2009
10	Residual free chlorine	BDL	mg/lit	0.2	IS – 3025 (Part 26)-1991 R-2009
11	Conductivity	115	µmhos/cm	-	IS – 3025(Part 14)
12	Iron	0.12	mg/lit	0.3	IS – 3025(Part 53)
13	E-Coli	Absent	-	Absent	IS 1622-1981 R-2009
14	Thermo tolerant Coliforms	Absent	MPN/100ml	Absent	IS- 1622-1981 R-2009

Remark :-

Report Date : 03/12/2020

Standle
ANALYZED BY



Parde
AUTHORIZED SIGNATORY

Terms and conditions

1. The report is refer only to the sample tested and not applies to the bulk.
2. The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
3. The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
4. Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
5. We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.
6. MoEF approved Lab by Govt. of India. From date. 09/02/2017 to 08/02/2022.



CERTIFICATE OF ANALYSIS

Sample / Report Ref. No.: GESEC/PRO/2020-21/12/432

Name of Industry : M/s Shree Gurudatta Sugars Ltd.
A/p- Takaliwadi, Tal- Shirol,
Dist- Kolhapur.

Nature of Sample : Treated Effluent sample of E.T.P.

Sample Quantity : 2000ml

Date of Collection: 27/11/2020

Sample Collected by : M/s SAHYADRI ENVIROCARE Date of Receiving: 28/11/2020

Sr. No.	Test Parameters	Result	MPCB limit	Unit	Test Method
01	pH	7.4	5.5 – 9.0	-	IS-3025 (Part 11)-1983 R-2006
02	Suspended Solid	67	< 100	mg/lit	IS-3025 (Part 17)-1984 R-2006
03	C.O.D.	172	< 250	mg/lit	IS-3025 (Part 58)-2006
04	B.O.D. -3 DAYS -27° C	52	< 100	mg/lit of O ₂	IS-3025 (Part 44)-1993 R-2003
05	Oil & Grease	< 5.0	< 10	mg/lit	IS-3025 (Part 39)-1991 R-2004
06	Total Dissolved Solids	1982	< 2100	mg/lit	IS-3025 (Part 16)-1984 R-2012
07	Chlorides	449	< 600	mg/lit	IS-3025 (Part 32)-1988 R-2003
08	Sulphates	542	< 1000	mg/lit	IS-3025 (Part 24)-1986 R-2012

Report Date: 03/12/2020

Remark: All above results are within MPCB standards.

Standle
ANALYZED BY



Prade
AUTHORIZED SIGNATORY

Terms and conditions

1. The report is refer only to the sample tested and not applies to the bulk.
2. The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
3. The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
4. Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
5. We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.
6. MoEF approved Lab by Govt. of India. From date. 09/02/2017 to 08/02/2022.

CERTIFICATE OF ANALYSIS

Sample/Report Ref. No.: GESEC/PRO/2020-21/12/433

Name of Industry : M/s. Shree Gurudatta Sugars Ltd.
At/post – Takaliwadi, Tal- Shirol,
Dist – Kolhapur, Maharashtra.

Nature of Sample: Ground Water Sample (Bedkyali).

Sample Quantity: 2000ml

Date of Collection:27/11/2020

Sample Collected by: M/s SAHYADRI ENVIROCARE

Date of Receiving:28/11/2020

Sr. No	Test Parameters	Result	Unit	Test Method
01	pH	7.4	-	IS-3025 (Part 11)-1983 R-2006
02	Odour	Agreeable	-	IS - 3025 (Part 16)-1984 R-2012
03	Colour	< 5	Hazen	IS - 3025(Part 04)
04	Turbidity	3.1	NTU	IS - 3025 (Part 10)
05	Conductivity	270.7	µmhos/cm	IS - 3025 (Part 14)
06	Total Dissolved Solids	176	mg/lit	IS - 3025(Part 16)-1984 R-2012
07	C.O.D.	28.0	mg/lit	IS-3025 (Part 58)-2006
08	B.O.D. -3 DAYS -27° C	7.8	mg/lit of O ₂	IS - 3025 (Part 44)-1993 R-2003
09	Alkalinity as CaCo ₃	56	mg/lit	IS - 3025 (Part 51)
10	Calcium as Ca	60	mg/lit	IS - 3025 (Part 40)
11	Magnesium as Mg	20.2	mg/lit	IS - 3025 (Part 46)
12	Total Hardness	166	mg/lit	IS - 3025 (Part 21)
13	Chlorides As Cl	34	mg/lit	IS - 3025(Part 32)-1988 R-2003
14	SulphatesAs SO ₄	56	mg/lit	IS - 3025(Part 24)-1986 R-2012
15	Sodium As Na	18	mg/lit	IS - 3025 (Part 45)
16	Fluoride as F	< 0.1	mg/lit	IS - 3025 (Part 60)
17	Iron as Fe	0.18	mg/lit	IS - 3025 (Part 53)

Report Date: 03/12/2020

Sample
ANALYZED BY



P. Parde
AUTHORIZED SIGNATORY

Terms and conditions

1. The report is refer only to the sample tested and not applies to the bulk.
2. The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
3. The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
4. Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
5. We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.
6. MoEF approved Lab by Govt. of India. From date. 09/02/2017 to 08/02/2022.



Recognised by Ministry of Environment, Forest & Climate Change (MoEF) Govt. of India and ISO/IEC 17025:2005 (NABL), ISO 9001:2015 and OHSAS 18001:2007 Certified Company

CERTIFICATE OF NOISE LEVEL MONITORING

Sample / Report Ref. No.	GESEC/PRO/2020-21/12/430
Date of Report	03/12/2020
Name of Industry	M/s Shree Gurudatta Sugars Ltd. A/p- Takaliwadi, Tal- Shirol, Dist- Kolhapur.
Sample Collected by	M/s SAHYADRI ENVIROCARE
Date of Sampling	27/11/2020

NOISE LEVEL MONITORING

Sr.No.	Sampling location	Noise levels dB(A) (Day Time)	Noise levels dB(A) (Night Time)
1.	Near Main Gate	68.3	66.7
2.	Near Boiler	73.2	69.2
3.	Near ETP Area	69.7	67.5
4.	Near Sugar Godown	66.9	64.1
5.	Near Laboratory	68.4	65.8
6.	Near Mill House	82.7	80.9
7.	Near Pan Section	83.2	82.1
8.	Near Sugar Plant	74.1	69.2
9.	Near Weigh Bridge	69.8	67.3
10.	Near Centrifugal	71.6	68.4

Remarks :

1 Calibrations details :-

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	SE/NM-01	TECH/CAL/2020/09/11	04/09/2020	03/09/2021

Remark: All above results are within MPCB Standards.

Day Time Limit is < 75 decibles& Night time Limit is <70 decibles

Sande
ANALYZED BY



Prachi
AUTHORIZED SIGNATORY

Terms and conditions

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.
- MoEF approved Lab by Govt. of India. From date. 09/02/2017 to 08/02/2022.



CERTIFICATE OF ANALYSIS

Sample/Report Ref. No.: GESEC/PRO/2020-21/12/434

Name of Industry : M/s. Shree Gurudatta Sugars Ltd.
At/post – Takaliwadi, Tal- Shirol,
Dist – Kolhapur, Maharashtra.

Nature of Sample : Soil Sample (Near ETP).

Sample Quantity : 2000 Gm

Date of Collection: 27/11/2020

Sample Collected by: M/s SAHYADRI ENVIROCARE

Date of Receiving: 28/11/2020

Sr. No	Test Parameters	Result	Unit	Test Method
01	pH (10 % Extract)	7.2	-	APHA
02	Ammonia	Absent	mg/kg	APHA
03	Nitrogen	176	mg/kg	APHA
04	Phosphate	32	mg/kg	APHA
05	Nickel	26	mg/kg	AAS
06	Chloride	226	mg/kg	APHA
07	Sulphate	43	mg/kg	APHA
08	Cadmium	Absent	mg/kg	AAS
09	Chromium	44	mg/kg	AAS
10	Copper	84	mg/kg	AAS
11	Zinc	52	mg/kg	AAS

Report Date: 03/12/2020

Standle
ANALYZED BY






Rahde
AUTHORIZED SIGNATORY

Terms and conditions

1. The report is refer only to the sample tested and not applies to the bulk.
2. The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
3. The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
4. Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
5. We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.
6. MoEF approved Lab by Govt. of India. From date. 09/02/2017 to 08/02/2022.



Recognised by Ministry of Environment, Forest & Climate Change (MoEF) Govt. of India and ISO/IEC 17025:2005 (NABL), ISO 9001:2015 and OHSAS 18001:2007 Certified Company

CERTIFICATE OF ANALYSIS				
ANALYSIS REPORT FOR STACK EMISSION				
Sample / Report Ref. No.	GESEC/PRO/2020-21/12/429			
Date of Report	03/12/2020			
Name of the Industry	M/s Shree Gurudatta Sugars Ltd. A/p- Takaliwadi, Tal- Shirol, Dist- Kolhapur.			
Sample Collected By	M/s SAHYADRI ENVIROCARE			
Date of Sampling	27/11/2020	Time of sampling : Day Time		
PARTICULARS OF STACK				
Stack Attached to	Boiler 1 & 2 (Capacity-70 MT/Hr& 40 MT/Hr)			
Stack Diameter (Meter)	3.43			
Stack Height (Meter)	65			
Stack Temperature(°C)	138			
Stack Velocity of Flue Gas (m/s)	7.2			
Stack Volume of Flue Gases (Nm ³ /Hr.)	173220			
Type of Fuel Used	Bagasse (55 MT/Hr)			
Pollution Parameters				
Parameters	Result	Units.	Method Used	
Total Particulate Matter	72	Mg/ Nm ³	EPA- Method – 17	
SO ₂ Conc.	ND	Kg /Hr.	IS – 11255 (Part 2) 1985, Reaffirmed -2009	
Calibrations details :-				
Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	SE/SMK-02	TECH/CAL/2019/Dec.10/1/2/3/4/5	26/12/2019	25/12/2020
Remarks: All above results are within MPCB Standards.				
 ANALYZED BY		 AUTHORIZED SIGNATORY		
				

Terms and conditions

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.
- MoEF approved Lab by Govt. of India. From date. 09/02/2017 to 08/02/2022.



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/20-21/7178A/1
Dated	: 24/02/2021
Client.	: M/s SHREE GURUDATTA SUGARS LTD., TAKALIVADI
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL – SHIROL, DIST –KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	17/02/2021		
02	TEST LOCATION		Near Factory Main Gate		
03	TIME OF SAMPLING	Hrs	09:20 - 17:20		
04	TEMPERATURE (Max./Min)	Deg C	30/23		
05	RELATIVE HUMIDITY	% RH	53		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	64.41	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	31.32	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	9.14	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	29.21	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No 21914	PICS/F/ADS/09-20/44	21/09/2020	17/08/2021
2	Respirable Dust Sampler; Sr. No.9	TECH/CAL/2020/05.C/1	15/05/2020	14/05/2021

NAAQS – National Ambient Air Quality Standards (2009)

M. N. Mangalakar

For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/20-21/7178A/2
Dated	: 24/02/2021
Client.	: M/s SHREE GURUDATTA SUGARS LTD., TAKALIVADI
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL – SHIROL, DIST – KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	17/02/2021		
02	TEST LOCATION		Near Weigh Bridge		
03	TIME OF SAMPLING	Hrs	09:30 – 17:30		
04	TEMPERATURE (Max./Min)	Deg C	30/23		
05	RELATIVE HUMIDITY	% RH	53		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	70.44	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	33.35	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	11.54	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	30.13	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No 20410	PICS/F/ADS/09-20/42	21/09/2020	17/08/2021
2	Respirable Dust Sampler; Sr. No. 10	TECH/CAL/2020/06.C/2	15/05/2020	14/05/2021

NAAQS – National Ambient Air Quality Standards (2009)

M. N. Gaikar

For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/20-21/7178A/3
Dated	: 24/02/2021
Client.	: M/s SHREE GURUDATTA SUGARS LTD., TAKALIVADI
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	17&18/02/2021		
02	TEST LOCATION		Near ETP		
03	TIME OF SAMPLING	Hrs	17:40 – 01:40		
04	TEMPERATURE (Max./Min)	Deg C	29/21		
05	RELATIVE HUMIDITY	% RH	62		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	67.14	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	28.54	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	10.21	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	30.25	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No. 21914	PICS/F/ADS/09-20/44	21/09/2020	17/08/2021
2	Respirable Dust Sampler; Sr. No. 2	TECH/CAL/2020/06.C/4	09/06/2020	08/06/2021

NAAQS – National Ambient Air Quality Standards (2009)

M. N. G. Kulkarni

For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

Report No.	: HS/REP/20-21/7178A/4
Dated	: 24/02/2021
Client.	: M/s SHREE GURUDATTA SUGARS LTD., TAKALIVADI
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS OF ANALYSIS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	METHODS USED
01	DATE OF SAMPLING	DD/MM/YY	17/02/2021		
02	TEST LOCATION		Boiler 1 & 2 (Capacity-70 MT/Hr & 40 MT/Hr)		
03	TIME OF SAMPLING (00.00)	Hrs	10:30		
04	MATERIAL OF STACK		-		
05	STACK HEIGHT	Mtr	65		
06	TYPE OF FUEL USED		Bagasse		
07	FUEL CONSUMPTION	MT/Hr	37.7		
08	TYPE OF STACK		Round		
09	FLUE GAS TEMPERATURE	Deg C	145		
10	VELOCITY	M/Sec	5.7		
11	DIAMETER OF STACK	M	3.43		
12	GAS VOLUME	Nm ³ /Hr	35154.34		
13	TPM	mg/Nm ³	45.62	As per Consent	IS 11255 (Part 1)
14	SO ₂	Kg/Day	0.11	As per Consent	--

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM-SMK 10M, Sr. No.7614	PICS/F/SMK/09-20/47	07/09/2020	06/09/2021

M. N. Angolkar

For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT NOISE LEVEL MONITORING REPORT

Report No.	: HS/REP/20-21/7178A/5
Dated	: 24/02/2021
Client.	: M/s SHREE GURUDATTA SUGARS LTD., TAKALIVADI
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE
Date of Sampling.	: 17/02/2021

RESULTS

SR. NO.	TEST LOCATION	UNIT	DAY TIME		NIGHT TIME	
			Time	Readings	Time	Readings
01	Near Main Gate	dB (A)	14:10 hrs.	68.5	22:20 hrs.	63.1
02	Near Boiler	dB (A)	14:20 hrs.	73.2	22:30 hrs.	67.3
03	Near ETP Area	dB (A)	14:30 hrs.	70.0	22:40 hrs.	67.1
04	Near Sugar Godown	dB (A)	14:40 hrs.	69.2	22:50 hrs.	64.2
05	Near Laboratory	dB (A)	14:50 hrs.	66.3	23:00 hrs.	64.5
06	Near Mill House	dB (A)	15:00 hrs.	70.0	23:10 hrs.	67.1
07	Near Pan Section	dB (A)	15:10 hrs.	69.5	23:20 hrs.	65.0
08	Near Sugar Plant	dB (A)	15:20 hrs.	71.4	23:30 hrs.	67.2
09	Near Weigh Bridge	dB (A)	15:30 hrs.	70.2	23:40 hrs.	67.1
10	Near Centrifugal	dB (A)	15:40 hrs.	68.0	23:50 hrs.	65.2

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	Digital Sound level meter Lutron -SL.4001SR.Q622510	TECH/CAL/2020/F.DB/2	20/02/2020	19/02/2021

Limits:

≤75 dB (A) For Day Time

≤70 dB (A) For Night Time

REMARK/OBSERVATIONS:

Noise levels limits are given as per Noise Pollution (Regulation & Control) Rules 2010.

M. N. N. N. N.

For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/7177A-1
M/s Shree Gurudatta Sugars Ltd. Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, 416108.	REPORT DATE	24/02/2021
	LAB REFERENCE NO	HS/LAB/WA/0712A
	DATE OF SAMPLING	17/02/2021
	DATE OF ANALYSIS	18/02/2021

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Waste-water sample	Jointly Collected by Horizon Services and Shruti Envirocare	Untreated	ETP

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	TEST METHOD
1	pH	---	4.25	APHA 23 rd 2017, 4500-H ⁺ B
2	Total Suspended Solids	mg/lit	378.00	APHA 23 rd 2017, 2540 D
3	Total Dissolved Solids	mg/lit	2724.00	APHA 23 rd 2017, 2540 C
4	Chemical Oxygen Demand	mg/lit	2885.00	APHA 23 rd 2017, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	926.00	IS-3025 (Part 44)-1993 R-2003
6	Chlorides as Cl ⁻	mg/lit	763.00	APHA 23 rd 2017, 4500 Cl ⁻ B
7	Sulphates as SO ₄ ⁻⁻	mg/lit	926.00	APHA 23 rd 2017, 4500 SO ₄ E
8	Oil & Grease	mg/lit	12.60	APHA 23 rd 2017, 5520 B
9	Dissolved Oxygen	mg/lit	1.36	APHA 23 rd 2017, 4500 NH ₃ C

Sr. No.	Equipment / Instrument	Last calibration	Calibration valid	Certificate No.
1	pH Meter Make- Global	01/06/2020	31/05/2021	E20/10/1016/01
2	Water bath - Make- BTI	01/06/2020	31/05/2021	T20/05/2006/13/05
3	Hot Air Oven -Make- BTI	01/06/2020	31/05/2021	T20/05/2006/13/01
4	COD Digester -Make- Rocker CR-25	01/06/2020	31/05/2021	T20/05/2006/13/08
5	BOD Incubator -Make -BTI-06	01/06/2020	31/05/2021	T20/05/2006/13/03
6.	Weighing balance- Make- Shimadzu AUW220D	02/10/2019	01/10/2021	NI/HS/031018/001

For **HORIZON SERVICES**

M. Nagarkar

(LAB INCHARGE)



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/7177A-2
M/s Shree Gurudatta Sugars Ltd. Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, 416108.	REPORT DATE	24/02/2021
	LAB REFERENCE NO	HS/LAB/WA/0712A
	DATE OF SAMPLING	17/02/2021
	DATE OF ANALYSIS	18/02/2021

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Waste-water sample	Jointly Collected by Horizon Services and Shruti Envirocare	Treated	ETP

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	TEST METHOD
1	pH	---	7.20	APHA 23 rd 2017, 4500-H ⁺ B
2	Total Suspended Solids	mg/lit	78.00	APHA 23 rd 2017, 2540 D
3	Total Dissolved Solids	mg/lit	1651.00	APHA 23 rd 2017, 2540 C
4	Chemical Oxygen Demand	mg/lit	216.00	APHA 23 rd 2017, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	68.00	IS-3025 (Part 44)-1993 R-2003
6	Chlorides as Cl ⁻	mg/lit	462.00	APHA 23 rd 2017, 4500 Cl ⁻ B
7	Sulphates as SO ₄ ⁻⁻	mg/lit	684.00	APHA 23 rd 2017, 4500 SO ₄ E
8	Oil & Grease	mg/lit	3.10	APHA 23 rd 2017, 5520 B
9	Dissolved Oxygen	mg/lit	2.40	APHA 23 rd 2017, 4500 NH ₃ C

Sr. No.	Equipment / Instrument	Last calibration	Calibration valid	Certificate No.
1	pH Meter Make- Global	01/06/2020	31/05/2021	E20/10/1016/01
2	Water bath - Make- BTI	01/06/2020	31/05/2021	T20/05/2006/13/05
3	Hot Air Oven -Make- BTI	01/06/2020	31/05/2021	T20/05/2006/13/01
4	COD Digester -Make- Rocker CR-25	01/06/2020	31/05/2021	T20/05/2006/13/08
5	BOD Incubator -Make -BTI-06	01/06/2020	31/05/2021	T20/05/2006/13/03
6.	Weighing balance- Make- Shimadzu AUW220D	02/10/2019	01/10/2021	NI/HS/031018/001

For **HORIZON SERVICES**

M. Nagarkar

(LAB INCHARGE)



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/5785A-1
M/s. M/s Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	06/01/2021
	LAB REFERENCE NO	HS/LAB/WA/559A
	DATE OF SAMPLING	31/12/2020
	DATE OF ANALYSIS	01/01/2021

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Waste-water sample	Jointly Collected by Horizon Services and Shruti Envirocare	Untreated	ETP

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	TEST METHOD
1	pH	---	4.11	APHA 23 rd 2017, 4500-H ⁺ B
2	Total Suspended Solids	mg/lit	375.00	APHA 23 rd 2017, 2540 D
3	Total Dissolved Solids	mg/lit	2718.00	APHA 23 rd 2017, 2540 C
4	Chemical Oxygen Demand	mg/lit	2898.00	APHA 23 rd 2017, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	929.00	IS-3025 (Part 44) 2003
6	Chlorides as Cl ⁻	mg/lit	779.00	APHA 23 rd 2017, 4500 Cl ⁻ B
7	Sulphates as SO ₄ ⁻⁻	mg/lit	915.00	APHA 23 rd 2017, 4500 SO ₄ E
8	Oil & Grease	mg/lit	13.90	APHA 23 rd 2017, 5520 B
9	Dissolved Oxygen	mg/lit	1.25	APHA 23 rd 2017, 5210 B

Sr. No.	Equipment / Instrument	Last calibration	Calibration valid	Certificate No.
1	pH Meter Make- Global	01/06/2020	31/05/2021	E20/10/1016/01
2	Water bath - Make- BTI	01/06/2020	31/05/2021	T20/05/2006/13/05
3	Hot Air Oven -Make- BTI	01/06/2020	31/05/2021	T20/05/2006/13/01
4	COD Digester -Make- Rocker CR-25	01/06/2020	31/05/2021	T20/05/2006/13/08
5	BOD Incubator -Make -BTI-06	01/06/2020	31/05/2021	T20/05/2006/13/03
6.	Weighing balance- Make- Shimadzu AUW220D	02/10/2019	01/10/2021	NI/HS/031018/001

For **HORIZON SERVICES**

M. Nagarkar

(LAB INCHARGE)



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/5785A-2
M/s. M/s Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	06/01/2021
	LAB REFERENCE NO	HS/LAB/WA/559A
	DATE OF SAMPLING	31/12/2020
	DATE OF ANALYSIS	01/01/2021

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Waste-water sample	Jointly Collected by Horizon Services and Shruti Envirocare	Treated	ETP

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	MPCB LIMITS	TEST METHOD
1	pH	---	7.15	5.5 to 9.0	APHA 23 rd 2017, 4500-H ⁺ B
2	Total Suspended Solids	mg/lit	74.00	< 100.0	APHA 23 rd 2017, 2540 D
3	Total Dissolved Solids	mg/lit	1665.00	< 2100.0	APHA 23 rd 2017, 2540 C
4	Chemical Oxygen Demand	mg/lit	209.00	< 250.0	APHA 23 rd 2017, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	69.00	< 100.0	IS-3025 (Part 44) 2003
6	Chlorides as Cl ⁻	mg/lit	476.00	<600.0	APHA 23 rd 2017, 4500 Cl ⁻ B
7	Sulphates as SO ₄ ⁻⁻	mg/lit	695.00	< 1000.0	APHA 23 rd 2017, 4500 SO ₄ E
8	Oil & Grease	mg/lit	3.50	< 10.0	APHA 23 rd 2017, 5520 B
9	Dissolved Oxygen	mg/lit	2.84	Not Specified	APHA 23 rd 2017, 5210 B

Sr. No.	Equipment / Instrument	Last calibration	Calibration valid	Certificate No.
1	pH Meter Make- Global	01/06/2020	31/05/2021	E20/10/1016/01
2	Water bath - Make- BTI	01/06/2020	31/05/2021	T20/05/2006/13/05
3	Hot Air Oven -Make- BTI	01/06/2020	31/05/2021	T20/05/2006/13/01
4	COD Digester -Make- Rocker CR-25	01/06/2020	31/05/2021	T20/05/2006/13/08
5	BOD Incubator -Make -BTI-06	01/06/2020	31/05/2021	T20/05/2006/13/03
6.	Weighing balance- Make- Shimadzu AUW220D	02/10/2019	01/10/2021	NI/HS/031018/001

For HORIZON SERVICES

M. Nagarkar

(LAB INCHARGE)



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/20-21/5811A/1
Dated	: 08/01/2021
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	31/12/2020		
02	TEST LOCATION		Near Factory Main Gate		
03	TIME OF SAMPLING	Hrs	09:20		
04	TEMPERATURE (Max./Min)	Deg C	35/24		
05	RELATIVE HUMIDITY	% RH	51		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	65.25	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	30.64	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	9.54	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	30.18	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No 21914	PICS/F/ADS/09-20/44	21/09/2020	17/08/2021
2	Respirable Dust Sampler; Sr. No.9	TECH/CAL/2020/05.C/1	15/05/2020	14/05/2021

NAAQS – National Ambient Air Quality Standards (2009)

M. N. Nayak

For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/20-21/5811A/2
Dated	: 08/01/2021
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	31/12/2020		
02	TEST LOCATION		Near Weigh Bridge		
03	TIME OF SAMPLING	Hrs	09:30		
04	TEMPERATURE (Max./Min)	Deg C	35/24		
05	RELATIVE HUMIDITY	% RH	51		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	72.54	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	34.45	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	10.64	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	31.23	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No 20410	PICS/F/ADS/09-20/42	21/09/2020	17/08/2021
2	Respirable Dust Sampler; Sr. No. 10	TECH/CAL/2020/06.C/2	15/05/2020	14/05/2021

NAAQS – National Ambient Air Quality Standards (2009)

M. Nagarkar

For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/20-21/5811A/3
Dated	: 08/01/2021
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	31/12/2020		
02	TEST LOCATION		Near ETP		
03	TIME OF SAMPLING	Hrs	17:30		
04	TEMPERATURE (Max./Min)	Deg C	28/22		
05	RELATIVE HUMIDITY	% RH	73		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	µg/m ³	68.54	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	29.94	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	10.41	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	31.12	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No 21914	PICS/F/ADS/09-20/44	21/09/2020	17/08/2021
2	Respirable Dust Sampler; Sr. No. 2	TECH/CAL/2020/06.C/4	09/06/2020	08/06/2021

NAAQS – National Ambient Air Quality Standards (2009)

M. Nagarkar

For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

Report No.	: HS/REP/20-21/5811A/4
Dated	: 08/01/2021
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS OF ANALYSIS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	METHODS USED
01	DATE OF SAMPLING	DD/MM/YY	31/12/2020		
02	TEST LOCATION		Boiler 1 & 2 (Capacity-70 MT/Hr & 40 MT/Hr)		
03	TIME OF SAMPLING (00.00)	Hrs	10:00		
04	MATERIAL OF STACK		-		
05	STACK HEIGHT	Mtr	65		
06	TYPE OF FUEL USED		Baggase		
07	FUEL CONSUMPTION	MT/Hr	37.7		
08	TYPE OF STACK		Round		
09	FLUE GAS TEMPERATURE	Deg C	148		
10	VELOCITY	M/Sec	5.9		
11	DIAMETER OF STACK	M	3.43		
12	GAS VOLUME	Nm ³ /Hr	35218.32		
13	TPM	mg/Nm ³	44.51	As per Consent	IS 11255 (Part 1)
14	SO ₂	Kg/Day	0.15	As per Consent	--

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM-SMK 10M, Sr. No.7614	PICS/F/SMK/09-20/47	07/09/2020	06/09/2021

M. Nagarkar

For **HORIZON SERVICES**



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

NOISE LEVEL MONITORING REPORT

Report No.	: HS/REP/20-21/5811A/5
Dated	: 08/01/2021
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE
Date of Sampling.	: 31/12/2020

RESULTS

SR. NO.	TEST LOCATION	UNIT	DAY TIME READINGS	NIGHT TIME READINGS
01	Near Main Gate	dB (A)	66.9	65.2
02	Near Boiler	dB (A)	74.1	68.8
03	Near ETP Area	dB (A)	71.1	66.4
04	Near Sugar Godown	dB (A)	67.5	65.3
05	Near Laboratory	dB (A)	65.4	63.5
06	Near Mill House	dB (A)	72.0	69.1
07	Near Pan Section	dB (A)	68.7	66.0
08	Near Sugar Plant	dB (A)	73.4	65.2
09	Near Weigh Bridge	dB (A)	71.5	69.1
10	Near Centrifugal	dB (A)	72.0	68.4

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	Digital Sound level meter Lutron -SL.4001SR.Q622510	TECH/CAL/2020/F.DB/2	20/02/2020	19/02/2021

Limits:

Peripheral Area

≤75 dB (A) For Day Time


≤70 dB (A) For Night Time

In plant 90 dB (A)

M. N. Kulkarni

For **HORIZON SERVICES**

Online Monitoring System at SGSL





Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012


CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/1465A
M/s. M/s Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	18/08/2020
	LAB REFERENCE NO	HS/LAB/WA/173A
	DATE OF SAMPLING	12/08/2020
	DATE OF ANALYSIS	13/08/2020

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Well water sample	Shrusti Envirocare	---	Sujit Hegade

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	LIMITS IS 10500:2018	TEST METHOD
1	Odour	-	Agreeable	Agreeable	APHA 23 rd 2017, 2150 B
2	Colour	Hazen	1.10	< 5.00	APHA 23 rd 2017, 2120 C
3	pH	-	7.20	6.5 to 8.5	APHA 23 rd 2017, 4500-H ⁺ B
4	Electric Conductivity	µmhos/cm	182.00	Not Specified	APHA 23 rd 2017, 2510
5	Turbidity	NTU	0.50	< 1.00	APHA 23 rd 2017, 2130 B
6	Total Dissolved Solids	mg/lit	152.00	< 500.00	APHA 23 rd 2017, 2540 C
7	Chemical Oxygen Demand	mg/lit	9.00	Not Specified	APHA 23 rd 2017, 5220 C
8	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	3.50	Not Specified	APHA 23 rd 2017, 5210 B
9	Alkalinity as CaCO ₃	mg/lit	45.00	< 200.00	APHA 23 rd 2017, 2320 B
10	Total Hardness as CaCO ₃	mg/lit	75.00	< 200.00	APHA 23 rd 2017, 2340 C
11	Chlorides as Cl	mg/lit	32.00	< 250.00	APHA 23 rd 2017, 4500 Cl ⁻ B
12	Sulphates as SO ₄	mg/lit	25.00	< 200.00	APHA 23 rd 2017, 4500 SO ₄ E
13	Sodium as Na	mg/lit	5.42	Not Specified	APHA 23 rd 2017, 3500 Na B
14	Calcium as Ca	mg/lit	28.00	< 75.00	APHA 23 rd 2017, 3500 Ca B
15	Magnesium as Mg	mg/lit	17.20	< 30.00	APHA 23 rd 2017, 3500 Mg B
16	Iron as Fe	mg/lit	0.12	< 0.30	APHA 23 rd 2017, 3500 Fe B
17	Fluoride as F	mg/lit	0.23	< 1.00	APHA 23 rd 2017, 4500-F ⁻ D

For **HORIZON SERVICES**



(LAB INCHARGE)



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/1465A
M/s. M/s Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	18/08/2020
	LAB REFERENCE NO	HS/LAB/WA/173A
	DATE OF SAMPLING	12/08/2020
	DATE OF ANALYSIS	13/08/2020

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Soil sample	Shrusti Envirocare	--	---

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT
01	pH (10 % Extract)	-	7.42
02	Ammonia as NH ₄	mg/kg	1.05
03	Available Nitrogen as N	%	6.95
04	Available Phosphorus as P	mg/kg	13.76
05	Nickel as Ni	mg/kg	6.35
06	Chloride as Cl ⁻	mg/kg	221.00
07	Sulphate as SO ₄ --	mg/kg	19.03
08	Cadmium as Cd	mg/kg	1.24
09	Chromium as Cr	mg/kg	1.15
10	Copper as Cu	mg/kg	5.31
11	Zinc as Zn	mg/kg	6.84

For **HORIZON SERVICES**

M. Nagarkar

(LAB INCHARGE)



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/1465A
M/s. M/s Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	18/08/2020
	LAB REFERENCE NO	HS/LAB/WA/173A
	DATE OF SAMPLING	12/08/2020
	DATE OF ANALYSIS	13/08/2020

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Well water sample	Shrusti Envirocare	---	Sujit Hegade

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	LIMITS IS 10500:2018	TEST METHOD
1	Odour	-	Agreeable	Agreeable	APHA 23 rd 2017, 2150 B
2	Colour	Hazen	1.10	< 5.00	APHA 23 rd 2017, 2120 C
3	pH	-	7.20	6.5 to 8.5	APHA 23 rd 2017, 4500-H ⁺ B
4	Electric Conductivity	µmhos/cm	182.00	Not Specified	APHA 23 rd 2017, 2510
5	Turbidity	NTU	0.50	< 1.00	APHA 23 rd 2017, 2130 B
6	Total Dissolved Solids	mg/lit	152.00	< 500.00	APHA 23 rd 2017, 2540 C
7	Chemical Oxygen Demand	mg/lit	9.00	Not Specified	APHA 23 rd 2017, 5220 C
8	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	3.50	Not Specified	APHA 23 rd 2017, 5210 B
9	Alkalinity as CaCO ₃	mg/lit	45.00	< 200.00	APHA 23 rd 2017, 2320 B
10	Total Hardness as CaCO ₃	mg/lit	75.00	< 200.00	APHA 23 rd 2017, 2340 C
11	Chlorides as Cl	mg/lit	32.00	< 250.00	APHA 23 rd 2017, 4500 Cl ⁻ B
12	Sulphates as SO ₄	mg/lit	25.00	< 200.00	APHA 23 rd 2017, 4500 SO ₄ E
13	Sodium as Na	mg/lit	5.42	Not Specified	APHA 23 rd 2017, 3500 Na B
14	Calcium as Ca	mg/lit	28.00	< 75.00	APHA 23 rd 2017, 3500 Ca B
15	Magnesium as Mg	mg/lit	17.20	< 30.00	APHA 23 rd 2017, 3500 Mg B
16	Iron as Fe	mg/lit	0.12	< 0.30	APHA 23 rd 2017, 3500 Fe B
17	Fluoride as F	mg/lit	0.23	< 1.00	APHA 23 rd 2017, 4500-F ⁻ D

For **HORIZON SERVICES**

M. N. Hegade

(LAB INCHARGE)



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/1465A
M/s. M/s Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	18/08/2020
	LAB REFERENCE NO	HS/LAB/WA/173A
	DATE OF SAMPLING	12/08/2020
	DATE OF ANALYSIS	13/08/2020

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Soil sample	Shrusti Envirocare	--	---

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT
01	pH (10 % Extract)	-	7.42
02	Ammonia as NH ₄	mg/kg	1.05
03	Available Nitrogen as N	%	6.95
04	Available Phosphorus as P	mg/kg	13.76
05	Nickel as Ni	mg/kg	6.35
06	Chloride as Cl ⁻	mg/kg	221.00
07	Sulphate as SO ₄ --	mg/kg	19.03
08	Cadmium as Cd	mg/kg	1.24
09	Chromium as Cr	mg/kg	1.15
10	Copper as Cu	mg/kg	5.31
11	Zinc as Zn	mg/kg	6.84

For **HORIZON SERVICES**

M. Nagarkar

(LAB INCHARGE)



Training Attendance Sheet

Date:	13-01-2021
Topic/s:	General Safety Rules
Trainer	Sandeep Gaikwad
Time From - To:	3 PM TO 5 PM

Name and Ticket No	Designation / Department	Signature
1) Balaso Bhikku		Balaso Bhikku
2) Dinesh Mondal		Dinesh Mondal
3) Jayanta Mondal		Jayanta Mondal
4) Supta mukharji		Supta mukharji
5) Parthar mandal		Partha Mandal
6) Tukan mandal		Tukan mandal
7) Sumit mondal.		Soumik mondal
8) Sohit mondal		Sovri kumar
9) Ramnada mondal		Ramnada mondal
10) Salil Ushwas		Salil Ushwas
11) Rahul Harzra		Rahul Harzra
12) Srikanth mandal		Srikanth Biswas



Note: For contractor trainings, the name and designation / department are filled by the Manager)

Effectiveness Evaluation:

Empty box for Effectiveness Evaluation

Evaluated By:

Prepared By:
Mr. Sandeep B. Gaikwad
(ESTI)

Date:

Approved By:
Mr. P. Datta Roy
(President)

6th Feb 2021

6 Feb 2021

First Aides List

Training Topic -
Faculty -
FSSC 22000 Version 5 Training Programme

Sr. No.	Name	Department	Designation	Signature
1	सुनील रामचंद्र पटेल	उत्पादन		[Signature]
2	गुडामा मोहन	मिथुरिटी		
3	सतोष लक्ष्मण	W.T.P.		[Signature]
4	विजय माने (45)	इंजि		[Signature]
5	विजय चक्रवर्ती	इंजि		[Signature]
6	आशीष देवदार वानवाडे	उत्पादन		[Signature]
7	अशोक भावनाथ मोडे	डिस्ट्रिक्ट		[Signature]
8	प्रफुल्ल कुमार वाडकर	डिस्ट्रिक्ट / वायस	Safety Offices	[Signature]
9	राहुल अशोक गारे	इंजि		[Signature]
10	शैलानंद सोनत	उत्पादन	MFG	[Signature]
11	निळेश जाधव	-	फिटर	[Signature]
12	शुभिल निंबाळकर	-	MFG	[Signature]
13	शैलेश सुतार	W.T.P.		[Signature]
14	कमलाम पारने	निर्देशन		[Signature]
15	बाबासाहेब भेंडगाळे (37)	कोजल		[Signature]
16	वड शिंदे	सिस्टिक		
17	राजेश माळवागे	उत्पादन इंजि		[Signature]
18	सुनिल राजधन (38)	इंजि		[Signature]
19	अमिष कल्याण शिंदे	डिस्ट्रिक्ट		
20	अजिंठारामेड (28)	डिस्ट्रिक्ट	EVP OP	[Signature]
21	चंद्रवते साधन (39)	कोजल		[Signature]
22	वहगविकार साहू	अजिंठारामेड	Electrical Sup	[Signature]
23	सावन सावण	अजिंठारामेड	Asst. Bio Tech	[Signature]
24	गोपाल साहू	कोजल	Asst. Bio Tech	[Signature]
25	आपसती गोमय	उत्पादन	Lab chemist	[Signature]
26	अडे साहू	इंजि		[Signature]
27	विद्या पावक	इंजि		[Signature]
28	महाकेश जाधव	उत्पादन		[Signature]
29	प्रसाद चोपडा	उत्पादन		[Signature]
30	मोहन काणे	उत्पादन		[Signature]
31	शिवराज सावरी	उत्पादन	Fitter	[Signature]
32	पतीक	उत्पादन	CMP(OP)	[Signature]

33	डिप्टी	Thermax	DCS Engg	Dr. J. J.
34	अधीनस्थ	Thermax	Admin	Dr. J. J.
35	विकीर	Thermax		
36	अधीनस्थ	Thermax	DCS Engg	Dr. J. J.
37	अधीनस्थ	Thermax		
38	अधीनस्थ	Thermax		
39	परिचालन	Thermax	Turbine Att	Dr. J. J.
40	अधीनस्थ	Thermax		Dr. J. J.
41	अधीनस्थ	Thermax		Dr. J. J.
42	अधीनस्थ	Thermax		Dr. J. J.
43	अधीनस्थ	Thermax		Dr. J. J.
44	अधीनस्थ	Thermax	Boiler Att	Dr. J. J.
45	अधीनस्थ	Thermax	Boiler Att	Dr. J. J.
46				
47				
48				
49				
50				

33	विद्युत	जंकश	Thermax	DCS Engg	DMR
34	आवृत्ति	जिंज	विद्युत	Admin	DMR
35	विद्युत	जिंज	विद्युत		
36	आवृत्ति	जिंज	विद्युत	विद्युत	विद्युत
37	आवृत्ति	जिंज	विद्युत		
38	आवृत्ति	जिंज	विद्युत		
39	परिष्कार	जिंज	विद्युत	Turbine AH	DMR
40	आवृत्ति	जिंज	विद्युत		59
41	आवृत्ति	जिंज	विद्युत		58
42	आवृत्ति	जिंज	विद्युत		58
43	आवृत्ति	जिंज	विद्युत		58
44	आवृत्ति	जिंज	Thermax	Boiler AH	DMR
45	आवृत्ति	जिंज	Thermax	Boiler AH	DMR
46					
47					
48					
49					
50					

Form No 7 (Prescribed under Rule 18 (7))
HEALTH REGISTER

Certifying Surgeon
DR. ARVIND MAHE
MIBBS DPH A/FH (Mumbai)

From: 19/11/2020 To 18/11/2021

Company Name: SHRI GURUDATTA SUGAR LTD.

Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or by product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate certifying surgeon
0001	MR. SHARAD D INAMDAR	42	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0011	MR. DNYANANDEV M KHOT	42	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0013	MR. SARJERAO A. JAGTAP	52	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0019	MR. BASAVRAJ C SWAMI	42	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0020	MR. PRAKASH R BIRAJDAR	39	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0021	MR. MADHAVRAO R SHINE	51	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0022	MR. ANAND R YADAV	44	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0024	MR. SANJAY A PATIL	51	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0028	MR. MARUTI T UGALE	51	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0029	MR. AJIT L SHINDE	53	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0034	MR. RAVSAHEB R KOTE	41	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0039	MR. RAMESH A CHOUGULE	44	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0042	MR. DASHRATH M NARUTE	56	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0043	MR. C G RAVALUKEDARI	48	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0050	MR. RAMESH R PAWAR	42	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0051	MR. SURESH K AMBI	47	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0052	MR. SHITAL A ALATE	42	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0054	MR. BHAHUBALI M KANE	36	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0064	MR. BALASO D MANGALE	50	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	

कारखाने अधिनियम 1987 च्या कलम 90(2) प्रमाणे
कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रमाणक शल्यचिकित्सक
क्र. ACS 15-AM/2016

**Form No 7 (Prescribed under Rule 18 (7))
HEALTH REGISTER**

From: 19/11/2020 To 18/11/2021

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFTH.(Mumbai)

Company Name : **SHRI GURUDATTA SUGAR LTD.**

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate
20	0069	MR. SURESH D BHATAMARE	41	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
21	0085	MR. RAJU B PATIL	42	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
22	0087	MR. CHANDRAKANT D PATIL	47	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
23	0092	MR. RAVINDRA S KUMBHAR	36	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
24	0096	MR. CHANDRAKANT Y PATIL	47	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
25	0097	MR. CHANGDEV N JASUD	42	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
26	0098	MR. SANDEEP B BHOORE	38	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
27	0100	MR. BHARAT B JADHAV	53	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
28	0101	MR. SHIVAJI D TAVVANDKAR	55	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
29	0102	MR. DILIP D KILJEDAR	51	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
30	0103	MR. MADHUKAR B BUDKAR	46	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
31	0121	MR. AVINASH J BASTWADE	39	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
32	0140	MR. SURESH A BANDGAR	44	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
33	0141	MR. SHABBIR S CHAUS	52	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
34	0142	MR. HARIBA M HAWALDAR	40	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
35	0143	MR. ANANDA S MAGDUM	43	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
36	0144	MR. BAJJIRAO V GHORPADE	47	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
37	0146	MR. SATGONDA R PATIL	49	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
38	0155	MR. AKASH G MAGDUM	46	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	


 कार्यालय अधिवेशन प्रसंगे या करण 90(२) प्रमाणित
 कोल्हापूर जिल्हा कार्यालय

Company Name : SHRI GURUDATTA SUGAR LTD.

HEALTH REGISTER

From: 19/11/2020 To 18/11/2021

DR. ARVIND MANE
MBBS DPH AFH.(Mumbai)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate
58	0200	MR. SANDIP D BAGADE	38	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
59	0202	MR. RAJENDRA A SHINDE	39	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
60	0204	MR. VIJAY S AMBUPE	42	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
61	0205	MR. KIRAN R MANGSULE	42	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
62	0206	MR. SAGAR S HASURE	42	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
63	0209	MR. AJIT A CHOUGULE	45	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
64	0213	MR. BHASKAR S KAMBLE	47	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
65	0215	MR. SANJAY A BUBNALE	40	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
66	0217	MR. BHAUSAHEB R CHOPADE	42	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
67	0218	MR. SIDRAM G GAVVANDI	48	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
68	0229	MR. PARMESHWAR R YADAV	51	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
69	0241	MR. BHUPAL V BAKALE	43	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
70	0244	MR. SURESH M NAIKWADE	45	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
71	0252	MR. KUMAR M SUTAR	44	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
72	0257	MR. HANMANT L PATIL	42	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
73	0261	MR. SUNIL A NIMBALKAR	40	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
74	0264	MR. RAFIK B PATEL	37	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
75	0285	MR. VIJAY R DAKARE	52	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
76	0291	MR. SHIVAJI S GAWADE	36	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	

कारण अविश्वसनीय या कारण 90(2)

कोरगाव जिल्हाकारिता

HEALTH REGISTER

Company Name : **SHRI GURUDATTA SUGAR LTD.**

From: 19/11/2020 To 18/11/2021

DR. ARVIND MANE
MBBS DPH AFPH, Mumbai

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving Transfer of discharge	Nature of job or occupation	Raw material or by product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate
77	0296	MIR. PRADIP S SAWANT	36	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
78	0300	MIR. YALGONDA S PATIL	43	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
79	0303	MIR. SHANAVAJ Y MULLA	35	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
80	0308	MIR. SUBHASH M KHOT	52	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
81	0317	MIR. UDAYKUMAR D MAHIND	45	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
82	0318	MIR. RAJGONDA P PATIL	38	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
83	0319	MIR. PANDURANG R NANDIWALE	41	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
84	0320	MIR. BALASO B MAGDUM	43	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
85	0321	MIR. ASHOK K WANTTE	41	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
86	0328	MIR. POPAT M KHOT	42	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
87	0330	MIR. VIJAY S POWAR	38	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
88	0348	MIR. SHIVAJI R JADHAV	43	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
89	0352	MIR. PRALHAD V KAMBLE	45	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
90	0359	MIR. SANTOSH S CHIKKODE	41	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
91	0395	MIR. SUBHASH S PIMPALDE	39	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
92	0399	MIR. KHANDERAO M KAMBLE	42	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
93	0400	MIR. ISHWAR R KHOT	48	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
94	0403	MIR. VINOD A PATIL	38	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
95	0404	MIR. HANMANT A PATIL	45	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	

कारण अधिनियम १९८६ या कलम १०(२) प्रमाणे कोल्हापूर जिल्हाकरिता


 Certified fit to resume duty on with signature of Certifying Surgeon

Sl. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate certifying surgeon
96	0123	MR. KUMAR D PATIL	38	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
97	0125	MR. RAJENDRA S GHATGE	41	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
98	0128	MR. PRITAM M MARDANE	41	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
99	0139	MR. ANANT S PATTANKUDE	45	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
100	0140	MR. SUBHASH D KATKAR	43	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
101	0146	MR. GAJANAN MLATAWADE	38	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
102	0153	MR. SANJAY T THORVAT	49	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
103	0159	MR. MADHUKAR B MALI	45	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
101	0160	MR. SHANKAR R BALGADE	44	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
105	0171	MR. MILIND KAMBALE	44	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
106	0172	MR. SANDIP R TAPAKIRE	45	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
107	0178	MR. HANMANT V BABAR	56	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
108	0489	MR. SANJAY Y KUMBHAR	43	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
109	0515	MR. SHITAL A KURUNDWAD	39	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
110	0520	MR. NEMGONDA V PATIL	38	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
111	0533	MR. TEJANAND B DESAI	37	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
112	0543	MR. PUNDLIK K JADHAV	51	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
113	0545	MR. SUBHASH K MANE	48	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
114	0549	MR. MILIND M MALEKARI	40	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	

कारणों अधिनियम 1947 का कलम 90(2) प्रक
कोरापुर डिस्ट्रिक्ट कार्यालय

Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other wor	Reason for leaving Transfer of discharg	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate certifying surgeon.
0551	MIR. RAMA A ZENDE	35	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0553	MIR. UMESH S MITHARE	45	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0555	MIR. SHITAL K CHOUGULE	40	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0558	MIR. NILESH M JADHAV	40	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0560	MIR. BABASO D PATIL	40	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0561	MIR. DIPAK P CHAVAN	43	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0568	MIR. SANTOSH A AWATE	40	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0576	MIR. NAZIM D INAMDAR	54	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0577	MIR. PRAKASH K LATWADE	42	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0578	MIR. SANJAY S BHOSALE	42	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0579	MIR. UDAY S PATIL	36	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0580	MIR. SANJAY G PATIL	42	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0581	MIR. VINOD S PATIL	42	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0587	MIR. SURESH M UGARE	46	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0594	MIR. HEMANTKUMAR S POL	37	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0595	MIR. ANIL S MANE	38	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0597	MIR. DATTATRAY S SURYWANSHI	54	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0601	MIR. MADAN S VASAMKAR	42	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0603	MIR. HEMANT B KASARKAR	37	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	

कारण अनिर्दिष्ट है या कलम 90(2) प्रमाण
कोलारु जिल्हाकारिना

DR. ARVIND MANI
MBBS DPH ARHL(Mumbai)

Emp No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving Transfer of discharge	Nature of job or occupation	Raw material or by product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate certifying surgeon.
0614	MIR. KRISHNADEV K MANI	47	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0628	MIR. BALASAHIB D ALGONDA	46	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0636	MIR. RAJKUMAR S MANE	45	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0638	MIR. CHANDRAKANT S SHINDE	36	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0639	MIR. SAYAJI G KHOT	45	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0640	MIR. CHANDRAKANT K PART	40	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0651	MIR. VITTHAL SING R RAJAPUT	42	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0654	MIR. KAYUM B MULLA	58	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0655	MIR. DILIP B KADAM	35	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0667	MIR. JAYSING B SHELAKE	58	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0668	MIR. BAJIRAO S TIKODE	55	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0670	MIR. ANANDA M NIRAMALE	53	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0671	MIR. RAMGONDA P PATIL	38	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0673	MIR. DEEPAK D MANI	50	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0682	MIR. KISHOR T PAWAR	46	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0685	MIR. RANJIT G YADAV	39	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0688	MIR. LAXMAN V BADIWAR	38	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0689	MIR. SHRIDATT N JOLLE	48	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
0691	MIR. ANANDA M PHAKANDI	37	M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	

कारण अधिव्यापक डॉक्टर या काल १०(२) मध्ये
कोल्हापूर जिल्हाकारिता

Sr. No.	Emp. No.	Name	Age Sex	Dept of employment of present work	Date of leaving or transfer to other wor	Reason for leaving Transfer of discharg	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate
153	0706	MR. BAHUBALI S LATTE	30 M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
154	0708	MR. SANJAY V VADAR	42 M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
155	0709	MR. ASHOK V JADHAV	56 M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
156	0710	MR. DILIP S PATIL	57 M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
157	0712	MR. SURESH B GAIKWAD	49 M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
158	0714	MR. PRAKASH B POWAR	42 M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
159	0715	MR. SHIVAJI M BHOSALE	55 M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
160	0717	MR. MALHAR G JADHAV	46 M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
161	0718	MR. ARUN B KAGAWADE	44 M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
162	0727	MR. RAJU P KOLI	36 M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
163	0729	MR. DILIP N GORE	56 M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
164	0733	MR. SHAMRAO S SHEDBALE	46 M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
165	0736	MR. MADHUSUDAN M MORADE	36 M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
166	0738	MR. ANIL S KAMBLE	44 M	-	NA	NA			19/11/2020	Fit	NA	Fit	NA	
167	0746	MR. TUKARAM B PATIL	43 M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
168	0750	MR. SUKUMAR S BHALE	47 M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
169	0759	MR. AMGONDA B PATIL	40 M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
170	0760	MR. VINOD D KAMBLE	37 M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
171	0763	MR. MAHIPAL T GAVVALI	53 M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other wor	Reason for leaving Transfer of discharg	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate
172	0773	MR. MEHUL C LUGADE	34	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
173	0774	MR. UTTAM PATIL	46	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
174	0782	MR. SHIVAJI G PATIL	46	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
175	0783	MR. ANANT S RASANKAR	49	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
176	0784	MR. SANJAY M MAGDUM	39	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
177	0785	MR. SHARAD M INGALE	41	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
178	0792	MR. PREM K WAGHMARE	39	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
179	0793	MR. VIJAY B PATIL	37	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
180	0796	MR. HIRASING B RAJAPUT	43	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
181	0799	MR. SURESH K YADAV	40	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
182	0800	MR. RAJENDRA B GAVADE	34	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
183	0811	MR. DHANAJI S NIMBALKAR	45	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
184	0812	MR. BAHUBALI B KOTTHALI	36	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
185	0816	MR. C B KUMBHAR	57	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
186	0830	MR. BABASO M EDAKE	49	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
187	0831	MR. JAKAPPA K MAHAJAN	50	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
188	0832	MR. SANJAY D DANOLE	35	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
189	0844	MR. PRAVIN B NARAKE	32	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
190	0849	MR. DILIP A KORBU	49	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	

कारण अधिवस १५४८ या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving Transfer of discharge	Nature of job or occupation	Raw material or by product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with date
191	0850	MR. RAVINDRA B SUTAR	35	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
192	0851	MR. JITENDRA Y KAMBLE	40	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
193	0854	MR. POPAT K SALUNKHE	44	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
194	0856	MR. MAKABUL S DESAI	43	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
195	0857	MR. MIRASAHIB S SHENDURE	36	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
196	0858	MR. KUMAR S MANE	42	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
197	0859	MR. SWAPNIL A KAMBLE	35	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
198	0864	MR. V S KUMBHOJKAR	42	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
199	0865	MR. SANDEEP S SALANE	38	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
200	0871	MR. GANESH R GORE	36	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
201	0873	MR. AJIT A PATIL	36	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
202	0881	MR. PRAKASH S PATIL	47	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
203	0882	MR. JINGONDA B PATIL	20	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
204	0884	MR. ALAM S PATEL	57	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
205	0886	MR. ANANDA J SHINDE	50	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
206	0887	MR. FAJIAHAMAD R MULLA	53	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
207	0891	MR. PANDURANG B BHLAWADE	56	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
208	0902	MR. AMAR A PATIL	33	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
209	0907	MR. APPASO B GOURAJ	43	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	

कारण अधिव्यय ११४८ या क्रम १०(२)

कोलार जिल्हाकरिता

प्राधिकृत प्रमाणकअत्याचिकसक

क्र. ACS 15-AM/2016

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate
210	0908	MR. SACHIN B CHIKHALE	38	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
211	0909	MR. SATISH A PARIT	37	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
212	0912	MR. NAVID S DANWADE	35	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
213	0930	MR. DILIP T KAMBLE	56	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
214	0935	MR. AMOL R GARADE	33	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
215	0936	MR. NILESH B DALAVI	34	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
216	0938	MR. PRAKASH T GHATAGE	36	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
217	0939	MR. TUSHAR T. NIKAM	33	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
218	0940	MR. SANDIP M GAIKWAD	35	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
219	0941	MR. BAJIRAO S BHALE	36	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
220	0942	MR. SATISH D VALAVADE	38	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
221	0943	MR. ASHOK A SHINDE	33	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
222	0944	MR. AMOL R HUJARE	34	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
223	0954	MR. VILAS R BALE	49	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
224	0955	MR. VINOD R PATIL	38	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
225	0967	MR. SANDEEP B GAIKWAD	49	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
226	0974	MR. SANJEEV T PATIL	57	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
227	0977	MR. YASHVANT A JADHAV	44	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
228	0981	MR. MALGONDA B DESAI	34	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(१)


कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रमाणकशल्यधिकारक
क्र. ACS 15-AM/2016

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with date
229	0982	MR. YUVARAJ S NIMBALKAR	33	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
230	0983	MR. ARUN S PATIL	36	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
231	0985	MR. FARUK S DANWADE	35	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
232	0991	MR. VISHAL A CHOUDHARI	30	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
233	0993	MR. SAGAR D PIRKALE	34	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
234	1000	MR. HAJJAL M NAGARAJI	41	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
235	1004	MR. SHAMGONDA N ALATE	44	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
236	1005	MR. JOTIBA R AKKOLE	38	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
237	1006	MR. VINAYAK S KAMBALE	39	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
238	1007	MR. RAJARAM S PATIL	53	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
239	1008	MR. DILIP N MALAGAR	56	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
240	1011	MR. GUNDAPPA R MANE	58	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
241	1015	MR. AMAR A BIRANGE	34	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
242	1016	MR. SHAHIR S CHAVARE	57	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
243	1017	MR. CHETANSING M MANE	31	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
244	1018	MR. MAHAVIR J NARADE	43	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
245	1020	MR. AMAR K GIRIBUVA	37	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
246	1023	MR. RAJENDRA S JADHAV	46	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
247	1026	MR. SHAMRAO N PATIL	57	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	

कारण अधिनियम 1947 च्या कोष 90(2) प्रमाणे

कोल्हापूर जिल्हाकरिता



Form No 7 (Prescribed under Rule 18 (7))


HEALTH REGISTER

From: 19/11/2020 To 18/11/2021

Certifying Surgeon
DR. ARVIND MANI
MBBS DPH AFH. (Mumbai)

Company Name : **SHRI GURUDATTA SUGAR LTD.**

Sl. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving Transfer of discharge	Nature of job or occupation	Raw material or by product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate certifying surgeon.
18	1029	MIR. SURESH K DESAI	36	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
19	1030	MIR. DASHARAD T KOLI	34	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
20	1032	MIR. GORAKANTH P NIRMAL	40	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
21	1033	MIR. BAJIRAO I SHEDBALE	50	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
22	1035	MIR. NETAJI H KHOT	40	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
23	1036	MIR. NANASO S KAMBLE	52	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
24	1038	MIR. YOGESH K KAMBLE	35	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
25	1039	MIR. KIRAN S CHIGARE	45	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
26	1040	MIR. MAHAVIR A BIRANGE	45	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
27	1041	MIR. SANDIP R KHOT	32	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
28	1045	MIR. RAMESH K KAMBALE	33	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
29	1046	MIR. SUNIL S NIRMAL	32	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
30	1047	MIR. APPASO S MAGDUM	40	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
31	1048	MIR. ANANDA S KUMBHAR	37	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
32	1050	MIR. SANTOSH L TELI	34	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
33	1051	MIR. SHRIKANT P BIRANGE	35	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
34	1052	MIR. SANDEEP D SUTAR	32	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
35	1053	MIR. YOGESH G KAMBLE	31	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
36	1054	MIR. RANJEET R PATIL	46	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	


 कारखाने अधीक्षक परतत या काम १०(२) प्रमाणे
 कोल्हापूर जिल्हाकरिता


**Form No 7 (Prescribed under Rule 18 (7))
HEALTH REGISTER**

From: 19/11/2020 To 18/11/2021

Company Name : **SHRI GURUDATTA SUGAR LTD.**

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFIH, Mumbai

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving Transfer of discharge	Nature of job or occupation	Raw material or by product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with date
267	1056	MR. ASHOK B PATIL	55	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
268	1060	MR. DIPAK N SANKRAL	35	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
269	1063	MR. VAIBHAV S PATIL	30	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
270	1066	MR. SHIVAJI R KOLI	40	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
271	1068	MR. PRAKASH S BADAHIKAI	39	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
272	1069	MR. SHIVAJI D POWAR	48	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
273	1070	MR. VAIBHAV N CHADDOBA	41	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
274	1071	MR. SUBHASH R JADHAV	47	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
275	1080	MR. SANTOSH A BIRANGE	36	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
276	1081	MR. BALASAHEB V BANDAGAR	35	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
277	1082	MR. ARVIND S PATIL	34	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
278	1083	MR. RAMDAS A BIRANGE	34	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
279	1084	MR. VITTHAL G NIRMAL	37	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
280	1086	MR. GOPICHAND J BHANDARE	32	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
281	1087	MR. VINAYAK Y KUMBHAR	32	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
282	1088	MR. NITTEEN S SHINDE	33	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
283	1089	MR. UTTAM N GORE	31	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
284	1090	MR. RAHUL A GORE	34	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
285	1091	MR. BAJARANG I KOLI	38	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	


 कार्यालय अधिष्ठाता, १०(२) प्र
 कोल्हापूर जिल्हाकारिता

**Form No 7 (Prescribed under Rule 18 (7))
HEALTH REGISTER**

From: 19/11/2020 To 18/11/2021

**Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFPH, (Mumbai)**

Company Name : SHRI GURUDATTA SUGAR LTD.

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving Transfer of discharge	Nature of job or occupation	Raw material or by product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with date
286	1092	MR. SHANTINATH B KHURPE	43	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
287	1094	MR. ANNASO R DANALE	37	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
288	1095	MR. BABASO B MHAISALE	38	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
289	1096	MR. RAJU B GAVVADE	36	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
290	1097	MR. CHANDRAKANT A KOLI	36	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
291	1098	MR. NITIN B KOLI	36	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
292	1099	MR. MARUTI P BHATMARE	38	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
293	1100	MR. ZAKIR M KUDACHE	38	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
294	1101	MR. SADASHIV R GAVVANDI	47	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
295	1102	MR. SANTOSH M BAVVADEKAR	42	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
296	1103	MR. SANTOSH N SAWANT	33	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
297	1104	MR. BALASAHEB V GAIKWAD	34	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
298	1106	MR. PRAKASH T AAIWAL	42	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
299	1107	MR. KUMAR A SUTAR	39	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
300	1108	MR. VASANT B POWAR	45	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
301	1109	MR. VIJAY R CHAVAN	37	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
302	1110	MR. TATOBA A HINGMIRE	36	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
303	1111	MR. SURESH S ADRASE	38	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
304	1112	MR. SACHIN S SHINDE	37	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	

कोटापुर् जिल्हाकारिता
कारण अविनिवार्य ११४८ व्या कलम १०(२)

Form No 7 (Prescribed under Rule 18 (7))

HEALTH REGISTER

From: 19/11/2020 To 18/11/2021

Company Name : **SHRI GURUDATTA SUGAR LTD.**

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFIH, (Mumbai)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving Transfer of discharge	Nature of job or occupation	Raw material or by product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with date
305	1113	MR. AMOL Y PATIL	35	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
306	1114	MR. UMESH P GAIKWAD	38	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
307	1115	MR. BANDU N SHINDE	38	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
308	1116	MR. ASHOK B PAWAR	47	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
309	1117	MR. DAYANAND K PATIL	41	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
310	1118	MR. SURESH N MASKE	43	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
311	1119	MR. SAGAR S PARET	38	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
312	1120	MR. TUKARAM P PATIL	47	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
313	1121	MR. SHIVAJI S MAGDUM	27	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
314	1124	MR. RAJU S MAGDUM	45	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
315	1125	MR. MANOJ A MANE	35	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
316	1126	MR. SURESH B POWAR	45	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
317	1127	MR. BALASO L KHOMBARE	37	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
318	1128	MR. CHANDRAKANT S LOHAR	44	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
319	1129	MR. PRABHAKAR B KOLI	41	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
320	1130	MR. KAPIL R DANWADE	32	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
321	1131	MR. NINGAPPA K BANDGAR	40	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
322	1132	MR. SANTOSH B GORE	34	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	
323	1133	MR. DHONDIKAM S MANE	35	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA	

कारणों अधिनियम प्रकृत धारा 90(2)
कोल्हापुर जिल्हाकरिता

Form No 7 (Prescribed under Rule 18 (7))

HEALTH REGISTER

From: 19/11/2020 To 18/11/2021

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFPH, (Mumb

Company Name : SHRI GURUDATTA SUGAR LTD.

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other wor	Reason for leaving Transfer of discharg	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker
324	1134	MR. RAHUL G PATTEKARI	36	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA
325	1135	MR. SANDEEP S PATIL	33	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA
326	1136	MR. AMAR R JAGADALE	40	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA
327	1137	MR. SHIVPUTRA A KOLI	42	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA
328	1138	MR. AMIT B PATIL	37	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA
329	1139	MR. SURESH N VADAR	48	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA
330	1140	MR. RAJKUMAR V BAGE	42	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA
331	1141	MR. GANESH B INGALE	33	M	-	NA	NA			20/11/2020	Fit	NA	Fit	NA
332	1142	MR. NITTEEN A NALAWADE	37	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
333	1143	MR. TATYASO D MANE	30	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
334	1144	MR. SUNIL KUMAR J SOONDATTE	35	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
335	1145	MR. SANTOSH B SAMDOLE	34	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
336	1146	MR. SANTOSH P SASANE	34	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
337	1147	MR. PRASHANT D PIMPALLE	31	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
338	1148	MR. VIJAY R KHOT	33	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
339	1150	MR. RIYAL G SANWADI	39	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
340	1151	MR. UTTAM L KARNVALE	31	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
341	1152	MR. SHEKHAR S PARIT	37	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
342	1153	MR. PRAVIN S PATIL	35	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA

कारणों अधिनियम १९४८ या कलम १७(२)
कोरदाप्पा निरक्षरकरिता

प्राधिकृत प्रमाणकशल्यधिकारकर्ता

क्र. ACS 15-AM/2016

Company Name : **SHRI GURUDATTA SUGAR LTD.**

**Form No 7 (Prescribed under Rule 18 (7))
HEALTH REGISTER**

From: 19/11/2020 To 18/11/2021

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFIH, Mumbai

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate
343	1154	MR. DHONDIRAM R CHAVARE	38	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
344	1155	MR. AMOL R LATTHE	34	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
345	1156	MR. SANTOSH S HINGMIRE	38	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
346	1158	MR. DIGVIJAY M KAMBLE	39	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
347	1160	MR. MAHANTESH V UMRANI	38	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
348	1162	MR. GOPAL S BHANDARE	35	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
349	1164	MR. SAMEER T NASLAPURE	34	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
350	1165	MR. SANTOSH K KAMBLE	38	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
351	1166	MR. RAMESH S MATHAPATI	44	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
352	1168	MR. KRISHNAJI P MALLEWADE	30	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
353	1170	MR. YUNUS KUDACHE	36	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
354	1171	MR. VITTHAL A GAVADE	39	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
355	1172	MR. SANTOSH S NAGAYL	36	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
356	1176	MR. AMOL A NIRMAL	34	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
357	1182	MR. VIJAY M MALLI	52	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
358	1186	MR. PRAKASH A PATIL	37	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
359	1187	MR. KULBHUSHAN GADAVE	31	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
360	1188	MR. SACHIN V TADE	38	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
361	1190	MR. SOMNATH M KUMBHAR	39	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	

कारणों अधिनियम १९९८ का अनुबन्ध १०(२)

कोल्हापूर जिल्हाकारिता

Form No 7 (Prescribed under Rule 18 (7))

HEALTH REGISTER

From: 19/11/2020 To 18/11/2021

Company Name : SHRI GURUDATTA SUGAR LTD.

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFPH, (Mumbai)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker
362	1192	MR. RAJARAML JAGTAP	42	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
363	1193	MR. SHIVANAND S HOSPER	37	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
364	1196	MR. NETAJI N CHAVAN	42	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
365	1197	MR. SUDHAKAR R DESHMUKH	45	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
366	1200	MR. VIDYANANAD A BHOJE	39	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
367	1201	MR. PRASHANT M SHINDE	36	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
368	1205	MR. AMOL T MAHADIK	32	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
369	1206	MR. SUHAS B SHIRASATI	36	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
370	1208	MR. KRUSHANAT T PATIL	39	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
371	1209	MR. AJIT S VASAMKAR	38	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
372	1210	MR. ANIL V HERWADE	40	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
373	1211	MR. AZARUDDIN M APARADH	35	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
374	1212	MR. SURESH S KAMBLE	44	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
375	1213	MR. PARASHURAM B KAMBLE	38	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
376	1214	MR. AMIN S MULLA	36	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
377	1217	MR. DASHARATH V VADAR	40	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
378	1220	MR. SANDIP T MANE	37	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
379	1224	MR. NARSING S TODAKAR	36	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
380	1225	MR. RAMESH D KADAM	38	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA

कारखाने अधिनियम 1947 या कलम 90(प) र
कोल्हापूर जिल्हाकारिता

Form No 7 (Prescribed under Rule 18 (7))

HEALTH REGISTER

From: 19/11/2020 To 18/11/2021

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFIL (Mumbai)

Company Name : SHRI GURUDATTA SUGAR LTD.

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with date
381	1226	MR. SURYAKANT N SANKPAL	41	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
382	1227	MR. DATTATRYA N MAGDUM	36	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
383	1228	MR. RAJENDRA B KAGALE	43	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
384	1229	MR. ONKAR A PIMPALLE	31	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
385	1231	MR. SURESH K KALYANI	42	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
386	1234	MR. SHRIDHAR J KURANE	46	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
387	1237	MR. SANJAY J SHINDE	43	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
388	1238	MR. HITENDRA R SHIRGUPPE	43	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
389	1249	MR. SUNIL G PARIT	49	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
390	1250	MR. SANJAY S PATIL	54	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
391	1251	MR. SAHADEV G JAGADALE	28	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
392	1252	MR. RAHUL B CHIGARE	29	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
393	1253	MR. VINOD S KUMBHAR	31	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
394	1254	MR. GOVINDA D KHOT	28	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
395	1255	MR. SHRIDHAR A SUTAR	41	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
396	1258	MR. SANJAY M AWATI	43	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
397	1259	MR. SURAJ J MUGALE	34	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
398	1260	MR. SANTOSH K HULYANNAVVAR	32	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
399	1261	MR. SANJAY S CHAVAN	41	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	

कोल्हापूर जिल्हाकर्मिना

कारण अविद्यमान १९८८ च्या कलम १०(२)

माधिकृत प्रमाणकशल्यधिकार

क्र. ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (7))

HEALTH REGISTER

From: 19/11/2020 To 18/11/2021

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFPH (Mumbai)

Company Name : SHRI GURUDATTA SUGAR LTD.

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker
400	1263	MR. SUNIL A GHEVADE	38	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
401	1264	MR. VINOD A GHATAGE	29	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
402	1266	MR. SATAPPA R CHAVAN	30	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
403	1267	MR. DIGAMBAR A KUDACHE	34	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
404	1268	MR. SATISH M GURAV	45	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
405	1273	MR. ANKLE P JINPAL	39	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
406	1276	MR. SANTOSH V BHUTEKAR	38	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
407	1283	MR. ATUL J PAVAR	40	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
408	1284	MR. A C RACHANPPANAVAR	37	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
409	1294	MR. G B SAHASTRABUDDHE	53	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
410	1295	MR. VIKAS P PATIL	29	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
411	1297	MR. BAPU A CHAVAN	38	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
412	1298	MR. SHRISHAIL M AMBI	38	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
413	1299	MR. MEHABUB D JAMADAR	43	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
414	1300	MR. PRADIP S NAIK	36	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
415	1301	MR. SACHIN S PATIL	31	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
416	1302	MR. SUDHIR M PATOLE	32	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
417	1303	MR. GAJANAN M BHATALE	32	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA
418	1304	MR. PRASAD M CHOUGULE	31	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA

कारण अज्ञित १९८८ का काल १०(२)
कोल्हापुर जिल्हाकारिता
प्राधिकृत प्रशासक शाल्याचिकित्सक
क्र. ACS 15-AM/2016


Company Name : **SHRI GURUDATTA SUGAR LTD.**

**Form No 7 (Prescribed under Rule 18 (7))
HEALTH REGISTER**

From: 19/11/2020 To 18/11/2021

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFPH, (Mumbai)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with date
419	1305	MR. SALMAN I BAIRAGDAR	29	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
420	1306	MR. SANTOSH R DHANAVADE	40	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
421	1307	MR. SANDEEP B KHARAT	32	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
422	1308	MR. MAHAMMAD MNADAF	31	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
423	1309	MR. VIDAYSING A BHOSALE	40	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
424	1310	MR. MAHADEV D NANAWARE	43	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
425	1311	MR. DIPAK V MANGALE	41	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
426	1312	MR. BABU S KOTABAGI	30	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
427	1313	MR. NISHIKANT D KURADE	59	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
428	1314	MR. TEJPAL A GANE	35	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
429	1316	MR. JAY V GANJALE	46	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
430	1321	MR. UDAY R PATIL	48	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
431	1323	MR. ASHOK D JADHAV	28	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
432	5063	MR. BAHUBALIM SOUNDATTE	34	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
433	5071	MR. PRAKASH B MALEKARI	55	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
434	5077	MR. UDAY A PATIL	30	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
435	5082	MR. SUNIL V LATTHE	32	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
436	5083	MR. RAMCHANDRA R AMBI	36	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
437	5084	MR. SURESH M KURANE	34	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	


 कारखाने अधिनियम 1947 च्या कलम 40(2) प्रमाणे
 कोरगापुर जिल्हाकारिता

Company Name : SHRI GURUDATTA SUGAR LTD.

Form No 7 (Prescribed under Rule 18 (7))

HEALTH REGISTER

From: 19/11/2020 To 18/11/2021

Certifying Surgeon
DR. ARVIND MANE
 MBBS DPH AFTH, (Mumbai)

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving Transfer of discharge	Nature of job or occupation	Raw material or by product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with date
438	5086	MR. PRADIPKUMAR SHINDE	40	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
439	5087	MR. DIPAK R KAMBLE	32	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
440	5091	MR. MARUTI D KATTIKAR	34	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
441	5094	MR. SACHIN A KHOT	34	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
442	5096	MR. VILAS D GAIKWAD	36	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
443	5097	MR. RAJAN S VALVE	40	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
444	5098	MR. SUNIL R PATTEKARI	40	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
445	5101	MR. HALAPPA B SURYAVANSHI	56	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
446	5102	MR. ARJUN R DESAI	29	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
447	5103	MR. LALASO P PATIL	47	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
448	5105	MR. KUMAR A ADUKE	33	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
449	5110	MR. RAYGONDA D PATIL	31	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
450	5112	MR. DATTA TRAY T PATIL	37	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
451	5115	MR. SAGAR V YADAV	34	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
452	5117	MR. SHAMRAO R MIRJE	44	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
453	5123	MR. AJIT B MEHAISHALE	33	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
454	5124	MR. SHIVAJI G JAKHALE	42	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
455	5125	MR. INDRAJIT R SANKPAL	32	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
456	5126	MR. NITIN T HINGMIRE	34	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	

कारण
 कारण
 कारण

Form No 7 (Prescribed under Rule 18 (7))

HEALTH REGISTER

From: 19/11/2020 To 18/11/2021

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFPH, (Mumbai)

Company Name : **SHRI GURUDATTA SUGAR LTD.**


Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with date
457	5130	MR. ANANDA Y PATIL	36	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
458	5132	MR. VISHWAS L ZANJE	32	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
459	5134	MR. MARUTI B BHADUDE	48	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
460	5135	MR. SHRIMANT S KAMBLE	33	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
461	5148	MR. TEJUSULTAN R TAHSLIDAR	27	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
462	5150	MR. DADASO B KAGALE	40	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
463	5152	MR. SAYYADALI MAKANDAR	40	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
464	5154	MR. SAGAR MILOISURE	34	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
465	5155	MR. R S NIRMAL	31	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
466	5156	MR. RAJU G NIMBALKAR	35	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
467	5157	MR. SUHAS M PATIL	34	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
468	5158	MR. BALASO K SANKPAL	37	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
469	5160	MR. SHANKAR R KHARPI	40	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
470	5165	MR. SAGAR D KHOT	31	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
471	5167	MR. SACHIN B GHATGE	32	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
472	5168	MR. AVINASH S PATIL	30	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
473	5172	MR. BIRDEV S BANDAGAR	35	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
474	5173	MR. SANTOSH V KOLI	35	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	
475	5175	MR. PRAMOD C KADAM	39	M	-	NA	NA			21/11/2020	Fit	NA	Fit	NA	

कार्यालय अधिष्ठाता, ११४८ या कोलम १० (१)

कालेक्टर, निरस्तकारिता

SHRI GURUDATT SUGARS LTD., TAKALIWADI

Environmental management cell



Environmental Management Cell.

Expenditure on Environmental Matters

The following shows Environmental Expenditures of Shri Gurudatt Sugar Ltd. Gat No. 61/A, Akiwat Takaliwadi Road, Takaliwadi – 416108, Tal – Shirol, Dist – Kolhapur, Maharashtra.

Expenditure on Environmental Matters

Sr. No.	Head	Capital cost per Annum (Rs. in Lacs)	2017 – 2018 (Rs. In Lacs)	2018-2019 (Rs. In Lacs)	2019-2020 (Rs. In Lacs)	2020-2021 (Rs. In Lacs)
1	Effluent Treatment Plant	200	6.36	3.12	13.22	12.61
2	Air Pollution Control	550	33	19	38	33.4
3	Condensate Facility	450	6.32	2.1	6.9	7.21
4	Tree Plantation	13.26	3.4	2.9	1.0	1.25
	Total	1213.26	49.08	27.12	59.10	54.47

ANNEXURE - G

FORMAT FOR THE ANNUAL REPORT ON CSR INITIATIVES TO BE INCLUDED IN THE BOARD'S REPORT :

- (1) A brief outline of the Company's CSR Policy including overview of projects or programmes proposed to be undertaken and a reference to the web-link to the CSR Policy and projects or programmes:
- (2) The composition of the CSR Committee:
(1) Mr. Madhavrao B Ghatge (Chairman & Managing Director)
(2) Mr. Rahul M Ghatge (Executive Director)
(3) Mr. Baban Adisha Chaugule (Director)
- (3) Average Net Profit of the Company for last three financial years: RS 29,558,347
- (4) Prescribed CSR Expenditure (two percent of the amount as in item 3 above): RS 591,167
- (5) Details of CSR spent during the financial year:
a) Total amount to be spent for the financial year:
b) Amount unspent, if any;
c) Manner in which the amount spent during the financial year is detailed below:

Sr. No.	CSR Project/activity identified	Sector in which the project is covered	Projects/Programs 1. Local area or other 2. Specify the state and District where projects or programmes were undertaken	Amount outlay (Budget) project or programs wise	Amount spent on the projects or programs sub-heads: (1) Direct expenditure on projects or programs (2) Overheads:	Cumulative expenditure upto the reporting period	Amount spent Direct or through implementing agency (*)
1	Training to promote rural sports, nationally recognised sports, paralympic sports and Olympic Sports .	Rural Area surrounding of factory	PROGRAMME/PROJECT-I : Promotion of Rural sports - Wrestling Competition at Chinchwad Yatra held in April 2015 in consolation with Yatra Committee which will help to promote rural sports.	20,000	19,000	19,000	NA
2	Training to promote rural sports, nationally recognised sports, paralympic sports and Olympic Sports .	Rural Area surrounding of factory	PROGRAMME/PROJECT-II : Promotion of Rural sports - Organized Cricket tournament in Shirol which will help in promotion of nationally recognized sports.	10,000	7,000	26,000	NA

Sr. No.	CSR Project/activity identified	Sector in which the project is covered	Projects/Programs 1. Local area or other 2. Specify the state and District where projects or programmes were undertaken	Amount outlay (Budget) project or programs wise	Amount spent on the projects or programs sub-heads: (1) Direct expenditure on projects or programs (2) Overheads:	Cumulative expenditure upto the reporting period	Amount spent Direct or through implementing agency (*)
3	Eradicating hunger, poverty & malnutrition, promoting preventive health care and sanitation and making available safe drinking water	Rural Area surrounding of factory	PROGRAMME/PROJECT-III : Eradicating hunger, poverty & malnutrition - Organize Afternoon Food Programme in Narsobawadi in the month of May 2015 with Parampujya Samarth Sadguru Shri Mahadaba Patil Maharaj (Dhulgaonkar) Trust for Mahaprasad which will help to eradicate hunger, reduce malnutrition.	30,000	25,000	51,000	NA
4	Measures for benefit of armed forces veterans, war widows and their dependents.	Rural Area surrounding of factory	PROGRAMME/PROJECT-IV : For benefit of armed forces veterans, war widows and their dependents - Organized project of Police Kalyan Mahostav with Police Adhikshyak, Kolhapur in May 2015 and expend an amount upto Rs. 50,000/- with Police Adhikshyak, Kolhapur for Police Kalyan Nidhi for various programs which will help for benefit of armed forces veterans, war widows and their dependents in Kolhapur district.	55,000	50,000	101,000	NA
5	Contribution to Prime Minister's National Relief Fund or any other fund set up by the Central Govt for socio-economic development and relief and welfare of the Scheduled Caste, the Scheduled Tribes, other backward classes, minorities and womens.	Rural Area surrounding of factory	PROGRAMME/PROJECT-V : welfare of scheduled caste, the scheduled tribes, other backward classes, minorities and women. - Organized project of Budha Pratima Pratisthapan at Chinchwad in May 2015 for various social programs which will promote welfare of scheduled caste, the scheduled tribes, other backward classes, minorities and women in and around factory area.	15,000	11,000	112,000	NA

Sr. No.	CSR Project/activity identified	Sector in which the project is covered	Projects/Programs 1. Local area or other 2. Specify the state and District where projects or programmes were undertaken	Amount outlay (Budget) project or programs wise	Amount spent on the projects or programs sub-heads: (1) Direct expenditure on projects or programs (2) Overheads:	Cumulative expenditure upto the reporting period	Amount spent Direct or through implementing agency (*)
6	Training to promote rural sports, nationally recognised sports, paralympic sports and Olympic Sports .	Rural Area surrounding of factory	PROGRAMME/PROJECT-VI : Promotion of Rural sports - Wrestling Competition at Chinchwad Yatra held in May 2015 in consolation with Yatra Committee which will help to promote rural sports.	20,000	15,000	127,000	NA
7	Rural Development Projects	Rural Area surrounding of factory	PROGRAMME/PROJECT-VII : Promotion of Rural Development - Project of various social activities at rural areas with Shri Veerbhadra Devalaya Jirnodhaar Committee, Danawad in June 2015 which will help in restoration of buildings and sites of historical importance.	15,000	11,000	138,000	NA
8	Promoting education including special education and employment enhancing vocation skills especially among children, women, elderly, and the differently abled and livelihood enhancement projects.	Rural Area surrounding of factory	PROGRAMME/PROJECT-VIII : Promotion & enhancement of vocation skill especially children, women, elderly and the different abled peoples - Project of sangit mahostav held in July 2015 at Sarvjanik Dharmalaya Vishwasta, Kurundwad which will help in promotion of Art and culture.	8,000	5,000	143,000	NA
9	Rural Development Projects	Rural Area surrounding of factory	PROGRAMME/PROJECT-IX : Promotion of Rural Development - Organized the project of construction of building of Namdev Mandir in August 2015 with Namdev Samaj Unnati Mandal, Jaysingpur which will help in promotion of rural development projects.	15,000	11,000	154,000	NA

Sr. No.	CSR Project/activity identified	Sector in which the project is covered	Projects/Programs 1. Local area or other 2. Specify the state and District where projects or programmes were undertaken	Amount outlay (Budget) project or programs wise	Amount spent on the projects or programs sub-heads: (1) Direct expenditure on projects or programs (2) Overheads:	Cumulative expenditure upto the reporting period	Amount spent Direct or through implementing agency (*)
10	Eradicating hunger, poverty & malnutrition, promoting preventive health care and sanitation and making available safe drinking water	Rural Area surrounding of factory	PROGRAMME/PROJECT-X : Promoting preventive health care and sanitation and making available safe drinking water - With Shri Sadguru Vishwanath Maharaj Rukdikar Trust, Kolhapur organized project of distributing medicines, safe drinking water in Shri Dnyaneshwar Mauli Palaki Sohala to be held August 2015 which will help in Promoting preventive health care and sanitation and making available safe drinking water in Palaki Sohala.	60,000	51,000	205,000	NA
11	Eradicating hunger, poverty & malnutrition, promoting preventive health care and sanitation and making available safe drinking water	Rural Area surrounding of factory	PROGRAMME/PROJECT-XI : Eradicating hunger, poverty & malnutrition - Organized the project of social activities in August 2015 with World Renewal Spiritual Trust, Mumbai which will help eradicating hunger, poverty & malnutrition , Protection of national heritage, art & culture as well as rural Developments.	600,000	500,000	705,000	NA
12	Rural Development Projects	Rural Area surrounding of factory	PROGRAMME/PROJECT-XII : Promotion of Rural Development - Project of Kawali programme in Hajarat Pir Gaibisaheb Urus, Danoli for various social activities in September 2015 which will help in promotion of promotion and development of traditional arts.	20,000	15,000	720,000	NA
13	Rural Development Projects	Rural Area surrounding of factory	PROGRAMME/PROJECT-XIII : Promotion of Rural Development - Project of construction of building of Sanskritik Bhavan of Namdev Samaj Mandir, Jaysingpur in September 2015 which will help in rural development.	15,000	11,000	731,000	NA

Sr. No.	CSR Project/activity identified	Sector in which the project is covered	Projects/Programs 1. Local area or other 2. Specify the state and District where projects or programmes were undertaken	Amount outlay (Budget) project or programs wise	Amount spent on the projects or programs sub-heads: (1) Direct expenditure on projects or programs (2) Overheads:	Cumulative expenditure upto the reporting period	Amount spent Direct or through implementing agency (*)
14	Eradicating hunger, poverty & malnutrition, promoting preventive health care and sanitation and making available safe drinking water	Rural Area surrounding of factory	PROGRAMME/PROJECT-XIV : Eradicating hunger, poverty & malnutrition - Organized the project of Clothes distribution programme at Dalitmitra Dr. Ashokrao Mane Samajik Pratishtan, Shirol for cloths distribution for the poor and needy at "Anandvan" at Gadachiroli run by Dr. Baba Amate which will help in eradicating poverty.	30,000	25,000	756,000	NA
15	Rural Development Projects	Rural Area surrounding of factory	PROGRAMME/PROJECT-XV : Promotion of Rural Development - Record Dance Competition at Shri Buwafan Maharaj Ustav & Hajarat Nurkhan Badshah Urus, Shirol in December 2015 which will help in promotion of promotion and development of traditional arts.	50,000	40,000	796,000	NA
16	Eradicating hunger, poverty & malnutrition, promoting preventive health care and sanitation and making available safe drinking water	Rural Area surrounding of factory	PROGRAMME/PROJECT-XVI : Eradicating hunger, poverty & malnutrition - Programme of Afternoon Food Disbtribution programme at Shri Nrusinh Saraswati Swami Datta Dev Sansthan, Nrushinhwadi for mahaprasad at Datt Jayanti in December 2015 which will help in eradicating hunger & malnutrition.	150,000	100,000	896,000	NA
17	Rural Development Projects	Rural Area surrounding of factory	PROGRAMME/PROJECT-XVII : Eradicating hunger, poverty & malnutrition - Project of restoration of Shri Renuka Devsthan Mandir, Building, Takaliwadi in January 2016 which will help in restoration of buildings and sites of historical importance & rural development.	15,000	10,000	906,000	NA

Sr. No.	CSR Project/activity identified	Sector in which the project is covered	Projects/Programs 1. Local area or other 2. Specify the state and District where projects or programmes were undertaken	Amount outlay (Budget) project or programs wise	Amount spent on the projects or programs sub-heads: (1) Direct expenditure on projects or programs (2) Overheads:	Cumulative expenditure upto the reporting period	Amount spent Direct or through implementing agency (*)
18	Eradicating hunger, poverty & malnutrition, promoting preventive health care and sanitation and making available safe drinking water	Rural Area surrounding of factory	PROGRAMME/PROJECT-XVIII : Eradicating hunger, poverty & malnutrition - Organized afternoon food programme at Shri Renuka Devsthan Takaliwadi for afternoon food in Renuka Yatra held in January 2016 which will help in eradicating hunger & malnutrition.	20,000	18,000	924,000	NA
19	Rural Development Projects	Rural Area surrounding of factory	PROGRAMME/PROJECT-XIX : Eradicating hunger, poverty & malnutrition - Organized Mandir Jirnodhar programme at Shri Margubai Mandir Bandhakam Samati Sainik Takali for Mandir Jirnodhar held in January 2016 which will help in restoration of buildings and sites of historical importance.	20,000	19,000	943,000	NA
20	Eradicating hunger, poverty & malnutrition, promoting preventive health care and sanitation and making available safe drinking water	Rural Area surrounding of factory	PROGRAMME/PROJECT-XX : Eradicating hunger, poverty & malnutrition - Social project with World Renewal Spiritual Trust, Mumbai for various activities held in February 2016 which will help eradicating hunger, poverty & malnutrition, Protection of national heritage, art & culture as well as rural Developments.	550,000	500,000	1,443,000	NA
21	Eradicating hunger, poverty & malnutrition, promoting preventive health care and sanitation and making available safe drinking water	Rural Area surrounding of factory	PROGRAMME/PROJECT-XXI : Eradicating hunger, poverty & malnutrition - Organized programme of afternoon food distribution at Jay Hunuman Mandir Jaysingpur in Hanuman Jayanti held in March 2016 which will help to eradicate hunger and reduce malnutrition.	20,000	19,000	1,462,000	NA

(*)Give details of Implementing Agency

(6) In case, the Company has failed to spend the two percent of the average net profit of the last 3 financial years or any part thereof, the Company shall provide the reasons for not spending the amount in it's Board report.

(7) A Responsibility statement of the CSR Committee that the implementation and monitoring of the CSR Policy is, in compliance with

Sr. No.	CSR Project/activity identified	Sector in which the project is covered	Projects/Programs 1. Local area or other 2. Specify the state and District where projects or programmes were undertaken	Amount outlay (Budget) project or programs wise	Amount spent on the projects or programs sub-heads: (1) Direct expenditure on projects or programs (2) Overheads:	Cumulative expenditure upto the reporting period	Amount spent Direct or through implementing agency (*)
---------	---------------------------------	--	---	---	---	--	--

the CSR objectives and Policy of the Company.

Signed

Sd/-
(Chairman - CSR Committee)

Sd/-
(Chief Executive Officer or Managing Director or Director)

Shri Gurudatt Sugars Limited

Gat No. 61/1/A, Akiwat-Takaliwadi Road, Takaliwadi, Tal. Shirol, Dist. Kolhapur, MAHARASHTRA - 416108

Details of Corporate Social Responsibility Expenses for the FY-2018-19

Date	Amount	Narration	Sec	Purpose	Description
25-Sep-18	264,455.68	Being amount paid towards Flood in Kerala, through supplying materials to flood affected people of Kerala	SCH-VII - i	Amount paid towards Flood in Kerala, through supplying materials to flood affected people of Kerala	(i) eradicating hunger, poverty and malnutrition, promoting health care including preventive health care and sanitation
25-Feb-19	35,000.00	Being Work as per bill no. - dated 25-02-2019 - Ref No. : EB-1-02-2019-1223 Being transportation Exp as per Kerala flood material supply as per remark ()	SCH-VII-iv	Amount paid towards Flood in Kerala, through supplying materials to flood affected people of Kerala	(iv) ensuring environmental sustainability, ecological balance, protection of flora and fauna, animal welfare, agroforestry, conservation of natural resources and maintaining quality of soil, air and water
31-Mar-19	10,800.00	Being Work as per bill no. 4554 dated 18-12-2018 - Ref No. : EB-1-03-2019-1388 Lal Kurkat Medicine Purchase as bill ()	SCH-VII-iv	Purchase of Medicines for Animals' Diese called "Lal Kurakat" in all the nearby villages of Factory	(iv) ensuring environmental sustainability, ecological balance, protection of flora and fauna, animal welfare, agroforestry, conservation of natural resources and maintaining quality of soil, air and water
31-Mar-19	85,003.00	Being Work as per bill no. 85003 dated 14-12-2018 - Ref No. : EB-1-03-2019-1389 Lal Kurkat Medicine Purchase as bill ()	SCH-VII-iv	Purchase of Medicines for Animals' Diese called "Lal Kurakat" in all the nearby villages of Factory	(iv) ensuring environmental sustainability, ecological balance, protection of flora and fauna, animal welfare, agroforestry, conservation of natural resources and maintaining quality of soil, air and water
31-Mar-19	62,500.00	Being Work as per bill no. 62500 dated 21-12-2018 - Ref No. : EB-1-03-2019-1390 Lal Kurkat Medicine Purchase as bill ()	SCH-VII-iv	Purchase of Medicines for Animals' Diese called "Lal Kurakat" in all the nearby villages of Factory	(iv) ensuring environmental sustainability, ecological balance, protection of flora and fauna, animal welfare, agroforestry, conservation of natural resources and maintaining quality of soil, air and water

Date	Amount	Narration	Sec	Purpose	Description
31-Mar-19	18,750.00	Being Work as per bill no.5602 dated 04-02-2019 - Ref No. : EB-1-03-2019-1391 Lal Kurkat Medicine Purchase as bill ()	SCH-VII-iv	Purchase of Medicines for Animals' Diese called "Lal Kurakat" in all the nearby villages of Factory	(iv) ensuring environmental sustainability, ecological balance, protection of flora and fauna, animal welfare, agroforestry, conservation of natural resources and maintaining quality of soil, air and water
31-Mar-19	47,061.00	Being Work as per bill no. 5541 dated 01-02-2019 - Ref No. : EB-1-03-2019-1392 Lal Kurkat Medicine Purchase as bill ()	SCH-VII-iv	Purchase of Medicines for Animals' Diese called "Lal Kurakat" in all the nearby villages of Factory	(iv) ensuring environmental sustainability, ecological balance, protection of flora and fauna, animal welfare, agroforestry, conservation of natural resources and maintaining quality of soil, air and water
31-Mar-19	23,700.00	Being Work as per bill no. 5667 dated 08-02-2019 - Ref No. : EB-1-03-2019-1393 Lal Kurkat Medicine Purchase as bill ()	SCH-VII-iv	Purchase of Medicines for Animals' Diese called "Lal Kurakat" in all the nearby villages of Factory	(iv) ensuring environmental sustainability, ecological balance, protection of flora and fauna, animal welfare, agroforestry, conservation of natural resources and maintaining quality of soil, air and water
31-Mar-19	50,000.00	Being Work as per bill no. 50000 dated 05-02-2019 - Ref No. : EB-1-03-2019-1394 Lal Kurkat Medicine Purchase as bill ()	SCH-VII-iv	Purchase of Medicines for Animals' Diese called "Lal Kurakat" in all the nearby villages of Factory	(iv) ensuring environmental sustainability, ecological balance, protection of flora and fauna, animal welfare, agroforestry, conservation of natural resources and maintaining quality of soil, air and water
31-Mar-19	52,087.00	Being Work as per bill no. 6150 dated 09-03-2019 - Ref No. : EB-1-03-2019-1395 Lal Kurkat Medicine Purchase as bill ()	SCH-VII-iv	Purchase of Medicines for Animals' Diese called "Lal Kurakat" in all the nearby villages of Factory	(iv) ensuring environmental sustainability, ecological balance, protection of flora and fauna, animal welfare, agroforestry, conservation of natural resources and maintaining quality of soil, air and water
31-Mar-19	18,750.00	Being Work as per bill no. 5725 dated 12-02-2019 - Ref No. : EB-1-03-2019-1396 Lal Kurkat Medicine Purchase as bill ()	SCH-VII-iv	Purchase of Medicines for Animals' Diese called "Lal Kurakat" in all the nearby villages of Factory	(iv) ensuring environmental sustainability, ecological balance, protection of flora and fauna, animal welfare, agroforestry, conservation of natural resources and maintaining quality of soil, air and water

Date	Amount	Narration	Sec	Purpose	Description
31-Mar-19	65,150.00	Being Work as per bill no. 4619 dated 20-12-2018 - Ref No. : EB-1-03-2019-1397 Lal Kurkat Medicine Purchase as bill ()	SCH-VII-iv	Purchase of Medicines for Animals' Diese called "Lal Kurakat" in all the nearby villages of Factory	(iv) ensuring environmental sustainability, ecological balance, protection of flora and fauna, animal welfare, agroforestry, conservation of natural resources and maintaining quality of soil, air and water
31-Mar-19	41,419.00	Being Work as per bill no. - dated 31-03-2019 - Ref No. : EB-1-03-2019-1432 Lal Khurkat Shibir Dec 2018 to March 2019 Dinner & Nashta Exp as per enclosed. ()	SCH-VII-iv	Purchase of Medicines for Animals' Diese called "Lal Kurakat" in all the nearby villages of Factory	(iv) ensuring environmental sustainability, ecological balance, protection of flora and fauna, animal welfare, agroforestry, conservation of natural resources and maintaining quality of soil, air and water
Total	774,675.68				

SHRI GURUDATT SUGARS LTD., TAKALIWADI
CSR 2017 - 2018

Date	Amount	Schedule	Sector in which the project is covered
15-Apr-17	100000.00	SCH-V & X	1) protection of natioanl heritage, art & culture. 2) Rural Development
18-Apr-17	100000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
21-Apr-17	15000.00	SCH-V & X	1) protection of natioanl heritage, art & culture. 2) Rural Development
25-Apr-17	7000.00	SCH-V	protection of natioanl heritage, art & culture.
25-Apr-17	51000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
02-May-17	7000.00	SCH-V & X	1) protection of natioanl heritage, art & culture. 2) Rural Development
10-May-17	11000.00	SCH-V & X	1) protection of natioanl heritage, art & culture. 2) Rural Development
21-Aug-17	10000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
26-Aug-17	51000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
15-Sep-17	25000.00	SCH-VII - vii	Rural sports
16-Sep-17	100000.00	SCH-V & X	1) protection of natioanl heritage, art & culture. 2) Rural Development
16-Sep-17	51000.00	SCH-V & X	1) protection of natioanl heritage, art & culture. 2) Rural Development
30-Oct-17	25000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
13-Dec-17	51000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
27-Dec-17	100000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
10-Jan-18	7000.00	SCH-VII - vii	Rural sports

10-Jan-18	25000.00	SCH-VII - x	Rural development
12-Jan-18	11000.00	SCH-V & X	1) protection of natioanl heritage, art & culture. 2) Rural Development
16-Jan-18	50000.00	SCH-V & X	1) protection of natioanl heritage, art & culture. 2) Rural Development
23-Jan-18	11000.00	SCH-V & X	1) protection of natioanl heritage, art & culture. 2) Rural Development
27-Jan-18	25000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
27-Feb-18	11000.00	SCH-V & X	1) protection of natioanl heritage, art & culture. 2) Rural Development
27-Feb-18	51000.00	SCH-V & X	1) protection of natioanl heritage, art & culture. 2) Rural Development
02-Mar-18	11000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
10-Mar-18	300000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
10-Mar-18	25000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
16-Mar-18	15000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
17-Mar-18	11000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
29-Mar-18	11000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
Total	1268000.00		

SHRI GURUDATT SUGARS LTD., TAKALIWADI

CSR 2017-2018

Date	Amount	Schedule	Sector in which the project is covered
15-Apr-17	100000.00	SCH-V & X	1) protection of natioanl heritage, art & culture. 2) Rural Development
18-Apr-17	100000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
21-Apr-17	15000.00	SCH-V & X	1) protection of natioanl heritage, art & culture. 2) Rural Development
25-Apr-17	7000.00	SCH-V	protection of natioanl heritage, art & culture.
25-Apr-17	51000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
02-May-17	7000.00	SCH-V & X	1) protection of natioanl heritage, art & culture. 2) Rural Development
10-May-17	11000.00	SCH-V & X	1) protection of natioanl heritage, art & culture. 2) Rural Development
21-Aug-17	10000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
26-Aug-17	51000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
15-Sep-17	25000.00	SCH-VII - vii	Rural sports
16-Sep-17	100000.00	SCH-V & X	1) protection of natioanl heritage, art & culture. 2) Rural Development
16-Sep-17	51000.00	SCH-V & X	1) protection of natioanl heritage, art & culture. 2) Rural Development
30-Oct-17	25000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
13-Dec-17	51000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
27-Dec-17	100000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
10-Jan-18	7000.00	SCH-VII - vii	Rural sports

10-Jan-18	25000.00	SCH-VII - x	Rural development
12-Jan-18	11000.00	SCH-V & X	1) protection of natioanl heritage, art & culture. 2) Rural Development
16-Jan-18	50000.00	SCH-V & X	1) protection of natioanl heritage, art & culture. 2) Rural Development
23-Jan-18	11000.00	SCH-V & X	1) protection of natioanl heritage, art & culture. 2) Rural Development
27-Jan-18	25000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
27-Feb-18	11000.00	SCH-V & X	1) protection of natioanl heritage, art & culture. 2) Rural Development
27-Feb-18	51000.00	SCH-V & X	1) protection of natioanl heritage, art & culture. 2) Rural Development
02-Mar-18	11000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
10-Mar-18	300000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
10-Mar-18	25000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
16-Mar-18	15000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
17-Mar-18	11000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
29-Mar-18	11000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
Total	1268000.00		



Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

FORM V

(See Rule 14)

Environmental Audit Report for the financial Year ending the 31st March 2021

Unique Application Number

MPCB-ENVIRONMENT_STATEMENT-0000031922

Submitted Date

01-04-2021

PART A

Company Information

Company Name

Shri Gurudatt Sugars Ltd

Application UAN number

MPCB-CONSENT-0000072465

Address

Gat No - 61/A, A/p - Takaliwadi

Plot no

Gat No 61/A

Taluka

Shirol

Village

Akiwat -Takaliwadi Road

Capital Investment (In lakhs)

24598.27

Scale

L.S.I

City

Kolhapur

Pincode

Person Name

Mr. Rahul Madhavrao Ghatage

Designation

Executive Director

Telephone Number

7350799494

Fax Number

0231-2686000

Email

gslsugars.env@gmail.com

Region

SRO-Kolhapur

Industry Category

Red

Industry Type

R12 Sugar (excluding Khandsari)

Last Environmental statement submitted online

yes

Consent Number

MPCB-CONSENT-0000072465

Consent Issue Date

02.01.2020

Consent Valid Upto

31.07.2022

Establishment Year

2002

Date of last environment statement submitted

Apr 9 2020 12:00:00:000AM

Industry Category Primary (STC Code) & Secondary (STC Code)

-

Product Information

Product Name

Sugar

Consent Quantity

259200

Actual Quantity

80051

UOM

MT/A

Molasses

87816

44820

MT/A

Press Mud

87816

25626.430

MT/A

Bagasse

648000

201085

MT/A

Electric Power (Cogeneration)

21

19.88

Mwh

By-product Information

By Product Name

Consent Quantity

Actual Quantity

UOM

Part-B (Water & Raw Material Consumption)

1) Water Consumption in m3/day

Water Consumption for Process	Consent Quantity in m3/day	Actual Quantity in m3/day
Cooling	1100	1056
Domestic	475	425
All others	60	48
	0	0
Total	1635	1529

2) Effluent Generation in CMD / MLD

Particulars	Consent Quantity	Actual Quantity	UOM
Daily Quantity of Trade Effluent from the Factory	518	358	CMD

2) Product Wise Process Water Consumption (cubic meter of process water per unit of product)

Name of Products (Production)	During the Previous financial Year	During the current Financial year	UOM
Sugar (excluding Khandsari)	0.78	0.77	CMD
Sugar (excluding Khandsari)	0.51	0.52	CMD
Sugar (excluding Khandsari)	0.48	0.47	CMD
Sugar (excluding Khandsari)	0.52	0.50	CMD
Sugar (excluding Khandsari)	0.1	0.1	CMD

3) Raw Material Consumption (Consumption of raw material per unit of product)

Name of Raw Materials	During the Previous financial Year	During the current Financial year	UOM
Sugar Cane	663818	733255.950	MT/A
Lime	1291.0497	1193.355	MT/A
Sulphure	341.74845	177.762	MT/A

4) Fuel Consumption

Fuel Name	Consent quantity	Actual Quantity	UOM
Bagasse	648000	201085	MT/A

Part-C

Pollution discharged to environment/unit of output (Parameter as specified in the consent issued)

[A] Water

Pollutants Detail	Quantity of Pollutants discharged (kL/day)	Concentration of Pollutants discharged (Mg/Lit) Except PH, Temp, Colour	Percentage of variation from prescribed standards with reasons	Standard	Reason
	Quantity	Concentration	%variation		
PH	14.44	0	0	0	0
COD	37.51	0	0	0	0
BOD	11.23	0	0	0	0

[B] Air (Stack)

Pollutants Detail	Quantity of Pollutants discharged (kL/day)	Concentration of Pollutants discharged(Mg/NM3)	Percentage of variation from prescribed standards with reasons	Standard	Reason
	Quantity	Concentration	%variation		
Total Particulate Matter	429.43	48.53	0	0	0

Part-D

HAZARDOUS WASTES

1) From Process

Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
5.1 Used /spent oil	0.21	0.20	MT/A

2) From Pollution Control Facilities

Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
5.1 Used /spent oil	0.210	0.20	MT/A

Part-E

SOLID WASTES

1) From Process

Non Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
Sludge from waste water treatment	6.1	6.4	MT/A

2) From Pollution Control Facilities

Non Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
Boiler Ash	2841.168	3015.54	MT/A

3) Quantity Recycled or Re-utilized within the unit

Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
5.1 Used /spent oil	0.21	0.20	MT/A

Part-F

Please specify the characteristics(in terms of concentration and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

1) Hazardous Waste

Type of Hazardous Waste Generated	Qty of Hazardous Waste	UOM	Concentration of Hazardous Waste
5.1 Used /spent oil	0.20	MT/A	0.20

2) Solid Waste

Type of Solid Waste Generated	Qty of Solid Waste	UOM	Concentration of Solid Waste
Boiler Ash	3015.54	MT/A	3015.54

Part-G

Impact of the pollution Control measures taken on conservation of natural resources and consequently on the cost of production.

Description	Reduction in Water Consumption (M3/day)	Reduction in Fuel & Solvent Consumption (KL/day)	Reduction in Raw Material (Kg)	Reduction in Power Consumption (KWH)	Capital Investment(in Lacs)	Reduction in Maintenance(in Lacs)
The 100% treated water from E.T.P. is recycled for land irrigation.	68	153.52	489	3.98	1800000	133700

Part-H

Additional measures/investment proposal for environmental protection abatement of pollution, prevention of pollution.

[A] Investment made during the period of Environmental Statement

Detail of measures for Environmental Protection

Good House Keeping kept in a mfg plant as well as ETP massive tree plantation done on available land.

Environmental Protection Measures

Tree Plantation (Quantity 4450 Nos)

Capital Investment (Lacks)

95

[B] Investment Proposed for next Year

Detail of measures for Environmental Protection

Good House Keeping kept in a mfg plant as well as ETP massive tree plantation done on available land.

Environmental Protection Measures

Tree plantation (Quantity 250 Nos)

Capital Investment (Lacks)

3

Part-I

Any other particulars for improving the quality of the environment.

Particulars

We have planted about 1000 Nos plants around the Bagasse yard for develop green belt around the premises. We are proposed to plant various type of tree in this year also.

Name & Designation

Mr. Uday Patil

UAN No:

MPCB-ENVIRONMENT_STATEMENT-0000031922

Submitted On:

01-04-2021



सिंचनातु शासनाद्वारा:

दूरध्वनी क्र. ०२३३-२३०२९२५
फॅक्स क्र. २३०२७५०
ईमेल :
eesidsangli@gmail.com



महाराष्ट्र शासन
जलसंपदा विभाग

महाराष्ट्र कृषणा खोरे विकास महामंडळ, पुणे मुख्य अभियंता (ज.सं.) जलसंपदा विभाग पुणे
अधीक्षक अभियंता, सांगली पाटबंधारे मंडळ, सांगली
कार्यकारी अभियंता, सांगली पाटबंधारे विभाग, सांगली
वारणाली, विश्रामबाग, सांगली पिन कोड- ४१६ ४१५

जा.क्र.संपावि/बिगर सिंचन/वदका/

202 / 2021

दिनांक :- 95/9 / 2021

प्रति,

श्री. गुरुदत्त शुगर्स लि. टाकळीवाडी
ता. शिरोळ जि.कोल्हापूर.

विषय- कृषणा नदीतून बिगर सिंचनासाठी मंजूर पाणी कोट्यातून वार्षिक करारनामाबाबत.
श्री. गुरुदत्त शुगर्स लि. टाकळीवाडी ता. शिरोळ जि. कोल्हापूर.

संदर्भ- १) मुख्य अभियंता यांचे कार्यालयाचे पत्र दिनांक १८/०६/२००२.
२) आपले कार्यालयाचे पत्र जा.क्र.जीएससी/एसीसी/१४९/२०२०-२१ दि. २९/१२/२०२०

संदर्भीय पत्राने आपणास कृषणानदीतून बिगर सिंचन वापरसाठी पिण्यासाठी ०.६६०००० द.ल.घ.मी. व औद्योगीकसाठी ०.१६५०८९ द.ल.घ.मी. मंजूर आहे. संदर्भ क्र. २ ने मागणी केलेनुसार वार्षिक पिण्यासाठी ०.६६०००० द.ल.घ.मी. व औद्योगीकसाठी ०.१६५०८९ द.ल.घ.मी. पाणी कोटा सन २०२०-२१ कालावधीसाठी आपले कडून प्राप्त झालेला करारनामा या सोबत मंजूर करून पाठविणेत येत आहे.

करारनाम्यातील अटीचे आपण तंतोतंत पालन करणेचे असून सर्व अटी आपणावर बंधनकारक आहेत याची नोंद घ्यावी.

सोबत- करारनामा प्रत १

स्थळ प्रत मान्य.


(वि.वि.मुंजाप्पा)

उपकार्यकारी अभियंता,
सांगली पाटबंधारे विभाग,सांगली.

प्रत- सहाय्यक अभियंता श्रेणी-१, पाटबंधारे उप विभाग सांगली यांना माहितीसाठी व पुढील कार्यवाहीसाठी रवाना.

सोबत करारनामा प्रत १

प्रत- शाखाधिकारी पाटबंधारे शाखा नृसिंहवाडी यांना माहितीसाठी व पुढील कार्यवाहीसाठी रवाना.

सोबत करारनामा प्रत १



इस्ताचा प्रकार/ अनुच्छेद क्रमांक :-

MAHARASHTRA

2020

AX 519990

नोंदणी होणार शासल्यास दुय्यम निबंधक कार्यालयाचे नांव :-

मिळकतीचे वर्णन :-

मोबदला रक्कम :-

मुद्रांक विकत घेणाऱ्याचे नांव :-

दुरुपत्ता :-

हजेर/सहस्रे/शतके/नांव व पत्ता :-

मुद्रांक क्रमांक :-

मुद्रांक विकत घेतलेला दिनांक :-

मिळकतीचे वर्णन/दिनांक :-

मिळकतीचे वर्णन/दिनांक :-

मिळकतीचे वर्णन/दिनांक :-

मिळकतीचे वर्णन/दिनांक :-

मिळकतीचे वर्णन/दिनांक :-



20 OCT 2020

SUB-TREASURY OFFICER, SHIROL

श्री. सुभाष आप्पासागी पाटील
मु.पो.दत्तवाड, ता.शिरोळ, जि.कोल्हापूर
मु.वि.प.क्र. १५/१९९४/ Code-281203F

ज्या कारणासाठी ज्यांनी मुद्रांक खरेदी केला त्यांनी त्याच कारणासाठी मुद्रांक खरेदी केल्यापासून ६ महिन्यात आपण बंधनकारक आहे.

AGREEMENT (For non-Irrigation water Supply)

An agreement made on the day ofTwo Thousand..... Between **Shri Gurudatt Sugars Ltd. Takaliwadi. Tal. - Shirol, Dist.-Kolhapur**, a local self Government body such as Grampanchayat, Munchipal authorities, Zilla parishad, Jeewan pradhikaran, or Company/Industrial corporation/Maharashtra Jeeven Pradhikaran (Which expression herein after referred to as **"The Company"**/MIDC/MJP" shall, unless excluded by or it be repugnant to the context or meaning there of be deemed to include its successors and assigns) registered under the Indian Companies Act 1913 (VII of 1913) the companies Act 1956 (I of 1956) and having its registered office at 'Bhagyavijeta' 18th Lane, Shirol Road, Jaysingpur here in after referred to as **"The Company"** of the one part and the Governor of Mahara shtra here in after referred to as "The





महाराष्ट्र / अन्वयेन कर्ताः :-
MAHARASHTRA
 वस्तु नोंदणी करणार आहिले का ?

करा 2020

AY 354221

नोंदणी होणारी असल्यास दुय्यम नियंत्रक कार्यालयाचे नांव :-

मिळवणीचे पत्रांचे :-

मोबदला रकम :-

मुद्रांक दिनांक येण्याच्यावेळीचे नांव :- श्री सुरदत्त शुगर लिमिटेड ता.कोल्हापूर

दुरुस्त्या येण्याच्यावेळीचे नांव :-

हस्तके अन्वयेन कर्ता एवढे पत्ता :- श्री सुरदत्त शुगर लिमिटेड

मुद्रांक शुल्क रक्कम :- 9900/-


मुद्रांक दिनांक सोबत बही अनु क्रमांक/दिनांक :- 2073/1922020

मुद्रांक दिनांक येण्याच्यावेळीचे लहरी/दिनांक :-

एवढ्याच मुद्रांक दिनांक येण्याच्यावेळीचे नांव, राहणी व परवाना

व हेक हा मुद्रांक दिनांक येण्याच्यावेळीचे दिनांक/पत्ता :-

AS



20 DEC 2020

SUB-TREASURY OFFICER
 KOLHAPUR

श्री. सुभाष अप्पाबाणी घाटील
 मु.पो.दत्तवाड, ता.शिरोळ, जि.कोल्हापूर
 मु.वि.प.क्र. 94/9998/ Code-261203C

ज्या काळात मुद्रांक खरेदी केला त्यांनी
 त्याच काळात मुद्रांक खरेदी केल्यापासून 6
 महिन्यात वापरून घ्यायलायकारक आहे.





दस्ताचा प्रकार/ अनुच्छेद क्रमांक :-
 नोंदणी क्रमांक/ आदेश क्रमांक :- २०२०
 नोंदणी होणार अशाच्या दुय्यम निबंधक कार्यालयाचे नाव :-

WY 296071

मिळकतीचे वर्णन :-
 मोबदला रक्कम :-
 मुद्रांक विक्रीचे माल्याचे नांव :- श्री. सुभाष अष्टासोनी प्रायव्हिलेज
 दुसऱ्या माल्याचे नांव :-
 एवढे माल्याचे नाव व पत्ता :- श्री. सुभाष अष्टासोनी प्रायव्हिलेज
 मुद्रांक रक्कम :- ११५
 मुद्रांक विक्रीची वेळ व दिनांक :- २५/३/२०२०
 मुद्रांक विक्रीची रक्कम/दिनांक :-
 माल्याचे नाव व पत्ता, सही व परवाना }
 माल्याचे नाव व पत्ता :-

TREASURY OFFICER
 SHIROL

श्री. सुभाष अष्टासोनी प्रायव्हिलेज
 मु.पो.दत्तवाड, ता.शिरोळ, जि.कोल्हापूर
 म.वि.प.क्र. १५/१९९४/ Code - 261203E

ज्या कारणासाठी ज्यांनी मुद्रांक खरेदी केला त्यांनी
 त्याच कारणासाठी मुद्रांक खरेदी केल्यापासून ६
 महिन्यात वापरणे संभवकारक आहे.



Government" (which expression shall unless excluded by or it be repugnant to the context or meaning thereof be deemed to include his successors and assigns) of the other part.

Where as the Company is desirous of constructing a pumping station on the company's land at Akiwat for drawing water Krishana River (Right Bank) from the source Krishana River (Right Bank) (here in after referred to as "**The Said Source**") for the use by the Company's Shri Gurudatt Sugars Ltd. Takaliwadi Plant (here in after referred to as "**the Said Plant**") and laying underground and surface pipes and drains for discharge of the factory effluent.

AND whereas the company has applied to the Government for permission to draw 0.254 **Million Cubic meter** of water per ~~day~~/year from said source.

AND whereas the company has paid Rs.-----/- (Rupees -----) to the Government towards the proportional cost of capital outlay of the project.

AND whereas the Government has agreed to grant the aforesaid permission to the company on the terms and conditions hereinafter appearing.

AND WHEREAS UNDER the said terms and conditions the company has to deposit with the **Executive Engineer, Sangli Irrigation Division, Sagnli** to the Government a sum of **Rs.2,22,885/- as security equivalent to 2 months company's probable annual water charges based on yearly sanctioned and as communicated** in cash or in the form of **fixed deposit receipt or a bank guarantee issued by a scheduled/ nationalized bank having its main branch office situated locally** for the due observance and performance by the company of the terms and conditions of this Agreement AND WHEREAS the company has accordingly prior to the execution of these presents deposited with the Government **Rs.2,22,885/-** as security for the due observance and performance by the company of the terms and condition herein contained AND WHEREAS it has been agreed that the said amount will not carry any interest if deposited in cash.

Definition:

Quota: Quota means demand sectioned and communicated to ----- by the Executive Engineer.

Corporation:

Corporation means the River basin corporation like Maharashtra Krishna Valley Development Corporation (MKVDC), Godavari Marathwada Irrigation Development Corporation (GMIDC), Tapi Irrigation Development Corporation (TIDC), Konkan Irrigation Development Corporation (KIDC) & Vidarbha Irrigation Development Corporation (VIDC) Municipal Corporation Municipalities etc.

MIDC: MIDC means Maharashtra Industrial Development Corporation.


MJP: MJP means Maharashtra Jeevan Pradhikaran.

Yearly Applicable Demand: Yearly Applicable Demand means the water demand communicated by the USER for the period from 1st November to 31st October to the Executive Engineer and Sanctioned by Irrigation department every year in the month of September along with its bifurcation for Industrial, Domestic and Agricultural use.

USER: User means water using agency like individual company/MIDC/MJP/Local bodies.

NOW THIS AGREEMENT WITNESSTH AS FOLLOWS:

- 1) a) In consideration of the company making payment to the Government as hereinafter specified and observing and performing the convenience and conditions herein contained Government do hereby grants to the company permission to draw following quota of water for the specified purpose.



Sr.No.	Description/Use	Quantity (Million Cubic Meter per year)
1	Total sanctioned quota	0.231089
1.1	For Industry potable water bottling plant	---
1.2	For other than water as raw material Industrial use	0.165089
1.3	For domestic use	0.066000
1.4	For agricultural use (nursery/gardening) within the company's premises.	---

And use the same for the purpose of the Company's said plant or project, for supply to residential colonies and for agricultural use (nursery/gardening) for a term of one year commencing from the 1st day of **November 2020** on the following terms and conditions.

b) The quota assigned for domestic use and agricultural use shall not exceed 15% each of the total water demand. In the cases wherein the water used for Domestic/Agricultural use exceeds 15% in each case the excess use shall be charged at Industrial applicable rate specified in clause II of this agreement. (Not applicable to MIDC)

c) The Industrial water requirement, the Domestic water requirement and agricultural (nursery/gardening) water requirement of the company as demanded deemed to be **separate and independent for the sole purpose** and water charges assessment shall be **accordingly separate and independent** for other clauses of this agreement.

- 2) The permission hereby granted shall be subject to the provisions of the Maharashtra Irrigation Act 1976 and the Bombay Canal Rules 1934 and subsequent revision, if any, in force and any Executive orders issued in this behalf by Government and any statutory amendment thereof From time to time and for the time being in force.
- 3) Nothing herein contained shall be deemed to imply any guarantee on the part of the Government as to the availability or otherwise of any specific quantity of water and Government shall not be responsible for the non-supply or in adequate supply of water on any account whatsoever.
However in case of inadequate or non-supply **due to shortage of water or reason beyond the control of the Department**, bill shall be charged as per actual quantity of water lifted / supplied during such period.
- 4) The company shall use the water drawn from the said river for purposes of the company's said plant and for supply to the residential colonies constructed by the company within the area of the said plant for providing housing to its employees and workers (hereinafter referred to as "the said residential colonies"). The company other than MIDC shall not sell the water from the said river to any other person, firm or company, corporation or other body. In the event of the company selling water drawn from the said river then the Government without prejudice to its right will forthwith revoke the license. Government shall be entitled to recover from the company the proceeds of any such sale made by the company.
As regards water supply to MIDC this clause of resale of water will not be applicable to the extent of the water supplied by them to the industrial units and residential colonies in their jurisdiction. But, for any purpose other than the above, if MIDC desires to supply the water then the prior permission of the Government in Irrigation Department is obligatory. Water supply made by MIDC without prior permission will be charged at the maximum rates applicable for industrial water supply.



- (ii) If the said electronic measuring devices remain out of order for a period of exceeding 30 days then the quantity of water deemed to be drawn by the **USER** during the said period shall be taken 115% of the yearly sanctioned demand as communicated in clause no. 11 or average for the last six months whichever is higher. This will be made applicable for the period during which the measuring devices remained out of order.
The aforesaid provisions will also apply when the quantity of water drawn by the company can not be measured on account of removal of the said electronic measuring devices for repairs or the same in the opinion of the Executive Engineer not working properly.
- (iii) If electronic meter meant for domestic or for agricultural use is not fitted or remains out of order or is removed the water charges will be levied as per the rates specified for the industrial use for the total quota as referred in clause 1(a) of this agreement.
- 9) Billing should be done on bi-monthly monthly basis. The bill for the water drawn by the company during the previous calendar month shall be sent in duplicate / triplicate by the Executive Engineer to the office of the company within 15 days after the end of the water consumption months. The company shall thereafter duly pay the same by a demand draft drawn in the name of the Executive Engineer, **Sangli Irrigation** Division sangli for and on behalf of the Government within a fortnight from the date of receipt of the bill and shall not allow the same to fall in arrears. If the company fails to pay the amount within this stipulated time (15 days from the date of receipt of the bill that is before the end of current month) extra charge not exceeding **12% per annum** of the amount due will be charged. If the delay in the payment of water charges exceed 6 months, the irrigation department reserves right to terminate the water supply with a notice of 15 days in advance.
- 10) The cost of all works in connection with arrangement for water supply including the cost of measuring devices and its installation and maintenance, shall be borne by the company.
- 11) Subject to the provisions of clause (8) hereof the company shall pay to the Government at the time and in the manner specified in clause (12) hereof water charges for the quantity of water drawn by the company from said river as measured by said electronic measuring devices at following rates namely.
Here rates which are going to applied to the company with mention of purpose or use of water, sanctioned quota and present rate. The water lifted by the USER during rainy season from the river where Irrigation department has not released the water concessional rate as decided by the Irrigation department shall be charged.
- (i) Provided however that after expiry of two years from date of company starts drawing water from the said river if in any month the quantity of water drawn by the company is less than 90% of the quantity of water specified in clause (1) hereof then the company shall pay to the Government water charges calculated for 90 per cent of the quantity of water specified in clause (1) hereof or for average of the quantity of water drawn by the company during the period of previous three months including the month in question whichever is **greater.** (Not applicable to MIDC)
- (ii) For any unforeseen reason, if the company / agency would like to reduce /increase the demand of water made earlier / entered in the agreement they will be required to make the revised annual demand before commencement of the year that is 1st day of November. On acceptance of such revised demand the company will be charged as per changed demand for the period specified other condition remaining same. A **supplementary** agreement on hundred rupees stamp paper for this changed quantity **which will form part of main agreement.**
- (iii) No penal rate will be levied for the quantity limited 15% in excess of the sanctioned one. For quantity used **in excess of this 15%** without prior sanction a **penal rate of 50%** will be charged over the basic rate. The delay in payment on account of this also will be governed by clause (9) above.
- (iv) For any unforeseen reason (such as sudden closure of this units or sudden rise in production etc.). There could be abrupt fluctuation in the demand on the both sides. Such cases will be decided at Government level only by giving due consideration to the availability of water in the particulars sub-basin and so on.



(v) In addition to the payment of water charges referred to above the company shall also pay to the Government local fund cess at the rate of 20 paise per every rupee of basic water charges.

(vi) Water bills : The bi-monthly bills for the period from November to August (for 10 months) shall be prepared on the basis of actual quantity of water lifted at the prevailing rate. The bill for the months of September and October (11th & 12th month) shall be prepared by taking review of annual sanctioned demand and the terms and conditions of the agreement and then shall be adjusted and paid accordingly. While adjusting so it shall be considered that the 90% of annual sanctioned demand has been lifted / used. The water lifted in excess up to 15% of sanctioned demand shall be charged at single rate and excess above 15% (without prior permission) will be charged at penal rate of 1.50 times of the normal rate as mentioned in the relevant clause. However the local cess shall be charged on single rate only..

12) (a) The company shall pay to the Executive Engineer, water rates and local fund cess either in advance every bi-month's, on the basis of anticipated quantum of water to be drawn by it from the said source during the month's or on monthly basis within fifteen (15) days from the date of receipt of the bimonthly demands by the USER from the Executive Engineer. **On default of the USER to pay the water rate or local funds cess as aforesaid vide clause 9 and 11 Government shall without prejudice to its any other rights and remedies be entitled to terminate this agreement forth with as per clause no. 9.**

(b) In the case of disputes regarding quantity of water billed or rate at which the bill is prepared the company / firm / individual water user shall first pay the complete amount of the bill and then claim for the refund of any excess bill charges giving the reason / justification or wrong billing. However the decision of **Superintending Engineer, Sangli Irrigation Circle, Sangli** in this regards shall be final and binding on the company.

13) Government hereby reserves to itself the right to revise from time to time the water rates and local funds cess and company shall pay the revised water rates and local fund cess as may be fixed by the Government from time to time.

14) The USER shall not discharge the effluent in any Nalla or River and shall not pollute directly or indirectly any portion of the said Nala / River even by septic tank effluents. **If any water sources are polluted by any industry as identified by Irrigation / Pollution Control Board / MIDC / MJP the company shall be charged with a penalty of rupees 5,000/- per such incident per day till its rectified. The opinion of Maharashtra Pollution Control Board in respect of degree of pollution will be binding on the company.**

The company shall recycle the effluent water for their use such as gardening, recreation, cooling, cleaning, washing and manufacturing process etc. So that at least 50% reduction in consumption of fresh water is achieved.

15) The effluent disposal arrangement made by the company / Industry shall be got approved by the company from the Maharashtra Pollution Control Board / Environment Department of the Government prior to commencing the operation pumping / drawing water from the source.

16) The company shall at all times allow an officer of Irrigation Department of the Government authorized in the behalf to inspect the said works as well as the account and copies taken of entries from the records maintained by the company.

17) Any notice or other documents to be given to or served upon the company may be given or served on behalf of the Government by the **Executive Engineer, Sangli Irrigation Division, Sangli** and any such notice or document shall be deemed to have been duly



given to or served upon the company or sent by registered post to the registered company if it is delivered at the registered office of the company or sent by registered post to the registered address for the time being of the company.

- 18) The said sum of **Rs.2,22,885/-** deposited in the form of *cheque* by the company with the **Executive Engineer Sangli Irrigation Division, Sangli** to the Government as aforesaid shall be held by the Government as security for the due observance and performance by the company of the covenants, terms and conditions herein contained. In case of default on the part of the company to perform and observe any of the said covenants terms and conditions it shall be lawful for the Government in its absolute direction to forfeit the whole of the security deposit or any part thereof without prejudice nevertheless to any rights and remedies which the Government may have against the company under these presents for such breach and the company shall forthwith pay the said amount so forfeited and shall always maintain the original amount of deposit throughout the period of this agreement. On the expiry of the terms of this agreement. The said security deposit of **Rs. 2,22,885/-** or such part thereof as shall not have been appropriated as aforesaid shall be refunded to the company.
- 19) All amounts due to the Government by the company under this agreement shall be deemed to be arrears of land revenue and may without prejudice to any other rights and remedies of the Government to be recovered from the company as arrears of land revenue.
- 20) On the expiry of the terms of this agreement, Government may renew this agreement within 90 days for such further period and on such terms and condition as Government may at its absolute discretion deem fit.
- 21) The costs incurred in the execution of the incidental charges for this agreement including stamp duty shall be borne and paid by the company.
- 22) Permission for extra water over and above the sanctioned quota will be granted only when the written permission for expansion etc. is produced by the company from the industrial department. (Not applicable for MIDC)
- 23) The agreement supercedes all the previous agreements (*except certain cases where MIDC has paid the Capital Contribution and entered into an agreement*) entered into by the **USER** with the Government in connection with supply of water from Krishana river
- 24) The Company should submit their water indent for every rotation to the Executive Engineer, **Sangli Irrigation Division, Sangli**, on or before starting of the rotation. The company should also furnish the exact quantity of water drawn in each rotation after completion of the rotation.
- 25) The company will have to make an arrangement at it's own cost for adequate storage (Balance Tank) of not less than two months requirement of water in case of perenial canal, five months requirement in case of 8 monthly canal system, four months requirement. In case of water source from seasonal river/nalla and one month water requirement in case of perennial water source of river/nalla so as to take care of the closure period. But if unexpectedly the closure period is increased by more than the specified period stipulated herein the company will have to make an alternative arrangement for its water requirement at its own cost.
- 26) IF THE COMPANY COMMITS A BREACH OF ANY OF THE TERMS AND CONDITIONS THEREOF GOVERNMENT SHALL BE ENTITLED TO CANCEL THIS PERMISSION AND DISCONTINUE THE SUPPLY OF WATER WITHOUT PAYMENT OF ANY COMPENSATION WHATSOEVER TO THE COMPANY
- 27) The Govt. hereby reserves to itself its rights to change/ amend/ modify/ cancel/ revise any of the terms and conditions, rules and regulations of water management And Maharashtra Irrigation Act and rules laid under them which shall be applicable for this agreement.





IN WITNESS WHERE OF THE Common Seal of the _____ has been hereunto affixed _____ and the **Executive Engineer,** _____ has for and on behalf of Governor of Maharashtra here to set his hand and affixed the seal of his office the day and year first herein above written. THE COMMON SEAL OF _____ Was pursuant to a resolution Of the Board of Directors of The company dated the _____

Hereto affixed in the presence of _____
For SHRI GURUDATT SUGARS LTD.


1.  **Mr. Rahul M. Ghatge**
Executive Director
2. _____

Two directors of the company who in token thereof have hereto set their respective hands in the presence of :-


- 1)  _____ Shri Baban Adisha Chougule (Director)
- 2)  _____ Shri Sanjay Ramchandra Gaikwad (Director)

SIGNED SEALED AND DELIVERED by Executive Engineer, Sangli Irrigation Division, Sangli for and on behalf of the Governor of Maharashtra in the presence of

- 1)  **Assistant Engineer (Grade-1)**
Irrigation Sub Division Sangli
- 2)  शाखाधिकारी
पाटबंधारे शाखा-नृसिंहवाडी



(J. A. Deokar)
Executive Engineer
Sangli Irrigation Division, Sangli





SHRI GURUDATT SUGARS LIMITED

Gat No.61, Akiwat-Takaliwadi Road, Near Balumama Mandir,
TAKALIWADI - 416 108 Tal.: Shirol, Dist.:Kolhapur (Maharashtra State)
Reg. No. 25-14367, Tele Fax : (02322) 241577, 241877, 241977
Ph. (0231) 2686086 Fax No. (0231) 2686000 E-mail : gsisugars@gmail.com



AN ISO 9001 : 2008
Certified Company

Shri. Bhagawanrao G. Ghatge
Founder
Shri. Madhavrao B. Ghatge
Chairman & Managing Director

Ref. No. राकजीएस/शिरोल/149/2017

Date : 26/03/2017

प्रति,
मा.सरपंच / ग्रामसेवक
मु.पो. टाकळीवाडी ता. शिरोळ
जि. कोल्हापूर

विषय :- ना हरकत दाखला मिळणेबाबत ..

महोदय

आमचे श्री गुरुदत्त शुगर्स लि.टाकळीवाडी या कारखान्याच्या सध्या असलेल्या ४९०० मे.टन प्रतिदिन गाळप क्षमता व १५ मेगावॉट विजनिर्मिती प्रकल्पाची क्षमता विस्तारीकरण प्रतिदिन ६००० मे.टन उस गाळप व २१ मेगावॉट विजनिर्मिती करणेस central Pollution control Board ,Delhi.यांचेकडून दि.२०/०३/२०१७ च्या पत्राने मान्यता मिळाली आहे.

तरी सदरच्या वाढीव गाळप क्षमता व विजनिर्मिती प्रकल्पाचे विस्तारीकरणास आपल्या ग्रामपंचायतीचा ना हरकत दाखला मिळावा हि विनंती.

सोबत :- CPCB चे मंजूरीचे पत्र.

आपला विश्वासू

प्रेसीडेंट

श्री गुरुदत्त शुगर्स लि.टाकळीवाडी.

Received
26/3/2017

ग्रामसेवक,
ग्रामपंचायत टाकळीवाडी,
ता. शिरोळ, जि. कोल्हापूर.



Regd. No. 25-14101 CIN-184309-GUJ1997-1-17

100% Wholly owned Indian company

SHRI GURUDATT SUGARS LTD., Takaliwad.

ADD.: Gat No. : 61/A, Akiwat Takaliwadi Road, Takaliwadi Tal. - Shirol Dist - Kolhapur (MH) Pin Code : 416 10
PHONE : +91 231 2686088 | FAX : +91 231 2686000 | WEBSITE : www.sgsl.co.in | Email : gsisugars@gmail.com

SGSL/ENVI/ 1198 /2017-2018

Date - 31/03/2017

To,
The Chief Executive Officer so,
Zilha Parishad Office,
Nagala Park, Kolhapur.

Subject: Submission of Environmental Clearance Copy for Shri Gurudatt Sugars Ltd. Gat No. 61/A. Akiwat Takaliwadi Road, Takaliwadi, Tal. Shirol, Dist. Kolhapur, Maharashtra.

Ref: MoEF & CC Letter No.F. No. -J- 11011/41 / 2015-IA-II (I) Dated 20.03.2017

Respected Sir,


With reference to above subject, we are submitting here with Environmental Clearance Copy of sugar manufacturing (from 4900 TCD to 6000 TCD, Co-generation capacity (15 MW to 21 MW) at Gat No. 61/A, Akiwat Takaliwadi Road, Tal. Shirol, Dist. Kolhapur, Maharashtra received from Ministry of Environment, Forest and Climate Change, New Delhi.

This is for your information please.


Thanking You.

Yours Faithfully

For, Shri Gurudatt Sugars Ltd.,


President

Copy -Enclosed above with copy of EC


5/3/2017
11:45 AM
18/03/2017
11:45 AM

जाहीर नोटीस

श्री गुरुदत्त शुगर्स लिमिटेड टाकळीवाडी पर्यावरण विषयक अनुमती

श्री गुरुदत्त शुगर्स लिमिटेड, गट नं.६१/अ,
अकिवाट टाकळीवाडी रोड, टाकळीवाडी, ता.शिरोळ,
जि.कोल्हापूर पिन नं.४१६१०८ तर्फे कळविणेत येते
की, आमच्या कारखान्यामध्ये गाळप क्षमता 4900 TCD
ते 6000 TCD व सहविजनिर्मिती प्रकल्प 15MW ते 21
MW वाढीव प्रकल्पास भारत सरकारचे पर्यावरण,
वनविभाग व हवामान बदल, मंत्रालय, नवी दिल्ली कडील
पत्र संदर्भ F. No. J-11011/41/2015-IA-II (I) दिनांक
२०/३/२०१७ ने विस्तारीकरणास अनुमती मिळालेली
आहे.

श्री. माधवराव भगवानराव घाटगे
चेअरमन व कार्यकारी संचालक
श्री गुरुदत्त शुगर्स लिमिटेड, टाकळीवाडी

बंधुता पेपर

PUBLIC NOTICE

To whomsoever,
it may concern

This is to inform to the public that Shri Gurudatt Sugars Ltd., Gat 61/A, Akiwat- Takaliwadi Road, Takaliwadi, Tal. Shirol, Dist. Kolhapur- 416108. Maharashtra has been granted Environmental Clearance for their proposed expansion of sugar plant 4900 TCD to 6000 TCD and Co-generation 15 MW to 21 MW vide letter No. F. No. J-11011/ 47/ 2015- [A-II(I), Dt. 20/03/2017.

The Copy of same can be viewed at website of ministry of Environment and forest and climate change of <http://moef.nic.in>

-Shri Madhavrao B. Ghatge
Chairman &
Managing Director



MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and 4th
floor, Opp. Cine Planet
Cinema, Near Sion Circle, Sion
(E), Mumbai-400022

No:- Format1.0//UAN No.MPCB-
CONSENT-0000072465/CR - 200/000070

Date: 02/01/2020

To,
Shri Gurudatt Sugars Ltd
Gat No 61/A, Akiwat Takaliwadi Road, Takaliwadi
Shirol, Kolhapur-Kolhapur

**Sub: Renewal of consent for 6000 TCD Sugar & 21 MW Co-generation unit
Under L.S.I RED Category**

**Ref: 1. Consent to Operate accorded by Board vide No. BO/CAC-
CELL/UAN-No. 000001616 & 0000019783/R/CAC-1804000889 dtd
19.04.2018**
2. Minutes of CAC meeting dtd. 13.09.2019.

Your application No.MPCB-CONSENT-0000072465 Dated 06.06.2019

For: grant of Consent to Renewal or 6000 TCD Sugar & 21 MW Co-generation unit under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The Consent to Renewal is granted upto: 31.07.2022**
- The capital investment of the industry is Rs.245.9827 Crs. (As per C.A Certificate submitted by industry).**
- Consent is valid for the manufacture of:**

Sr No	Product/Co-Product Name	Maximum Quantity	UOM
1	Sugar	21600.00	MT/M
2	Molasses	7318.00	MT/M
3	Press Mud	7318.00	MT/M
4	Bagasse	54000.00	MT/M
5	Electric Power (Cogeneration)	21.00	MW

(The Cane crushing capacity of Sugar industry shall not exceed 6000 TCD.)

- Conditions under Water (P&CP) Act, 1974 for discharge of effluent:**

Sr No	Description Permitted	Standards to	Disposal	
1.	Trade effluent	518	As per Schedule -I	48 CMD shall be recycle & remaning 470 CMD shall be use on land for irrigation purpose.

Sr No	Description	Permitted	Standards to	Disposal
2.	Domestic effluent	48	As per Schedule - I	onland for gardening / irrigation

5. **Conditions under the Air (P& CP) Act, 1981 for air emissions:**

Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
1	Boiler (70 TPH)	1	As per Schedule -II
1	Boiler (40 TPH)	1	As per Schedule -II
2	D.G. Set - (500 KVA)	1	As per Schedule -II
3	D.G. Set - (125 KVA)	1	As per Schedule -II
4	D.G. Set - (625 KVA X 2 NO.)	1	As per Schedule -II

6. **Conditions about Non Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Boiler Ash	4536	MT/A	NA	Sale for Bricks Manufactures and for soil conditioning.
2	Sludge from waste water treatment	6.8	MT/A	NA	Use as Manure

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:**

Sr No	Type of Waste	HW Category.	Quantity & UoM	Treatment	Disposal
1	5.1 Used /spent oil	5.1	280 Kg/Annum	Recycle	Sale to authorized recycler.

The applicant shall ensure disposal to the Actual user having permissions under Rule 9 of Hazardous and other Waste (M & TM) Rules, 2016.

a. The applicant shall properly collect, transport & regularly dispose of the hazardous waste to CHWTSDf, in compliance of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016 and keep proper manifest thereof.

- 8 The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9 This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- 10 Industry shall connect online CMS data as per CPCB guidelines to CPCB & MPCB Servers.



- 11 Industry shall stop production activity voluntarily in case of failure of operation and maintenance of the ETP system as preventive measures.
- 12 Industry shall extend all existing BGs towards O&M of pollution control systems and towards compliance of the Consent conditions.
- 13 This consent is issued as per the Consent Appraisal Committee meeting dated 13.09.2019.
- 14 The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.

For and on behalf of the
Maharashtra Pollution Control
Board.

(E. Ravendiran IAS),
Member Secretary

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	1369380.00	TXN1906000416	06/06/2019	Online Payment
2	150000.00	TXN1907000242	03/07/2019	Online Payment
3	6516.00	TXN1912000894	11/12/2019	Online Payment

Copy to:

1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Kolhapur
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. CC/CAC desk - For record and website updation purpose.

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have Provided Effluent Treatment Plant (ETP) of designed capacity of 600.00 CMD consisting of Primary, Secondary, Tertiary for the treatment of 518.00 CMD industrial effluent
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr. No.	Parameters	Limiting concentration not to exceed in mg/l, except for pH
(1)	pH	5.5-9.0
(2)	Oil & Grease	10
(3)	BOD (3 days 27 ^o)	100
(4)	Sulphate	1000
(5)	Suspended Solids	100
(6)	COD	250
(7)	Chloride	600
(8)	Total Dissolved Solids	2100

C] The treated effluent 470.00 CMD shall be disposed on land for irrigation on 21.00 hectares of own land /as per the bilateral agreement with farmers. In no any case treated/untreated effluent shall find its way outside the factory premises directly or indirectly.

D] Trade effluent of 48.00 CMD generated from Co-gen shall be 100% recycle in process.

E] CREP conditions for Sugar Factory

- i. Operation of ETP shall be started at least one month before starting of cane crushing to achieve desired MLSS. So as to meet prescribed standards from day one the operation of mill.
- ii. Waste water generation shall be reduced to 100 liters per tone of cane crushed.
- iii. Industry shall achieve zero discharge into in land surface water bodies.
- iv. 15 days' storage capacity tank shall be provided for treated effluent to take care during no demand for irrigation.

F] Industry to make necessary arrangement to cover the effluent collection system and to avoid the ingress of Bagasse and other material.

G] The unit shall operate ETP even after completion of the crushing season so that any effluent generated during washing & maintenance activity is to be discharged after proper treatment.

H] The unit shall optimize water use in industrial process & maintain records.

2) A] **As per your application, you have provided septic tank and soak pit for the treatment of 48.00 CMD sewage.**

B] **The applicant shall operate sewage treatment system to treat sewage so as to achieve the following standards/ prescribed under EP Act 1986 and rules made under time to time, whichever is stringent.**

1	Suspended Solids	Not to exceed	100 mg/l
2	BOD 3 days (27°C)	Not to exceed	100 mg/l

C] **The treated sewage shall be 100% reused/recycled for gardening purpose within premise. In no any case, sewage shall find its way outside Company's premises.**

- 3) The industry shall have bilateral agreement with the farmers on whose land the treated effluent is used for irrigation purposes and a copy of the agreements with validity shall be submitted to the Regional/Sub- Regional Office of the Board.
- 4) The industry shall create Environmental Cell by appointing an Environmental Engineer, Chemist and Agriculture expert for looking after day to day activities related to Environment and irrigation field where treated effluent is used for irrigation.
- 5) **CONDITIONS FOR MOLASSES STORAGE:**
 - (i) The molasses shall be properly collected and stored in steel tanks which shall be leak proof. At no stage of handling of molasses, there shall be leakage or spillage.
 - (ii) The capacity of tanks for storage of molasses shall be such that it will take care of bumper production of sugar, non-lifting of molasses etc.
 - (iii) All the area on which molasses are stored and handled should be provided with drain for diverting the spills to the treatment plant/ molasses tank. Suitable arrangements for accidental discharges of molasses from the tanks shall be provided to contain the same within factory premises.
 - (iv) Destruction of molasses and its disposal shall not be done without specific permission in writing from the authorized officer of the Board. Intimation of intention to destroy or dispose of the molasses shall be given to the Board at least 15 (fifteen) days in advance by registered post under intimation to the Sub-Regional officer and Regional officer of the Board under whose jurisdiction the factory is situated.
 - (v) The storage tanks shall be kept in good conditions all the year round with adequate maintenance. The tanks size and capacity per cm, height, total capacity in tonnes shall be displayed prominently near /on the tank.
 - (vi) The above conditions shall be in addition to and not in derogation of the provisions contained in the "Bombay Molasses Rules, 1955" and "Maharashtra Molasses Storage and Supply Regulation, 1965".
- 6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines if applicable.
- 7) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.



- 8) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 9) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters, and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	475.00
2.	Domestic purpose	60.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	1100.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Grandening	0

- 10) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

- 1) As per your application, you have provided the Air pollution control (APC) system and erected following stack(s) and observe the following fuel pattern-

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S%	SO ₂
1	Boiler (70 TPH)	Bagasse Dryer & WET Scrubber	65	Bagasse	730 MT/Day	0.20	2920.00
1	Boiler (40 TPH)	ESP	65	Bagasse	418 MT/Day	0.20	1672.00
2	D.G. Set - 500 KVA	Acoustic Enclosure	6	HSD	40 Ltr/Hr	1.00	19.20
3	D.G. Set - 125 KVA	Acoustic Enclosure	30	HSD	10 Ltr/Hr	1.00	4.80
4	D.G. Set - (625 KVA X 2 NO.)	Acoustic Enclosure	30	HSD	128 Ltr/Hr	1.00	61.44

- 2) The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

1 The Applicant shall provide ESP/ Bag filter/ Wet scrubber to the Bagasse fired boiler and Dust Collector to Sugar bagging section as an Air Pollution control equipments OR as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines.

2 The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³
--------------------	---------------	------------------------

3 The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

4 The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

5 Industry should not use auxiliary fuel more than 15 % (as per amendment in EIA Notification 2009, power plant upto 15 MW based on Bio-mass and using auxiliary fuel as coal upto 15% are exempt.) as co-gen capacity is below 15 MW.

- 3) The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.


- 4) The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

SCHEDULE-III
Details of Bank Guarantees:

Sr. No.	Consent(C2E/C20/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to R	1250000	15 days/ To be extended	Towards compliance of Consent conditions & O & M of pollution control system.	31.07.2022.	31.12.2022
2	C to R	2000000	15 Days/ to be extended	Towards not to carry out excess crushing more than the consented capacity.	31.07.2022.	31.12.2022.

BG Forfeiture History


Srno.	Consent (C2E/C20/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
						NA



SCHEDULE-IV

General Conditions:

- 1 The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2 The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 3 Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipment, the production process connected to it shall be stopped.
- 4 The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 5 The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 6 The industry should comply with the Hazardous & Other Wastes (M & TM) Rules, 2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous & Other Wastes (M & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year.
- 7 An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 8 The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 9 The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 10 The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
- 11 The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 12 Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.



- 13 The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the H&OW(M&TM) Rules 2016, which can be recycled/processed/ reused/ recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/ reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 14 Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act,1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 15 Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 16 Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
17. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
- 18 The industry should not cause any nuisance in surrounding area.
- 19 The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 20 The applicant shall maintain good housekeeping.
- 21 The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 22 The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipment provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.



- 23 The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 24 The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended.



F. No. J-11011/41/2015-IA-II (I)
Government of India
Ministry of Environment, Forest and Climate Change
(Impact Assessment Division)

Indira Paryavaran Bhawan
Aliganj, Jor Bagh Road,
New Delhi -110 003

Telefax: 011-24695365
E-mail: yogendra78@nic.in

Dated: 20th March, 2017

To,

The Chief Executive Officer
M/s Shri Gurudatt Sugars Limited
Gat No.61/A, Akiwat - Takaliwadi Road
Takaliwadi, Taluka Shirol
District - Kolhapur - 416 108
Maharashtra

Sub: Expansion of Sugar Plant (4900 TCD to 6000 TCD) and Co-generation Power Plant (15 MW to 21 MW) by M/s Shri Gurudatt Sugars Limited at Gat No.61/A, Akiwat-Takaliwadi Road, Takaliwadi, Taluka Shirol, District - Kolhapur, Maharashtra - Environmental Clearance - reg.

Ref: Online Proposal No. IA/MH/IND2/59911/2014 dated 22nd October, 2016.

Sir,

This has reference to your online proposal no. IA/MH/IND2/59911/2014 dated 22nd October, 2016, along with project documents including Form I, Terms of References, Pre-feasibility Report and EIA/EMP Report with public hearing report regarding the above mentioned project.

2. The Ministry of Environment, Forest and Climate Change has examined the application. It is noted that the proposal is Expansion of Sugar Plant (4900 TCD to 6000 TCD) and Co-generation Power Plant (15 MW to 21 MW) by M/s Shri Gurudatt Sugars Limited at Gat No.61/A, Akiwat-Takaliwadi Road, Takaliwadi, Taluka Shirol, District-Kolhapur, Maharashtra. As informed and as per the documents submitted by the Project Proponent (PP), no additional land is required as the project is proposed in the premises of sugar plant. The land area is 55 Acres. Area for green belt is 15 Acres. The total cost of the project is Rs. 86.34 crores. Raw Material is Sugarcane and Bagasse. No Protected area/Eco-sensitive area/Reserve forests are reported to be located within 10 km area of the project site. Krishna River (3 km), Panchganga River (5 km), and Dudhganga River (7 Km) are located within 10 km radius of the project site. Karnataka State is located within 4 km from the project site. The project thus falls in the interstate boundary region of Karnataka and Maharashtra. The plant will have the following configuration and production capacity:



Units	Existing Capacity	Proposed Capacity	Total Capacity after expansion	Working days
Sugar Plant	4900 TCD	1100 TCD	6000 TCD	160
Cogeneration Plant	15 MW	6 MW	21 MW	160+124

3. All Sugar Industry (≥ 5000 TCD cane crushing capacity) are listed at Sl. No. 5(j) of Schedule of EIA Notification under Category 'B'. However, considering the general condition that the project is located at distance of 4 km from the interstate boundary of Karnataka State, the project is considered under Category 'A' and are appraised at Central Level by Expert Appraisal Committee (EAC).

4. The project proposal was considered by the Expert Appraisal Committee (Industry-2) in its 36th meeting held during 16th- 17th March, 2015 and recommended Terms of References (TORs) for the Project. The TOR has been issued by Ministry vide letter dated 18th May, 2015.

5. The project proposal was considered by the Expert Appraisal Committee (Industry -2) in its 17th meeting held during 26th - 29th December, 2016. The Project Proponent and the accredited consultant M/s SD Engineering Services Pvt. Ltd, Aurangabad, gave a detailed presentation on the salient features of the project and proposed environmental protection measures to be undertaken, as per Terms of References (TORs) awarded in the 36th meeting of the EAC held during 16th - 17th March, 2015.

6. The State Pollution Control Board, Maharashtra has issued CTE vide letter no. 1.0/BO/CAC-CELL/EIC No. KP-15740-14/EIC. 4729 dated 27/04/2015 and CTO vide letter no. 1.0/BO/CAC CELL/EIC-KP-17292-15/ O&R/CAC-418 dated 8/10/2016. The existing unit has been operating with Consent to Operate from the State Pollution Control Board. Consent of Industry was valid up to 31.07.2016. The PP has informed the EAC that the application for renewal is submitted and same is under consideration of the SPCB which will be issued under auto-renewal policy of State Government.

7. Public Hearing for the proposed project has been conducted by the Maharashtra State Pollution Control Board 24.08.2016. The EAC has deliberated upon the issues raised during the public hearing. The concerns were raised regarding employment opportunities, pollution due to waste water discharge from plant, etc. The EAC noted that the issues have satisfactorily been responded by the project proponent and incorporated in the final EIA-EMP report.

8. The Project Proponent has informed the EAC that the ambient air quality monitoring was carried out at 9 locations during October, 2015- December, 2015 and submitted baseline data indicates that ranges of concentrations of PM₁₀ (25 $\mu\text{g}/\text{m}^3$ to 47.8 $\mu\text{g}/\text{m}^3$), PM_{2.5} (7.5 $\mu\text{g}/\text{m}^3$ to 18.5 $\mu\text{g}/\text{m}^3$), SO₂ (7.1 $\mu\text{g}/\text{m}^3$ to 9.2 $\mu\text{g}/\text{m}^3$), CO (0.09 $\mu\text{g}/\text{m}^3$ -0.16 $\mu\text{g}/\text{m}^3$) and NO_x (8.6 $\mu\text{g}/\text{m}^3$ to 11.1 $\mu\text{g}/\text{m}^3$) respectively.

9. The total requirement of water for sugar and cogeneration is 1405.25 m³/day for process, cooling, boiler and domestic purpose. Fresh water

Permission has been obtained from the concerned authority. Balance water shall be met through recycling of condensate water. Under no circumstances ground water shall be used in the factory.

10. Power requirement is 6 MW/day for sugar and co-gen unit, the same is met through own generation. The steam generating system for the proposed Cogeneration Project comprises of two multi-fuel fired boiler with a Maximum Continuous Rating (MCR) of 70 TPH and 40 TPH (total capacity 110 TPH), with the outlet steam parameters at 45 kg/cm² and 5000 C. Fuel for Boiler is Bagasse. The bagasse requirement is 182054 MT/year.

11. The PP has submitted a letter no. MPCB/RO/KOP- 2878/2016 dated 28/07/2016 issued by the Regional Officer, Kolhapur, Maharashtra Pollution Control Board mentioning that the effluent/wastewater generated by the existing plant is well within the prescribed limit, based on the direction of the EAC.

12. The EAC, in its 17th meeting held on 26th- 29th December, 2016 has found that the final EIA/EMP report submitted by the PP is adequate. The EAC after detailed deliberations, on the basis of the information and presentation made by the PP, has recommended the project for environmental clearance with certain conditions.

13. Based on the proposal and information submitted by the Project Proponent, and considering the recommendation of the Expert Appraisal Committee (Industry-2), the Ministry of Environment, Forest and Climate Change hereby accords Environmental Clearance to the above project under the provisions of EIA Notification dated 14th September 2006, subject to the compliance of the following Specific and General Conditions:

A. Specific Conditions:

- i. Zero liquid Discharge System shall be ensured.
- ii. Water requirement to be reduced at extent possible by using latest process methodology being used worldwide.
- iii. Fly Ash be generated shall be sent to nearby cement industry.
- iv. Green belt (10 m wide) of perennial plant species like Neem, Sesam, Teak etc., to be developed around the plant periphery ensuring the 33% area of the plant as green area. The Forest department may be consulted in this regard.
- v. Air emissions from all point source to be controlled by latest technology instruments. The emissions shall conform to the limits imposed by Maharashtra Pollution Control Board (MPCB).
- vi. Periodic soil and water sampling in nearby villages and water bodies to be done by the Project Authorities through 3rd part expert and report shall be submitted to the concerned regional office of the Ministry.
- vii. RO plant of sufficient capacity to be installed in the nearby villages to ensure safe drinking water supply. Maintenance of the RO plant will be owned by the Project Authorities.
- viii. Health check-up camps to be organized periodically in nearby villages.

- ix. A regular environmental manager having PG qualification in environmental sciences/environmental engineering to be appointed for looking after the environmental management practices in the plant.
- x. Automatic/online monitoring system (24 x 7 monitoring devices) for flow measurement and relevant pollutants in the treatment system to be installed. The data to be made available to the respective SPCB and in the Company's website.

B. General Conditions:

- i. The project authorities must strictly adhere to the stipulations made by the Maharashtra Pollution Control Board, State Government and any other statutory authority.
- ii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- iii. The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one station is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.
- iv. The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be followed.
- v. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
- vi. The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water.
- vii. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
- viii. The company shall also comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management and risk mitigation measures relating to the project shall be implemented.




- ix. The company shall undertake all relevant measures for improving the socioeconomic conditions of the surrounding area. CSR activities shall be undertaken by involving local villages and administration.
- x. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.
- xi. A separate Environmental Management Cell equipped with full fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.
- xii. The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/pollution control measures shall not be diverted for any other purpose.
- xiii. A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal.
- xiv. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.
- xv. The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.
- xvi. The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at <http://moef.nic.in>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.
- xvii. The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.



14. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.


15. The Ministry reserves the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.

16. The above conditions will be enforced, *inter alia* under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules, 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules.


20.3.2017
(Yogendra Pal Singh)
Scientist 'D'

Copy to:-

1. The Secretary, Environment Department, Government of Maharashtra, 15th Floor, New Administrative Building, Mantralaya, Mumbai- 400 032.
2. The Additional Principal Chief Conservator of Forests (C), Ministry of Environment, Forest and Climate Change, Regional Office(WCZ), Ground Floor, East Wing, New Secretariat Building, Civil Line, Nagpur-440001.
3. The Chairman, Central Pollution Control Board, Parivesh Bhawan, CBD-cum-Office Complex East Arjun Nagar, Delhi - 110 032.
4. The Chairman, Maharashtra Pollution Control Board, Kalpataru Point, 3rd and 4th floor, Opp. Cine Planet, Sion Circle, Mumbai-400 022.
5. Monitoring Cell, Ministry of Environment, Forest and Climate Change, Indira Paryavaran Bhavan, Jor Bhag, New Delhi- 110 003.
6. Guard File/Monitoring File/Website/Record File.


20.3.2017
(Yogendra Pal Singh)
Scientist 'D'