

SHRI GURUDATT SUGARS LTD; Takaliwadi

ADD.: Gat No. 61/A, Akiwat Takaliwadi Road, Takaliwadi. Tal.: Shirol, Dist.: Kolhapur (MH) Pin Code: 416 108
PHONE.: +91 231 2686086 FAX: +91 231 2686000 WEBSITE: www.sgsl.co.in Email: gslsugars@gmail.com

SGSL/ENVI/ 68 /2022-2023

Date - April 26, 2022

To,
The Regional Officer,
Ministry of Environment, Forest & Climate Change,
Regional office (WCZ), Ground Floor, East Wing,
New Secretariat Building, Civil Lines, Nagpur.
Tel No. 0712 – 2531318
Email: moefregionalofficenagpur@gmail.com

Sub: Six Monthly (October 2021 to March 2022) Compliance Report of Environmental Clearance issued by MoEF & CC, New Delhi.

Ref: You're Letter No. J - 11011/41/2015-IA-II (I) Date - 20.03.2017.

With reference to the abovementioned subject and your reference cited above. Please find enclosed herewith Six Monthly (From October 2021 to March 2022) Compliance Report of Environmental Clearance issued by MoEF & CC, New Delhi vide letter no. J - 11011/41/2015-IA-II (I) Date - 20.03.2017.

We do hope that you will find the above information satisfactory. However, if you require additional information /clarification in this regard, kindly write back, so that we shall submit the information at the earliest.

Thanking-You

Yours Faithfully,

FOR, SHRI GURUDATT SUGARS LTD.,

CHIEF EXECUTIVE OFFICER

Enclosed - Compliance Report

C.C to: 1. The Regional officer, MPC Board, Kolhapur.

2. The Sub - Regional officer, MPC Board, Kolhapur.

Shri Gurudatt Sugars Ltd.,

Gat No. 61/A, Akiwat - Takaliwadi Road , Takaliwadi - 416108, Taluka - Shirol, Dist - Kolhapur, Maharashtra

Compliance of Conditions Stipulated in environmental clearance granted to expansion of Sugar Plant (From 4900 TCD to 6000 TCD) & Co-generation Power Plant (From 15 MW to 21 MW) by MoEF & CC, New Delhi vide letter No. J - 11011/41/2015-IA-II (I) Date - 20.03.2017

EC No -	J - 11011/41/2015-IA-II (I) Date - 20.03.2017	April 2022
SR. NO.	EC Condition	Compliances
	A) Specific Condition	
1	Zero liquid Discharge System shall be ensured	We have full-fledged disposal method carried out in a scientific manner on land for irrigation in available 50 Acres for crop irrigation.
2	Water requirement to be reduced at extent possible by using latest process methodology being used worldwide.	Ours is the first Sugar factory in Maharashtra, wherein, we run the entire industrial activity with treated and recycled condensates, which is accrued from cane and no fresh water is utilized, for sugar factory operation. We have installed Condensate Polishing Unit (C.P.U) for sugar factory excess condensate water treatment and recycled purpose. Annexure 1
3	Fly ash be generated shall be sent to nearby cement industry.	The measurity of fly ash is utilize of our press mud composting yard the remaining of the small quantity is we have sold ash to brick manufactures and farmers.
4	Green belt (10 m wide) of perennial plant species like Neem, Seasam, Teak etc. to be developed around the plant periphery ensuring the 33% area of the plant as green area. The forest department may be consulted in this regard.	We have already planted 4356 Nos of tree as site.
5	Air emission from all point source to be controlled by latest technology instrument. The emissions shall conform to the limits imposed by Maharashtra Pollution Control Board (MPCB)	We have already installed air pollution control equipment as per consent stipulation. The efficiency further increase bagasse drying mechanism was installed.
6	Periodic soil and water sampling in nearby villages and water bodies to be done by the project authorities through 3rd part expert	The soil and water sampling in nearby villages carried out periodically. The report are enclosed as Annexure 2

	and report shall be submitted to the concerned Regional office of the Ministry.	
7	RO plant of sufficient capacity to be installed in the nearby villages to ensure safe drinking water supply. Maintenance of the RO plant will be owned by the project authorities.	The RO plant installed for drinking water purpose and benefits all nearby villages.
8	Health checkup camps to be organized periodically in nearby villages.	The health checkup camps carried out periodically.
9	A regular environmental manager having PG qualification in environmental sciences / environmental engineering to be appointed for looking after the environmental management practices in the plant.	We have already recruit Environmental Engineer having PG Qualification with full- fledged division of Environmental Management, wherein, all our Environmental management Plants are monitored on daily basis, along with requisite analysis carried out in our laboratory by trained chemists.
10	Automatic/ online monitoring system (24*7 monitoring devices) for flow measurement and relevant pollutants in the treatment system to be installed. The data to be made available to the respective SPCB and in the Company's website.	We have already installed and completed the connectivity to CPCB / MPCB server of online monitoring system of ETP outlet water parameter (Flow, PH, TSS, COD & BOD) & Boiler stack (SPM /TPM). The continuous monitoring results of ETP outlet water parameter & boiler stack emission depict that we are achieving norms stipulated by MPCB on a continuous time basis. And also online monitoring data is uploaded in company website. The photo of instrument is attached as Annexure 3.
	B) General Conditions:	
1	The project authorities must strictly adhere to the stipulations made by the Maharashtra Pollution Control Board, State Government and any other statutory authority.	PA agreed to comply with
2	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change. In case of deviations or alteration in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environment protection measures required, if any.	PA agreed to comply with

3	The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one station is installed in the upwind and downwind direction as well as where maximum ground level concentration are anticipated.	Complied. Ambient air quality monitoring is being carried out at three (03) location within the plant. PA submitted that the locations were decided in consultation with MPCB. As per the monitoring data, the ambient air quality levels found to be within prescribed limits.
4	The National ambient air quality emission standards issued by the ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be followed.	Complied. Acoustic enclosures have been provided. Green belt has been developed around the plant area. As per the monitoring data, the noise levels found to be within stipulated limits. The copy is enclosed as Annexure 4.
5	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time)	Complied. Acoustic enclosures have been provided. Green belt has been developed around the plant area. As per the monitoring data, the noise levels found to be within stipulated limits. The copy is enclosed as Annexure 4 .
6	The company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground and use the same water for the process activities of the project to conserve fresh water.	Complied. Roof top harvesting has been provided for the sugar godowns. Two collection pits of capacities 2100 cu.m. and 1600 cu.m. Have been provided for the storage of rain water.
7	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examination for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.	Complied. Personnel protective equipment has been provided to workers. The report are enclosed as Annexure 5.
8	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management and risk mitigation measures relating to the project shall be implemented.	E.S.P, Wet scrubber & bagasse Dryer with a stack of height 65 m has been provided. Effluent treatment plant has been provided. Treated effluent is used in the seed farms of the industry also supplied to the agriculture fields of farmers of nearby villages upon prior request from farmers. Green belt has been provided. Environmental quality monitoring is being carried out. CSR works are being undertaken. Vermi composting is being carried out with the waste generated in the cane yard. Compost is being supplied to the farmers.

9	The company shall undertake all relevant measures for improving the socioeconomic conditions of the surrounding area. CSR activities shall be undertaken by involving local villages and administration.	Compiled.
10	The company shall undertake eco-development measures including community welfare measures in the project area for the overall improvement of the environment.	Being complied. As per the details provided, PA distributed 500 nos trees to farmers of nearby villagers under eco-development measures.
11	A separate Environmental Management Cell equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	Complied. Environmental management cell has been established.
12	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and climate change as well as the State Government along with the implementation schedule for all the condition stipulated herein. The funds do earmarked for environment management / pollution control measures shall not be diverted for any other purpose.	Complied. As per the details provided, PA earmarked an amount of 13.5 cores towards capital expenditure and Rs. 3.31 cores towards recurring expenditure for environmental protection measures.
13	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zillah Parishad / Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestion / representations, if any, were received while processing the proposal.	Copy of the environmental clearance submitted to Zillah Parishad, Kolhapur and Gram Panchayat, Takaliwadi on 27.03.2017, The copy is enclosed as Annexure 6 .
14	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including result of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF & CC, the respective Zonal office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	Complied. However same has been uploaded to the company website.
15	The environmental statement for each financial year ending 31th March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance	Complied. Environment statement for the FY 2021-22 submitted to MPCB vide letter dated 25.04.2022, however the same was uploaded to the company website.

	conditions and shall also be sent to the respective Regional Offices of MoEF & CC by e-mail.	
16	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB / Committee and may also be seen at Website of the Ministry at http://moef.nic.in. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall ne in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Advertisement regarding to grant of EC was made on 31.03.2017. The copy is enclosed as Annexure 7 .
17	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	PA agreed to comply with.
18	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	PA agreed to comply with.
19	The Ministry reserve the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.	PA agreed to comply with.
20	The above conditions will be enforced, inter alia under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Waste (Management, Handling and Transe-boundary Movement) Rules, 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules.	PA agreed to comply with.

Shri Gurudatt Sugars Ltd., Takaliwadi

ANNEXURE - 1

- The increase in capacity of Sugarcane crushing from 4900 TCD to 6000 TCD is not an expansion in true sense and this is TO CATER FOR REQUIREMENT TO INCREASE CRUSHING BY 10-15% DUE TO CANE HARVESTING REQUIRED TO BE CARRIED OUT AS PER MATURITY, as otherwise there is sugar loss.
 - A) Modernization, without increasing either resource consumption or pollutional load is a constant endeavor and as a result, with Technological Advances carried out, we are able to ensure 'NO POLLUTIONAL LOAD INCREASE' in terms of volume or concentration of effluents, both water and air due to the abovementioned measures. This is clearly depicted in Annexure I and II attached herewith. THAT THERE IS NO CHANGE IN ANY MACHINERY CAPACITY AND THE CAPACITY INCREASE IS ACHIEVED THROUGH THE TECHNOLOGY CHANGES MENTIONED ABOVE.
 - B) DUE TO MEASURES TAKEN FOR CONSERVATION OF RESOURCES, NO INCREASE IN WATER OR FUEL CONSUMPTION IS WARRENTED, THEREBY ACHIEVING ZERO DISCHARGE TECHNICALLY FOR THE EXPANSION MODE.

The salient points of our efforts in above direction are:

- Ours is the **first Sugar factory in Maharashtra**, wherein, we run the entire industrial activity with treated and recycled condensates, which is accrued from cane and **no fresh water is utilized**, for sugar factory operation. As given in Annexure I, the same condition prevails for additional capacity as well, wherein, we are not required to consume any raw water, and therefore, there is no effluent generation from the same.
- ii) We also have installed Bagasse drying mechanism, with waste heat from flue gas, thus minimizing consumption of Bagasse for combustion, thereby effectively reducing the emissions at source itself. We have also taken various measures as given in Annexure II, which depict the sembalance of fuel consumption and therefore there is no air emission increase in this respect.
- 2) We have provided a full fledged Effluent Treatment Plant and operating the same with due vigil. Analysis of the treatment efficiency is a routine and corrective measures are taken immediately.
- 3) We have taken care that no untreated/ treated effluent from factory enters any water course and all the treated effluent is utilized on our own Land for Cane seed Plantation Irrigation, employing scientific practices.
- We have a full fledged division of Environmental Management, wherein, all our Environmental management Plants are monitored on daily basis, along with requisite analysis carried out in our laboratory by trained chemists. We also have installed 'Online Monitoring Systems for Water and Air Pollution Control System monitoring, as per stipulations in this regard.
 - The above measures have resulted in waste generation minimization, and it implies that there is 'zero increase in pollutional load', due to the measures taken above.

ANNEXURE I

WATER BUDGET FOR EXISTING AND PROPOSED CAPACITY AFTER MODERNISATION AT SHRI GURUDATT SUGARS LTD

EXISTING 4900 TCD,15 MW				ADDITIONAL 1100 TCD,6 MW					
PURPOSE	INPUT	Purpose	LOSSES	EFFLUE NT	PURPOSE	INPUT	Purpose	LOSSES	EFFLUENT
	Cum/d		Cum/d	Cum/d		Cum/d		Cum/d	Cum/d
Water in Cane	3430	Bagasse	686		Water in Cane	770	Bagasse	154	
Imbibition	1470	Mollasses	98		Imbibition	330	Mollasses	22	
Washings	470	Press mud	98	470	Washings (No New Machine)	0	Pressmud	22	0
		(Evaporation & Cooling Loss)	500				Evaporation & Cooling Loss)	100	
Total	5370		1382	470	Total	1100		298	
Condensate	3518	Imbibition	1470		Condensate	798	Imbibition	330	
		Other use	686				Other use	154	
		Washing	470				Washing	0	
Total Internal Use			2626		Total Internal Use			484	

Excess Condensate		892	Excess Condensate		314	
Treated Condensate	Utilization	Cum/d				
	Co-Gen Make- up	450		Co-Gen Make-up	0 (As Back I Turbine add require cool	ed does not
	Cooling Circuit Make up	120		Cooling Circuit Make up	24	
	Excess to Other Applications	322		Excess to Other Applications	296	

ANNEXURE II-EFFICIENCY INCREASE IN CO-GENERATION DUE TO IMPROVED TECHNOLOGY

PARAMETER	EARLIER CONDITION	IMPROVEMENT	IMPACT ON % EFFICIENCY INCREASE
BOILER TPH	70+40	70+40	Nil , Since No Change
Max.Working Steam Consumption	85	104	
Bagasse Consumption	36.95	36.49	Nil , Since No Change
I) STEAM TEMPERATURE INCREASE DU	JE TO SUPERHEATER MODIFI	CATION	
A)Steam temperature (°c)	420	500	Positive, as Power Generation Shall Improve For The Same Steam Quantity
B) Enthalpy	777.15	821.79	5.7%
II) BAGASSE MOISTURE REDUCTION E SETTING	DUE TO IMPROVED MILL		
A) Bagasse Moisture	50	47	
B) Enthalpy	2273.84	2411.84	6.1%
III) BAGASSE DRYING MECHANISM BA	SED ON FLUE GAS		
A) Bagasse Moisture	47	40	
B) Enthalpy	2411.84	2691.80	11.6%
	TOTAL INCREASE	IN EFFICIENCY	23.4%



"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile: 7249867318, 8378018710 • Tel.: 020 - 25460202, 25460203. • Email: kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/I AB/04/01/17 12 2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/7270A-1
M/s. Shri Gurudatt Sugars Ltd	REPORT DATE	11/11/2021
(Takaliwadi)	LAB REFERENCE NO	HS/LAB/WA/0630A
Gat No.61/A, Akiwat Takaliwadi Road,	DATE OF SAMPLING	01/11/2021
Takaliwadi, Tal-Shirol, Dist –Kolhapur, Pin- 416108.	DATE OF ANALYSIS	08/11/2021

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Effluent Water Sample	Greensafe Enviro Services	Untreated	ETP

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	TEST METHOD
1	pH		4.40	APHA 23 rd 2017, 4500-H ⁺ B
2	Total Suspended Solids	mg/lit	268.00	APHA 23 rd 2017, 2540 D
3	Total Dissolved Solids	mg/lit	1942.00	APHA 23 rd 2017, 2540 C
4 .	Chemical Oxygen Demand	mg/lit	3962.00	APHA 23 rd 2017, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	1860.00	IS 3025 (Part 44)- R-2003
6	Chlorides as Cl	mg/lit	386.00	APHA 23rd 2017, 4500 CI-B
7	Sulphates as SO ₄	mg/lit	652.00	APHA 23rd 2017, 4500 CI-B
8	Oil & Grease	mg/lit	24.00	APHA 23rd 2017, 4500 SO4 E

For HORIZON SERVICES

(LAB INCHARGE)

Sample will be retained only for 15 days.
 Above results indicate to the parameters mentioned only.
 Liability limited till issue of test reports only.
 The test report shall not be produced for any legal identity or advertised without permission of lab.
 Liability limited till issue of test reports only.
 The effect of results relate only to the item tested.



"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile: 7249867318, 8378018710 • Tel.: 020 - 25460202, 25460203. • Email: kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17 12 2012

OLIENTIO MARKE O APPRESO		- C II C II I I I I I I I I I I I I I I
CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/7270A-2
M/s. Shri Gurudatt Sugars Ltd	REPORT DATE	11/11/2021
(Takaliwadi)	LAB REFERENCE NO	HS/LAB/WA/0630A
Gat No.61/A, Akiwat Takaliwadi Road,	DATE OF SAMPLING	01/11/2021
Takaliwadi, Tal-Shirol,	DATE OF ANALYSIS	08/11/2021
Dist -Kolhapur, Pin- 416108.		

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Effluent Water Sample	Greensafe Enviro Services	Treated	ETP

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	MPCB LIMITS	TEST METHOD
1	рН		7.10	5.5 – 9.0	APHA 23 rd 2017, 4500-H ⁺ B
2	Total Suspended Solids	mg/lit	68.00	< 100.00	APHA 23 rd 2017, 2540 D
3	Total Dissolved Solids	mg/lit	1853.00	< 2100.00	APHA 23 rd 2017, 2540 C
4	Chemical Oxygen Demand	mg/lit	184.00	< 250.00	APHA 23 rd 2017, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	52.00	< 100.00	IS 3025 (Part 44)- R-2003
6	Chlorides as CI	mg/lit	340.00	< 600.00	APHA 23rd 2017, 4500 CI-B
7	Sulphates as SO ₄	mg/lit	568.00	< 1000.00	APHA 23rd 2017, 4500 SO4 E
8	Oil & Grease	mg/lit	< 5.00	< 10.00	APHA 23rd 2017, 4500 304 E

For HORIZON SERVICES

(LAB INCHARGE)

DISCLAIMER:

- Sample will be retained only for 15 days.
 Above results indicate to the parameters mentioned only.
 The test report shall not be produced for any legal identity or advertised without permission of lab.
 Liability limited till issue of test reports only.
 The effect of results relate only to the item tested.



"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile: 7249867318, 8378018710 • Tel.: 020 - 25460202, 25460203. • Email: kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17 12 2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/7270A-3
M/s. Shri Gurudatt Sugars Ltd	REPORT DATE	11/11/2021
(Takaliwadi)	LAB REFERENCE NO	HS/LAB/WA/0630A
Gat No.61/A, Akiwat Takaliwadi Road,	DATE OF SAMPLING	01/11/2021
Takaliwadi, Tal-Shirol,	DATE OF ANALYSIS	08/11/2021
Dist -Kolhapur, Pin- 416108.	20	

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Well Water Sample	Greensafe Enviro Services		Bhokare Well

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	LIMITS AS PER IS10500: 2018	TEST METHOD
01	pH		7.20	6.5 - 8.5	APHA 23 rd 2017, 4500-H ⁺ B
02	Electric Conductivity	μs/cm	164.00	Not Specifed	APHA 23rd 2017, 2510 B
03	Colour		< 5.00	005.00	APHA 23 rd 2017, 2120 C
04	Odour	:	Agreeable	Agreeable	APHA 23 rd 2017, 2150 B
05	Turbidity	NTU	< 1.00	001.00	APHA 23 rd 2017, 2130 B
06	Total Dissolved Solids	mg/lit	152.00	500.00	APHA 23 rd 2017, 2540 C
07	Chemical Oxygen Demand	mg/lit	6.00	Not Specifed	APHA 23 rd 2017, 5220 C
08	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	2.00	Not Speciled	IS 3025 (Part 44)- R-2003
09	Chlorides as Cl	mg/lit	42.00	250.00	APHA 23rd 2017, 4500 CI-B
10	Sulphates as SO ₄	mg/lit	74.00	200.00	APHA 23rd 2017, 4500 SO4 E
11	Alkalinity as CaCO ₃	mg/lit	54.00	200.00	APHA 23 rd 2017, 2320 B
12	Calcium as Ca	mg/lit	30.00	075.00	APHA 23 rd 2017, 3500 Ca B
13	Magnesium as Mg	mg/lit	24.00	030.00	APHA 23 rd 2017, 3500 Mg B
14	Total Hardness as CaCO ₃	mg/lit	120.00	200.00	APHA 23 rd 2017, 2340 C
15	Iron as Fe	mg/lit	0.10	000.30	APHA 23 rd 2017, 3500 Fe B
16	Fluoride as F	mg/lit	< 0.1	001.00	APHA 23 rd 2017, 4500-F ⁻ D
17	Sodium as Na	mg/lit	8.00	Not Specifed	APHA 23rd 2017, 3500 Na B

REMARK: As per IS 10500: 2018, above water sample is chemically & bacteriologically potable for drinking purpose, for the parameters tested.



For HORIZON SERVICES

MAN COMPLEX

(LAB INCHARGE)

DISCLAIMER:

- Sample will be retained only for 15 days.
 Above results indicate to the parameters mentioned only.
 Liability limited till issue of test reports only.
- The test report shall not be produced for any legal identity or advertised without permission of lab.
 The effect of results relate only to the item tested.



"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004. Mobile: 7249867318, 8378018710
 Tel.: 020 - 25460202, 25460203.
 Email: kmn@hespl.co.in / md@hespl.co.in
 www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/7270A-3
M/s. Shri Gurudatt Sugars Ltd	REPORT DATE	11/11/2021
(Takaliwadi)	LAB REFERENCE NO	HS/LAB/WA/0630A
Gat No.61/A, Akiwat Takaliwadi Road,	DATE OF SAMPLING	01/11/2021
Takaliwadi, Tal-Shirol,	DATE OF ANALYSIS	08/11/2021
Dist -Kolhapur, Pin- 416108.		

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Soil Sample	Greensafe Enviro Services		Hegade

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	TEST METHOD
1	pH(10 % Extract)		7.40	IS 2720 (Part 26) 1987
2	Chlorides as Cl	mg/kg	228.00	SOP No: WI/Lab/Soil/CA/13
3	Sulphates as SO ₄	mg/kg	NIL	IS 2720 (Part 27)- 1977 (RA 2010)
4	Total Chromium as Cr	mg/kg	14.00	Ministry of Agriculture 2011
5	Total Nitrogen as N	mg/kg	152.00	IS 14684:1999
6	Phosphorus as P	mg/kg	- NIL	HS/NABL/SOIL/8
7	Nickel as Ni	mg/kg	26.00	Ministry of Agriculture 2011
8	Cadmium as Cd	mg/kg	2.00	Ministry of Agriculture 2011
9	Copper as Cu	mg/kg	56.00	Ministry of Agriculture 2011
10	Zinc as Zn		32.00	HS/NABL/SOIL/11
11	Total Ammonia as N	mg/kg	NIL	Ministry of Agriculture 2011



For HORIZON SERVICES

(LAB INCHARGE)

DISCLAIMER:

- Sample will be retained only for 15 days.
 Above results indicate to the parameters mentioned only.
 Liability limited till issue of test reports only.
 The test report shall not be produced for any legal identity or advertised without permission of lab.
 The effect of results relate only to the item tested.



"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile: 7249867318, 8378018710 • Tel.: 020 - 25460202, 25460203. • Email: kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/21-22/0799A/3
Dated	: 31/12/2021
Client.	: M/s SHREE GURUDATTA SUGARS LTD., TAKALIVADI
Site.	GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYISIS
01	DATE OF SAMPLING	DD/MM/YY	27/12/2021		AIVALTIOIS
02	TEST LOCATION		Near ETP	-	
03	TIME OF SAMPLING	Hrs	17:30 - 1:30	1	
04	TEMPERATURE (Max./Min)	Deg C	34/22	1	
05	RELATIVE HUMIDITY	% RH	48		(**)
06	SAMPLING DURATION	Hrs	8		
07	PM ₁₀	μg/m³	58.62	≤100	IS 5182(part 23),2006
80	PM _{2.5}	μg/m³	27.10	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	μg/m³	7.20	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	μg/m³	24.35	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No 21914	PICS/F/ADS/03-21/20	17/03/2021	16/03/2022
2	Respirable Dust Sampler; Sr. No. 4	TECH/CAL/2021/06.F/7	08/06/2021	07/06/2022
	NAAOS National Ambient Air (

NAAQS - National Ambient Air Quality Standards (2009)





"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile: 7249867318, 8378018710 • Tel.: 020 - 25460202, 25460203. • Email: kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

Report No.	: HS/REP/21-22/0799A/4
Dated	: 31/12/2021
Client.	: M/s SHREE GURUDATTA SUGARS LTD., TAKALIVADI
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	METHODS USED
01	DATE OF SAMPLING	DD/MM/YY	27/12/2021		USED
02	TEST LOCATION		Boiler 1 & 2 (Capacity-70 MT/Hr & 40 MT/Hr)	2	
03	TIME OF SAMPLING (00.00)	Hrs	10:10		*
04	MATERIAL OF STACK				
05	STACK HEIGHT	Mtr	65		
06	TYPE OF FUEL USED		Bagasse	•	
07	FUEL CONSUMPTION	MT/Hr	37.7		
08	TYPE OF STACK		Round		
09	FLUE GAS TEMPERATURE	Deg C	156		
10	VELOCITY	M/Sec	6.4		
11	DIAMETER OF STACK	М	3.43		
12	GAS VOLUME	Nm³/Hr	345254.0		
13	TPM	mg/Nm³	54.20	As per Consent	IS 11255 (Part 1)
14	SO ₂	Kg/Day	15.69	As per Consent	-

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM-SMK 10M, Sr. No.7614	PICS/F/SMK/09-20/47	07/09/2020	06/09/2021





"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile: 7249867318, 8378018710 • Tel.: 020 - 25460202, 25460203. • Email: kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT NOISE LEVEL MONITORING REPORT

Report No.	: HS/REP/21-22/0799A/5
Dated	: 31/12/2021
Client.	: M/s SHREE GURUDATTA SUGARS LTD., TAKALIVADI
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE
Date of Sampling.	: 27/12/2021

RESULTS

SR. NO.	TEST LOCATION	UNIT	DAY	DAY TIME		TIME
			Time	Readings	Time	Readings
01	Near Main Gate	dB (A)	14:10 hrs.	66.1	22:20 hrs.	64.4
02	Near Boiler	dB (A)	14:20 hrs.	73.2	22:30 hrs.	68.6
03	Near ETP Area	dB (A)	14:30 hrs.	69.8	22:40 hrs.	64.5
04	Near Sugar Godown	dB (A)	14:40 hrs.	68.5	22:50 hrs.	63.8
05	Near Laboratory	dB (A)	14:50 hrs.	67.2	23.00 hrs.	63.1
06	Near Mill House	dB (A)	15:00 hrs.	71.4	23.10 hrs.	67.0
07	Near Pan Section	dB (A)	15:10 hrs.	73.9	23:20 hrs.	68.3
80	Near Sugar Plant	dB (A)	15:20 hrs.	72.7	23:30 hrs.	67.5
09	Near Weigh Bridge	dB (A)	15:30 hrs.	70.5	23:40 hrs.	66.2
10	Near Centrifugal	dB (A)	15.40 hrs.	69.7	23.50 hrs.	65.8

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	Digital Sound level meter Lutron -SL.4030SR.Q633367	TECH/CAL/2021/02.D/1	19/02/2021	18/02,2022

Limits:

≤75 dB (A) For Day Time ≤70 dB (A) For Night Time

REMARK/OBSERVATIONS:

Noise levels limits are given as per Noise Pollution (Regulation & Control) Rules 2010.





"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile: 7249867318, 8378018710 • Tel.: 020 - 25460202, 25460203. • Email: kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/L:AB/WA/8030-2
M/s Shree Gurudatta Sugars Ltd.	REPORT DATE	31/12/2021
Takaliwadi	LAB REFERENCE NO	HS/LAB/WA/701A
Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol.	DATE OF SAMPLING	27/12/2021
Dist –Kolhapur, 416108.	DATE OF ANALYSIS	29/12/2021

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Waste-water sample	Jointly Collected by Horizon Services and Shrusti Envirocare	Treated	ETP

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	MPCB LIMITS	TEST METHOD
1	pH		7.31	5.5-9.0	APHA 23 rd 2017, 4500-H ⁺ B
2	Total Suspended Solids	mg/lit	78.00	< 100.0	APHA 23 rd 2017, 2540 D
_3	Total Dissolved Solids	mg/lit	1580.00	< 2100.0	APHA 23 rd 2017, 2540 C
4	Chemical Oxygen Demand	mg/lit	190.00	< 250.0	APHA 23 rd 2017, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	57.00	< 100.0	IS-3025 (Part 44) R-2003
6	Chlorides as Cl-	mg/lit	462.00	< 600.0	APHA 23 rd 2017, 4500 Cl ⁻ B
7	Sulphates as SO ₄	mg/lit	654.00	< 1000.0	APHA 23 rd 2017, 4500 SO ₄ E
8	Oil & Grease	mg/lit	2.40	< 10.0	APHA 23 rd 2017, 5520 B
9	Dissolved Oxygen	mg/lit	2.10		APHA 23 rd 2017, 4500 NH ₃ C

Sr. No.	Equipment / Instrument	Last calibration	Calibration valid	Certificate No.
1	pH Meter Make- Global	01/06/2021	31/05/2022	E21/10/0106/01
2	Hot Air Oven -Make- BTI	01/06/2021	31/05/2022	T21/05/6/14654/01
3	COD Digester Make- Rocker CR-25	01/06/2021	31/05/2022	T21/05/6/14654/09
4	BOD Incubator -Make -BTI-06	01/06/2021	31/05/2022	T21/05/6/14654/03
5	Weighing balance- Make- Shimadzu -AUW220D	08/10/2021	07/10/2022	NI/HS/031018/001

PRIZON 1117 CEL 1117 For HORIZON SERVICES
MYNOUGH LIKE

(LAB INCHARGE)



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email: kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/5785A-1
M/s. M/s Shree Gurudatta	REPORT DATE	06/01/2021
Sugars Ltd., Takaliwadi	LAB REFERENCE NO	HS/LAB/WA/559A
Gat No.61/A, Akiwat Takaliwadi	DATE OF SAMPLING	31/12/2020
Road, Takaliwadi, Tal-Shirol,	DATE OF ANALYSIS	01/01/2021
Dist –Kolhapur, Pin- 416108.		

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Waste-water sample	Jointly Collected by Horizon	Untreated	ETP
	Services and Shrusti Envirocare		

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	TEST METHOD
1	рН		4.11	APHA 23 rd 2017, 4500-H ⁺ B
2	Total Suspended Solids	mg/lit	375.00	APHA 23 rd 2017, 2540 D
3	Total Dissolved Solids	mg/lit	2718.00	APHA 23 rd 2017, 2540 C
4	Chemical Oxygen Demand	mg/lit	2898.00	APHA 23 rd 2017, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	929.00	IS-3025 (Part 44) 2003
6	Chlorides as Cl	mg/lit	779.00	APHA 23 rd 2017, 4500 Cl ⁻ B
7	Sulphates as SO ₄	mg/lit	915.00	APHA 23 rd 2017, 4500 SO ₄ E
8	Oil & Grease	mg/lit	13.90	APHA 23 rd 2017, 5520 B
9	Dissolved Oxygen	mg/lit	1.25	APHA 23 rd 2017, 5210 B

Sr.	Equipment / Instrument	Last	Calibration	Certificate No.
No.		calibration	valid	
1	pH Meter Make- Global	01/06/2020	31/05/2021	E20/10/1016/01
2	Water bath - Make- BTI	01/06/2020	31/05/2021	T20/05/2006/13/05
3	Hot Air Oven –Make- BTI	01/06/2020	31/05/2021	T20/05/2006/13/01
4	COD Digester –Make- Rocker CR-25	01/06/2020	31/05/2021	T20/05/2006/13/08
5	BOD Incubator –Make –BTI-06	01/06/2020	31/05/2021	T20/05/2006/13/03
6.	Weighing balance- Make- Shimadzu AUW220D	02/10/2019	01/10/2021	NI/HS/031018/001

For HORIZON SERVICES

(LAB INCHARGE)



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email: kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/5785A-2
M/s. M/s Shree Gurudatta	REPORT DATE	06/01/2021
Sugars Ltd., Takaliwadi	LAB REFERENCE NO	HS/LAB/WA/559A
Gat No.61/A, Akiwat Takaliwadi	DATE OF SAMPLING	31/12/2020
Road, Takaliwadi, Tal-Shirol,	DATE OF ANALYSIS	01/01/2021
Dist –Kolhapur, Pin- 416108.		

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Waste-water sample	Jointly Collected by Horizon	Treated	ETP
	Services and Shrusti Envirocare		

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	MPCB LIMITS	TEST METHOD
1	рН		7.15	5.5 to 9.0	APHA 23 rd 2017, 4500-H ⁺ B
2	Total Suspended Solids	mg/lit	74.00	< 100.0	APHA 23 rd 2017, 2540 D
3	Total Dissolved Solids	mg/lit	1665.00	< 2100.0	APHA 23 rd 2017, 2540 C
4	Chemical Oxygen Demand	mg/lit	209.00	< 250.0	APHA 23 rd 2017, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	69.00	< 100.0	IS-3025 (Part 44) 2003
6	Chlorides as Cl	mg/lit	476.00	<600.0	APHA 23 rd 2017, 4500 Cl ⁻ B
7	Sulphates as SO ₄	mg/lit	695.00	< 1000.0	APHA 23 rd 2017, 4500 SO₄ E
8	Oil & Grease	mg/lit	3.50	< 10.0	APHA 23 rd 2017, 5520 B
9	Dissolved Oxygen	mg/lit	2.84	Not Specified	APHA 23 rd 2017, 5210 B

Sr.	Equipment / Instrument	Last	Calibration	Certificate No.
No.		calibration	valid	
1	pH Meter Make- Global	01/06/2020	31/05/2021	E20/10/1016/01
2	Water bath - Make- BTI	01/06/2020	31/05/2021	T20/05/2006/13/05
3	Hot Air Oven –Make- BTI	01/06/2020	31/05/2021	T20/05/2006/13/01
4	COD Digester –Make- Rocker CR-25	01/06/2020	31/05/2021	T20/05/2006/13/08
5	BOD Incubator –Make –BTI-06	01/06/2020	31/05/2021	T20/05/2006/13/03
6.	Weighing balance- Make- Shimadzu AUW220D	02/10/2019	01/10/2021	NI/HS/031018/001

For HORIZON SERVICES

Menayalkar (LAB INCHARGE)



"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460003, 25460033. • Email: kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/20-21/5811A/1
Dated	: 08/01/2021
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD,TAKALIWADI, TAL-SHIROL, DIST –KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYISIS
01	DATE OF SAMPLING	DD/MM/YY	31/12/2020		
02	TEST LOCATION		Near Factory		
			Main Gate		
03	TIME OF SAMPLING	Hrs	09:20		
04	TEMPERATURE (Max./Min)	Deg C	35/24		
05	RELATIVE HUMIDITY	% RH	51		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	μg/m³	65.25	≤100	IS 5182(part 23),2006
08	PM _{2.5}	μg/m³	30.64	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	μ g /m³	9.54	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	μg/m³	30.18	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5μ/10μ Sr. No 21914	PICS/F/ADS/09-20/44	21/09/2020	17/08/2021
2	Respirable Dust Sampler; Sr. No.9	TECH/CAL/2020/05.C/1	15/05/2020	14/05/2021

NAAQS - National Ambient Air Quality Standards (2009)

Menagolikai



"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Tel.: 020 - 25460202, 25460203, 25460003, 25460033. • Email: kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/20-21/5811A/2
Dated	: 08/01/2021
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD,TAKALIWADI, TAL-SHIROL, DIST –KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYISIS
01	DATE OF SAMPLING	DD/MM/YY	31/12/2020		
02	TEST LOCATION		Near Weigh		
			Bridge		
03	TIME OF SAMPLING	Hrs	09:30		
04	TEMPERATURE (Max./Min)	Deg C	35/24		
05	RELATIVE HUMIDITY	% RH	51		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	μg/m³	72.54	≤100	IS 5182(part 23),2006
80	PM _{2.5}	μ g /m³	34.45	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	μ g /m³	10.64	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	μ g /m³	31.23	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5μ/10μ Sr. No 20410	PICS/F/ADS/09-20/42	21/09/2020	17/08/2021
2	Respirable Dust Sampler; Sr. No. 10	TECH/CAL/2020/06.C/2	15/05/2020	14/05/2021

NAAQS – National Ambient Air Quality Standards (2009)

Menayolkac



"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460003, 25460033. • Email: kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/20-21/5811A/3
Dated	: 08/01/2021
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD,TAKALIWADI, TAL-SHIROL, DIST –KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYISIS
01	DATE OF SAMPLING	DD/MM/YY	31/12/2020		
02	TEST LOCATION		Near ETP		
03	TIME OF SAMPLING	Hrs	17:30		
04	TEMPERATURE (Max./Min)	Deg C	28/22		
05	RELATIVE HUMIDITY	% RH	73		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	μ g /m³	68.54	≤100	IS 5182(part 23),2006
80	PM _{2.5}	μ g /m³	29.94	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	μ g /m³	10.41	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	μ g /m³	31.12	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr.	Instrument	Certificate No.	Last Calibrated	Due Date
No.			on	
1	PEM – ADS 2.5μ/10μ Sr. No 21914	PICS/F/ADS/09-20/44	21/09/2020	17/08/2021
2	Respirable Dust Sampler; Sr. No. 2	TECH/CAL/2020/06.C/4	09/06/2020	08/06/2021

NAAQS - National Ambient Air Quality Standards (2009)

Menagaikar For HORIZON SERVICES



Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email: kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT


Report No.	: HS/REP/20-21/5811A/4
Dated	: 08/01/2021
Client.	: M/s Shree Gurudatta Sugars Ltd., Takaliwadi
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST –KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS OF ANALYSIS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	METHODS USED
01	DATE OF SAMPLING	DD/MM/YY	31/12/2020		
02	TEST LOCATION		Boiler 1 & 2		
			(Capacity-70 MT/Hr & 40 MT/Hr)		
03	TIME OF SAMPLING (00.00)	Hrs	10:00		
04	MATERIAL OF STACK		•		
05	STACK HEIGHT	Mtr	65		
06	TYPE OF FUEL USED		Baggase		
07	FUEL CONSUMPTION	MT/Hr	37.7		
08	TYPE OF STACK		Round		
09	FLUE GAS TEMPERATURE	Deg C	148		
10	VELOCITY	M/Sec	5.9		
11	DIAMETER OF STACK	М	3.43		
12	GAS VOLUME	Nm³/Hr	35218.32		
13	TPM	mg/Nm³	44.51	As per	IS 11255 (Part 1)
				Consent	
14	SO ₂	Kg/Day	0.15	As per Consent	

Calibrations details: -

	Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
Ī	1	PEM-SMK 10M, Sr. No.7614	PICS/F/SMK/09-20/47	07/09/2020	06/09/2021





Lab Approved by MoEF, New Delhi. (09-02-2017 to 08-02-2022)

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email: kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

NOISE LEVEL MONITORING REPORT

Report No. : HS/REP/20-21/5811A/5

Dated : 08/01/2021

Client. : M/s Shree Gurudatta Sugars Ltd., Takaliwadi

Site. : GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST –KOLHAPUR, PIN- 416108.

Sample Collected by : M/S. SHRUSTI ENVIROCARE

Date of Sampling. : 31/12/2020

RESULTS

SR. NO.	TEST LOCATION	UNIT	DAY TIME READINGS	NIGHT TIME READINGS
_				
01	Near Main Gate	dB (A)	66.9	65.2
02	Near Boiler	dB (A)	74.1	68.8
03	Near ETP Area	dB (A)	71.1	66.4
04	Near Sugar Godown	dB (A)	67.5	65.3
05	Near Laboratory	dB (A)	65.4	63.5
06	Near Mill House	dB (A)	72.0	69.1
07	Near Pan Section	dB (A)	68.7	66.0
08	Near Sugar Plant	dB (A)	73.4	65.2
09	Near Weigh Bridge	dB (A)	71.5	69.1
10	Near Centrifugal	dB (A)	72.0	68.4

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated	Due Date
			on	
1	Digital Sound level meter Lutron -SL.4001SR.Q622510	TECH/CAL/2020/F.DB/2	20/02/2020	19/02/2021

Limits:

Peripheral Area ≤75 dB (A) For Day Time ≤70 dB (A) For Night Time In plant 90 dB (A)

Menayolkac



"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email: kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/20-21/7178A/1
Dated	: 24/02/2021
Client.	: M/s SHREE GURUDATTA SUGARS LTD., TAKALIVADI
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD,TAKALIWADI, TAL – SHIROL, DIST –KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYISIS
01	DATE OF SAMPLING	DD/MM/YY	17/02/2021		
02	TEST LOCATION		Near Factory Main Gate		
03	TIME OF SAMPLING	Hrs	09:20 - 17:20		
04	TEMPERATURE (Max./Min)	Deg C	30/23		
05	RELATIVE HUMIDITY	% RH	53		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	μ g /m³	64.41	≤100	IS 5182(part 23),2006
08	PM _{2.5}	μg/m³	31.32	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	μg/m³	9.14	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	μg/m³	29.21	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5μ/10μ Sr. No 21914	PICS/F/ADS/09-20/44	21/09/2020	17/08/2021
2	Respirable Dust Sampler; Sr. No.9	TECH/CAL/2020/05.C/1	15/05/2020	14/05/2021

NAAQS – National Ambient Air Quality Standards (2009)

For HODIZON SED



"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email: kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/20-21/7178A/2
Dated	: 24/02/2021
Client.	: M/s SHREE GURUDATTA SUGARS LTD., TAKALIVADI
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD,TAKALIWADI, TAL – SHIROL, DIST – KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND NALYISIS
01	DATE OF SAMPLING	DD/MM/YY	17/02/2021		
02	TEST LOCATION		Near Weigh Bridge		
03	TIME OF SAMPLING	Hrs	09:30 - 17:30		
04	TEMPERATURE (Max./Min)	Deg C	30/23		
05	RELATIVE HUMIDITY	% RH	53		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	μ g /m³	70.44	≤100	IS 5182(part 23),2006
08	PM _{2.5}	μg/m³	33.35	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	μg/m³	11.54	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	μg/m³	30.13	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5μ/10μ Sr. No 20410	PICS/F/ADS/09-20/42	21/09/2020	17/08/2021
2	Respirable Dust Sampler; Sr. No. 10	TECH/CAL/2020/06.C/2	15/05/2020	14/05/2021

NAAQS – National Ambient Air Quality Standards (2009)



"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email: kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/20-21/7178A/3
Dated	: 24/02/2021
Client.	: M/s SHREE GURUDATTA SUGARS LTD., TAKALIVADI
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD,TAKALIWADI,
	TAL-SHIROL, DIST –KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYISIS
01	DATE OF SAMPLING	DD/MM/YY	17&18/02/2021		
02	TEST LOCATION		Near ETP		
03	TIME OF SAMPLING	Hrs	17:40 – 01:40		
04	TEMPERATURE (Max./Min)	Deg C	29/21		
05	RELATIVE HUMIDITY	% RH	62		
06	SAMPLING DURATION	Hrs	08		
07	PM ₁₀	μg/m³	67.14	≤100	IS 5182(part 23),2006
08	PM _{2.5}	μg/m³	28.54	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	μg/m³	10.21	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	μ g /m³	30.25	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5μ/10μ Sr. No. 21914	PICS/F/ADS/09-20/44	21/09/2020	17/08/2021
2	Respirable Dust Sampler; Sr. No. 2	TECH/CAL/2020/06.C/4	09/06/2020	08/06/2021

NAAQS - National Ambient Air Quality Standards (2009)

Menagaikar For HORIZON SERVICES



"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email: kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

Report No.: HS/REP/20-21/7178A/4Dated: 24/02/2021Client.: M/s SHREE GURUDATTA SUGARS LTD., TAKALIVADISite.: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.Sample Collected by: M/S. SHRUSTI ENVIROCARE

RESULTS OF ANALYSIS

SR.	DESCRIPTION	UNIT	RESULT	LIMITS	METHODS
NO.					USED
01	DATE OF SAMPLING	DD/MM/YY	17/02/2021		
02	TEST LOCATION		Boiler 1 & 2		
			(Capacity-70		
			MT/Hr & 40 MT/Hr)		
03	TIME OF SAMPLING	Hrs	10:30		
	(00.00)				
04	MATERIAL OF STACK		-		
05	STACK HEIGHT	Mtr	65		
06	TYPE OF FUEL USED		Bagasse		
07	FUEL CONSUMPTION	MT/Hr	37.7		
80	TYPE OF STACK		Round		
09	FLUE GAS	Deg C	145		
	TEMPERATURE				
10	VELOCITY	M/Sec	5.7		
11	DIAMETER OF STACK	M	3.43		
12	GAS VOLUME	Nm³/Hr	35154.34		
13	TPM	mg/Nm³	45.62	As per	IS 11255 (Part 1)
				Consent	, ,
14	SO ₂	Kg/Day	0.11	As per	
				Consent	

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM-SMK 10M, Sr. No.7614	PICS/F/SMK/09-20/47	07/09/2020	06/09/2021

Menayoukar



"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email: kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT NOISE LEVEL MONITORING REPORT

Report No.	: HS/REP/20-21/7178A/5
Dated	: 24/02/2021
Client.	: M/s SHREE GURUDATTA SUGARS LTD., TAKALIVADI
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST –KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE
Date of Sampling.	: 17/02/2021

RESULTS

SR. NO.	TEST LOCATION	UNIT	DAY TIME		NIGHT TIME	
			Time	Readings	Time	Readings
01	Near Main Gate	dB (A)	14:10 hrs.	68.5	22:20 hrs.	63.1
02	Near Boiler	dB (A)	14:20 hrs.	73.2	22:30 hrs.	67.3
03	Near ETP Area	dB (A)	14:30 hrs.	70.0	22:40 hrs.	67.1
04	Near Sugar Godown	dB (A)	14:40 hrs.	69.2	22:50 hrs.	64.2
05	Near Laboratory	dB (A)	14:50 hrs.	66.3	23:00 hrs.	64.5
06	Near Mill House	dB (A)	15:00 hrs.	70.0	23:10 hrs.	67.1
07	Near Pan Section	dB (A)	15:10 hrs.	69.5	23:20 hrs.	65.0
08	Near Sugar Plant	dB (A)	15:20 hrs.	71.4	23:30 hrs.	67.2
09	Near Weigh Bridge	dB (A)	15:30 hrs.	70.2	23:40 hrs.	67.1
10	Near Centrifugal	dB (A)	15:40 hrs.	68.0	23:50 hrs.	65.2

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated	Due Date
1	Digital Sound level meter Lutron -SL.4001SR.Q622510	TECH/CAL/2020/F.DB/2	20/02/2020	19/02/2021

Limits:

≤75 dB (A) For Day Time ≤70 dB (A) For Night Time

REMARK/OBSERVATIONS:

Noise levels limits are given as per Noise Pollution (Regulation & Control) Rules 2010.



"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email: kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/7177A-1
M/s Shree Gurudatta Sugars Ltd.	REPORT DATE	24/02/2021
Takaliwadi	LAB REFERENCE NO	HS/LAB/WA/0712A
Gat No.61/A, Akiwat Takaliwadi Road,	DATE OF SAMPLING	17/02/2021
Takaliwadi, Tal-Shirol, Dist –Kolhapur, 416108.	DATE OF ANALYSIS	18/02/2021

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Waste-water sample	Jointly Collected by Horizon	Untreated	ETP
	Services and Shrusti Envirocare		

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	TEST METHOD
1	рН		4.25	APHA 23 rd 2017, 4500-H ⁺ B
2	Total Suspended Solids	mg/lit	378.00	APHA 23 rd 2017, 2540 D
3	Total Dissolved Solids	mg/lit	2724.00	APHA 23 rd 2017, 2540 C
4	Chemical Oxygen Demand	mg/lit	2885.00	APHA 23 rd 2017, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	926.00	IS-3025 (Part 44)-1993 R-2003
6	Chlorides as Cl	mg/lit	763.00	APHA 23 rd 2017, 4500 Cl ⁻ B
7	Sulphates as SO ₄	mg/lit	926.00	APHA 23 rd 2017, 4500 SO ₄ E
8	Oil & Grease	mg/lit	12.60	APHA 23 rd 2017, 5520 B
9	Dissolved Oxygen	mg/lit	1.36	APHA 23 rd 2017, 4500 NH ₃ C

Sr.	Equipment / Instrument	Last	Calibration	Certificate No.
No.		calibration	valid	
1	pH Meter Make- Global	01/06/2020	31/05/2021	E20/10/1016/01
2	Water bath - Make- BTI	01/06/2020	31/05/2021	T20/05/2006/13/05
3	Hot Air Oven –Make- BTI	01/06/2020	31/05/2021	T20/05/2006/13/01
4	COD Digester –Make- Rocker CR-25	01/06/2020	31/05/2021	T20/05/2006/13/08
5	BOD Incubator –Make –BTI-06	01/06/2020	31/05/2021	T20/05/2006/13/03
6.	Weighing balance- Make- Shimadzu AUW220D	02/10/2019	01/10/2021	NI/HS/031018/001

For HORIZON SERVICES

Menagaikar (LAB INCHARGE)



"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460003, 254600033. • Email: kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/7177A-2
M/s Shree Gurudatta Sugars Ltd.	REPORT DATE	24/02/2021
Takaliwadi	LAB REFERENCE NO	HS/LAB/WA/0712A
Gat No.61/A, Akiwat Takaliwadi Road,	DATE OF SAMPLING	17/02/2021
Takaliwadi, Tal-Shirol, Dist –Kolhapur, 416108.	DATE OF ANALYSIS	18/02/2021

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Waste-water sample	Jointly Collected by Horizon	Treated	ETP
	Services and Shrusti Envirocare		

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	TEST METHOD
1	рН		7.20	APHA 23 rd 2017, 4500-H ⁺ B
2	Total Suspended Solids	mg/lit	78.00	APHA 23 rd 2017, 2540 D
3	Total Dissolved Solids	mg/lit	1651.00	APHA 23 rd 2017, 2540 C
4	Chemical Oxygen Demand	mg/lit	216.00	APHA 23 rd 2017, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	68.00	IS-3025 (Part 44)-1993 R-2003
6	Chlorides as Cl	mg/lit	462.00	APHA 23 rd 2017, 4500 Cl ⁻ B
7	Sulphates as SO ₄	mg/lit	684.00	APHA 23 rd 2017, 4500 SO ₄ E
8	Oil & Grease	mg/lit	3.10	APHA 23 rd 2017, 5520 B
9	Dissolved Oxygen	mg/lit	2.40	APHA 23 rd 2017, 4500 NH ₃ C

Sr.	Equipment / Instrument	Last	Calibration	Certificate No.
No.		calibration	valid	
1	pH Meter Make- Global	01/06/2020	31/05/2021	E20/10/1016/01
2	Water bath - Make- BTI	01/06/2020	31/05/2021	T20/05/2006/13/05
3	Hot Air Oven –Make- BTI	01/06/2020	31/05/2021	T20/05/2006/13/01
4	COD Digester –Make- Rocker CR-25	01/06/2020	31/05/2021	T20/05/2006/13/08
5	BOD Incubator –Make –BTI-06	01/06/2020	31/05/2021	T20/05/2006/13/03
6.	Weighing balance- Make- Shimadzu AUW220D	02/10/2019	01/10/2021	NI/HS/031018/001

For HORIZON SERVICES

Menayalkal (LAB INCHARGE)



SHRUSTI ENVIROCARE



Pollution Control Consultant

Office: C.S.No.644/1, 'E' Ward, Rote Plaza, Unit No. T1, 3rd Floor, Venus Corner, Shahupuri 1st Lane, Kolhapur-416 001. Ph.: (0231) 2524960, Cell: 8698517806 / 8380001670 / 9850456151, E-mail: shrusti_envirocare1@yahoo.in shrusti.envirocare 1@gmail.com

CERTIFICATE OF ANALYSIS ANALYSIS REPORT FOR STACK EMISSION

GA/SECK- 1001	1/05-21	
28/05/2021		
M/s Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol,		
The second secon		
25/05/2021	Time of sampling : Day Time	
	M/s Shree Gura Gat No.61/A, Al Takaliwadi, Tal- Dist -Kolhapur, M/s. SHRUSTI	

TARTICULARS OF STACK

Stack Attached to	Boiler (Capacity 22 TDLD
Stack Diameter (Meter)	Boiler (Capacity-22 TPH) 4.1
Stack Height (Meter)	82
Stack Temperature(°C)	206
Stack Velocity of Flue Gas (m/s)	04.79
Stack Volume of Flue Gases (Nm3/Hr.)	141712.77
Type of Fuel Used	Coal (2.3Tan/Hr) /Spent wash (5 M³/Hr)

Pollution Parameters

Units.	Method Used
Mg/Nm³	EDA MAIN I
Mg/ Nm ³	EPA- Method – 17 IS – 11255 (Part 2) 1985,
Mg/Nm³	Reaffirmed -2009 IS - 11255 (Part 7) 2005,
	Mg/Nm ³

Calibrations details :-

Instrument	Certificate No	Last Calls	
DEM CMILLION C		Last Cambrated on	Due Date
No.7614	PICS/F/SMK/09-20/47	07/09/2020	06/09/2021
Single Pan Balance	AVI 202106001	03/06/2020	02/06/2021
	PEM-SMK 10M, Sr. No.7614	PEM-SMK 10M, Sr. PICS/F/SMK/09-20/47 No.7614	PEM-SMK 10M, Sr. PICS/F/SMK/09-20/47 07/09/2020

Analyzed by



Head Office: H. No. 19, Deulmol, Sirvoi, Quepem - Goa. 403 705. Ph. No.: (0832) - 2662372, 2662121, Telfax No.: (0832) 2664634 E-mail: shrusti_envirocare@yahoo.co.in

Enviro Lab: - S-9, Second Floor, Rajaram Chambers, Opp. Petrol Pump, Quepem - Goa. 403 705. Ph. No.: (0832) 2659940

SHRUSTI ENVIROCARE





Pollution Control Consultant

SAFE ENVIRONMENT SAFE LIFE

Office: C.S.No.644/1, 'E' Ward, Rote Plaza, Unit No. T1, 3rd Floor, Venus Corner, Shahupuri 1st Lane, Kolhapur-416 001. Ph.: (0231) 2524960, Cell: 8698517806 / 8380001670 / 9850456151, E-mail: shrusti_envirocare1@yahoo.in shrusti.envirocare1@gmail.com

AIR-F-005

CERTIFICATE OF ANALYSIS ANALYSIS REPORT FOR STACK EMISSION

Report Ref. No.	GA/SECK- 1001/05-21		
Date of Report	28/05/2021		
Name of the Industry	M/s Shree Gurudatta Sugars Ltd., Takaliwadi Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist –Kolhapur, Pin- 416108.		
Sample Collected By	M/s. SHRUSTI ENVIROCARE		
Date of Sampling	25/05/2021 Time of sampling : Day Time		
DA	DTICHI ADC OF STA	CV	
Stack Attached to PA	RTICULARS OF STA		
	Boiler (Capacity		
Stack Attached to	Control Control		
Stack Attached to Stack Diameter (Meter)	Boiler (Capacity		
Stack Attached to Stack Diameter (Meter) Stack Height (Meter)	Boiler (Capacity 4.1 82		
Stack Attached to Stack Diameter (Meter) Stack Height (Meter) Stack Temperature(°C)	Boiler (Capacity 4.1 82 206		


Pollution Parameters

Parameters	Result	Units.	Method Used
Total Particulate Matter	81.64	Mg/Nm ³	EPA- Method – 17
SO ₂ Conc.	743.00	Mg/Nm ³	IS - 11255 (Part 2) 1985, Reaffirmed -2009
NO _x Conc.	338.65	Mg/Nm ³	IS – 11255 (Part 7) 2005, Reaffirmed -2012

Calibrations details :-

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM-SMK 10M, Sr. No.7614	PICS/F/SMK/09-20/47	07/09/2020	06/09/2021
2	Single Pan Balance	AVI 202106001	03/06/2020	02/06/2021

Analyzed by



Head Office: H. No. 19, Deulmol, Sirvoi, Quepem - Goa. 403 705. Ph. No.: (0832) - 2662372, 2662121, Telfax No.: (0832) 2664634

E-mail: shrusti_envirocare@yahoo.co.in

Enviro Lab: - S-9, Second Floor, Rajaram Chambers, Opp. Petrol Pump, Quepem - Goa. 403 705. Ph. No.: (0832) 2659940

Consultant Pvt Ltd. CIN No.: U74900PN2013PTC149666

Recognised by Ministry of Environment, Forest & Climate Change (MoEF) Govt. of India and ISO/IEC 17025:2005 (NABL), ISO 9001:2015 and OHSAS 18001:2007 Certified Company

	TICATE OF ANALYSI PORT FOR STACK EN		
Sample / Report Ref. No.	GESEC/PRO/202	0-21/01/439	
Date of Report	28/01/2021		
Name of the Industry	M/s Shree Gurudatta Sugars Ltd. A/p- Takalewadi, Tal- Shirol, Dist- Kolhapur.		
Sample Collected By	M/s SAHYADRI ENVIROCARE		
Date of Sampling	21/01/2021	Time of sampling: Day Time	
PAR	RTICULARS OF STAC	CK	
Stack Attached to	Boiler (22 TPH Distillery)		
Stack Diameter (Meter)	3.43		
Stack Height (Meter)	82		
Stack Temperature(°C)	125		
Stack Velocity of Flue Gas (m/s)	5.5		
Stack Volume of Flue Gases (Nm3/Hr.)	136643		
Type of Fuel Used	Spent Wash/ Coal		

Pollution Parameters

Parameters	Result	Units.	Method Used	
Total Particulate Matter	29	Mg/ Nm ³	EPA- Method – 17	
SO ₂ Conc.	4.7	Kg /Hr.	IS – 11255 (Part 2) 1985, Reaffirmed -2009	

Calibrations details :-

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	SE/SMK-02	TECH/CAL/2020/Dec.12.1/1/2/3/4/5	25/12/2020	24/12/2021

Remarks: All above results are within MPCB Standards.

ANALYZED BY

GREEN The Consult

Terms and conditions

The report is refer only to the sample tested and not applies to the bulk.

The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.

The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.

Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.

We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.

MoEF approved Lab by Govt. of India. From date. 09/02/2017 to 08/02/2022.

Survey No-1405/06, Mayuri Residency, Shop No-16, 2nd Floor, Sanaswadi, Tal-Shirur, Pune-412208.

Mob-+ 9545084620 | E-mail:gesec12@gmail.com | www.greenenvirosafe.co.in

Recognised by Ministry of Environment, Forest & Climate Change (MoEF) Govt. of India and ISO/IEC 17025:2005 (NABL), ISO 9001:2015 and OHSAS 18001:2007 Certified Company

. <u>CE</u>	RTIFICATE OF ANALYSIS		
ANALYSIS REPORT FOR AMBIENT AIR QUALITY			
Sample / Report Ref. No.	GESEC/PRO/2020-21/12/424		
Date of Report	03/12/2020		
Name of the Industry	M/s Shree Gurudatta Sugars Ltd. A/p- Takaliwadi, Tal- Shirol, Dist- Kolhapur.		
Sample Collected By	M/s SAHYADRI ENVIROCARE		
Date of Sampling	27/11/2020		

AMBIENT AIR STATION / HIGH VOLUME SAMPLER (H.V.S.) LOCATION

Location of H.V.S.

: Near Main Gate

Duration

: 480 Min.

Time

: 09.30hrs. to 17.30hrs.

Pollution Parameters					
Parameters	Results	NAAQ Standards*	Units	Method Used	
Suspended Particulate Matter < 10μm/PM ₁₀	33	100	μg / m ³	IS 5182 (Part-23):2006, R-2012	
Suspended Particulate Matter <2.5µm/PM _{2.5}		60	μg / m ³	Gravimetric (NAAQS Volume -	
SO ₂ Conc.	11.5	80	μg / m ³	IS 5182 (Part-02):2001, R-2012	
NOx Conc.	17.2	80	μg / m ³	IS 5182 (Part-06):2006	

Calibrations details :-

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	AFDS - SE/ADS-01	TECH/CAL/2020/09/01/02/03/04	04/09/2020	03/09/2021
2	HVS- SE/HVS-01	TECH/CAL/2020/09/05/06	04/09/2020	03/09/2021

Remarks: All above results are within National Ambient Air Quality standards.

ANALYZED BY

Engine and Consultant

AUTHORIZED SIGNATORY

Terms and conditions

The report is refer only to the sample tested and not applies to the bulk.

The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.

The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.

Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.

5. We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.

MoEF approved Lab by Govt. of India. From date. 09/02/2017 to 08/02/2022.



Recognised by Ministry of Environment, Forest & Climate Change (MoEF) Govt. of India and ISO/IEC 17025:2005 (NABL), ISO 9001:2015 and OHSAS 18001:2007 Certified Company

CIN No.: U74900PN2013PTC149666

CERTIFICATE OF ANALYSIS ANALYSIS REPORT FOR AMBIENT AIR QUALITY Sample / Report Ref. No. GESEC/PRO/2020-21/12/425			
Name of the Industry	M/s Shree Gurudatta Sugars Ltd. A/p- Takaliwadi, Tal- Shirol, Dist- Kolhapur.		
Sample Collected By M/s SAHYADRI ENVIROCARE			
Date of Sampling 27/11/2020			

AMBIENT AIR STATION / HIGH VOLUME SAMPLER (H.V.S.) LOCATION

Location of H.V.S.

: Near ETP

Duration

: 480 Min.

Time

: 09.40 hrs. to 17.40hrs.

Pollution Parameters					
Parameters	Results	NAAQ Standards*	Units	Method Used	
Suspended Particulate Matter < 10μm/PM ₁₀	76	100	$\mu g / m^3$	IS 5182 (Part-23):2006, R-2012	
Suspended Particulate Matter <2.5μm/PM _{2.5}	38	60	$\mu g / m^3$	Gravimetric (NAAQS Volume -I)	
SO ₂ Conc.	13.4	80	μg / m ³	IS 5182 (Part-02):2001, R-2012	
NOx Conc.	20.5	80	$\mu g / m^3$	IS 5182 (Part-06):2006	

Calibrations details :-

Sr. Instrument No.		Certificate No.	Last Calibrated on	Due Date	
1	AFDS – SE/ADS-02	TECH/CAL/2020/09/13/14/15/16	04/09/2020	03/09/2021	
2	HVS- SE/HVS-02	TECH/CAL/2020/09/07/08	04/09/2020	03/09/2021	

Remarks: All above results are within National Ambient Air Quality standards.

ANALYZED BY

PUME PUME POR

AUTHORIZED SIGNATORY

Terms and conditions

The report is refer only to the sample tested and not applies to the bulk.

2. The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.

The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.

4. Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.

We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.



ers & Consultant Pvt Ltd. CIN No.: U74900PN2013PTC149666

Recognised by Ministry of Environment, Forest & Climate Change (MoEF) Govt. of India and ISO/IEC 17025:2005 (NABL), ISO 9001:2015 and OHSAS 18001:2007 Certified Company

CE	RTIFICATE OF ANALYSIS		
ANALYSIS REPORT FOR AMBIENT AIR QUALITY			
Sample / Report Ref. No.	GESEC/PRO/2020-21/12/426		
Date of Report	03/12/2020		
Name of the Industry	M/s Shree Gurudatta Sugars Ltd. A/p- Takaliwadi, Tal- Shirol, Dist- Kolhapur.		
Sample Collected By	M/s SAHYADRI ENVIROCARE		
Date of Sampling	27/11/2020		

AMBIENT AIR STATION / HIGH VOLUME SAMPLER (H.V.S.) LOCATION

Location of H.V.S.

: Near WTP

Duration

: 480 Min. -*

Time

: 09.50 hrs. to 17.50hrs.

Pollution Parameters					
Parameters	Results	NAAQ Standards*	Units	Method Used	
Suspended Particulate Matter < 10μm/PM ₁₀	69	100	μg / m ³	IS 5182 (Part-23):2006, R-2012	
Suspended Particulate <2.5µm/PM _{2.5}	31	60	μg / m ³	Gravimetric (NAAQS Volume –I)	
SO ₂ Conc.	14.7	80	μg / m ³	IS 5182 (Part-02):2001, R- 2012	
NOx Conc.	20.3	80	$\mu g / m^3$	IS 5182 (Part-06):2006	

Calibrations details :-

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	AFDS - SE/ADS-03	TECH/CAL/2020/09/17/18/19/20	04/09/2020	03/09/2021
2	HVS- SE/HVS-03	TECH/CAL/2020/09/09/10	04/09/2020	03/09/2021

Remarks: All above results are within National Ambient Air Quality standards.

ANALYZED BY

Enginosis & Consultation

AUTHORIZED SIGNATORY

Terms and conditions

The report is refer only to the sample tested and not applies to the bulk.

2. The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.

The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.

4. Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.

 We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.

Mob-+ 9545084620 | E-mail:gesec12@gmail.com | www.greenenvirosafe.co.in

Engineers & Consultant Pvt Ltd. CIN No.: U74900PN2013PTC149666

Recognised by Ministry of Environment, Forest & Climate Change (MoEF) Govt. of India and ISO/IEC 17025:2005 (NABL), ISO 9001:2015 and OHSAS 18001:2007 Certified Company

CE	RTIFICATE OF ANALYSIS
ANALYSIS RE	CPORT FOR AMBIENT AIR QUALITY
Sample / Report Ref. No.	GESEC/PRO/2020-21/12/427
Date of Report	03/12/2020
Name of the Industry	M/s Shree Gurudatta Sugars Ltd. A/p- Takaliwadi, Tal- Shirol, Dist- Kolhapur.
Sample Collected By	M/s SAHYADRI ENVIROCARE
Date of Sampling	27/11/2020

AMBIENT AIR STATION / HIGH VOLUME SAMPLER (H.V.S.) LOCATION

Location of H.V.S.

: Near Bagasse Yard

Duration

: 480 Min. -*

Time

: 09.50 hrs. to 17.50hrs.

Pollution Parameters					
Parameters	Results	NAAQ Standards*	Units	Method Used	
Suspended Particulate Matter < 10 µm/PM ₁₀	88	100	μg / m ³	IS 5182 (Part-23):2006, R- 2012	
Suspended Particulate <2.5µm/PM _{2.5}	41	60	μg / m ³	Gravimetric (NAAQS Volume –I)	
SO ₂ Conc.	16.3	80	μg / m ³	IS 5182 (Part-02):2001, R- 2012	
NOx Conc.	21.2	80	$\mu g / m^3$	IS 5182 (Part-06):2006	

Calibrations datails

Sr. Instrument No.		Certificate No.	Last Calibrated on	Due Date	
1	AFDS – SE/ADS-04	TECH/CAL/2020/09/21/22/23/24	04/09/2020	03/09/2021	
2	HVS- SE/HVS-04	TECH/CAL/2020/16/01/02	27/01/2020	26/01/2021	

Remarks: All above results are within National Ambient Air Quality standards.

ANALYZED BY

de Consultani

AUTHORIZED SIGNATORY

Terms and conditions

The report is refer only to the sample tested and not applies to the bulk.

The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.

The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.

Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer. We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the

statutory or legal requirement. MoEF approved Lab by Govt. of India. From date. 09/02/2017 to 08/02/2022. Survey No-1405/06, Mayuri Residency, Shop No-16, 2nd Floor, Sanaswadi, Tal-Shirur, Pune-412208.

Mob-+ 9545084620 | E-mail:gesec12@gmail.com | www.greenenvirosafe.co.in

Consultant Pvt Ltd. CIN No.: U74900PN2013PTC149666

Recognised by Ministry of Environment, Forest & Climate Change (MoEF) Govt. of India and ISO/IEC 17025:2005 (NABL), ISO 9001:2015 and OHSAS 18001:2007 Certified Company

	CATE OF ANALYSIS ORT FOR STACK EMISSION		
Sample / Report Ref. No.	GESEC/PRO/2020-21/12/428		
Date of Report	03/12/2020		
Name of the Industry	M/s Shree Gurudatta Sugars Ltd. A/p- Takaliwadi, Tal- Shirol, Dist- Kolhapur.		
Sample Collected By	M/s SAHYADRI ENVIROCARE		
Date of Sampling	27/11/2020 Time of sampling : Day Time		
PART	TICULARS OF STACK		
Stack Attached to	Boiler (22 TPH Distillery)		
Stack Diameter (Meter)	3.43		
Stack Height (Meter)	82		
Stack Temperature(°C)	129		
Stack Velocity of Flue Gas (m/s)	5.1		
Stack Volume of Flue Gases (Nm3/Hr.)	125444		
Type of Fuel Used	Spent Wash/ Coal		

Pollution Parameters

Parameters	Result	Units.	Method Used
Total Particulate Matter	24	Mg/Nm ³	EPA- Method – 17
SO ₂ Conc.	4.9	Kg/Hr.	IS – 11255 (Part 2) 1985, Reaffirmed -2009

Calibrations details :-

Sr. No. Instrument		Certificate No.	Last Calibrated on	Due Date	
1	SE/SMK-02	TECH/CAL/2019/Dec.10/1/2/3/4/5	26/12/2019	25/12/2020	

n

Remarks: All above results are within MPCB Standards.

ANALYZED BY

AUTHORIZED SIGNATORY

Terms and conditions

The report is refer only to the sample tested and not applies to the bulk.

2. The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.

The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC. Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.

5. We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.

Consultant Pvt Ltd. CIN No.: U74900PN2013PTC149666

Recognised by Ministry of Environment, Forest & Climate Change (MoEF) Govt. of India and ISO/IEC 17025:2005 (NABL), ISO 9001:2015 and OHSAS 18001:2007 Certified Company

CERTIFICATE OF ANALYSIS

Sample/Report Ref. No.: GESEC/PRO/2020-21/12/435

Name of Industry

: M/s. Shree Gurudatta Sugars Ltd.

At/post - Takaliwadi, Tal- Shirol, Dist - Kolhapur, Maharashtra.

Nature of Sample

: Potable Water (Canteen)

Sample Quantity

: 2000ml

Date of Collection: 27/11/2020

Sample Collected by

: M/s SAHYADRI ENVIROCARE Date of Receiving: 28/11/2020

Sr. No	Test Parameters	Result	Unit	Limit	Test Method
01	pН	7.0		6.5-8.5	IS - 3025 (Part 11)-1983 R-2012
02	Colour	< 5	Hazen	5	IS – 3025 (Part 4)-1984 R-2012
03	Odour	Agreeable	-	1-	IS – 3025 (Part 5)-1991 R–2009
04	Taste	Agreeable	-		IS - 3025 (Part 07 & 08)
05	Chlorides	50	mg/lit	250	IS – 3025 (Part 44)-1993 R–2009
06	Sulphates	43	mg/lit	200	IS – 3025 (Part 39)-1991 R–2009
07	Total Hardness as CaCO3	78	mg/lit	300	IS – 3025 (Part 21)-1991 R–2009
08	Total Dissolved solids	94	mg/lit	500	IS – 3025 (Part 16)-1984 R-2012
09	Turbidity	<5	NTU	5	IS – 3025 (Part 10)-1991 R–2009
10	Residual free chlorine	BDL	mg/lit	0.2	IS – 3025 (Part 26)-1991 R-2009
11	Conductivity	115	μmhos/cm	_	IS – 3025(Part 14)
12	Iron	0.12	mg/lit	0.3	IS – 3025(Part 53)
13	E-Coli	Absent	_	Absent	IS 1622-1981 R-2009
14	Thermo tolerant Coliforms	Absent	MPN/100ml	Absent	IS- 1622-1981 R-2009

Remark :-

Report Date: 03/12/2020

"Isuttant P

AUTHORIZED SIGNATORY

Terms and conditions

The report is refer only to the sample tested and not applies to the bulk.

The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.

The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.

Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.

We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the 5. statutory or legal requirement.



rs & Consultant Pvt Ltd. CIN No.: U74900PN2013PTC149666

Recognised by Ministry of Environment, Forest & Climate Change (MoEF) Govt. of India and ISO/IEC 17025:2005 (NABL), ISO 9001:2015 and OHSAS 18001:2007 Certified Company

CERTIFICATE OF ANALYSIS

Sample / Report Ref. No.: GESEC/PRO/2020-21/12/432

Name of Industry

: M/s Shree Gurudatta Sugars Ltd.

A/p- Takaliwadi, Tal- Shirol,

Dist- Kolhapur.

Nature of Sample

: Treated Effluent sample of E.T.P.

Sample Quantity

: 2000ml

Date of Collection: 27/11/2020

Sample Collected by

: M/s SAHYADRI ENVIROCARE Date of Receiving: 28/11/2020

Sr. No.	Test Parameters	Result	MPCB limit	Unit	Test Method
01	pH	7.4	5.5 - 9.0	-	IS-3025 (Part 11)-1983 R-2006
02	Suspended Solid	67	< 100	mg/lit	IS-3025 (Part 17)-1984 R-2006
03	C.O.D.	172	< 250	mg/lit	IS-3025 (Part 58)-2006
04	B.O.D3 DAYS -27° C	52	< 100	mg/lit of O2	IS-3025 (Part 44)-1993 R-2003
05	Oil & Grease	< 5.0	< 10	mg/lit	IS-3025 (Part 39)-1991 R-2004
06	Total Dissolved Solids	1982	< 2100	mg/lit	IS-3025 (Part 16)-1984 R-2012
07	Chlorides	449	< 600	mg/lit	IS-3025 (Part 32)-1988 R-2003
08	Sulphates	542	< 1000	mg/lit	IS-3025 (Part 24)-1986 R-2012

Report Date: 03/12/2020

Remark: All above results are within MPCB standards.

^d Consultant P

AUTHORIZED SIGNATORY

Terms and conditions

The report is refer only to the sample tested and not applies to the bulk.

The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.

The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.

Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer

We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.

Mob-+ 9545084620 | E-mail:gesec12@gmail.com | www.greenenvirosafe.co.in

Recognised by Ministry of Environment, Forest & Climate Change (MoEF) Govt. of India and ISO/IEC 17025:2005 (NABL), ISO 9001:2015 and OHSAS 18001:2007 Certified Company

CERTIFICATE OF ANALYSIS

Sample/Report Ref. No.: GESEC/PRO/2020-21/12/433

Name of Industry : M/s. Shree Gurudatta Sugars Ltd.

At/post - Takaliwadi, Tal- Shirol, Dist - Kolhapur, Maharashtra.

Nature of Sample: Ground Water Sample (Bedkyali).

Sample Quantity: 2000ml

Date of Collection:27/11/2020

Sample Collected by: M/s SAHYADRI ENVIROCARE

Date of Receiving:28/11/2020

Sr. No	Test Parameters	Result	Unit	Test Method
01	pH	7.4	-	IS-3025 (Part 11)-1983 R-2006
02	Odour	Agreeable	120	IS - 3025 (Part 16)-1984 R-2012
03	Colour	< 5	Hazen	IS – 3025(Part 04)
04	Turbidity	3.1	NTU	IS - 3025 (Part 10)
05	Conductivity	270.7	μmhos/cm	IS-3025 (Part 14)
06	Total Dissolved Solids	176	mg/lit	IS - 3025(Part 16)-1984 R-2012
07	C.O.D.	28.0	mg/lit	IS-3025 (Part 58)-2006
08	B.O.D3 DAYS -27° C	7.8	mg/lit of O2	IS-3025 (Part 44)-1993 R-2003
09	Alkalinity as CaCo3	56	mg/lit	IS – 3025 (Part 51)
10	Calcium as Ca	60	mg/lit	IS – 3025 (Part 40)
11	Magnesium as Mg	20.2	mg/lit	IS – 3025 (Part 46)
12	Total Hardness	166	mg/lit	IS – 3025 (Part 21)
13	Chlorides As Cl	34	mg/lit	IS - 3025(Part 32)-1988 R-2003
14	SulphatesAs SO4	56	mg/lit	IS - 3025(Part 24)-1986 R-2012
15	Sodium As Na	18	mg/lit	IS - 3025 (Part 45)
16	Fluoride as F	< 0.1	mg/lit	IS - 3025 (Part 60)
17	Iron as Fe	0.18	mg/lit	IS – 3025 (Part 53)

Report Date: 03/12/2020

SEEN ENVIRO Engine Consultant

AUTHORIZED SIGNATORY

Terms and conditions

The report is refer only to the sample tested and not applies to the bulk.

The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.

The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.

Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.

We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.



Engineers & Consultant Pvt Ltd. CIN No.: U74900PN2013PTC149666

Recognised by Ministry of Environment, Forest & Climate Change (MoEF) Govt. of India and ISO/IEC 17025:2005 (NABL), ISO 9001:2015 and OHSAS 18001:2007 Certified Company

CERTIFIC	ATE OF NOISE LEVEL MONITORING
Sample / Report Ref. No.	GESEC/PRO/2020-21/12/430
Date of Report	03/12/2020
Name of Industry	M/s Shree Gurudatta Sugars Ltd. A/p- Takaliwadi, Tal- Shirol, Dist- Kolhapur.
Sample Collected by	M/s SAHYADRI ENVIROCARE
Date of Sampling	27/11/2020

Sr.No.	Sampling location	Noise levels dB(A) (Day Time)	Noise levels dB(A) (Night Time)
1.	Near Main Gate	68.3	66.7
2.	Near Boiler	73.2	69.2
3.	Near ETP Area	69.7	67.5
4.	Near Sugar Godown	66.9	64.1
5.	Near Laboratory	68.4	65.8
6	Near Mill House	82.7	80.9
7	Near Pan Section	83.2	82.1
8	Near Sugar Plant	74.1	69.2
9	Near Weigh Bridge	69.8	67.3
10	Near Centrifugal	71.6	68.4

Remark: All above results are within MPCB Standards.

Day Time Limit is < 75 decibles Night time Limit is <70 decibles

ANALYZED BY

1 Calibrations details :-

Instrument

SE/NM-01

Sr. No.

Engineers & Consultanton

Certificate No.

TECH/CAL/2020/09/11

AUTHORIZED SIGNATORY

Last Calibrated on

04/09/2020

Due Date

03/09/2021

Terms and conditions

The report is refer only to the sample tested and not applies to the bulk.

The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc. 3,

The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.

Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.

We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the 5. statutory or legal requirement.



Engineers & Consultant Pvt Ltd. CIN No.: U74900PN2013PTC149666

Recognised by Ministry of Environment, Forest & Climate Change (MoEF) Govt. of India and ISO/IEC 17025:2005 (NABL), ISO 9001:2015 and OHSAS 18001:2007 Certified Company

CERTIFICATE OF ANALYSIS

Sample/Report Ref. No.: GESEC/PRO/2020-21/12/434

Name of Industry : M/s. Shree Gurudatta Sugars Ltd.

At/post - Takaliwadi, Tal- Shirol, Dist - Kolhapur, Maharashtra.

Nature of Sample : Soil Sample (Near ETP).

Sample Quantity : 2000 Gm Date of Collection: 27/11/2020

Sample Collected by: M/s SAHYADRI ENVIROCARE Date of Receiving: 28/11/2020

Sr. No	Test Parameters	Result	Unit	Test Method
01	pH (10 % Extract)	7.2	-	АРНА
02	Ammonia	Absent	mg/kg	АРНА
03	Nitrogen	176	mg/kg	АРНА
04	Phosphate	32	mg/kg	АРНА
05	Nickel	26	mg/kg	AAS
06	Chloride	226	mg/kg	АРНА
07	Sulphate	43	mg/kg	АРНА
08	Cadmium	Absent	mg/kg	AAS
09	Chromium	44	mg/kg	AAS
10	Copper	84	mg/kg	AAS
11	Zinc	52	mg/kg	AAS

Report Date: 03/12/2020

ANALYZED BY

AUTHORIZED SIGNATORY

Terms and conditions

The report is refer only to the sample tested and not applies to the bulk.

The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.

The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.

Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.

We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.

Mob-+ 9545084620 | E-mail:gesec12@gmail.com | www.greenenvirosafe.co.in

Engineers & Consultant Pvt Ltd. CIN No.: U74900PN2013PTC149666

Recognised by Ministry of Environment, Forest & Climate Change (MoEF) Govt. of India and ISO/IEC 17025:2005 (NABL), ISO 9001:2015 and OHSAS 18001:2007 Certified Company

	FICATE OF ANALYSI PORT FOR STACK EN			
Sample / Report Ref. No.	GESEC/PRO/202	0-21/12/429		
Date of Report	03/12/2020	(8)		
Name of the Industry	M/s Shree Gurudatta Sugars Ltd. A/p- Takaliwadi, Tal- Shirol, Dist- Kolhapur.			
Sample Collected By	M/s SAHYADRI	ENVIROCARE		
Date of Sampling	27/11/2020 Time of sampling : Day Time			
PAI	RTICULARS OF STAC	CK		
Stack Attached to	Boiler 1 & 2 (Cap	acity-70 MT/Hr& 40 MT/Hr)		
Stack Diameter (Meter)	3.43			
Stack Height (Meter)	65			
Stack Temperature(°C)	138	138		
Stack Velocity of Flue Gas (m/s)	7.2			
Stack Volume of Flue Gases (Nm3/Hr.)	173220			
Type of Fuel Used	Bagasse (55 MT/I	Hr)		

Pollution Parameters

Parameters	Result	Units.	Method Used
Total Particulate Matter	72	Mg/ Nm ³	EPA- Method – 17
SO ₂ Conc.	ND	Kg /Hr.	IS – 11255 (Part 2) 1985, Reaffirmed -2009

Calibrations details :-

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	SE/SMK-02	TECH/CAL/2019/Dec.10/1/2/3/4/5	26/12/2019	25/12/2020

Remarks: All above results are within MPCB Standards.

AUTHORIZED SIGNATORY

Terms and conditions

The report is refer only to the sample tested and not applies to the bulk.

The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.

The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.

Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer. 4.

We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.



Lab Approved by MoEF, New Delhi.

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email: kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/11216-1
M/s Shree Gurudatta Sugars Ltd	REPORT DATE	18/02/2022
Takaliwadi	LAB REFERENCE NO	HS/LAB/WA/960A
Gat No.61/A, Akiwat Takaliwadi Road,	DATE OF SAMPLING	12/02/2022
Takaliwadi, Tal-Shirol,	DATE OF ANALYSIS	14/02/2022
Dist –Kolhapur, 416108.		

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Waste-water sample	Jointly Collected by Horizon	Untreated	ETP
	Services and Shrusti Envirocare		

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	TEST METHOD
1	pH		4.15	APHA 23 rd Ed 2017, 4500-H ⁺ B
2	Total Suspended Solids	mg/lit	378.00	APHA 23 rd Ed 2017, 2540 D
3	Total Dissolved Solids	mg/lit	2832.00	APHA 23 rd Ed 2017, 2540 C
4	Chemical Oxygen Demand	mg/lit	2941.00	APHA 23 rd Ed 2017, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	889.00	IS-3025 (Part 44)-1993 R-2003
6	Chlorides as Cl	mg/lit	774.00	APHA 23 rd Ed 2017, 4500 Cl ⁻ B
7	Sulphates as SO ₄	mg/lit	954.00	APHA 23 rd Ed 2017, 4500 SO ₄ E
8	Oil & Grease	mg/lit	11.80	APHA 23 rd Ed 2017, 5520 B
9	Dissolved Oxygen	mg/lit	1.42	APHA 23 rd Ed 2017, 4500 NH₃ C

Sr.	Equipment / Instrument	Last	Calibration	Certificate No.
No.		calibration	valid	
1	pH Meter Make- Global	01/06/2021	31/05/2022	E21/10/0106/01
2	Hot Air Oven –Make- BTI	01/06/2021	31/05/2022	T21/05/6/14654/01
3	COD Digester –Make- Rocker CR-25	01/06/2021	31/05/2022	T21/05/6/14654/09
4	BOD Incubator –Make –BTI-06	01/06/2021	31/05/2022	T21/05/6/14654/03
5	Weighing balance- Make- Shimadzu -	08/10/2021	07/10/2022	NI/HS/031018/001
	AUW220D			

For HORIZON SERVICES

(LAB INCHARGE)



Lab Approved by MoEF, New Delhi.

Lab NABL Accredited - Testing - Chemical Field & Proficiency Testing Provider.

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email: kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/11216-2
M/s Shree Gurudatta Sugars Ltd.	REPORT DATE	18/02/2022
Takaliwadi	LAB REFERENCE NO	HS/LAB/WA/960A
Gat No.61/A, Akiwat Takaliwadi Road,	DATE OF SAMPLING	12/02/2022
Takaliwadi, Tal-Shirol,	DATE OF ANALYSIS	14/02/2022
Dist –Kolhapur, 416108.		

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Waste-water sample	Jointly Collected by Horizon	Treated	ETP
	Services and Shrusti Envirocare		

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	MPCB LIMITS	TEST METHOD
1	pН		7.44	5.5-9.0	APHA 23 rd Ed 2017, 4500-H ⁺ B
2	Total Suspended Solids	mg/lit	79.00	< 100.00	APHA 23 rd Ed 2017, 2540 D
3	Total Dissolved Solids	mg/lit	1572.00	< 2100.00	APHA 23 rd Ed 2017, 2540 C
4	Chemical Oxygen Demand	mg/lit	185.00	< 250.00	APHA 23 rd Ed 2017, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	56.40	< 100.00	IS-3025 (Part 44) R-2003
6	Chlorides as Cl	mg/lit	468.00	< 600.00	APHA 23 rd Ed 2017, 4500 Cl ⁻ B
7	Sulphates as SO ₄	mg/lit	651.00	< 1000.00	APHA 23 rd Ed 2017, 4500 SO ₄ E
8	Oil & Grease	mg/lit	2.20	< 10.00	APHA 23 rd Ed 2017, 5520 B
9	Dissolved Oxygen	mg/lit	2.20	Not Specified	APHA 23 rd Ed 2017, 4500 NH ₃ C

Sr.	Equipment / Instrument	Last	Calibration	Certificate No.
No.		calibration	valid	
1	pH Meter Make- Global	01/06/2021	31/05/2022	E21/10/0106/01
2	Hot Air Oven –Make- BTI	01/06/2021	31/05/2022	T21/05/6/14654/01
3	COD Digester –Make- Rocker CR-25	01/06/2021	31/05/2022	T21/05/6/14654/09
4	BOD Incubator –Make –BTI-06	01/06/2021	31/05/2022	T21/05/6/14654/03
5	Weighing balance- Make- Shimadzu -AUW220D	08/10/2021	07/10/2022	NI/HS/031018/001

For HORIZON SERVICES

(LAB INCHARGE)



"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile: 7249867318, 8378018710 • Tel.: 020 - 25460202, 25460203. • Email: kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

Report No.	: HS/REP/21-22/10355A/5	
Dated	: 24/01/2022	
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI	
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.	
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES	

RESULTS

SR.	DESCRIPTION	UNIT	RESULT	LÍMITS	Methods Used
NO.					
01	DATE OF SAMPLING	DD/MM/Y.Y	18/01/2022		
02	TEST LOCATION		Incinerator Boiler		
03	TIME OF SAMPLING (00.00)	Hrs	11:40		
04	MATERIAL OF STACK		22		
05	STACK HEIGHT (AGL)	Mtr	82		
06	TYPE OF FUEL USED		Coal & Con. Spent Wash		
07	TYPE OF STACK		Round		
80	FLUE GAS TEMPERATURE	Deg C	120		48
09	VELOCITY	M/Sec	6.75		
10	DIAMETER OF STACK	М	4.43		
11	GAS VOLUME	Nm³/Hr	283861.89		AS TO SERVICE OF THE PARTY OF T
12	PM	mg/Nm³	26.85	As per Consent	IS 11255 (Part 1)
13	SO ₂	Kg/Day	Not Detected	As per Consent	IS 11255 (Part 2)

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	GSES/SMK/IT-01	TECH/CAL/2021/10/7	30/10/2021	29/10/2022

For HORIZON SERVICES





"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile: 7249867318, 8378018710 • Tel.: 020 - 25460202, 25460203. • Email: kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/7270A-1
M/s. Shri Gurudatt Sugars Ltd	REPORT DATE	11/11/2021
(Takaliwadi)	LAB REFERENCE NO	HS/LAB/WA/0630A
Gat No.61/A, Akiwat Takaliwadi Road,	DATE OF SAMPLING	01/11/2021
Takaliwadi, Tal-Shirol, Dist –Kolhapur, Pin- 416108.	DATE OF ANALYSIS	08/11/2021

	SAMPLE COLLECTED BY	NATURE	LOCATION
Effluent Water Sample	Greensafe Enviro Services	Untreated	ETP

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	TEST METHOD
1	pH		4.40	APHA 23 rd 2017, 4500-H ⁺ B
2	Total Suspended Solids	mg/lit	268.00	APHA 23 rd 2017, 2540 D
3	Total Dissolved Solids	mg/lit	1942.00	- APHA 23 rd 2017, 2540 C
4 .	Chemical Oxygen Demand	mg/lit	3962.00	APHA 23 rd 2017, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	1860.00	IS 3025 (Part 44)- R-2003
6	Chlorides as Cl	mg/lit	386.00	APHA 23rd 2017, 4500 CI-B
7	Sulphates as SO ₄	mg/lit	652.00	APHA 23rd 2017, 4500 CI-B
8	Oil & Grease	mg/lit	24.00	APHA 23rd 2017, 4500 SO4 E

For HORIZON SERVICES

(LAB INCHARGE)

- Sample will be retained only for 15 days.
 Above results indicate to the parameters mentioned only.
 Liability limited till issue of test reports only.
 The test report shall not be produced for any legal identity or advertised without permission of lab.
 Liability limited till issue of test reports only.
 The effect of results relate only to the item tested.



"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile: 7249867318, 8378018710 • Tel.: 020 - 25460202, 25460203. • Email: kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17 12 2012

	1.10	
CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/7270A-2
M/s. Shri Gurudatt Sugars Ltd	REPORT DATE	11/11/2021
(Takaliwadi)	LAB REFERENCE NO	HS/LAB/WA/0630A
Gat No.61/A, Akiwat Takaliwadi Road,	DATE OF SAMPLING	01/11/2021
Takaliwadi, Tal-Shirol,	DATE OF ANALYSIS	08/11/2021
Dist -Kolhapur, Pin- 416108.		

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Effluent Water Sample	Greensafe Enviro Services	Treated	ETP

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	MPCB LIMITS	TEST METHOD
1	pH		7.10	5.5 – 9.0	APHA 23 rd 2017, 4500-H ⁺ B
2	Total Suspended Solids	mg/lit	68.00	< 100.00	APHA 23 rd 2017, 2540 D
3	Total Dissolved Solids	mg/lit	1853.00	< 2100.00	APHA 23 rd 2017, 2540 C
4	Chemical Oxygen Demand	mg/lit	184.00	< 250.00	APHA 23 rd 2017, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	52.00	< 100.00	IS 3025 (Part 44)- R-2003
6	Chlorides as Cl	mg/lit	340.00	< 600.00	APHA 23rd 2017, 4500 CI-B
7	Sulphates as SO ₄	mg/lit	568.00	< 1000.00	APHA 23rd 2017, 4500 SO4 E
8	Oil & Grease	mg/lit	< 5.00	< 10.00	APHA 23rd 2017, 4500 304 E

For HORIZON SERVICES

(LAB INCHARGE)

- Sample will be retained only for 15 days.
 Above results indicate to the parameters mentioned only.
 The test report shall not be produced for any legal identity or advertised without permission of lab.
 Liability limited till issue of test reports only.
 The effect of results relate only to the item tested.



"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile: 7249867318, 8378018710 • Tel.: 020 - 25460202, 25460203. • Email: kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/7270A-3
M/s. Shri Gurudatt Sugars Ltd	REPORT DATE	11/11/2021
(Takaliwadi)	LAB REFERENCE NO	HS/LAB/WA/0630A
Gat No.61/A, Akiwat Takaliwadi Road,	DATE OF SAMPLING	01/11/2021
Takaliwadi, Tal-Shirol,	DATE OF ANALYSIS	08/11/2021
Dist -Kolhapur, Pin- 416108.	20	

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Well Water Sample	Greensafe Enviro Services		Bhokare Well

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	LIMITS AS PER IS10500: 2018	TEST METHOD
01	pH		7.20	6.5 - 8.5	APHA 23 rd 2017, 4500-H ⁺ B
02	Electric Conductivity	μs/cm	164.00	Not Specifed	APHA 23rd 2017, 2510 B
03	Colour		< 5.00	005.00	APHA 23 rd 2017, 2120 C
04	Odour	:	Agreeable	Agreeable	APHA 23 rd 2017, 2150 B
05	Turbidity	NTU	< 1.00	001.00	APHA 23 rd 2017, 2130 B
06	Total Dissolved Solids	mg/lit	152.00	500.00	APHA 23 rd 2017, 2540 C
07	Chemical Oxygen Demand	mg/lit	6.00	Not Specifed	APHA 23 rd 2017, 5220 C
08	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	2.00	Not Speciled	IS 3025 (Part 44)- R-2003
09	Chlorides as Cl	mg/lit	42.00	250.00	APHA 23rd 2017, 4500 CI-B
10	Sulphates as SO ₄	mg/lit	74.00	200.00	APHA 23rd 2017, 4500 SO4 E
11	Alkalinity as CaCO ₃	mg/lit	54.00	200.00	APHA 23 rd 2017, 2320 B
12	Calcium as Ca	mg/lit	30.00	075.00	APHA 23 rd 2017, 3500 Ca B
13	Magnesium as Mg	mg/lit	24.00	030.00	APHA 23 rd 2017, 3500 Mg B
14	Total Hardness as CaCO ₃	mg/lit	120.00	200.00	APHA 23 rd 2017, 2340 C
15	Iron as Fe	mg/lit	0.10	000.30	APHA 23 rd 2017, 3500 Fe B
16	Fluoride as F	mg/lit	< 0.1	001.00	APHA 23 rd 2017, 4500-F ⁻ D
17	Sodium as Na	mg/lit	8.00	Not Specifed	APHA 23rd 2017, 3500 Na B

REMARK: As per IS 10500: 2018, above water sample is chemically & bacteriologically potable for drinking purpose, for the parameters tested.



For HORIZON SERVICES

MAN COMPLEX

(LAB INCHARGE)

DISCLAIMER:

- Sample will be retained only for 15 days.
 Above results indicate to the parameters mentioned only.
 Liability limited till issue of test reports only.
- The test report shall not be produced for any legal identity or advertised without permission of lab.
 The effect of results relate only to the item tested.



"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004. Mobile: 7249867318, 8378018710
 Tel.: 020 - 25460202, 25460203.
 Email: kmn@hespl.co.in / md@hespl.co.in
 www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

OLIENTIC MARKET C		ILIO II O II TTTTLE
CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/7270A-3
M/s. Shri Gurudatt Sugars Ltd	REPORT DATE	11/11/2021
(Takaliwadi)	LAB REFERENCE NO	HS/LAB/WA/0630A
Gat No.61/A, Akiwat Takaliwadi Road,	DATE OF SAMPLING	01/11/2021
Takaliwadi, Tal-Shirol,	DATE OF ANALYSIS	08/11/2021
Dist -Kolhapur, Pin- 416108.		

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Soil Sample	Greensafe Enviro Services		Hegade

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	TEST METHOD
1	pH(10 % Extract)		7.40	IS 2720 (Part 26) 1987
2	Chlorides as Cl ⁻	mg/kg	228.00	SOP No: WI/Lab/Soil/CA/13
3	Sulphates as SO ₄	mg/kg	NIL	IS 2720 (Part 27)- 1977 (RA 2010)
4	Total Chromium as Cr	mg/kg	14.00	Ministry of Agriculture 2011
5	Total Nitrogen as N	mg/kg	152.00	IS 14684:1999
6	Phosphorus as P	mg/kg	NIL.	HS/NABL/SOIL/8
7	Nickel as Ni	mg/kg	26.00	Ministry of Agriculture 2011
8	Cadmium as Cd	mg/kg	2.00	Ministry of Agriculture 2011
9	Copper as Cu	mg/kg	56.00	Ministry of Agriculture 2011
10	Zinc as Zn	mg/kg	32.00	HS/NABL/SOIL/11
11	Total Ammonia as N	mg/kg	NIL	Ministry of Agriculture 2011




For HORIZON SERVICES


(LAB INCHARGE)

DISCLAIMER:

- Sample will be retained only for 15 days.
 Above results indicate to the parameters mentioned only.
 Liability limited till issue of test reports only.
 The test report shall not be produced for any legal identity or advertised without permission of lab.
 The effect of results relate only to the item tested.

Condensate Polishing Unit









Online Monitoring System at SGSL







Shri. Bhagawanrao G. Ghatge Founder Shri. Madhavrao B. Ghatge Chairman & Managing Director

IRI GURUDATT SUGARS LIM

Gat No.61, Akiwat-Takaliwadi Road, Near Balumama Mandir, TAKALIWADI - 416 108 Tal.: Shirol, Dist.:Kolhapur (Maharashtra State) Reg. No. 25-14367, Tele Fax: (02322) 241577, 241877, 241977 Ph. (0231) 2686086 Fax No. (0231) 2686000 E-mail : gslsugars@gmail.com



Certified Company

Date: 26 | 03 | 2017

Ref. No. म्क्जियाच यह / फिलेंड / 144/2017

मा.सरपंच / ग्रामसेवक मु.पो. टाकळीवाडी ता. शिरोळ जि. कोल्हापूर

विषय:- ना हरकत दाखला मिळणेबाबत..

महोदय

आमचे श्री गुरूदत्त शुगर्स लि.टाकळीवाडी या कारखान्याच्या सघ्या असलेल्या ४९०० मे.टन प्रतिदिन गाळप क्षमता व १५ मेगावॅट विजनिर्मिती प्रकल्पाची क्षमता विस्तारीकरन प्रतिदिन ६००० मे.टन उस गाळप व २१ मेगावॅट विजनिर्मिती करणेस central Pollution control Board ,Delhi.यांचेकडूम दि.२०/०३/२०१७ च्या पत्राने मान्यता मिळाली आहे.

तरी सदरच्या वाढीव गाळप क्षमता व विजनिर्मिती प्रकल्पाचे विस्तारीकरणास आपल्या ग्रामपंचायतीचा ना हरकत दाखला मिळावा हि विनती.

सोबत :- CPCB चे मंजूरीचे पत्र.

श्री गुरुदत्त शुगर्स लि.टाकळीवाडी.

Berny -ता. शिरोळ, जि. कोल्हापूर.



SHRIGURUDATT SUGARS LTD. Tekniiwad

I ADD.: Gat No.: 61 / A, Akiwat Takaliwadi Road, Takaliwadi Tat.- Shirol Dist.- Kofhapur (MH) Pin Gode: 416-10 I PHONE: +91-231-2686086 | FAX: +91-231-2686000 | WEBSITE: www.sgsl.co.in | Email: gs/sugars@gmail.com

SGSL/ENVI/ £144 /2017-2018

Date - 3/03/2017

To,
The Chief Executive Officer so,
Zilha Parishad Office,
Nagala Park, Kolhapur.

Subject: Submission of Environmental Clearance Copy for Shri Gurudatt Sugars Ltd. Gat No. 61/A. Akiwat Takaliwadi Road, Takaliwadi, Tal. Shirol, Dist. Kolhapur, Maharashtra.

Ref: MoEF & CC Letter No.F. No.-J-11011 / 41 / 2015-IA-II (I) Dated 20.03.2017

Respected Sir,

With reference to above subject, we are submitting here with Environmental Clearance Copy of sugar manufacturing (from 4900 TCD to 6000 TCD, Co-generation capacity (15 MW to 21 MW) at Gat No. 61/A, Akiwat Takaliwadi Road, Tal. Shirol, Dist. Kolhapur, Maharashtra received from Ministry of Environment, Forest and Climate Change, New Delhi.

This is for your information please.

Thanking You.

Yours Faithfully

Fdr, Shri Gurudatt Sugars Ltd.,

President

Copy -Enclosed above with copy of EC

18 1203 C

News at 3112 2017

जाहीर नोटीस

श्री गुरुदत्त शुगर्स लिमिटेड टाकळीवाडी पर्यावरण विषयक अनुमती

श्री गुरूदत्त शुगर्स लिमिटेड, गट नं.६१/अ. अिकवाट टाकळीवाडी रोड, टाकळीवाडी, ता.शिरोळ, जि.कोल्हापूर पिन नं.४१६१०८ तर्फ कळविणेत येते की, आमच्या कारखान्यामध्ये गाळप क्षमता 4900 TCD ते 6000 TCD व सहविजनिर्मिती प्रकल्प 15MW ते 21 MW वाढीव प्रकल्पास भारत सरकारचे पर्यावरण, वनविभाग व हवामान बदल, मंत्रालय, नवी दिल्ली कडील पत्र संदर्भ F. No. J-11011/41/2015-IA-II (I) दिनांक २०/३/२०१७ ने विस्तारीकरणास अनुमती मिळालेली आहे.

श्री. माधवराव भगवानराव घाटगे

चेअरमन व कार्यकारी संचालक श्री गुरुदत्त शुगर्स लिमिटेड, टाकळीवाडी

वंधुता पेप

II R Ditt

ग्रेस पुरा सचे

रेश च्या

39 174 18.

4

धक शी

रश पक्ष गैना

बबर निष्ठ

कार ला

ाजी

गडे

वर

PUBLIC NOTICE To whomsoever.

ba

tin th

G

2(

he

N:

da

of

06

ac

35

lat

fo

DE

gr af

ne

re

82

Da

DI A

R

H

it may concern

Maharashtra has been

granted Environmental

Clearance for their

proposed expansion of

sugar plant 4900 TCD to 6000 TCD and Co-

generation 15 MW to 21

MW vide letter No. F. No. J-

11011/ 47/ 2015- [A-II(I),

Dt. 20/03/2017.

Sugars Ltd., Gat 61/A. Akiwat- Takaliwadi Road, Takaliwadi, Tal. Shirol, Dist. Kolhapur- 416108.

This is to inform to the public that Shri Gurudatt

The Copy of same can be viewed at website of ministry of Environment and forest and climate change of http://moef.nic.in -Shri Madhavrao B. Ghatge Chairman & Managing Director

Te The Indian EXPRESS Sat 👸 epaper editions epa

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437

Fax: 24023516

Website: http://mpcb.gov.in Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai-400022

No:- Format1.0//UAN No.MPCB-CONSENT-0000072465/CR - 200 000070

Date: 02/01/2020

To,

Shri Gurudatt Sugars Ltd Gat No 61/A,Akiwat Takaliwadi Road, Takaliwadi Shirol,Kolhapur-Kolhapur

Sub:

Renewal of consent for 6000 TCD Sugar & 21 MW Co-generation unit Under L.S.I RED Category

Ref:

 Consent to Operate accorded by Board vide No. BO/CAC-CELL/UAN-No. 000001616 & 0000019783/R/CAC-1804000889 dtd 19.04.2018

2. Minutes of CAC meeting dtd. 13.09.2019.

Your application No.MPCB-CONSENT-0000072465 Dated 06.06.2019

For: grant of Consent to Renewal or 6000 TCD Sugar & 21 MW Co-generation unit under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- 1. The Consent to Renewal is granted upto: 31.07.2022
- 2. The capital investment of the industry is Rs.245.9827 Crs. (As per C.A Certificate submitted by industry).
- 3. Consent is valid for the manufacture of:

Sr No	Product/Co-Product Name	Maximum Quantity	UOM
1	Sugar	21600.00	MT/M
2	Molasses	7318.00	MT/M
3	Press Mud	7318.00	MT/M
4	Bagasse	54000.00	MT/M
5	Electric Power (Cogeneration)	21.00	MW

(The Cane crushing capacity of Sugar industry shall not exceed 6000 TCD.)

4. Conditions under Water (P&CP) Act, 1974 for discharge of effluent:

Sr No	Description	Permitted	Standards to	. Disposal
1.	Trade effluent	518	As per Schedule -I	48 CMD shall be recycle & remaning 470 CMD shall be use on land for irrigation purpose.

Sr No	Description	Permitted	Standards to	Disposal
2.	Domestic effluent	48	As per Schedule - I	onland for gardening / irrigation

5. Conditions under the Air (P& CP) Act, 1981 for air emissions:

Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
1	Boiler (70 TPH)	1	As per Schedule -II
1	Boiler (40 TPH)	1	As per Schedule -II
2	D.G. Set - (500 KVA)	1	As per Schedule -II
3	D.G. Set - (125 KVA)	1	As per Schedule -II
4	D.G. Set - (625 KVA X 2 NO.)	1	As per Schedule -II

6. Conditions about Non Hazardous Wastes:

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Boiler Ash	4536	MT/A	NA	Sale for Bricks Manufactures and for soil conditioning.
2	Sludge from waste water treatment	6.8	MT/A	NA	Use as Manure

Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:

Sr No	Type of Waste	HW Category.	Quantity & UoM	Treatment	Disposal
1	5.1 Used /spent oil	5.1	280 Kg/Annum	RACVICIA	Sale to authorized recycler.

The applicant shall ensure disposal to the Actual user having permissions under Rule 9 of Hazardous and other Waste (M & TM) Rules, 2016.

- a. The applicant shall properly collect, transport & regularly dispose of the hazardous waste to CHWTSDF, in compliance of the Hazardous & Other Wastes (Management & Transboundry Movement) Rules, 2016 and keep proper manifest thereof.
- 8 The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9 This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- 10 Industry shall connect online CMS data as per CPCB guidelines to CPCB & MPCB Servers.

- 11 Industry shall stop production activity voluntarily in case of failure of operation and maintenance of the ETP system as preventive measures.
- 12 Industry shall extend all existing BGs towards O&M of pollution control systems and towards compliance of the Consent conditions.
- 13 This consent is issued as per the Consent Appraisal Committee meeting dated 13.09.2019.
- 14 The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.

For and on behalf of the Maharashtra Pollution Control Board.

> (E. Ravendiran IAS), Member Secretary

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	1369380.00	TXN1906000416	06/06/2019	Online Payment
2	150000.00	TXN1907000242	03/07/2019	Online Payment
3	6516.00	TXN1912000894	11/12/2019	Online Payment

Copy to:

- 1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Kolhapur
- They are directed to ensure the compliance of the consent conditions.
- 2. Cheif Accounts Officer, MPCB, Sion, Mumbai
- 3. CC/CAC desk For record and website updation purpose.

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

- A] As per your application, you have Provided Effluent Treatment Plant (ETP) of designed capacity of 600.00 CMD consisting of Primary, Secondary, Tertiary for the treatment of 518.00 CMD industrial effluent
 - B) The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr. No.	Parameters	Limiting concentration not to exceed in mg/l, except for pH
(1)	рН	5.5-9.0
(2)	Oil & Grease	10
(3)	BOD (3 days 27°°	100
(4)	Sulphate	1000
(5)	Suspended Solids	100
(6)	COD	250
(7)	Chloride	600
(8)	Total Dissolved Solids	2100

- C] The treated effluent 470.00 CMD shall be disposed on land for irrigation on 21.00 hectares of own land /as per the bilateral agreement with farmers. In no any case treated/untreated effluent shall find its way outside the factory premises directly or indirectly.
- D] Trade effluent of 48.00 CMD generated from Co-gen shall be 100% recycle in process.
- E] CREP conditions for Sugar Factory
 - i. Operation of ETP shall be started at least one month before starting of cane crushing to achieve desired MLSS. So as to meet prescribed standards from day one the operation of mill.
 - ii. Waste water generation shall be reduced to 100 liters per tone of cane crushed.
 - iii. Industry shall achieve zero discharge into in land surface water bodies.
 - iv. 15 days' storage capacity tank shall be provided for treated effluent to take care during no demand for irrigation.
- F] Industry to make necessary arrangement to cover the effluent collection system and to avoid the ingress of Bagasse and other material.
- G] The unit shall operate ETP even after completion of the crushing season so that any effluent generated during washing & maintenance activity is to be discharged after proper treatment.
- H] The unit shall optimize water use in industrial process & maintain records.

- 2) A] As per your application, you have provided septic tank and soak pit for the treatment of 48.00 CMD sewage.
 - B] The applicant shall operate sewage treatment system to treat sewage so as to achieve the following standards/ prescribed under EP Act 1986 and rules made under time to time, whichever is stringent.

1 Suspended Solids	Not to exceed	100 mg/l
2 BOD 3 days (27°C)	Not to exceed	100 mg/l

- C] The treated sewage shall be 100% reused/recycled for gardening purpose within premise. In no any case, sewage shall find its way outside Company's premises.
- 3) The industry shall have bilateral agreement with the farmers on whose land the treated effluent is used for irrigation purposes and a copy of the agreements with validity shall be submitted to the Regional/Sub- Regional Office of the Board.
- 4) The industry shall create Environmental Cell by appointing an Environmental Engineer, Chemist and Agriculture expert for looking after day to day activities related to Environment and irrigation field where treated effluent is used for irrigation.
- 5) CONDITIONS FOR MOLASSES STORAGE:
- (i) The molasses shall be properly collected and stored in steel tanks which shall be leak proof. At no stage of handling of molasses, there shall be leakage or spillage.
- (ii) The capacity of tanks for storage of molasses shall be such that it will take care of bumper production of sugar, non-lifting of molasses etc.
- (iii) All the area on which molasses are stored and handled should be provided with drain for diverting the spills to the treatment plant/ molasses tank. Suitable arrangements for accidental discharges of molasses from the tanks shall be provided to contain the same within factory premises.
- (iv) Destruction of molasses and its disposal shall not be done without specific permission in writing from the authorized officer of the Board. Intimation of intention to destroy or dispose of the molasses shall be given to the Board at least 15 (fifteen) days in advance by registered post under intimation to the Sub-Regional officer and Regional officer of the Board under whose jurisdiction the factory is situated.
- (v) The storage tanks shall be kept in good conditions all the year round with adequate maintenance. The tanks size and capacity per cm, height, total capacity in tonnes shall be displayed prominently near /on the tank.
- (vi) The above conditions shall be in addition to and not in derogation of the provisions contained in the "Bombay Molasses Rules, 1955" and "Maharashtra Molasses Storage and Supply Regulation, 1965".
- 6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines if applicable.
- 7) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.

- 8) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 9) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters, and other provisions as contained in the said act:

Purpose for water consumed	Water consumption quantity (CMD)
Industrial Cooling, spraying in mine pits or boiler feed	475.00
Domestic purpose	
Processing whereby water gets polluted & pollutants are easily biodegradable	1100.00
Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
Grandening	05000₹0.¥0.
	Industrial Cooling, spraying in mine pits or boiler feed Domestic purpose Processing whereby water gets polluted & pollutants are easily biodegradable Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic

10) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II Terms & conditions for compliance of Air Pollution Control:

 As per your application, you have provided the Air pollution control (APC) system and erected following stack(s) and observe the following fuel pattern-

Stack No.	Stack Attached To	APC System	Height in Mtrs.		Quantity & UoM	5%	50 ₂
1	Boiler (70 TPH)	Bagasse Dryer & WET Scrubber	65	Bagasse	730 MT/Day	0.20	2920.00
1	Boiler (40 TPH)	ESP	65	Bagasse	418 MT/Day	0.20	1672.00
2	D.G. Set - 500 KVA	Acoustic Enclosure	6	HSD	40 Ltr/Hr	1.00	19.20
3	D.G. Set - 125 KVA	Acoustic Enclosure	30	HSD	10 Ltr/Hr	1.00	4.80
4	D.G. Set - (625 KVA X 2 NO.)	Acoustic Enclosure	30	HSD	128 Ltr/Hr	1.00	61.44

- The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
 - 1 The Applicant shall provide ESP/ Bag filter/ Wet scrubber to the Bagasse fired boiler and Dust Collector to Sugar bagging section as an Air Pollution control equipments OR as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines.
 - 2 The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter Not to exceed 150 mg/Nm³

- 3 The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- 4 The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
- 5 Industry should not use auxiliary fuel more than 15 % (as per amendment in EIA Notification 2009, power plant upto 15 MW based on Bio-mass and using auxiliary fuel as coal upto 15% are exempt.) as co-gen capacity is below 15 MW.
- 3) The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- 4) The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

SCHEDULE-III Details of Bank Guarantees:

Sr. No.	Consent(C2E/C 20/C2R)	Amt of BG Imposed	Submission	Purpose of BG	Compliance Period	Validity Date
1	C to R	1250000	15 days/ To be extended	Towards compliance of Consent conditions & O & M of pollution control system.	21 07 2222	31.12.2022
2	C to R		15 Days/ to be extended	Towards not to carry out excess crushing more than the consented capacity.	31.07.2022.	31.12.2022.

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	of RG	Amount of BG Forfeiture	BG
			NA		-	


SCHEDULE-IV

General Conditions:

- 1 The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipment, the production process connected to it shall be stopped.
- The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- The industry should comply with the Hazardous & Other Wastes (M & TM) Rules, 2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous & Other Wastes (M & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year.
- 7 An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 8 The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 9 The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 10 The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
- 11 The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 12 Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.

- 13 The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the H&OW(M&TM) Rules 2016, which can be recycled/processed/ reused/ recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/ reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 14 Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act,1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 15 Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 16 Neither storm water nor discharge from other premises shall be allowed to mix with the 17. Conditions for D.G. Set
- - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
- 18 The industry should not cause any nuisance in surrounding area.
- 19 The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 20 The applicant shall maintain good housekeeping.
- 21 The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 22 The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipment provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.

23	The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.						
24	The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended.						





Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

FORM V

(See Rule 14)

Environmental Audit Report for the financial Year ending the 31st March 2022

Unique Application Number

MPCB-ENVIRONMENT_STATEMENT-0000041642

Submitted Date

25-04-2022

PART A

Company Information

Company Name

Shri Gurudatt Sugars Ltd

Address

Gat No - 61/A, A/p - Takaliwadi

Plot no

Gat No 61/A

Capital Investment (In lakhs)

24598.27

Pincode

416108

Telephone Number

7350010520

Region

SRO-Kolhapur

Last Environmental statement submitted

online

yes

Consent Valid Upto

2022-07-31

Industry Category Primary (STC Code) & Secondary (STC Code)

Application UAN number

MPCB-CONSENT-0000072465

Taluka

Shirol

Village

Akiwat -Takaliwadi Road

Scale

L.S.I

Citv

Kolhapur

Designation

Person Name Mr. Rahul Madhavrao Ghatage Executive Director

Fax Number

02312686000

Email

gslsugars.env@gmail.com

Consent Issue Date

Industry Category

Red

Industry Type

R12 Sugar (excluding Khandsari)

Consent Number

MPCB-CONSENT-0000072465

2020-01-02

Establishment Year

Date of last environment statement

submitted

2002 Apr 1 2021 12:00:00:000AM

Product Information

Froduct information			
Product Name	Consent Quantity	Actual Quantity	UOM
Sugar	259200	216182.9	MT/A
Molasses	87816	87756	MT/A
Press Mud	87816	70396.8	MT/A
Bagasse	648000	530656.8	MT/A
Electric Power (Cogeneration)	21	19.3	Mwh

B	/-	pro	odi	ıct	Info	rma	tion
_	, ,		Jul		,,,,,	'I IIIG	CIOII

By Product Name	Consent Quantity	Actual Quantity	UOM
NA	0	0	CMD

Part-B (Water & Raw Material Consumption)

2) Product Wise Process Water Consumption (cubic meter of

Water Consumption for Process	Consent Quantity in m3/day 1100.00	Actual Quantity in m3/day 1098.00
Cooling	475.00	450.00
Domestic	60.00	48.00
All others	0.00	0.00
Total	1635.00	1596.00

2) Endent Generation in CMD / MLD			
Particulars	Consent Quantity	Actual Quantity	UOM
Daily Quantity of Trade Effluent from the Factory	518	398	CMD

Name of Products (Production)	During the Previous financial Year	During the current Financial year	иом
Sugar (excluding Khandsari)	0.77	0.78	CMD
Sugar (excluding Khandsari)	0.52	0.55	CMD
Sugar (excluding Khandsari)	0.47	0.48	CMD
Sugar (excluding Khandsari)	0.50	0.51	CMD
Sugar (excluding Khandsari)	0.1	0.1	CMD

3) Raw Material Consumption (Consumption of raw material per unit of product)			
Name of Raw Materials	During the Previous financial Year	During the current Financial year	UOM
Sugar Cane	733255.950	802052.94	MT/A
Lime	1193.355	1305.32	MT/A

194.44

MT/A

4) Fuel Consumption			
Fuel Name	Consent quantity	Actual Quantity	UOM
Bagasse	648000	231195	MT/A

177.762

Part-C

Sulphure

Pollution discharged to environment/unit of output (Parameter as specified in the consent issued) [A] Water

Pollutants Detail	Quantity of Pollutants discharged (kL/day)	Concentration of Pollutants discharged(Mg/Lit) Except PH,Temp,Colour	Percentage of variation from prescribed standards with reasons		
	Quantity	Concentration	%variation	Standard	Reason
PH	14.55	0	0	0	0
COD	41.44	0	0	0	0
BOD	12.44	0	0	0	0

Pollutants Detail Quantity of **Concentration of Pollutants** Percentage of variation from prescribed **Pollutants** discharged(Mg/NM3) discharged (kL/day) standards with reasons Quantity Concentration %variation Standard Reason **Total Particulate** 432.19 49.11 Matter Part-D **HAZARDOUS WASTES** 1) From Process Hazardous Waste Type Total During Previous Financial year Total During Current Financial year **UOM** 5.1 Used or spent oil 0.20 0.22 MT/A 2) From Pollution Control Facilities Hazardous Waste Type Total During Previous Financial year Total During Current Financial year **UOM** 5.1 Used or spent oil 0.20 0.21 MT/A **Part-E SOLID WASTES** 1) From Process Non Hazardous Waste Type Total During Previous Financial year Total During Current Financial year **UOM** Sludge from waste water treatment 6.4 6.3 MT/A 2) From Pollution Control Facilities Non Hazardous Waste Type Total During Previous Financial year Total During Current Financial year **UOM** Boiler Ash 3015.54 3112.52 MT/A 3) Quantity Recycled or Re-utilized within the unit Waste Type **Total During Previous Total During Current UOM** Financial year Financial year 0.20 0.21 MT/A 5.1 Used or spent oil Part-F Please specify the characteristics(in terms of concentration and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes. 1) Hazardous Waste Type of Hazardous Waste Generated Qty of Hazardous Waste UOM Concentration of Hazardous Waste 0.20 MT/A 0.20 5.1 Used /spent oil 2) Solid Waste Type of Solid Waste Generated **Qty of Solid Waste UOM** Concentration of Solid Waste Boiler Ash 3192.64 MT/A 3192.64 Part-G

Impact of the pollution Control measures taken on conservation of natural resources and consequently on the cost of production.

Description Reduction in Reduction Reduction in Capital Reduction in Water Fuel & Solvent in Raw Power Investment(in Maintenance(in

Material

(Kg)

Consumption

(M3/day)

Consumption

(KL/day)

Consumption

(KWH)

Lacs)

Lacs)

The 100% treated 69 water from E.T.P. is recycled for land irrigation.

155.35

490

398

1800000

133700

Part-H

Additional measures/investment proposal for environmental protection abatement of pollution, prevention of pollution.

[A] Investment made during the period of Environmental

Statement

Detail of measures for Environmental Protection

Environmental Protection Measures Capital Investment (Lacks)

Good House Keeping kept in a mfg plant as well as ETP massive tree plantation done on available land.

Tree Plantation (Quantity 4450 Nos) 95

[B] Investment Proposed for next Year

Detail of measures for Environmental Protection

Good House Keeping kept in a mfg plant as well as ETP massive tree plantation done on available land.

Environmental Protection Measures

Capital Investment (Lacks)

Tree plantation (Quantity 250 Nos)

2

Part-I

Any other particulars for improving the quality of the environment.

Particulars

We have planted about 1000 Nos plants around the Bagasse yard for develop green belt around the premises. We are proposed to plant various type of tree in this year also.

Name & Designation

Mr. Uday Patil - Chief Executive Officer

ΠΔΝ Νο

MPCB-ENVIRONMENT STATEMENT-0000041642

Submitted On:

25-04-2022

SHRI GURUDATT SUGARS LTD., TAKALIWADI CSR 2017 - 2018

Date	Amount	Schedule	Sector in which the project is covered
15-Apr-17	100000.00	SCH-V & X	1) protection of natioanl heritage, art & culture. 2) Rural Development
18-Apr-17	100000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
21-Apr-17	15000.00	SCH-V & X	1) protection of natioanl heritage, art & culture. 2) Rural Development
25-Apr-17	7000.00	SCH-V	protection of natioanl heritage, art & culture.
25-Apr-17	51000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
02-May-17	7000.00	SCH-V & X	1) protection of natioanl heritage, art & culture. 2) Rural Development
10-May-17	11000.00	SCH-V & X	1) protection of natioanl heritage, art & culture. 2) Rural Development
21-Aug-17	10000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
26-Aug-17	51000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
15-Sep-17	25000.00	SCH-VII - vii	Rural sports
16-Sep-17	100000.00	SCH-V & X	1) protection of natioanl heritage, art & culture. 2) Rural Development
16-Sep-17	51000.00	SCH-V & X	1) protection of natioanl heritage, art & culture. 2) Rural Development
30-Oct-17	25000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
13-Dec-17	51000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
27-Dec-17	100000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
10-Jan-18	7000.00	SCH-VII - vii	Rural sports

10-Jan-18	25000.00	SCH-VII - x	Rural development
12-Jan-18	11000.00	SCH-V & X	1) protection of natioanl heritage, art & culture. 2) Rural Development
16-Jan-18	50000.00	SCH-V & X	1) protection of natioanl heritage, art & culture. 2) Rural Development
23-Jan-18	11000.00	SCH-V & X	1) protection of natioanl heritage, art & culture. 2) Rural Development
27-Jan-18	25000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
27-Feb-18	11000.00	SCH-V & X	1) protection of natioanl heritage, art & culture. 2) Rural Development
27-Feb-18	51000.00	SCH-V & X	protection of natioanl heritage, art & culture. 2) Rural Development
02-Mar-18	11000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
10-Mar-18	300000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
10-Mar-18	25000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
16-Mar-18	15000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
17-Mar-18	11000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
29-Mar-18	11000.00	SCH-VII - i	Eradicating hunger, poverty & malnutrition
Total	1268000.00		

Post - Takliwadi, Tal - Shirol, District - Kolhapur, MH India. Pin - 416108 Phone - +91-231 2686086, Fax - +91-231 2686000 E - Mail : gslsugars@gmail.com

Account Ledger From 01/04/2018 To 31/03/2019

Division - **Sugar** Co-gen balance : 0.00 Cr

Account - 1439 - CORPORATE SOCIAL RESPONSIBILITY (CSR) EXPENSES

Parrent Group - ADMINISTRATIVE COST

	,	Opening				0.00 Cı
Date	Voucher No.	Narration	; ;	Debit	Credit	Closing
25/09/2018	IV-1-25-09-2018-28 DEAD STOCK MANUFACTURING MATERIAL MISCELLANEOUS STORES Material indent voucher for MI-1-09-2018-5201 -	INDENT VOUCHER	67533.30 143380.38 483980.00	694893.68	0.00	694893.68 Di
05/02/2019	JV-1-05-02-2019-4 LABOUR WELFARE FUND FEES PA Being employee contrubutio CSR account as per ledger		430438.00	0.00	430438.00	264455.68 Di
25/02/2019	EV-1-25-02-2019-5 SHANKAR BALKRISHNA JAGTAP Being Work as per bill no o No.: EB-1-02-2019-1223 Bei as per kerala flud material su	ng transportation Exp	35000.00	35000.00	0.00	299455.68 Dr
31/03/2019	EV-1-31-03-2019-8 GOVARDHAN MEDICALS Being Work as per bill no. 49 Ref No.: EB-1-03-2019-1388 Purchase as bill ()	Lal Kurkat Medicine	10800.00	10800.00	0.00	310255.68 Dr
31/03/2019	EV-1-31-03-2019-9 GOVARDHAN MEDICALS Being Work as per bill no. 89 - Ref No. : EB-1-03-2019-138 Purchase as bill ()		85003.00	85003.00	0.00	395258.68 Di
31/03/2019			62500.00	62500.00	0.00	457758.68 Di
31/03/2019	EV-1-31-03-2019-11 GOVARDHAN MEDICALS Being Work as per bill no.56 Ref No.: EB-1-03-2019-1391 Purchase as bill ()	Lal Kurkat Medicine	18750.00	18750.00	0.00	476508.68 Dr
31/03/2019	EV-1-31-03-2019-12 GOVARDHAN MEDICALS Being Work as per bill no. 55 Ref No.: EB-1-03-2019-1392 Purchase as bill ()	EXPENSE VOUCHER 541 dated 01-02-2019 -	47061.00	47061.00	0.00	523569.68 Dr
31/03/2019	EV-1-31-03-2019-13 GOVARDHAN MEDICALS Being Work as per bill no. 56 Ref No.: EB-1-03-2019-1393 Purchase as bill ()		23700.00	23700.00	0.00	547269.68 Dr

Post - Takliwadi, Tal - Shirol, District - Kolhapur, MH India. Pin - 416108 Phone - +91-231 2686086, Fax - +91-231 2686000 E - Mail : gslsugars@gmail.com

		Account Ledger From 0	1/04/2018 To 3	1/03/2019		
Date	Voucher No.	Narration		Debit	Credit	Closing
31/03/2019	EV-1-31-03-2019-14 GOVARDHAN MEDICALS	EXPENSE VOUCHER	50000.00	50000.00	0.00	597269.68 Dr
	Being Work as per bill no. Ref No. : EB-1-03-2019-13					
31/03/2019	Purchase as bill () EV-1-31-03-2019-15 GOVARDHAN MEDICALS	EXPENSE VOUCHER	52087.00	52087.00	0.00	649356.68 Dr
	Being Work as per bill no. Ref No. : EB-1-03-2019-139 Purchase as bill ()					
31/03/2019	EV-1-31-03-2019-16 GOVARDHAN MEDICALS	EXPENSE VOUCHER	18750.00	18750.00	0.00	668106.68 Dr
	Being Work as per bill no. Ref No. : EB-1-03-2019-139 Purchase as bill ()					
31/03/2019	EV-1-31-03-2019-17 GOVARDHAN MEDICALS	EXPENSE VOUCHER	65150.00	65150.00	0.00	733256.68 Dr
	Being Work as per bill no. Ref No. : EB-1-03-2019-139 Purchase as bill ()					
31/03/2019	EV-1-31-03-2019-54 VIKAS BABURAO CHOUGALE	EXPENSE VOUCHER	41419.00	41419.00	0.00	774675.68 Dr
1	Being Work as per bill no. No.: EB-1-03-2019-1432 La					
	2018 to March 2019 Dinner enclosed. ()					
		Total		1205113.68	430438.00	774675.68 Dr

Print Date - 01/10/2021 Page 2 c

Post - Takliwadi, Tal - Shirol, District - Kolhapur, MH India. Pin - 416108 Phone - +91-231 2686086, Fax - +91-231 2686000 E - Mail : gslsugars@gmail.com

Account Ledger From 01/04/2019 To 31/03/2020

Division - **Sugar** Co-gen balance : 0.00 Cr

Account - 1439 - CORPORATE SOCIAL RESPONSIBILITY (CSR) EXPENSES

Parrent Group - ADMINISTRATIVE COST

		Opening				0.00 Cı
Date	Voucher No.	Narration		Debit	Credit	Closing
						
22/08/2019	EV-1-22-08-2019-18 SAGAR BALU MALI	EXPENSE VOUCHER	44563.00	44563.00	0.00	44563.00 Dr
;		dated 22 00 2010 Def	44303.00			
, , ,	Being Work as per bill no No.: EB-1-08-2019-453 201					
22/02/2010						72652.00.5
23/08/2019	EV-1-23-08-2019-5 DINESH YASHWANTRAO MOHIT	EXPENSE VOUCHER	29090.00	29090.00	0.00	73653.00 Di
			29090.00			
;	Being Work as per bill no No.: EB-1-08-2019-460 201					
,	Purchase ()	.5 Flood Kiralia Iliateriai				
22/09/2010		EVDENICE VALICHED		12400.00	0.00	96052.00.00
23/08/2019	EV-1-23-08-2019-6 SANTOSH PRABHULAL SHAH	EXPENSE VOUCHER	12400.00	12400.00	0.00	86053.00 D
		212 dated 05 09 2010	12400.00	:	:	
	Being Work as per bill no. 8 Ref No.: EB-1-08-2019-461					
	Material Purchase as bill ()		:	:	!	
22/00/2010				20000 00	0.00	115051 00 D
23/08/2019	EV-1-23-08-2019-7 GRAHAK BAZAAR	EXPENSE VOUCHER	29898.00	29898.00	0.00	115951.00 Di
	! !		23030.00			
	Being Work as per bill no. 9 dated 20-08-2019 - Ref No. : EB-1-08-2019-462 (2019 Flood) Kirana					
	Material Purchase ()	13 Hood / Kirdila	:	:	!	
23/08/2019	CP-1-23-08-2019-8	CASH PAYMENT		8358.00	0.00	124309.00 Di
23/06/2019	CASH IN HAND	CASIT PATIVILINI	8358.00	8338.00	0.00	124303.00 DI
, , ,	Being payment paid to C.D	Patil against Rastwad				
	arogya shibir medicine bill					
	dt. 21.08.2019 (Ratna Ager					
! ! !	enclosed	/				
23/08/2019	EV-1-23-08-2019-8	EXPENSE VOUCHER		43760.00	0.00	168069.00 Dı
23, 33, 2323	ARIHANT TRADERS BORGAON	2/11/21/02/10/04/12/1	43760.00	.5755.55		100003.00 2.
	Being Work as per bill no. 2	266 dated 10-08-2019 -				
	Ref No. : EB-1-08-2019-463					
;	Material Purchase ()					
24/08/2019	EV-1-24-08-2019-1	EXPENSE VOUCHER		17929.00	0.00	185998.00 D
	SAI MEDICALS		17929.00	:	1 1 1	
	Being Work as per bill no. !					
	08-08-2019 - Ref No. : EB-1	-08-2019-465 (2019				
	Flood) Medicine Exp as bill	s ()				
24/08/2019	EV-1-24-08-2019-2	EXPENSE VOUCHER		2056.00	0.00	188054.00 D
	CHANDRAKANT DHONDIRAM PA	ATIL	2056.00	:	:	
	Being Work as per bill no. I	Being Work as per bill no. DP-43 dated 22-08-2019				
,	- Ref No. : EB-1-08-2019-46	6 (2019 Flood) Medicine				
;	for Vitrag Medical 444/- Ra	khi 612/- fete Bandhane				
	1000/- ()					
24/08/2019	EV-1-24-08-2019-3	EXPENSE VOUCHER		4100.00	0.00	192154.00 D
	CHANDRAKANT DHONDIRAM PA	ATIL	4100.00			
1						

	Account Ledger From 0	1/04/2019 To 3	1/03/2020		
Date	Voucher No. Narration		Debit	Credit	Closing
	Being Work as per bill no. Dp-41 dated 21-08-2019 - Ref No.: EB-1-08-2019-467 (2019 Flood) shawl Phete & Rakhi Exp for NDRF & Neavy Army As letter. ()				
24/08/2019	,	11200.00	11200.00	0.00	203354.00 Dr
24/08/2019	EV-1-24-08-2019-8 EXPENSE VOUCHER SHAHA BROTHERS Being Work as per bill no. 33 dated 06-08-2019 - Ref No.: EB-1-08-2019-472 (2019 Flood) Kirana Materal Purchase ()	8550.00	8550.00	0.00	211904.00 Dr
24/08/2019	,	5800.00	5800.00	0.00	217704.00 Dr
24/08/2019	,	700.00	700.00	0.00	218404.00 Dr
24/08/2019	EV-1-24-08-2019-11 EXPENSE VOUCHER ARIHANT TRADERS BORGAON Being Work as per bill no. 265 dated 24-08-2019 - Ref No.: EB-1-08-2019-475 (2019 Flood) Kiran Material ()	36960.00	36960.00	0.00	255364.00 Dr
24/08/2019	,	9900.00	9900.00	0.00	265264.00 Dr
24/08/2019	EV-1-24-08-2019-13 EXPENSE VOUCHER TATYASO RAJARAM PATIL TATYASO RAJARAM PATIL Being Work as per bill no dated 06-08-2019 - Ref No.: EB-1-08-2019-47(2019Flood) Plastic Plates 6800/- & Temo Freight 1000/- ()	1000.00 6800.00	7800.00	0.00	273064.00 Dr
24/08/2019	EV-1-24-08-2019-14 EXPENSE VOUCHER RAJU BAPUSO PATIL Being Work as per bill no dated 13-08-2019 - Ref No. : EB-1-08-2019-478 (2019 Flood) tempo Freight Paid Blanket Gandinagr to Factory. ()	3500.00	3500.00	0.00	276564.00 Dr
24/08/2019	,	25500.00	25500.00	0.00	302064.00 Dr

	Account Ledger From 0	1/04/2019 To 3	1/03/2020		
Date	Voucher No. Narration		Debit	Credit	Closing
	Being Work as per bill no. 18 dated 13-08-2019 - Ref No. : EB-1-08-2019-489 (2019 Flood) NDRF JAWAN Shawl & Fete Exp as bill. ()				
26/08/2019	PRAKASH RAGHUNATH PATIL Being Work as per bill no. DP-39 dated 21-08-2019 - Ref No. : EB-1-08-2019-487 (2019 Flood) Pet	24790.00	24790.00	0.00	326854.00 Dr
26/08/2019	Animal medical Check up as letter () EV-1-26-08-2019-7 EXPENSE VOUCHER JAYASHRI PRAKASH PATIL Being Work as per bill no. DP-39 dated 21-08-2019 - Ref No.: EB-1-08-2019-488 (2019 Flood) Pet Animal medical Check up as letter ()	9780.00	9780.00	0.00	336634.00 Dr
27/08/2019	,	5310.00	5310.00	0.00	341944.00 Dr
01/09/2019	EV-1-01-09-2019-6 EXPENSE VOUCHER SUNIL SHIVAJI PATIL (RAMAJI) Being Work as per bill no. 5 dated 01-09-2019 - Ref No.: EB-1-09-2019-520 2019 Flood Sumo Freight August 2019 (6253) ()	11312.00	11312.00	0.00	353256.00 Dr
01/09/2019	EV-1-01-09-2019-7 EXPENSE VOUCHER RAVINDRA KRISHNAT PATIL Being Work as per bill no. 7 dated 01-09-2019 - Ref No.: EB-1-09-2019-526 2019 Flood Tempo freight August 2019 (1024) ()	3479.00	3479.00	0.00	356735.00 Dr
01/09/2019	EV-1-01-09-2019-8 EXPENSE VOUCHER NILESH RAVSAHEB KOLI Being Work as per bill no. 02 dated 01-09-2019 - Ref No.: EB-1-09-2019-527 2019 Flood Sumo Fare August 2019 (5407) TDS O 2396+9598=11994/- ()	9598.00	9598.00	0.00	366333.00 Dr
01/09/2019	EV-1-01-09-2019-9 EXPENSE VOUCHER NISHANT ASHOK GORE Being Work as per bill no. 03 dated 01-09-2019 - Ref No.: EB-1-09-2019-528 2019 Flood Sumo Freight August 2019 ()	4422.00	4422.00	0.00	370755.00 Dr
01/09/2019	EV-1-01-09-2019-10 EXPENSE VOUCHER UMESH PANDURANG GAIKWAD Being Work as per bill no. 1 dated 01-09-2019 - Ref No.: EB-1-09-2019-529 2019 Flood Sumo Freight August 2019 ()	11614.00	11614.00	0.00	382369.00 Dr
01/09/2019	EV-1-01-09-2019-11 EXPENSE VOUCHER HALLAPPA KRUSHNA PUJARI Being Work as per bill no. 1 dated 01-09-2019 - Ref No.: EB-1-09-2019-530 2019 Flood Sumo Freight August 2019 (1012) ()	6244.00	6244.00	0.00	388613.00 Dr
01/09/2019	'		6405.00	0.00	395018.00 Dr

	Account Ledger	From 01/04/2019 To 3	1/03/2020	,	
Date	Voucher No. Narration		Debit	Credit	Closing
	KRISHNA SHAMRAO VADAR Being Work as per bill no. 1 dated 01-09-2019 No.: EB-1-09-2019-531 2019 Flood Sumo Freigl August 2019 ()				
07/09/2019	EV-1-07-09-2019-5 EXPENSE VOUC RAJU BAPUSO PATIL Being Work as per bill no dated 07-08-2019 - No.: EB-1-09-2019-539 2019 Flood Gas Cylendo Exp(4912) & Oter misc exp as letter ()	5572.00 Ref	5572.00	0.00	400590.00 Dr
14/09/2019	EV-1-14-09-2019-5 EXPENSE VOUC UMESH NANASO PATIL UMESH NANASO PATIL Being Work Dumping tractor as per bill no. 29 dated 26-08-2019 - Ref No. : EB-1-09-2019-570	4716.00 14400.00	19116.00	0.00	419706.00 Dr
14/09/2019	EV-1-14-09-2019-7 EXPENSE VOUC MAHAVEER MEDICALS Being Work as per bill no. 8795,8796 dated 23-08-2019 - Ref No. : EB-1-09-2019-572 (2019 Flood) Aarogya Shibir Medicine Exp as sanctior letter ()	32092.00	32092.00	0.00	451798.00 Dr
21/09/2019	CP-1-21-09-2019-1 CASH PAYMENT CASH IN HAND Being Kolhapur to Karkhana freight paid to Tata Patil	1200.00	1200.00	0.00	452998.00 Dr
22/10/2019	EV-1-22-10-2019-12 EXPENSE VOUC UTTAM BAPU KAMBALE Being Work as per bill no. 13 dated 20-10-2019 Ref No.: EB-1-10-2019-715 2019 Bull & Bufollo shed in 2019 Flood & Advance Time TDS deductors 200000/- ()	248520.00) - w	248520.00	0.00	701518.00 Dr
20/11/2019	,	100000.00	100000.00	0.00	801518.00 Dr
27/03/2020	SV-1-27-03-2020-66 SALE VOUCHER PETROL PUMP HO RECONCILIATION BEING Diesel (PUMP) - 11 Litre SALE	708.84	708.84	0.00	802226.84 Dr
28/03/2020	EV-1-28-03-2020-9 EXPENSE VOUC S.B.BABAR Being Work as per bill no dated 20/08/2019 No. : EB-1-03-2020-1428 2019 Flood Bavarchi (AAchari) work (06/08/2019 to 16/08/2019) ()	150000.00	150000.00	0.00	952226.84 Dr
28/03/2020	SV-1-28-03-2020-43 SALE VOUCHER PETROL PUMP HO RECONCILIATION BEING Petrol (PUMP) - 35 Litre SALE	2640.75	2640.75	0.00	954867.59 Dr
29/03/2020	,	1611.00	1611.00	0.00	956478.59 Dr

Post - Takliwadi, Tal - Shirol, District - Kolhapur, MH India. Pin - 416108 Phone - +91-231 2686086, Fax - +91-231 2686000 E - Mail : gslsugars@gmail.com

		Account Ledger From 0	1/04/2019 To 3	1/03/2020		
Date	Voucher No.	Narration	1	Debit	Credit	Closing
	BEING Diesel (PUMP) - 25 Lit	re SALE				
29/03/2020	SV-1-29-03-2020-38 PETROL PUMP HO RECONCILIATION BEING Petrol (PUMP) - 37 Lit		2791.65	2791.65	0.00	959270.24 Dr
30/03/2020	SV-1-30-03-2020-18 PETROL PUMP HO RECONCILIATION BEING Diesel (PUMP) - 17 Lit		1095.48	1095.48	0.00	960365.72 Dr
31/03/2020	EV-1-31-03-2020-5 MAHAVEER MEDICALS Being Work as per bill no. 24736,24662,24661,24757 d No.: EB-1-03-2020-1460 OHO bills (Corona) ()		86333.00	86333.00	0.00	1046698.72 Dr
31/03/2020	SV-1-31-03-2020-71 PETROL PUMP HO RECONCILIATION BEING Petrol (PUMP) - 10 Lit		754.50	754.50	0.00	1047453.22 Dr
31/03/2020	EV-1-31-03-2020-80 VIEW ADVERTISING Being Work as per bill no. 55 Ref No.: EB-1-03-2020-1530 script (Lal Khurkat) ()	57 dated 06/06/2020 -	20000.00	20000.00	0.00	1067453.22 Dr
		Total		1067453.22	0.00	1067453.22 Dr

Print Date - 01/10/2021 Page 5 c

Post - Takliwadi, Tal - Shirol, District - Kolhapur, MH India. Pin - 416108 Phone - +91-231 2686086, Fax - +91-231 2686000 E - Mail : gslsugars@gmail.com

Account Ledger From 01/04/2020 To 31/03/2021

Division - **Sugar** Co-gen balance : 0.00 Cr

Account - 1439 - CORPORATE SOCIAL RESPONSIBILITY (CSR) EXPENSES

Parrent Group - ADMINISTRATIVE COST

arrent Group	- ADMINISTRATIVE C	Opening				0.00 Ci
Date	Voucher No.	Narration		Debit	Credit	Closing
01/04/2020	SV-1-01-04-2020-30 PETROL PUMP HO RECONCILIAT	SALE VOUCHER	981.45	981.45	0.00	981.45 Di
	: BEING Diesel (PUMP) - 15 L	itre SALE				
03/04/2020	SV-1-03-04-2020-80 PETROL PUMP HO RECONCILIAT	SALE VOUCHER	2752.56	2752.56	0.00	3734.01 Di
	BEING Petrol (PUMP) - 36 L	itre SALE				
04/04/2020	SV-1-04-04-2020-21 PETROL PUMP HO RECONCILIAT		764.60	764.60	0.00	4498.61 D
	BEING Petrol (PUMP) - 10 L	itre SALE				
06/04/2020	SV-1-06-04-2020-76 PETROL PUMP HO RECONCILIAT		1146.90	1146.90	0.00	5645.51 Dı
	BEING Petrol (PUMP) - 15 L					
10/04/2020	PETROL PUMP HO RECONCILIAT		764.60	764.60	0.00	6410.11 Dı
	BEING Petrol (PUMP) - 10 L					
11/04/2020	SV-1-11-04-2020-35 PETROL PUMP HO RECONCILIAT		2420.91	2420.91	0.00	8831.02 Di
	BEING Diesel (PUMP) - 37 L					
15/04/2020	PETROL PUMP HO RECONCILIAT		1223.36	1223.36	0.00	10054.38 D
	BEING Petrol (PUMP) - 16 L					
16/04/2020	SV-1-16-04-2020-51 PETROL PUMP HO RECONCILIAT		1962.90	1962.90	0.00	12017.28 D
	BEING Diesel (PUMP) - 30 L					
16/04/2020	SV-1-16-04-2020-59 PETROL PUMP HO RECONCILIAT		2293.80	2293.80	0.00	14311.08 D
	BEING Petrol (PUMP) - 30 L					
18/04/2020	EV-1-18-04-2020-10 RAJU BAPUSO PATIL		18300.00	18300.00	0.00	32611.08 D
	Being Work as per bill no No. : EB-1-04-2020-11 trans Atta,Oil rice etc for H & T la	sportation charges				
18/04/2020	EV-1-18-04-2020-11 RAJU BAPUSO PATIL	EXPENSE VOUCHER	9445.00	9445.00	0.00	42056.08 D
	Being Work as per bill no No.: EB-1-04-2020-12 trans Atta,Oil rice & Plastic bag fo	sportation charges				
	for H & T labour (Corona) ()				
20/04/2020	SV-1-20-04-2020-66 PETROL PUMP HO RECONCILIAT	SALE VOUCHER	1070.44	1070.44	0.00	43126.52 Di
	BEING Petrol (PUMP) - 14 L	itre SALE				
22/04/2020	EV-1-22-04-2020-1 RAJU BAPUSO PATIL	EXPENSE VOUCHER	6019.00	6019.00	0.00	49145.52 Dı

-		Account Ledger From	01/04/2020 To 3	31/03/2021		
Date	Voucher No.	Narration		Debit	Credit	Closing
	Being Work as per bill no No.: EB-1-04-2020-21 Adva Paid & H & T labour materia letter ()	nce adjust to Freight				
23/04/2020	SV-1-23-04-2020-47 PETROL PUMP HO RECONCILIATI BEING Diesel (PUMP) - 37 Li		2420.91	2420.91	0.00	51566.43 Dr
26/04/2020	SV-1-26-04-2020-20 PETROL PUMP HO RECONCILIATI BEING Petrol (PUMP) - 10 Li		764.60	764.60	0.00	52331.03 Dr
28/04/2020	SV-1-28-04-2020-26 PETROL PUMP HO RECONCILIATI BEING Diesel (PUMP) - 42 Li		2748.06	2748.06	0.00	55079.09 Dr
04/05/2020	SV-1-04-05-2020-42 PETROL PUMP HO RECONCILIATI BEING Petrol (PUMP) - 19 Li		1452.74	1452.74	0.00	56531.83 Dr
08/05/2020	BP-1-08-05-2020-3 THE FEDERAL BANK LTD. KURUN Being donation paid to RAN FOUNDATION	BANK PAYMENT DWAD CANE A/C 1479560	1000000.00	1000000.00	0.00	1056531.83 Dr
08/05/2020	SV-1-08-05-2020-10 PETROL PUMP HO RECONCILIATI BEING Diesel (PUMP) - 36 Li		2355.48	2355.48	0.00	1058887.31 Dr
20/05/2020	SV-1-20-05-2020-29 PETROL PUMP HO RECONCILIATI BEING Diesel (PUMP) - 40 Li		2617.20	2617.20	0.00	1061504.51 Dr
	SV-1-23-05-2020-18 PETROL PUMP HO RECONCILIATI BEING Diesel (PUMP) - 20 Li		1308.60	1308.60	0.00	1062813.11 Dr
27/05/2020	IV-1-27-05-2020-3 MISCELLANEOUS STORES Material indent voucher for MI-1-05-2020-459 -	INDENT VOUCHER	43005.10	43005.10	0.00	1105818.21 Dr
30/05/2020	SV-1-30-05-2020-8 PETROL PUMP HO RECONCILIATI BEING Petrol (PUMP) - 20 Li		1529.20	1529.20	0.00	1107347.41 Dr
31/05/2020	SV-1-31-05-2020-10 PETROL PUMP HO RECONCILIATI BEING Diesel (PUMP) - 45 Li		2944.35	2944.35	0.00	1110291.76 Dr
03/06/2020	BP-1-03-06-2020-14 THE FEDERAL BANK LTD. KURUN Being payment against H & Vatap In period of Covid 19 of -Annappa Rayappa Vade	T labour exp (Vairan as letter & Ch in Favour	282500.00	282500.00	0.00	1392791.76 Dr
03/06/2020	BP-1-03-06-2020-15 THE FEDERAL BANK LTD. KURUN Being payment against H & Vatap In period of Covid 19 of -Vijaykumar Ramdas Nirr	T labour exp (Vairan as letter & Ch in Favour	241888.00	241888.00	0.00	1634679.76 Dr

Post - Takliwadi, Tal - Shirol, District - Kolhapur, MH India. Pin - 416108

Phone - +91-231 2686086, Fax - +91-231 2686000 E - Mail : gslsugars@gmail.com

	Account Ledger From 0	1/04/2020 To 3	31/03/2021		
Date	Voucher No. Narration		Debit	Credit	Closing
03/06/2020	BP-1-03-06-2020-16 BANK PAYMENT THE FEDERAL BANK LTD. KURUNDWAD CANE A/C 147956C Being payment against H & T labour exp (Vairan	67431.00	67431.00	0.00	1702110.76 Dr
	Vatap In period of Covid 19) as letter & Ch in Favour of - Amol Maruti Nirmale	1 1 1			
03/06/2020	BP-1-03-06-2020-17 BANK PAYMENT THE FEDERAL BANK LTD. KURUNDWAD CANE A/C 147956C	142479.00	142479.00	0.00	1844589.76 Dr
	Being payment against H & T labour exp (Vairan Vatap In period of Covid 19) as letter & Ch in Favour of -Bharat Sakharam Nirmale				
03/06/2020	IV-1-03-06-2020-17 INDENT VOUCHER MISCELLANEOUS STORES	186780.94	186780.94	0.00	2031370.70 Dr
	Material indent voucher for Indent No. MI-1-06-2020-510 -	; ; ;			
03/06/2020	BP-1-03-06-2020-18 BANK PAYMENT THE FEDERAL BANK LTD. KURUNDWAD CANE A/C 147956C Being payment against H & T labour exp (Vairan Vatap In period of Covid 19) as letter & Ch in Favour of -Namdev Kallappa Khot	21550.00	21550.00	0.00	2052920.70 Dr
03/06/2020	BP-1-03-06-2020-19 BANK PAYMENT THE FEDERAL BANK LTD. KURUNDWAD CANE A/C 147956C	92881.00	92881.00	0.00	2145801.70 Dr
	Being payment against H & T labour exp (Vairan Vatap In period of Covid 19) as letter & Ch in Favour of -Shrikant Parashram Nirmale				
03/06/2020	BP-1-03-06-2020-20 BANK PAYMENT THE FEDERAL BANK LTD. KURUNDWAD CANE A/C 147956C Being payment against H & T labour exp (Vairan Vatap In period of Covid 19) as letter & Ch in Favour of -Dagadu Devappa Nirmale	74564.00	74564.00	0.00	2220365.70 Dr
03/06/2020	BP-1-03-06-2020-21 BANK PAYMENT THE FEDERAL BANK LTD. KURUNDWAD CANE A/C 147956C Being payment against H & T labour exp (Vairan Vatap In period of Covid 19) as letter & Ch in Favour of -Sidram Gajanan Gavandi	103701.00	103701.00	0.00	2324066.70 Dr
03/06/2020	`	135649.00	135649.00	0.00	2459715.70 Dr
03/06/2020	'	26042.00	26042.00	0.00	2485757.70 Dr
03/06/2020	BP-1-03-06-2020-24 BANK PAYMENT THE FEDERAL BANK LTD. KURUNDWAD CANE A/C 1479560 Being payment against H & T labour exp (Vairan Vatap In period of Covid 19) as letter & Ch in Favour of -Sandip Balu Chavan	50143.00	50143.00	0.00	2535900.70 Dr

Print Date - 01/10/2021 Page 3 c

Post - Takliwadi, Tal - Shirol, District - Kolhapur, MH India. Pin - 416108

Phone - +91-231 2686086, Fax - +91-231 2686000 E - Mail : gslsugars@gmail.com

		Account Ledger From	01/04/2020 To 3	1/03/2021		
Date	Voucher No.	Narration	1	Debit	Credit	Closing
08/06/2020	IV-1-08-06-2020-27 MISCELLANEOUS STORES	INDENT VOUCHER	6000.00	6000.00	0.00	2541900.70 Dr
	Material indent voucher for MI-1-06-2020-590 -	Indent No.			<u>.</u>	
18/06/2020	SV-1-18-06-2020-24 PETROL PUMP HO RECONCILIATION	SALE VOUCHER	2543.10	2543.10	0.00	2544443.80 Dr
	BEING Petrol (PUMP) - 30 Lit					
19/06/2020	IV-1-19-06-2020-2 MISCELLANEOUS STORES	INDENT VOUCHER	15000.00	15000.00	0.00	2559443.80 Dr
	Material indent voucher for MI-1-06-2020-781 -	Indent No.				
20/06/2020	IV-1-20-06-2020-20 MISCELLANEOUS STORES	INDENT VOUCHER	9000.00	9000.00	0.00	2568443.80 Dr
	Material indent voucher for MI-1-06-2020-819 -	Indent No.				
22/06/2020	t contract the second s	SALE VOUCHER	2207.20	2287.20	0.00	2570731.00 Dr
	BEING Diesel (PUMP) - 30 Life		2287.20			
25/06/2020	IV-1-25-06-2020-6	INDENT VOUCHER		11760.00	0.00	2582491.00 Dr
23/00/2020	MISCELLANEOUS STORES	INDENT VOCETER	11760.00	11700.00	0.00	2302431.00 Di
	Material indent voucher for MI-1-06-2020-904 -	Indent No.			<u>.</u>	
02/07/2020	EV-1-02-07-2020-3 MAHARASHTRA AGRO & AUTO SA	EXPENSE VOUCHER ALES	24636.00	24636.00	0.00	2607127.00 Dr
	Being Work as per bill no. 5					
	27/06/2020 - Ref No. : EB-1- tractor repairy bill in corona			:		
	village as attached ()	time sumuser spray in				
07/07/2020	CP-1-07-07-2020-3 CASH IN HAND	CASH PAYMENT	7080.00	7080.00	0.00	2614207.00 Dr
	Being Payment paid to Nam					
	In India book Entrance fee a Murgunde	s per letter By Hand Ajit				
18/03/2021	,	EXPENSE VOUCHER		130000.00	0.00	2744207.00 Dr
-5, 55, -5	SHWETA PRADIP SHAH		130000.00			
	Being Work as per bill no					
	No.: EB-1-03-2021-1227 Imp Medicine -Ars.Alb 30 Homeo		! !			
	25000*5.20=130000/-) ()	patric medicine (
23/03/2021	IV-1-23-03-2021-14 MISCELLANEOUS STORES	INDENT VOUCHER	960792.00	960792.00	0.00	3704999.00 Dr
	Material indent voucher for MI-1-03-2021-10223 -	Indent No.				
31/03/2021	BP-1-31-03-2021-21	BANK PAYMENT		1800000.00	0.00	5504999.00 Dr
	THE FEDERAL BANK LTD. KURUNI		1800000.00		 	
	Being Payment paid to Shri (Trust Against Civil Work of S					
	Mandal Shirdhon Hall Const					
31/03/2021	JV-1-31-03-2021-96	JOURNAL VOUCHER		947000.00	0.00	6451999.00 Dr

Post - Takliwadi, Tal - Shirol, District - Kolhapur, MH India. Pin - 416108

Phone - +91-231 2686086, Fax - +91-231 2686000 E - Mail : gslsugars@gmail.com

		Account Ledger From	01/04/2020 To 3	1/03/2021		
Date	Voucher No.	Narration	:	Debit	Credit	Closing
	DONATION		947000.00			
	Being Donation Amou	int Transfer to CSR exp as				
	ledger attached			:		
				:		
		Total		6451999.00	0.00	6451999.00

Print Date - 01/10/2021 Page 5 c

From: 27/11/2021 To 26/11/2022

Certifying Surgeon
DR.ARVIND MANE
MBBS DPH AFIH.(Mumbai)

oany Name: SHRI GURUDATTA SUGAR LTD.

Emp. No.	Name	Age	Sex	Dept of employement of present work	Date of leaving or transfer to other wor	Reason for leaving Transfer of discharg	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspention issued to worker	Signature with gate certifying surgeon.
0001	MR. SHARAD D INAMDAR	43	M	INFOR.TECH.	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0011	MR. DNYNANDEV M KHOT	43	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0019	MR. BASAVARAJ C SWAMI	43	M	CO-GEN	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0020	MR. PRAKASH R BIRAJDAR	40	М	CO-GEN	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0021	MR. MADHAVRAO R SHINDE	52	М	CO-GEN	NA	, NA			27/11/2021	Fit	NA	Fit	NA	
0022	MR. ANAND R YADAV	45	Й	CO-GEN	NA	NA		244	27/11/2021	Fit	NA	Fit	ΝA	
0024	MR. SANJAY A PATIL	52	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0028	MR. MARUTI T UGALE	52	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0029	MR. AJIT L SHINDE	54	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0034	MR. RAVSAHEB R KOTE	43	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0042	MR. DASHRATH M NATURE	58	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0043	MR. C G RAVALUKEDARI	49	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0045	MR. ANIL M JADHAV	50	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0050	MR. RAMESH R PAWAR	43	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0051	MR. SURESH K AMBI	47	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	ŊA /	7.
0052°	MR. SHITAL A ALATE	43	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA /	1
0054	MR. BHAHUBALI M KANE	35	M	CO-GEN	NA	NA			27/11/2021	Fit	NA	Fit 1	NA/	
0064	MR. BALASO D MANGALE	51	M	MANUFACTURING	NA	NA			27/11/2021	Fit	NA	File	CAIA)
0069	MR. SURESH D BHATMARE	42	М	SUGAR GODOWN	NA	NA			27/11/2021	Fit	NA TOTAL	जाने अधिनियम	WIC W	W 00/21 =
												कोल्हा	र् जिल्हाक	न १५(२) ३ रिता

Page 1 of 30

Certifying Surgeon
DR.ARVIND MANE
MBBS DPH AFIH.(Mumbai)

From: 27/11/2021 To 26/11/2022

any Name: SHRI GURUDATTA SUGAR LTD.

Emp. No.	Name	Age	Sex	Dept of employement of present work	Date of leaving or transfer to other wor	Reason for leaving Transfer of discharg	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspention issued to worker	Signature with gate certifying surgeon.
0080	MR. VIRENDRA V PATIL	44	M	ACCOUNT	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0085	MR. RAJU B PATIL	45	M	CO-GEN	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0087	MR. CHANDRAKANT D PATIL	48	M	TIME OFFICE	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0090	MR. TANAJI S PATIL	43	М	AGRICULTURE	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0092	MR. RAVINDRA S KUMBHAR	38	М	TIME OFFICE	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0095	MR. MOHAN S VASAMKAR	46	M	PURCHASE	NA	NA		*	27/11/2021	Fit	NA	Fit	· NA	
0096	MR, CHANDRAKANT Y PATIL	48	М	SUGAR GODOWN	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0097	MR. CHANGDEV N JASUD	48	М	GENERAL OFF.	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0098	MR. SANDEEP B BHORE	36	М	ACCOUNT	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0100	MR. BHARAT B JADHAV	54	М	SECURITY	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0101	MR. SHIVAJI D TAVANDKAR	55	М	SECURITY	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0102	MR. DILIP D KILLEDAR	53	М	AGRICULTURE	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0103	MR. MADHUKAR B BUDKAR	47	М	SECURITY	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0119	MR. SHANKAR S SHINDE	42	М	CIVIL	NA	NA	-		27/11/2021	Fit	NA	Fit	NA	CONTRACTOR OF THE STATE OF THE
0121	MR. AVINASH J BASTWADE	40	M	AGRICULTURE	NA	NA			27/11/2021	Fit	NA	Fit	NA	1
0123 *	MR, BAHUBALI V VADGAVE	45	М	AGRICULTURE	NA	NA			27/11/2021	Fit	NA	Fit	(XA)	//
0127	MR. BAHUBALI B PATIL	39	M	ACCOUNT	NA	NA			27/11/2021	Fit	NA	Fit 1	XNA	1
0135	MR. R M NAIKWADE	51	M	AGRICULTURE	NA	NA			27/11/2021	Fit	NA	Fi	V. DIA	>
0138	MR. UTTAM P GHATGE	42	M	AGRICULTURE	NA	NA			27/11/2021	Fit	NA	File	N	00/2
											गढ		19442 च्या कर 1पुर जिल्हाब	

Page 2 of 30

From: 27/11/2021 To 26/11/2022

Certifying Surgeon
DR.ARVIND MANE
MBBS DPH AFIH.(Mumbai)

any Name: SHRI GURUDATTA SUGAR LTD.

Name	Age	Sex	Dept of employement of present work	Date of leaving or transfer to other wor	Reason for leaving Transfer of discharg	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspention issued to worker	Signature with gate certifying surgeon.
MR. SANJAY N AKIWATE	41	M	AGRICULTURE	NA	NA			27/11/2021	Fit	NA	Fit	NA	
MR. SHABBIR S CHAUS	55	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
MR. HARIBA M HAWALDAR	42	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
MR. ANANDA S MAGDUM	43	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
MR. BAJIRAO V GHORPADE	47	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
MR. SATGONDA R PATIL	49	M	ENGINEERING	NA	NA	•		27/11/2021	Fit	NA	Fit -	NA	
MR. AKASH G MAGDUM	46	M	CO-GEN	NA	NA			27/11/2021	Fit	NA	Fit	NA	
MR. AMOL A CHOUGULE	43	M	CO-GEN	NA	NA			27/11/2021	Fit	NA	Fit	NA	
MR. ANANDA S BIROJE	45	M	CO-GEN	NA	NA			27/11/2021	Fit	NA	Fit	N.A	
MR. CHANDRAKANT D MALI	36	M	CO-GEN	NA	NA			27/11/2021	Fit	NA	Fit	NA	
MR. MAHADEV I PATIL	55	M	CO-GEN	NA	NA			27/11/2021	Fit	NA	Fit	NA	
MR, SURYAKANT A BHENDE	41	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	The second
MR. NETAJI N SANADI	56	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
MR. LOKESH S EKSAMBE	39	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	0
MR. YALLAPPA D KOLI	38	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA /	1,
MR. KRISHNATH T SANT	44	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA /	/
MR. BANDU B KOLI	40	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
MR. SARAJERAO A KOLI	39	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit /	N NA	7
MR. BALASO A MULLA	41	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA _	Fis	A DOUZ SUIT OF	an 90(2'
										QIY	खान आयागपन	भारत हिनलहा	करिता
	MR. SANJAY N AKIWATE MR. SHABBIR S CHAUS MR. HARIBA M HAWALDAR MR. ANANDA S MAGDUM MR. BAJIRAO V GHORPADE MR. SATGONDA R PATIL MR. AKASH G MAGDUM MR. AMOL A CHOUGULE MR. ANANDA S BIROJE MR. CHANDRAKANT D MALI MR. MAHADEV I PATIL MR. SURYAKANT A BHENDE MR. NETAJI N SANADI MR. LOKESH S EKSAMBE MR. YALLAPPA D KOLI MR. KRISHNATH T SANT MR. BANDU B KOLI MR. SARAJERAO A KOLI	MR. SANJAY N AKIWATE 41 MR. SHABBIR S CHAUS 55 MR. HARIBA M HAWALDAR 42 MR. ANANDA S MAGDUM 43 MR. BAJIRAO V GHORPADE 47 MR. SATGONDA R PATIL 49 MR. AKASH G MAGDUM 46 MR. AMOL A CHOUGULE 43 MR. ANANDA S BIROJE 45 MR. CHANDRAKANT D MALI 36 MR. MAHADEV I PATIL 55 MR. SURYAKANT A BHENDE 41 MR. NETAJI N SANADI 56 MR. LOKESH S EKSAMBE 39 MR. YALLAPPA D KOLI 38 MR. KRISHNATH T SANT 44 MR. BANDU B KOLI 40 MR. SARAJERAO A KOLI 39	MR. SANJAY N AKIWATE 41 M MR. SHABBIR S CHAUS 55 M MR. HARIBA M HAWALDAR 42 M MR. ANANDA S MAGDUM 43 M MR. BAJIRAO V GHORPADE 47 M MR. SATGONDA R PATIL 49 M MR. AKASH G MAGDUM 46 M MR. AMOL A CHOUGULE 43 M MR. ANANDA S BIROJE 45 M MR. CHANDRAKANT D MALI 36 M MR. CHANDRAKANT D MALI 55 M MR. SURYAKANT A BHENDE 41 M MR. NETAJI N SANADI 56 M MR. LOKESH S EKSAMBE 39 M MR. YALLAPPA D KOLI 38 M MR. KRISHNATH T SANT 44 M MR. SARAJERAO A KOLI 39 M	MR. SANJAY N AKIWATE MR. SHABBIR S CHAUS 55 M ENGINEERING MR. HARIBA M HAWALDAR 42 M ENGINEERING MR. ANANDA S MAGDUM 43 M ENGINEERING MR. BAJIRAO V GHORPADE 47 M ENGINEERING MR. SATGONDA R PATIL 49 M ENGINEERING MR. AKASH G MAGDUM 46 M CO-GEN MR. AMOL A CHOUGULE 43 M CO-GEN MR. ANANDA S BIROJE 45 M CO-GEN MR. CHANDRAKANT D MALI 55 M CO-GEN MR. SURYAKANT A BHENDE 41 M ENGINEERING MR. NETAJI N SANADI 56 M ENGINEERING MR. LOKESH S EKSAMBE 39 M ENGINEERING MR. YALLAPPA D KOLI MR. KRISHNATH T SANT 44 M ENGINEERING MR. SARAJERAO A KOLI 39 M ENGINEERING MR. SARAJERAO A KOLI 39 M ENGINEERING	MR. SANJAY N AKIWATE MR. SHABBIR S CHAUS 55 M ENGINEERING NA MR. HARIBA M HAWALDAR 42 M ENGINEERING NA MR. ANANDA S MAGDUM MR. BAJIRAO V GHORPADE MR. SATGONDA R PATIL MR. AKASH G MAGDUM MR. AMOL A CHOUGULE MR. ANANDA S BIROJE MR. CHANDRAKANT D MALI MR. MAHADEV I PATIL MR. NETAJI N SANADI MR. VALLAPPA D KOLI MR. KRISHNATH T SANT MR. BANDU B KOLI MR. BAGRICULTURE NA ENGINEERING NA ENGINEERING NA CO-GEN NA CO-GEN NA CO-GEN NA CO-GEN NA MR. WENGINEERING NA MR. WENGINEERING NA MR. BANDU B KOLI MR. BANDU B MR. BANDU B KOLI MR. BANDU B MR. BA	MR. SANJAY N AKIWATE MR. SHABBIR S CHAUS 55 M ENGINEERING NA NA MR. HARIBA M HAWALDAR 42 M ENGINEERING NA NA MR. ANANDA S MAGDUM MR. BAJIRAO V GHORPADE 47 M ENGINEERING NA NA MR. SATGONDA R PATIL 49 M ENGINEERING NA NA MR. AKASH G MAGDUM 46 M CO-GEN NA NA MR. ANANDA S BIROJE 47 M CO-GEN NA NA MR. ANANDA S BIROJE 48 M CO-GEN NA NA MR. ANANDA S BIROJE 49 M CO-GEN NA NA MR. CHANDRAKANT D MALI 50 M CO-GEN NA NA MR. CHANDRAKANT D MALI 51 M CO-GEN NA NA MR. MAHADEV I PATIL 52 M CO-GEN NA NA MR. SURYAKANT A BHENDE 41 M ENGINEERING NA NA MR. NETAJI N SANADI 53 M ENGINEERING NA NA MR. YALLAPPA D KOLI 44 M ENGINEERING NA NA MR. KRISHNATH T SANT 44 M ENGINEERING NA NA MR. BANDU B KOLI 40 M ENGINEERING NA NA MR. BANDU B KOLI 40 M ENGINEERING NA NA MR. BANDU B KOLI 40 M ENGINEERING NA NA MR. BANDU B KOLI 40 M ENGINEERING NA NA MR. BANDU B KOLI 40 M ENGINEERING NA NA MR. BANDU B KOLI 40 M ENGINEERING NA NA MR. BANDU B KOLI 40 M ENGINEERING NA NA MR. BANDU B KOLI 40 M ENGINEERING NA NA MR. BANDU B KOLI 40 M ENGINEERING NA NA MR. SARAJERAO A KOLI 40 M ENGINEERING NA NA	MR. SANJAY N AKIWATE MR. SHABBIR S CHAUS 55 M ENGINEERING NA NA MR. HARIBA M HAWALDAR MR. ANANDA S MAGDUM 43 M ENGINEERING NA NA MR. BAJIRAO V GHORPADE 47 M ENGINEERING NA NA MR. SATGONDA R PATIL 49 M ENGINEERING NA NA MR. AKASH G MAGDUM 46 M CO-GEN NA NA MR. ANANDA S BIROJE 45 M CO-GEN NA NA MR. CHANDRAKANT D MALI 55 M CO-GEN NA NA MR. SURYAKANT A BHENDE 41 M ENGINEERING NA NA MR. NETAJI N SANADI 56 M ENGINEERING NA NA MR. VALLAPPA D KOLI 38 M ENGINEERING NA NA MR. KRISHNATH T SANT 44 M ENGINEERING NA NA MR. SARAJERAO A KOLI 39 M ENGINEERING NA NA MR. SARAJERAO A KOLI 39 M ENGINEERING NA NA MR. SARAJERAO A KOLI 39 M ENGINEERING NA NA MR. SARAJERAO A KOLI 39 M ENGINEERING NA NA MR. BANDU B KOLI 40 M ENGINEERING NA NA MR. SARAJERAO A KOLI 39 M ENGINEERING NA NA MR. BANDU B KOLI 40 M ENGINEERING NA NA MR. SARAJERAO A KOLI 39 M ENGINEERING NA NA MR. BANDU B KOLI 40 M ENGINEERING NA NA MR. SARAJERAO A KOLI 39 M ENGINEERING NA NA	MR. SANJAY N AKIWATE 41 M AGRICULTURE NA NA MR. SHABBIR S CHAUS 55 M ENGINEERING NA NA MR. HARIBA M HAWALDAR 42 M ENGINEERING NA NA MR. ANANDA S MAGDUM 43 M ENGINEERING NA NA MR. BAJIRAO V GHORPADE 47 M ENGINEERING NA NA MR. SATGONDA R PATIL 49 M ENGINEERING NA NA MR. SAGONDA R PATIL 49 M ENGINEERING NA NA MR. AKASH G MAGDUM 46 M CO-GEN NA NA MR. AKASH G MAGDUM 46 M CO-GEN NA NA MR. AMOL A CHOUGULE 43 M CO-GEN NA NA MR. ANADA S BIROJE 45 M CO-GEN NA NA MR. CHANDRAKANT D MALI 36 M CO-GEN NA NA MR. MARADEV I PATIL 55 M CO-GEN NA NA MR. SURYAKANT A BHENDE 41 M ENGINEERING NA NA <t< td=""><td>MR. SANJAY N AKIWATE 41 M AGRICULTURE NA NA 27/11/2021 MR. SHABBIR S CHAUS 55 M ENGINEERING NA NA 27/11/2021 MR. HARIBA M HAWALDAR 42 M ENGINEERING NA NA 27/11/2021 MR. ANANDA S MAGDUM 43 M ENGINEERING NA NA 27/11/2021 MR. BAJIRAO V GHORPADE 47 M ENGINEERING NA NA 27/11/2021 MR. SATGONDA R PATIL 49 M ENGINEERING NA NA 27/11/2021 MR. AKASH G MAGDUM 46 M CO-GEN NA NA 27/11/2021 MR. AMOL A CHOUGULE 43 M CO-GEN NA NA 27/11/2021 MR. ANANDA S BIROJE 45 M CO-GEN NA NA 27/11/2021 MR. CHANDRAKANT D MALI 36 M CO-GEN NA NA 27/11/2021 MR. MAHADEV I PATIL 55 M CO-GEN NA NA 27/11/2021 MR. SURYAKANT A BHENDE 41 M ENGINEERING NA NA 27/11/2021 MR. NETAJI N SANADI 56 M ENGINEERING NA NA 27/11/2021 MR. NETAJI N SANADI 56 M ENGINEERING NA NA 27/11/2021 MR. YALLAPPA D KOLI 38 M ENGINEERING NA NA 27/11/2021 MR. KRISHNATH T SANT 44 M ENGINEERING NA NA</td><td>MR. SANJAY N AKIWATE 41 M AGRICULTURE NA NA 27/11/2021 Fit MR. SHABBIR S CHAUS 55 M ENGINEERING NA NA 27/11/2021 Fit MR. HARIBA M HAWALDAR 42 M ENGINEERING NA NA 27/11/2021 Fit MR. ANANDA S MAGDUM 43 M ENGINEERING NA NA 27/11/2021 Fit MR. BAJIRAO V GHORPADE 47 M ENGINEERING NA NA 27/11/2021 Fit MR. SATGONDA R PATIL 49 M ENGINEERING NA NA 27/11/2021 Fit MR. AKASH G MAGDUM 46 M CO-GEN NA NA 27/11/2021 Fit MR. AMOL A CHOUGULE 43 M CO-GEN NA NA 27/11/2021 Fit MR. ANANDA S BIROJE 45 M CO-GEN NA NA 27/11/2021 Fit MR. CHANDRAKANT D MALI 36 M CO-GEN NA NA 27/11/2021 Fit MR. CHANDRAKANT D MALI 36 M CO-GEN NA NA 27/11/2021 Fit MR. SURYAKANT A BHENDE 41 M ENGINEERING NA NA 27/11/2021 Fit MR. NETAJI N SANADI 56 M ENGINEERING NA NA 27/11/2021 Fit MR. LOKESH S EKSAMBE 39 M ENGINEERING NA NA 27/1</td><td>MR. SANJAY N AKIWATE 41 M AGRICULTURE NA NA 27/11/2021 Fit NA MR. SHABBIR S CHAUS 55 M ENGINEERING NA NA 27/11/2021 Fit NA MR. HARIBA M HAWALDAR 42 M ENGINEERING NA NA 27/11/2021 Fit NA MR. ANANDA S MAGDUM 43 M ENGINEERING NA NA 27/11/2021 Fit NA MR. BAJIRAO V GHORPADE 47 M ENGINEERING NA NA 27/11/2021 Fit NA MR. SATGONDA R PATIL 49 M ENGINEERING NA NA 27/11/2021 Fit NA MR. AKASH G MAGDUM 46 M CO-GEN NA NA 27/11/2021 Fit NA MR. AMADLA CHOUGULE 43 M CO-GEN NA NA 27/11/2021 Fit NA MR. ANANDA S BIROJE 45 M CO-GEN NA NA 27/11/2021 Fit NA MR. CHANDRAKANT D MALI 36 M CO-GEN NA NA 27/11/2021 Fit NA MR. CHANDRAKANT D MALI 36 M CO-GEN NA NA 27/11/2021 Fit NA MR. SURYAKANT A BHENDE 41 M ENGINEERING NA NA 27/11/2021 Fit NA MR. SURYAKANT A BHENDE 41 M ENGINEERING NA NA 27/11/2021 Fit NA MR. NETAJI N SANADI 56 M ENGINEERING NA NA 27/11/2021 Fit NA MR. LOKESH S EKSAMBE 39 M ENGINEERING NA NA 27/11/2021 Fit NA MR. YALLAPPA D KOLI 38 M ENGINEERING NA NA 27/11/2021 Fit NA MR. SURYAKANT A SHENDE 44 M ENGINEERING NA NA 27/11/2021 Fit NA MR. YALLAPPA D KOLI 38 M ENGINEERING NA NA 27/11/2021 Fit NA MR. SURYAKANT T SANT 44 M ENGINEERING NA NA 27/11/2021 Fit NA MR. SARAJERAO A KOLI 39 M ENGINEERING NA NA 27/11/2021 Fit NA MR. SARAJERAO A KOLI 39 M ENGINEERING NA NA 27/11/2021 Fit NA MR. SARAJERAO A KOLI 39 M ENGINEERING NA NA 27/11/2021 Fit NA MR. SARAJERAO A KOLI 39 M ENGINEERING NA NA 27/11/2021 Fit NA MR. SARAJERAO A MOLI 39 M ENGINEERING NA NA 27/11/2021 Fit NA MR. SARAJERAO A MOLI 39 M ENGINEERING NA NA 27/11/2021 Fit NA MR. SARAJERAO A MOLI 39 M ENGINEERING NA NA 27/11/2021 Fit NA MR. SARAJERAO A MOLI 39 M ENGINEERING NA NA 27/11/2021 Fit NA MR. SARAJERAO A MOLI 39 M ENGINEERING NA NA 27/11/2021 Fit NA MR. SARAJERAO A MOLI 39 M ENGINEERING NA NA 27/11/2021 Fit NA MR. SARAJERAO A MOLI 39 M ENGINEERING NA NA 27/11/2021 Fit NA MR. SARAJERAO A MOLI 39 M ENGINEERING NA NA 27/11/2021 Fit NA MR. SARAJERAO A MOLI 30 M ENGINEERING NA NA 27/11/2021 Fit NA MR. SARAJERAO A MOLI 30 M ENGINEERING NA NA 27/11/</td><td>MR. SANJAY N AKIWATE 41 M AGRICULTURE NA 27/11/2021 Fit NA Fit MR. SHABBIR S CHAUS 55 M ENGINEERING NA NA 27/11/2021 Fit NA Fit MR. HARIBA M HAWALDAR 42 M ENGINEERING NA NA 27/11/2021 Fit NA Fit MR. ANANDA S MAGDUM 43 M ENGINEERING NA NA 27/11/2021 Fit NA Fit MR. BAJIRAO V GHORPADE 47 M ENGINEERING NA NA 27/11/2021 Fit NA Fit MR. SATGONDA R PATIL 49 M ENGINEERING NA NA 27/11/2021 Fit NA Fit MR. AKASH G MAGDUM 46 M CO-GEN NA NA 27/11/2021 Fit NA Fit MR. AMOL A CHOUGULE 43 M CO-GEN NA NA 27/11/2021 Fit NA Fit MR. ANANDA S BIROJE 45 M CO-GEN NA NA 27/11/2021</td><td>MR. SANJAY N AKIWATE 41 M AGRICULTURE NA NA 27/11/2021 Fit NA Fit NA MR. SHABBIR S CHAUS 55 M ENGINEERING NA NA 27/11/2021 Fit NA Fit NA MR. HARIBA M HAWALDAR 42 M ENGINEERING NA NA 27/11/2021 Fit NA Fit NA MIR. ANANDA S MAGDUM 43 M ENGINEERING NA NA 27/11/2021 Fit NA Fit NA MR. BAJIRAO V GHORPADE 47 M ENGINEERING NA NA 27/11/2021 Fit NA Fit NA MR. SATGONDA R PATIL 49 M ENGINEERING NA NA 27/11/2021 Fit NA Fit NA MR. AKASH G MAGDUM 46 M CO-GEN NA NA 27/11/2021 Fit NA Fit NA MR. AMOL A CHOUGULE 43 M CO-GEN NA NA 27/11/2021 Fit NA Fit NA MR. AMANDA S BIROJE 45 M CO-GEN NA NA 27/11/2021 Fit NA Fit NA MR. CHANDRAKANT D MALI 36 M CO-GEN NA NA 27/11/2021 Fit NA Fit NA MR. MA HADEV I PATIL 55 M CO-GEN NA NA 27/11/2021 Fit NA Fit <</td></t<>	MR. SANJAY N AKIWATE 41 M AGRICULTURE NA NA 27/11/2021 MR. SHABBIR S CHAUS 55 M ENGINEERING NA NA 27/11/2021 MR. HARIBA M HAWALDAR 42 M ENGINEERING NA NA 27/11/2021 MR. ANANDA S MAGDUM 43 M ENGINEERING NA NA 27/11/2021 MR. BAJIRAO V GHORPADE 47 M ENGINEERING NA NA 27/11/2021 MR. SATGONDA R PATIL 49 M ENGINEERING NA NA 27/11/2021 MR. AKASH G MAGDUM 46 M CO-GEN NA NA 27/11/2021 MR. AMOL A CHOUGULE 43 M CO-GEN NA NA 27/11/2021 MR. ANANDA S BIROJE 45 M CO-GEN NA NA 27/11/2021 MR. CHANDRAKANT D MALI 36 M CO-GEN NA NA 27/11/2021 MR. MAHADEV I PATIL 55 M CO-GEN NA NA 27/11/2021 MR. SURYAKANT A BHENDE 41 M ENGINEERING NA NA 27/11/2021 MR. NETAJI N SANADI 56 M ENGINEERING NA NA 27/11/2021 MR. NETAJI N SANADI 56 M ENGINEERING NA NA 27/11/2021 MR. YALLAPPA D KOLI 38 M ENGINEERING NA NA 27/11/2021 MR. KRISHNATH T SANT 44 M ENGINEERING NA NA	MR. SANJAY N AKIWATE 41 M AGRICULTURE NA NA 27/11/2021 Fit MR. SHABBIR S CHAUS 55 M ENGINEERING NA NA 27/11/2021 Fit MR. HARIBA M HAWALDAR 42 M ENGINEERING NA NA 27/11/2021 Fit MR. ANANDA S MAGDUM 43 M ENGINEERING NA NA 27/11/2021 Fit MR. BAJIRAO V GHORPADE 47 M ENGINEERING NA NA 27/11/2021 Fit MR. SATGONDA R PATIL 49 M ENGINEERING NA NA 27/11/2021 Fit MR. AKASH G MAGDUM 46 M CO-GEN NA NA 27/11/2021 Fit MR. AMOL A CHOUGULE 43 M CO-GEN NA NA 27/11/2021 Fit MR. ANANDA S BIROJE 45 M CO-GEN NA NA 27/11/2021 Fit MR. CHANDRAKANT D MALI 36 M CO-GEN NA NA 27/11/2021 Fit MR. CHANDRAKANT D MALI 36 M CO-GEN NA NA 27/11/2021 Fit MR. SURYAKANT A BHENDE 41 M ENGINEERING NA NA 27/11/2021 Fit MR. NETAJI N SANADI 56 M ENGINEERING NA NA 27/11/2021 Fit MR. LOKESH S EKSAMBE 39 M ENGINEERING NA NA 27/1	MR. SANJAY N AKIWATE 41 M AGRICULTURE NA NA 27/11/2021 Fit NA MR. SHABBIR S CHAUS 55 M ENGINEERING NA NA 27/11/2021 Fit NA MR. HARIBA M HAWALDAR 42 M ENGINEERING NA NA 27/11/2021 Fit NA MR. ANANDA S MAGDUM 43 M ENGINEERING NA NA 27/11/2021 Fit NA MR. BAJIRAO V GHORPADE 47 M ENGINEERING NA NA 27/11/2021 Fit NA MR. SATGONDA R PATIL 49 M ENGINEERING NA NA 27/11/2021 Fit NA MR. AKASH G MAGDUM 46 M CO-GEN NA NA 27/11/2021 Fit NA MR. AMADLA CHOUGULE 43 M CO-GEN NA NA 27/11/2021 Fit NA MR. ANANDA S BIROJE 45 M CO-GEN NA NA 27/11/2021 Fit NA MR. CHANDRAKANT D MALI 36 M CO-GEN NA NA 27/11/2021 Fit NA MR. CHANDRAKANT D MALI 36 M CO-GEN NA NA 27/11/2021 Fit NA MR. SURYAKANT A BHENDE 41 M ENGINEERING NA NA 27/11/2021 Fit NA MR. SURYAKANT A BHENDE 41 M ENGINEERING NA NA 27/11/2021 Fit NA MR. NETAJI N SANADI 56 M ENGINEERING NA NA 27/11/2021 Fit NA MR. LOKESH S EKSAMBE 39 M ENGINEERING NA NA 27/11/2021 Fit NA MR. YALLAPPA D KOLI 38 M ENGINEERING NA NA 27/11/2021 Fit NA MR. SURYAKANT A SHENDE 44 M ENGINEERING NA NA 27/11/2021 Fit NA MR. YALLAPPA D KOLI 38 M ENGINEERING NA NA 27/11/2021 Fit NA MR. SURYAKANT T SANT 44 M ENGINEERING NA NA 27/11/2021 Fit NA MR. SARAJERAO A KOLI 39 M ENGINEERING NA NA 27/11/2021 Fit NA MR. SARAJERAO A KOLI 39 M ENGINEERING NA NA 27/11/2021 Fit NA MR. SARAJERAO A KOLI 39 M ENGINEERING NA NA 27/11/2021 Fit NA MR. SARAJERAO A KOLI 39 M ENGINEERING NA NA 27/11/2021 Fit NA MR. SARAJERAO A MOLI 39 M ENGINEERING NA NA 27/11/2021 Fit NA MR. SARAJERAO A MOLI 39 M ENGINEERING NA NA 27/11/2021 Fit NA MR. SARAJERAO A MOLI 39 M ENGINEERING NA NA 27/11/2021 Fit NA MR. SARAJERAO A MOLI 39 M ENGINEERING NA NA 27/11/2021 Fit NA MR. SARAJERAO A MOLI 39 M ENGINEERING NA NA 27/11/2021 Fit NA MR. SARAJERAO A MOLI 39 M ENGINEERING NA NA 27/11/2021 Fit NA MR. SARAJERAO A MOLI 39 M ENGINEERING NA NA 27/11/2021 Fit NA MR. SARAJERAO A MOLI 39 M ENGINEERING NA NA 27/11/2021 Fit NA MR. SARAJERAO A MOLI 30 M ENGINEERING NA NA 27/11/2021 Fit NA MR. SARAJERAO A MOLI 30 M ENGINEERING NA NA 27/11/	MR. SANJAY N AKIWATE 41 M AGRICULTURE NA 27/11/2021 Fit NA Fit MR. SHABBIR S CHAUS 55 M ENGINEERING NA NA 27/11/2021 Fit NA Fit MR. HARIBA M HAWALDAR 42 M ENGINEERING NA NA 27/11/2021 Fit NA Fit MR. ANANDA S MAGDUM 43 M ENGINEERING NA NA 27/11/2021 Fit NA Fit MR. BAJIRAO V GHORPADE 47 M ENGINEERING NA NA 27/11/2021 Fit NA Fit MR. SATGONDA R PATIL 49 M ENGINEERING NA NA 27/11/2021 Fit NA Fit MR. AKASH G MAGDUM 46 M CO-GEN NA NA 27/11/2021 Fit NA Fit MR. AMOL A CHOUGULE 43 M CO-GEN NA NA 27/11/2021 Fit NA Fit MR. ANANDA S BIROJE 45 M CO-GEN NA NA 27/11/2021	MR. SANJAY N AKIWATE 41 M AGRICULTURE NA NA 27/11/2021 Fit NA Fit NA MR. SHABBIR S CHAUS 55 M ENGINEERING NA NA 27/11/2021 Fit NA Fit NA MR. HARIBA M HAWALDAR 42 M ENGINEERING NA NA 27/11/2021 Fit NA Fit NA MIR. ANANDA S MAGDUM 43 M ENGINEERING NA NA 27/11/2021 Fit NA Fit NA MR. BAJIRAO V GHORPADE 47 M ENGINEERING NA NA 27/11/2021 Fit NA Fit NA MR. SATGONDA R PATIL 49 M ENGINEERING NA NA 27/11/2021 Fit NA Fit NA MR. AKASH G MAGDUM 46 M CO-GEN NA NA 27/11/2021 Fit NA Fit NA MR. AMOL A CHOUGULE 43 M CO-GEN NA NA 27/11/2021 Fit NA Fit NA MR. AMANDA S BIROJE 45 M CO-GEN NA NA 27/11/2021 Fit NA Fit NA MR. CHANDRAKANT D MALI 36 M CO-GEN NA NA 27/11/2021 Fit NA Fit NA MR. MA HADEV I PATIL 55 M CO-GEN NA NA 27/11/2021 Fit NA Fit <

Page 3 of 30

From: 27/11/2021 To 26/11/2022

Certifying Surgeon
DR.ARVIND MANE
MBBS DPH AFIH.(Mumbai)

any Name: SHRI GURUDATTA SUGAR LTD.

Emp. No.	Name	Age	Sex	Dept of employement of present work	Date of leaving or transfer to other wor	Reason for leaving Transfer of discharg	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspention issued to worker	Signature with gate certifying surgeon.
0184	MR. SUNIL G RAJPUT	38	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0185	MR. SAMBHAJI R JADHAV	40	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0187	MR, PANDURANG D TAMBIRE	49	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0188	MR. ANANDA A HAWALDAR .	37	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0192	MR. SHAM S SHINDE	40	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0197	MR. SUNIL S KODALE	41	M	ENGINEERING	NA	NA ·			27/11/2021	Fit	NA	Fit	NA	
0199	MR. UDAY A BARWADE	45	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0200	MR. SANDIP D BAGADE	39	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0202	MR. RAJENDRA A SHINDE	40	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0204	MR. VIJAY S AMBUPE	46	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0205	MR. KIRAN R MANGSULE	42	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0206	MR. SAGAR S HASURE	45	М	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0209	MR. AJIT A CHOUGULE	46	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0213	MR. BHASKAR S KAMBLE	49	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	0
0215	MR. SANJAY A BUDNALE	42	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	11
0218*	MR. SIDRAM G GAVANDI	48	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	6/A	
0229	MR. PARMESHWAR R YADAV	51	М	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit A	NA	
0241	MR. BHUPAL V BAKALE	46	М	MANUFACTURING	NA	NA			27/11/2021	Fit	NA	Hit /	MIN	>
0244	MR. SURESH M NAIKWADE	47	M	MANUFACTURING	NA	NA			27/11/2021	Fit	NA	खाने अधिनियम	ZN	m cala
												खान आधानयम कोल्हा	पुस्र धा का पूर जिल्हा	वस प्रवास विदेशी

Page 4 of 30

From: 27/11/2021 To 26/11/2022

Certifying Surgeon
DR.ARVIND MANE
MBBS DPH AFIH.(Mumbai)

any Name: SHRI GURUDATTA SUGAR LTD.

Етр. No.	Name	Age	Sex	Dept of employement of present work	Date of leaving or transfer to other wor	Reason for leaving Transfer of discharg	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspention issued to worker	Signature with gate certifying surgeon.
0252	MR. KUMAR M SUTAR	46	M	MANUFACTURING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0257	MR. HANAMANT L PATIL	43	M	MANUFACTURING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0261	MR. SUNIL A NIMBALKAR	41	M	MANUFACTURING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0264	MR. RAFIK B PATEL	39	M	MANUFACTURING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0274	MR. RAJENDRA D LATAWADE	43	M	AGRICULTURE	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0276	MR. DEVENDRA A SHIRGUPPE	39	M	AGRICULTURE	NA	ΝA			27/11/2021	Fit	NA .	Fit	NA	
0277	MR. SURESH P GODHADE	41	M	AGRICULTURE	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0280	MR. SHIVAJI G BENADE	56	M	AGRICULTURE	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0285	MR. VIJAY R DAKARE	54	М	TIME OFFICE	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0291	MR. SHIVAJI S GAWADE	37	М	AGRICULTURE	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0294	MR. NILESH V YADAV	49	M	ACCOUNT	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0296	MR. PRADIP S SAWANT	37	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0300	MR. YALGONDA S PATIL	42	М	MANUFACTURING	NA	NA			27/11/2021	Fit	NA	Fit	NA	940
0303	MR. SHANAVAJ Y MULLA	35	M	AGRICULTURE	NA	NA			27/11/2021	Fit	NA	Fit	NA	1
0308	MR. SUBHASH M KHOT	55	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	1
0313 *	MR. SUDESH M MAGDUM	43	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA A	1/
0317	MR. UDAYKUMAR D MAHIND	45	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NAT	
0318	MR. RAJGONDA P PATIL	39	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Ret A	CINAL	\supset
0319	MR, PR NANDIWALE	43	М	ENGINEERING	NA	NA			27/11/2021	Fit	NA DIV	खाने अधिनियम	१९४४ ज्या कल	म १०(२)
										4			पूर जिल्हाक	

Page 5 of 30

From: 27/11/2021 To 26/11/2022

Certifying Surgeon
DR.ARVIND MANE
MBBS DPH AFIH.(Mumbai)

any Name: SHRI GURUDATTA SUGAR LTD.

Етр. No.	Name	Age	Sex	Dept of employement of present work	Date of leaving or transfer to other wor	Reason for leaving Transfer of discharg	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	detailed reasons Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspention issued to worker	Notice Signature with gate of certifying surgeon.
0320	MR. BALASO B MAGDUM	44	М	ENGINEERING	NA	NA		6X410-	27/11/2021	Fit	NA	Fit	NA	
0321	MR. ASHOK K WANTE	41	М	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0328	MR. POPAT M KHOT	42	M	WATER TREAMEN'	' NA	NA			27/11/2021	Fit	NA	Fit	NA	
0330	MR. VIJAY S PAWAR	39	M	AGRICULTURE	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0338	MR. RAMESH K PAGADE	59	M	MANUFACTURING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0348	MR. SHIVAJI R JADHAV	44	M	GENERAL OFF.	NA ·	· NA			27/11/2021	Fit	Ν̈́A	Fit	NA	
0352	MR. PRALHAD V KAMBALE	46	M	AGRICULTURE	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0359	MR. SANTOSH'S CHIKKODE	41	M	MANUFACTURING	NA NA	NA	-		27/11/2021	Fit	NA	Fit	NA	
0381	MR. SACHINKUMAR HEMGIRE	42	M	AGRICULTURE	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0386	MR. VISWANATH K SHINDE	41	M	AGRICULTURE	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0395	MR. SUBHASH S PIMPALE	39	M	CANEYARD	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0399	MR. KHANDERAO M KAMBALE	43	M	CANEYARD	NA	NA			27/11/2021	Fit	NA	Fit	NA	N SIN
0400	MR. ISHWAR R KHOT	50	M	CANEYARD	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0403	MR. VINOD A PATIL	40	М	CANEYARD	NA	NA	+		27/11/2021	Fit	NA	Fit	NA	- 1
0404	MR. HANAMANT A PATIL	47	М	CANEYARD	NA	NA			27/11/2021	Fit	NA NA	Fit	NA /	1
0413 *	MR. SANJIV B HUDDAR	48	M	AGRICULTURE	NA	NA			27/11/2021	Fit	NA	Fit	NA	1/
0423	MR. KUMAR D PATIL	40	M	SECURITY	NA	NA			27/11/2021	Fit	NA	EN 7	NA Y	
0425	MR. RAJENDRA S GHATAGE	42	M	MANUFACTURING	NA	NA			27/11/2021	Fit	NA	Fit	CANA)
0428	MR, PRITAM M MARDANE	45	M	MANUFACTURING	2000000	NA	7. 1		27/11/2021	Fit		कारखाने आधिनिय	D GOVA TEN	THE GOLD
												कोल	ग्ए । अक व्या हापूर जिल्ह	क्लम भूग् किरिता

Page 6 of 30

From: 27/11/2021 To 26/11/2022

Certifying Surgeon
DR,ARVIND MANE
MBBS DPH AFIH.(Mumbai)

any Name: SHRI GURUDATTA SUGAR LTD.

0440 M 0446 M 0453 M	MR. ANANT S PATTANKUDE MR. SUBHASH D KATKAR MR. GAJANAN M LATAWADE MR. SANJAY T THORAVAT	43	M M	ENGINEERING	NA		Nature of job or occupation	Raw material or product handled	Exam.	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspention issued worker	Signature with certifying surge
0446 M 0453 M	MR. GAJANAN M LATAWADE	+	M	CONTRACTOR CONTRACTOR CONTRACTOR	14/1	NA			27/11/2021	Fit	NA	Fit	NA	
0453 M		40		ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
	MR. SANJAY T THORAVAT	2.4	M	CANEYARD	NA	NA			27/11/2021	Fit	NA	Fit	NA	111.00
0459 M		50	М	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
	AR. MADHUKAR B MALI	47	М	CO-GEN	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0460 M	AR. SHANKAR R BALIGADE	45	M	ENGINEERING	ŇA	NA			27/11/2021	Fit	NA	Fit	NA	
0461 M	AR. BHAUSO B KAGE	43	M	CO-GEN	NA	NA			27/11/2021	Fit	NA	Fit	NA ·	
0470 M	MR. VISHAL G GHATAGE	35	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	-
0471 M	IR, MILIND D KAMBALE	46	M	AGRICULTURE	NA	NA	1000000		27/11/2021	Fit	NA	Fit	NA	
0472 M	IR. SANDIP R TAPAKIRE	45	М	AGRICULTURE	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0478 M	IR, HANMANT V BABAR	56	М	BIOFERTILIZER	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0489 MI	IR. SANJAY Y KUMBHAR	45	M	VEHICLE	NA	NA			27/11/2021	Fit	NA	Fit	NA NA	
0494 MI	IR. AJIT B MURGUNDE	41	M	ACCOUNT	NA	NA			27/11/2021	Fit	NA NA	Fit	NA NA	
0511 MI	IR. UDAY A PAWAR	34	M	AGRICULTURE	NA	NA			27/11/2021	Fit	NA	Fit	NA NA	- 1
0515 MI	IR. SHITAL A KURUNDWADE	40	М	AGRICULTURE	NA	NA			27/11/2021	Fit	NA NA	Fit	NA /	1
0516 » MI	R. DHAIRYASHEL KHAMKAR	37	М	AGRICULTURE	NA	NA			27/11/2021	Fit	NA NA	Fit	NA /	/
)520 MI	R. NEMGONDA V PATIL	39	М	AGRICULTURE	NA	NA			27/11/2021	Fit	NA NA	Fit /	AMA	
0533 MF	R. TEJANAND B DESAI	39	M	CO-GEN	NA	NA			27/11/2021	Fit	NA NA	Gil A	M GIA)
)543 MF	R. PUNDALIK K JADHAV	53	М	CO-GEN	NA	NA			27/11/2021	Fit		पाने शिधिनियम	१९४४ च्या कल	् म १०(२)

Page 7 of 30

Certifying Surgeon
DR.ARVIND MANE
MBBS DPH AFIH.(Mumbai)

From: 27/11/2021 To 26/11/2022

any Name: SHRI GURUDATTA SUGAR LTD.

Name No.	Name	Age	Sex	Dept of employement of present work	Date of leaving or transfer to other wor	Reason for leaving Transfer of discharg	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspention issued to worker	Signature with gate certifying surgeon.
0545	MR, SUBHASH K MANE	48		ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0549	MR, MILIND M MALEKARI	42	M	CANEYARD	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0551	MR. RAMA A ZENDE	40	M	CANEYARD	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0553	MR. UMESH S MITHARE	45	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0554	MR. PRASHANT V PATIL	41	M	AGRICULTURE	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0555	MR. SHITAL K CHOUGALE		М	AGRICULTURE	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0558	MR. NILESH M JADHAV			MANUFACTURING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
	MR, BABASO D PATIL	1	М	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0560	MR, DIPAK P CHAVAN		M	AGRICULTURE	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0561	MR. SANTOSH A AWATE		M		NA	NA			27/11/2021	Fit	NA	Fit	NA	
0568	MR. SANTOSH A BASTWADE		M		NA	NA			27/11/2021	Fit	NA	Fit	NA	
0572			M	1 10 10 4 10 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0576	MR. NAZIM D INAMDAR		M		NA	NA			27/11/2021	Fit	NA	Fit	NA	- 4
0577	MR. PRAKASH K LATWADE		M		NA	NA	+		27/11/2021	Fit	NA	Fit	NA	
0578	MR. SANJAY K BHOSALE		-		NA NA	NA		-	27/11/2021	-	NA	Fit	NA	
0579	MR. UDAY S PATIL		M		NA NA	NA NA		-	27/11/2021	Fit	NA	Fit	ŊĄ	1/
0580	MR. SANJAY G PATIL		M						27/11/2021		NA	Fit	1 XA	1
0581	MR. VINOD S PATIL	0	M		NA	NA		-	27/11/2021	-	NA	Fit	NONACT	
0583	MR. SANJAY M KAMBLE		M		NA	NA			27/11/2021			- (1	00
0584	MR. ATUL S PATIL	34	M	AGRICULTURE	NA	NA			2//11/2021	111	NA T	गरखान आधान	वम शिक्षेट च्या	DE PER
-													हापूर जिल्ह	

Page 8 of 30

From: 27/11/2021 To 26/11/2022

Certifying Surgeon
DR.ARVIND MANE
MBBS DPH AFIH.(Mumbai)

any Name: SHRI GURUDATTA SUGAR LTD.

Emp. No.	Name	Age	Sex	Dept of employement of present work	Date of leaving or transfer to other wor	Reason for leaving Transfer of discharg	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspention issued to	Signature with gate certifying surgeon.
0587	MR. SURESH M UGARE	48	M	MANUFACTURING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0594	MR. HEMANTKUMAR S POL	38	M	CO-GEN	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0595	MR. ANIL S MANE	39	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0597	MR. DATTATRAY S SURYAWANSHI	52	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0598	MR. DHANANJAY U THORVAT	42	M	MANUFACTURING	NA	NA			27/11/2021	Fit	NA	Fit	NA	1
0601	MR. MADAN S VASAMKAR	43	M	PETROL PUMP	NA	NA			27/11/2021	Fit	NA	Fit	NA	†
0602	MR. VIJAY R NIRMALE	45	M	PETROL PUMP	NA	NA			27/11/2021	Fit	NA	Fit	NA	1
0603	MR, HEMANT B KASARKAR	40	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0604	MR. VILAS R JAGTAP	48	M	GENERAL OFF.	NA	NA NA			27/11/2021	Fit	NA	Fit	NA	-
0627	MR. JITENDRA M GORE	53	M	SECURITY	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0628	MR. BALASAHEB D ALGAOUDE	48	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0636	MR. RAJKUMAR S MANE	47	M	CO-GEN	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0638	MR. CHANDRAKANT SHINDE	36	M	AGRICULTURE	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0639	MR. SAYAJI G KHOT	46	M	AGRICULTURE	NA	NA			27/11/2021	Fit	NA	Fit	NA	-
0642	MR. PRASHANT R SHETTI	34	M	AGRICULTURE	NA	NA			27/11/2021	Fit	NA	Fit	NA)	0
0647 •	MR. DUSHANT J PATIL	38	M	AGRICULTURE	NA	NA		- Company	27/11/2021	Fit	NA	Fit	(NA	11
0649	MR. DIPAK B SHINDE	39	M	AGRICULTURE	NA	NA			27/11/2021	Fit	NA	Fit /	NA A	/
0651	MR. VITTHALSING R RAJPUT	42	М	SECURITY	NA	NA			27/11/2021	Fit	NA	FA G	The L	7
0654	MR. KAYUM B MULLA	58	М	SECURITY	NA	NA			27/11/2021	Fit		त्राज्यान अधिनिय	म १९४१ च्या	कलम १०(
												कोल	हापूर जिल	हाकरित

Page 9 of 30

From: 27/11/2021 To 26/11/2022

Certifying Surgeon
DR.ARVIND MANE
MBBS DPH AFIH.(Mumbai)

my Name: SHRI GURUDATTA SUGAR LTD.

Emp. No.	Name	Age	Sex	Dept of employement of present work	Date of leaving or transfer to other won	Reason for leaving Transfer of discharg	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspention issued to	worker Signature with gate certifying surgeon.
0655	MR. DILIP B KADAM	35	M	SECURITY	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0667	MR. JAYSING B SHELAKE	59	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0668	MR. BAJIRAO S TIKODE	56	M	ENGINEERING	NA	NA	i and	The state of the s	27/11/2021	Fit	NA	Fit	NA	
0670	MR, ANANDA M NIRAMALE	54	M	CO-GEN	NA	NA	10		27/11/2021	Fit	NA	Fit	NA	
0671	MR. RAMGONDA P PATIL	38	M	CO-GEN	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0673	MR. DEEPAK D MANE	50	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0685	MR. RANJIT G YADAV	40	M	CO-GEN	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0688	MR. LAXMAN V BADIGER	39	M	MANUFACTURING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0689	MR. SHRIPATI N JOLLE	50	M	MANUFACTURING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0691	MR. ANANDA M PHAKANDE	38	M	BIOFERTILIZER	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0694	MR. GANESH B MANGUTE	34	M	AGRICULTURE	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0698	MR. RAJU K CHAVAN	44	M	AGRICULTURE	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0699	MR. MOHAN K PATIL	43	M	AGRICULTURE	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0701	MR. MANOHAR M BHOSALE	47	M	GENERAL OFF.	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0702	MR. ISMAIL B JAMADAR	48	M	TIME OFFICE	NA	NA			27/11/2021	Fit	NA	Fit	NA	1
0703 *	MR. ANIL B BIRANJE	34	М	ACCOUNT	NA	NA			27/11/2021	Fit	NA	Fit	ŊÁ	11
0706	MR. BAHUBALI S LATTE	37	M	CANEYARD	NA	NA			27/11/2021	Fit	NA	Fit 1	NA /	
0708	MR. SANJAY V VADAR	45	M	CANEYARD	NA	NA			27/11/2021	Fit	NA	Fit	(a) Red	5
0709	MR. ASHOK V JADHAV	57	М	SECURITY	NA	NA			27/11/2021	Fit	NA 5	रखाने अधिनियम	१९४८ च्या पूर जिल्ह	व्लय १०(३

Page 10 of 30

Certifying Surgeon
DR.ARVIND MANE
MBBS DPH AFIH.(Mumbai)

From: 27/11/2021 To 26/11/2022

anv Name: SHRI GURUDATTA SUGAR LTD.

Emp. No.	Name	Δσе	Sex	Dept of employement of present work	Date of leaving or transfer to other wor	Reason for leaving Transfer of discharg	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspention issued to worker	Signature with gate ocertifying surgeon.
0710	MR, DILIP S PATIL	58	3 M	SECURITY	NA	NA			27/11/2021	l Fit	NA	Fit	NA	
0714	MR. PRAKASH B PAWAR	43	3 M	SECURITY	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0715	MR. SHIVAJI M BHOSALE	56	5 M	SECURITY	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0717	MR. MALHAR G JADHAV	47	7 M	CO-GEN	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0718	MR. ARUN B KAGAWADE	45	5 M	SECURITY	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0727	MR. RAJU P KOLI	37	7 M	SECURITY	NA	NA			27/11/2021	Fit	NA	Fit	NA ·	
0729	MR. DILIP N GOTE	57	7 M	SECURITY	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0733	MR. SHAMRAO S SHEDBALE	47	7 M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0736	MR. MADHUSUDAN M MORADE	37	7 M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0738	MR. ANIL S KAMBALE	45	5 M	CO-GEN	NA	NA		1	27/11/2021	Fit	NA	Fit	NA	
0741	MR. RAJARAM A BAKALE	53	3 M	SECURITY	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0746	MR. TUKARAM B PATIL	45	M	SUGAR GODOWN	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0750	MR. SUKUMAR S BHALE	47	M	CIVIL	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0759	MR. AMGONDA B PATIL	41	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0760	MR. VINOD D KAMBLE	38	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA n	1
0763 *	MR. MAHIPAL T GAVALI	54	М	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	1/
0773	MR. MEHUL C LUGADE	36	М	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit /	1 NA	K
0774	MR. UTTAM V PATIL	46	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit (ANA	O
0782	MR. SHIVAJI G PATIL	47	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA _	Fitog	म १९४८ च्या व	क्लम १०(
				1							•	खान आयाचन	म १४३८ ज्या प हापुर जिल्हा	करिता

Page 11 of 30

From: 27/11/2021 To 26/11/2022

Certifying Surgeon
DR.ARVIND MANE
MBBS DPH AFIH.(Mumbai)

ny Name: SHRI GURUDATTA SUGAR LTD.

Emp. No.	Name	Age	Sex	Dept of employement of present work	Date of leaving or transfer to other wor	Reason for leaving Transfer of discharg	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspention issued to worker	Signature with gate certifying surgeon.
0783	MR. ANANT S RASANKAR	50	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0784	MR. SANJAY M MAGDUM	40	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0785	MR, SHARAD M INGALE	41	M	CO-GEN	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0792	MR. PREM K WAGHMARE	39	M	MANUFACTURING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0793	MR. VIJAY B PATIL	39	М	CANEYARD	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0796	MR. HIRASING B RAJPUT	46	M	CANEYARD	NA	NA			27/11/2021	Fit	NA	Fit	NÄ	
0797	MR. SANTOSH'S GHATAGE	36	M	AGRICULTURE	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0798	MR. AKARAM S GAVADE	35	M	AGRICULTURE	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0799	MR. SURESH K YADAV	40	M	AGRICULTURE	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0800	MR. RAJENDRA B GAVADE	36	M	CANEYARD	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0803	MR. SANTOSH B LATWADE	41	M	AGRICULTURE	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0811	MR. DHANAJI S NIMBALKAR	46	M	MANUFACTURING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0816	MR. CHANDRAKANT KUMBHAR	58	M	SECURITY	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0820	MR. TANAJI N KAKADE	59	M	ACCOUNT	NA	NA			27/11/2021	Fit	NA	Fit	NA	SSIEII GALLERINA
0830	MR. BABASO M EDAKE	52	M	GUEST HOUSE	NA	NA			27/11/2021	Fit	NA	Fit	NA,	1.
0831 *	MR. JAKAPPA K MAHAJAN	51	M	GUEST HOUSE	NA	NA			27/11/2021	Fit	NA	Fit	NA /	1
0832	MR. SANJAY D DANOLE	36	M	BIOFERTILIZER	NA	NA			27/11/2021	Fit	NA	Fit /	/ NA/	
0837	MR. BABASO Y INAMDAR	50	M	CIVIL	NA	NA			27/11/2021	Fit	NA	Fit/A	Char	>
0844	MR. PRAVIN B NARAKE	34	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA OI	The state of the s	१९४८ च्या कर	The same of the same
												कोल्हा	पूर जिल्हाव	जिल्ला

Page 12 of 30

From: 27/11/2021 To 26/11/2022

Certifying Surgeon
DR.ARVIND MANE
MBBS DPH AFIH.(Mumbai)

oany Name: SHRI GURUDATTA SUGAR LTD.

Emp. No.	Name	Age	Sex	Dept of employement of present work	Date of leaving or transfer to other wor	Reason for leaving Transfer of discharg	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspention issued to worker	Signature with gate certifying surgeon.
0849	MR. DILIP A KORBU	49	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0850	MR. RAVINDRA B SUTAR	37	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0851	MR. JITENDRA K KAMBLE	40	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0854	MR. POPAT K SALUNKHE	45	М	CO-GEN	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0855	MR. VEERPAKSH J FUTANE	40	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0856	MR. MAKABUL S DESAI	43	M	MANUFACTURING	NA	NA		*	27/11/2021	Fit	NA	Fit	- NA	
0857	MR. MIRASAHEB S SHENDURE	37	M	MANUFACTURING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0858	MR. KUMAR S MANE	45	M	MANUFACTURING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0859	MR. SWAPNIL A KAMBLE	31	M	MANUFACTURING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0864	MR. VIJAY S KUMBHOJKAR	43	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0865	MR. SANDEEP S SAJANE	39	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0871	MR. GANESH R GORE	35	M	CANEYARD	NA	NA			27/11/2021	Fit	NA	Fit	NA	4,012
0873	MR. AJIT A PATIL	36	M	CANEYARD	NA	NA			27/11/2021	Fit	NA	Fit	NA	P 122
0881	MR. PRAKASH S PATIL	57	M	CIVIL	NA	NA			27/11/2021	Fit	NA	Fit	NA	1
0882	MR. JINGONDA B PATIL	45	М	CIVIL	NA	NA			27/11/2021	Fit	NA	Fit	NA/	1.
0883°	MR, SANDIP S MAGDUM	41	М	CIVIL	NA	NA			27/11/2021	Fit	NA	Fit	ŊĄ	1/
0884	MR. ALAM S PATEL	58	M	CIVIL	NA	NA			27/11/2021	Fit	NA	Fit /	NA	
0886	MR. ANAND J SHINDE	51	M	SECURITY	NA	NA			27/11/2021	Fit	NA	Fit	大级小	\supset
0887	MR. FAIJAHAMAD R MULLA	54	M	SECURITY	NA	NA			27/11/2021	Fit	NA OK	जाने अधिनियम	१९४८ च्या कर	म १०(२)
												कोल्हा	पूर जिल्हाय	जिरता

Page 13 of 30

From: 27/11/2021 To 26/11/2022

Certifving Surgeon
DR.ARVIND MANE
MBBS DPH AFIH.(Mumbai)

pany Name: SHRI GURUDATTA SUGAR LTD.

Emp. No.	Name	Age	Sex	Dept of employement of present work	Date of leaving or transfer to other won	Reason for leaving Transfer of discharg	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspention issued to	Signature with gate certifying surgeon.
0891	MR. PANDURANG B BHILAWADE	58	M	SECURITY	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0902	MR. AMAR A PATIL	34	M	AGRICULTURE	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0907	MR. APPASO B GOURAJ	44	M	MANUFACTURING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0908	MR. SACHIN B CHIKHALE	40	M	CO-GEN	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0909	MR. SATISH A PATIL	36	M	VEHICLE	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0912	MR. NAVID S DANWADE	42	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit ·	NA	
0917	MR. SAGAR B MALI	33	M	ACCOUNT	NA	NA			27/11/2021	Fit	NA	Fit	NA	1
0918	MR. AMAR V PAWAR	32	M	AGRICULTURE	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0921	MR. SANDIP D RETREKAR	35	M	AGRICULTURE	NA	NA			27/11/2021	Fit	NA	Fit	NA	*
0930	MR. DILIP T KAMBLE	56	М	SECURITY	NA	NA			27/11/2021	Fit	NA ·	Fit	NA	
0933	MR. SANTOSH A PATIL	38	M	MANUFACTURING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0935	MR. AMAL R MANE GAVADE	35	M	CANEYARD	NA	NA			27/11/2021	Fit	NA	Fit	NA	
0936	MR. NILESH B DALAVI	35	M	AGRICULTURE	NA	NA			27/11/2021	Fit ·	NA	Fit	NA	
0938	MR. PRAKASH T GHATAGE	37	М	SUGAR GODOWN	NA	NA			27/11/2021	Fit	NA	Fit	NA ,	_ '
0939	MR. TUSHAR T NIKAM	34	M	DISTILLERY	NA	NA			27/11/2021	Fit	NA	Fit	NA	11
0940-	MR. SANDIP M GAIKWAD	36	М	MANUFACTURING	NA	NA	1.00-		27/11/2021	Fit	NA	Fit	NA	11
0941	MR. BAJIRAO S BHATE	37	м	MANUFACTURING	NA	NA			27/11/2021	Fit	NA	Fit 1	MA	//
0942	MR. SATISH D VALAVADE	37	М	MANUFACTURING	NA	NA			27/11/2021	Fit	NA	Fit	A/NA (
0943	MR. ASHOK A SHINDE	30	М	MANUFACTURING	NA	NA			27/11/2021	Fit		खाने अधिनिया		90/2
											- OI	खान आयानयः कोल्ह	पूर जिल्ह	करिता

Page 14 of 30

From: 27/11/2021 To 26/11/2022

Certifying Surgeon
DR.ARVIND MANE
MBBS DPH AFIH.(Mumba

Company Name: SHRI GURUDATTA SUGAR LTD.

Sr. No.	Emp. No.	Name .	Age	Sex	Dept of employement of present work	Date of leaving or transfer to other wor	Reason for leaving Transfer of discharg	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspention issued to worker
267	0944	MR. AMOL R HUJARE	36	M	MANUFACTURING	NA	NA		1	27/11/2021	Fit	NA	Fit	NA
268	0952	MR. CHANDRAKANT BIRANGE	43	M	E.T.P	NA	NA			27/11/2021	Fit	NA	Fit	NA
269	0954	MR. VILAS R BHALE	50	M	E.T.P	NA	NA			27/11/2021	Fit	NA	Fit	NA
270	0955	MR. VINOD R PATIL	38	M	CANEYARD	NA	NA			27/11/2021	Fit	NA	Fit	NA
271	0967	MR. SANDEEP B GAIKWAD	50	M	ADMINISTRATION	NA	NA			27/11/2021	Fit	NA	Fit	NA
272	0977	MR. YASHVANT A JADHAV	46	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA
273	0981	MR. RAHUL B DESAI	34	M	MANUFACTURING	NA	NA			27/11/2021	Fit	NA	Fit	NA
274	0982	MR. YUVRAJ S NIMBALKAR	35	M	MANUFACTURING	NA	NA			27/11/2021	Fit	NA	Fit	NA
275	0983	MR. ARUN S PATIL	36	M	AGRICULTURE	NA	NA			27/11/2021	Fit	NA	Fit	NA
276	0985	MR. FARUK S DANAWADE	36	M	MANUFACTURING	NA	NA			27/11/2021	Fit	NA	Fit	NA
277	0991	MR. VISHAL A CHOUDHRI	30	M	CANEYARD	NA	NA			27/11/2021	Fit	NA	Fit	NA
278	0993	MR. SAGAR D PIRKANE	36	M	CANEYARD	NA	NA			27/11/2021	Fit	NA	Fit	NA
279	0994	MR. RAKESH R MAGDUM	30	M	ACCOUNT	NA	NA			27/11/2021	Fit	NA ·	Fit	NA
280	1000	MR. HAJILAL M NAGARAJI	41	M	MANUFACTURING	NA	NA			27/11/2021	Fit	NA	Fit	NA
281	1004	MR. SHAMGONDA N ALATE	46	М	MANUFACTURING	NA	NA			27/11/2021	Fit	NA	Fit	MA 7
282	1005	MR. JOTIBA R AKKOLE	39	М	MANUFACTURING	NA	NA			27/11/2021	Fit	NA	Fit	NA/
283	1006	MR. VINAYAK S KAMBALE	40	M	AGRICULTURE	NA	NA			27/11/2021	Fit	NA	Vit/	NA
284	1007	MR. RAJARAM S PATIL	55	M	SECURITY	NA	NA	-110/200		27/11/2021	Fit	NA	Pit	14A
285	1011	MR. GUNDAPPA R MANE	59	M	SECURITY	NA	NA			27/11/2021	Fit	NA 📷	रखाने सिंधिनिया	1 998 र क्या कल

Page 15 of 30

कोल्हापूर जिल्हाका प्राधिकृत प्रमाणकशल्यचि क्र. ACS 15-AM/20

20

Certifying Surgeon
DR.ARVIND MANE
MBBS DPH AFIH.(Mumbai)

From: 27/11/2021 To 26/11/2022

ny Name: SHRI GURUDATTA SUGAR LTD.

Emp. No.	Name	Age	Sex	Dept of employement of present work	Date of leaving or transfer to other wor	Reason for leaving Transfer of discharg	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspention issued to worker	Signature with gate certifying surgeon.
1015	MR. AMAR A BIRANGE	34	M	MANUFACTURING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
1016	MR. SHAHIR S CHAVARE	58	M	SECURITY	NA	NA			27/11/2021	Fit	NA	Fit	NA	
1017	MR. CHETANSING M MANE	31	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
1018	MR. MAHAVIR J NARADE	45	M	STORE	NA	NA			27/11/2021	Fit	NA	Fit	NA	
1020	MR. AMAR K GIRIBUVA	37	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
1023	MR. RAJENDRA S JADHAV	48	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
1026	MR. SHAMRAO N PATIL	59	M	SECURITY	NA	NA			27/11/2021	Fit	NA	Fit	NA	
1029	MR. SURESH K DESAI	36	M	MANUFACTURING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
1030	MR. DASHARAD T KOLI	35	M	MANUFACTURING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
1032	MR. GORAKHNATH P NIRMALE	41	M	ENGINEERING	NA	NA			27/11/2021	Fit	NA	Fit	NA	
1033	MR, BAJIRAO I SHEDBALE	52	M	CIVIL	NA	NA			27/11/2021	Fit	NA	Fit	NA	
1034	MR. SHIVAJI B KHOT	53	M	CIVIL	NA	NA			27/11/2021	Fit	NA	Fit	NA	
1035	MR. NETAJI H KHOT	43	M	CIVIL	NA	NA			27/11/2021	Fit	NA	Fit	NA	
1036	MR. NANASO S KAMBLE	52	M	CO-GEN	NA	NA			27/11/2021	Fit	NA	Fit	NA	
1038	MR. YOGESH K KAMBLE	37	M	MANUFACTURING	NA	NA			27/11/2021	Fit	NA	Fit	N/K	
1039 *	MR. KIRAN S CHIGARE	45	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA /	/
1040	MR. MAHAVIR A BIRANGE	46	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA/	
1042	MRS. MUKTABAI S BIRANGE	55	F	SANITATION	NA	NA			28/11/2021	Fit	NA	Fit	1 SHA)
1043	MRS. SAUBAI A BIRANJE	55	F	SANITATION	NA	NA			28/11/2021	Fit	NA pry	वाने अधिनियम कोल्हाप	१९४८ च्या कल रूर जिल्हाक	

Page 16 of 30

From: 27/11/2021 To 26/11/2022

Certifying Surgeon
DR.ARVIND MANE
MBBS DPH AFIH.(Mumbai)

any Name: SHRI GURUDATTA SUGAR LTD.

Emp. No.	Name	Age	Sex	Dept of employement of present work	Date of leaving or transfer to other wor	Reason for leaving Transfer of discharg	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspention issued to worker	Signature with gate certifying surgeon.
1044	MRS. USHATAI S KAMBALE	45	F	SANITATION	NA	NA			28/11/2021	Fit	NA	Fit	NA	10.8V.010.4310.45-3503
1045	MR. RAMESH K KAMBLE	35	M	CO-GEN	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1046	MR. SUNIL S NIRMALE	32	M	ENGINEERING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1047	MR. APPASO S MAGDUM	40	M	BIOFERTILIZER	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1048	MR. ANANDA S KUMBHAR	36	M	ENGINEERING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1049	MRS. KASTURI P KAMBALE	50	F	SANITATION	NA	NA			28/11/2021	Fit	NA ·	Fit	NA	
1050	MR. SANTOSH L TELI	32	М	BIOFERTILIZER	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1051	MR. SHRIKANT P BIRANGE	35	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1052	MR. SANDIP D SUTAR	34	М	CIVIL	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1053	MR. YOGESH G KAMBLE	31	М	SANITATION	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1056	MR. ASHOK B PATIL	56	М	SECURITY	NA	NA			28/11/2021	Fit	NA	Fit	NA	15
1060	MR. DIPAK N SANKPAL	36	M	ENGINEERING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1063	MR. VAIBHAV S PATIL	32	M	ENGINEERING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1068	MR. PRAKASH S BADANIKAI	38	M	CO-GEN	NA	NA			28/11/2021	Fit	NA	Fit	NA ,	7
1069	MR. SHIVAJI D POWAR	49	M	CO-GEN	NA	NA			28/11/2021	Fit	NA	Fit	MA	1/
1070*	MR. VAIBHAV N CHANDOBA	42	M	CO-GEN	NA	NA		22	28/11/2021	Fit	NA	Fit	(NA /	/
1071	MR. SUBHASH R JADHAV	47	М	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fil	NA	_
1079	MR. SUHAS D MAGDUM	33	M	ACCOUNT	NA	NA			28/11/2021	Fit	NA	Fit	NAT	\mathcal{I}
1080	MR. SANTOSH A BIRANGE	36	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA **	गरखाने अधिनिया	2NA	
													पूर जिल्हा	

Page 17 of 30

From: 27/11/2021 To 26/11/2022

Certifying Surgeon
DR.ARVIND MANE
MBBS DPH AFIH.(Mumbai)

any Name: SHRI GURUDATTA SUGAR LTD.

Етр. No.	Name	Age	Sex	Dept of employement of present work	Date of leaving or transfer to other wor	Reason for leaving Transfer of discharg	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspention issued to	Signature with gate certifying surgeon.
1081	MR. BALASAHEB V BANDAGAR	36	M	CO-GEN	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1082	MR. ARAVIND S PATIL	35	M	CANEYARD	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1083	MR. RAMDAS A BIRANJE	36	М	SANITATION	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1084	MR. VITTHAL G NIRMALE	38	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1086	MR. GOPICHAND J BHANDARE	32	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1087	MR. VINAYAK Y KUMBHAR	33	M	ENGINEERING	NA ·	NA			28/11/2021	Fit	ŇΑ	Fit	NA	
1088	MR. NITEEN S SHINDE	34	M	ENGINEERING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1089	MR. UTTAM N GORE	32	M	STORE	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1090	MR. RAHUL A GORE	35	M	ENGINEERING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1091	MR. BAJARANG I KOLI	39	M	CIVIL	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1092	MR. SHANTINATH B KHURPE	45	M	STORE	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1094	MR. ANNASO R DANOLE	38	M	CIVIL	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1095	MR. BABASO B MHAISHALE	38	M	ENGINEERING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1096	MR. RAJU B GAVADE	37	M	CIVIL	NA	NA			28/11/2021	Fit	NA	Fit	NA,	
1097	MR. CHANDRAKANT A KOLI	37	M	CIVIL	NA	NA			28/11/2021	Fit	NA	Fit	NA	1
1098*	MR. NITEEN B KOLI	39	M	CO-GEN	NA	NA			28/11/2021	Fit	NA	Fit	NA	1/
1099	MR. MARUTI P BHATMARE	38	M	CO-GEN	NA	NA			28/11/2021	Fit	NA	Fje	NA A	
1100	MR. ZAKIR M KUDACHE	39	M	CO-GEN	NA	NA		-1015-1117871	28/11/2021	Fit	NA	Fit C	LNA	
1101	MR. SADASHIV R GAVANDI	49	M	CO-GEN	NA	NA			28/11/2021	Fit	NA	Fit 20	NA	
												गरखाने अधिनिय कोल्ड	मे १९४८ च्या राधर जिल्ह	कलम १०(

Page 18 of 30

कोल्हापूर जिल्हाकरिता प्राधिकृत प्रमाणकशल्यचिकित्सक क्र. ACS 15-AM/2016

From: 27/11/2021 To 26/11/2022

Certifying Surgeon
DR.ARVIND MANE
MBBS DPH AFIH.(Mumbai)

nany Name: SHRI GURUDATTA SUGAR LTD.

Emp. No.	Name	Age	Sex	Dept of employement of present work	Date of leaving or transfer to other wor	Reason for leaving Transfer of discharg	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspention issued to worker	Signature with gate certifying surgeon.
1102	MR. SANTOSH M BAVADEKAR	43	M	ENGINEERING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1103	MR. SANTOSH A SAWANT	37	M	ENGINEERING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1104	MR. BALASAHEB V GAIKWAD	34	M	SANITATION	NA	NA			28/11/2021	Fit	NA	Fit	NA	- Outr
1107	MR. KUMAR A SUTAR	39	M	CANEYARD	NA	NA			28/11/2021	Fit	. NA	Fit	NA	-
1108	MR. VASANT B PAWAR	47	M	CIVIL	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1109	MR. VIJAY R CHAVAN	39	M	ENGINEERING	NA	NA			28/11/2021	Fit	. NA	Fit	NA	
1110	MR. TATOBA A HINGMIRE	34	M	ENGINEERING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1111	MR. SURESH S ADRASE	39	М	CO-GEN	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1112	MR. SACHIN S SHINDE	38	М	ENGINEERING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1113	MR. AMOL Y PATIL	36	M	TIME OFFICE	NA	NA			28/11/2021	Fit	NA	Fit	NA	75
1114	MR. UMESH P GAIKWAD	41	M	STORE	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1115	MR. BANDU N SHINDE	39	М	CIVIL	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1116	MR. ASHOK B PAWAR	49	M	CO-GEN	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1117	MR. DAYANAND K PATIL	43	M	PETROL PUMP	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1118	MR. SURESH N MASKAR	43	М	ENGINEERING	NA	NA			28/11/2021	Fit	NA	Fit	NA ,	1
1119*	MR. SAGAR S PARIT	39	М	ENGINEERING	NA	NA			28/11/2021	Fit	NA	Fit	NA /	//
1120	MR. TUKARAM P PATIL	47	М	ENGINEERING	NA	NA			28/11/2021	Fit	NA	Fit/	ANA /	/
1121	MR. SHIVAJI S MAGDUM	30	М	ENGINEERING	NA	NA	-		28/11/2021	Fit	NA	Fit	LANDA	
1123	MR. MADAR A NADAF	47	М	CIVIL	NA	NA			28/11/2021	Fit		ारखाने अधिनिय	Town I) mm oo!
72-3012-01-01													पे ११४८ च्या क एपूर जिल्हा	

Page 19 of 30

From: 27/11/2021 To 26/11/2022

any Name: SHRI GURUDATTA SUGAR LTD.

MBBS DPH AFIH.(Mumbai) DR.ARVIND MANE Certifying Surgeon

			,												us-		4		重	
Signature with gate certifying surgeon.															0	1	X		190(2) 1	रिता
If Certificate of unfitness or suspention issued to worker	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA /	N. N.	NA	八百	18.CM 33.	कोल्हापूर जिल्हाकरिता
Certified fit to resume duty on with signature of Certifying Surgeon	Fit	Fit	班	Fit	Fit	Fit	Fit	Fit	Fit	Fit	Fit	Fit	Et	Fit	Fit	Fit	Fit	た。	NA कारवाने अधिनियम १९४८ स्था कलेम १०(२) प्रमाणे	कोण्हापूर जिल्हाकरिता
If suspended from work, state period of detailed reasons	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA DIVE	
Result of Medical Examination	Fit	Fit	Ejt	Fit	Fit	FF	Fit	Fit	莊	Fit	Fit	Fit	Fit	Fit	Fit	Fit	Εţ	赶	Fit	
Exam. Date	28/11/2021	28/11/2021	28/11/2021	28/11/2021	28/11/2021	28/11/2021	28/11/2021	28/11/2021	28/11/2021	28/11/2021	28/11/2021	28/11/2021	28/11/2021	28/11/2021	28/11/2021	28/11/2021	28/11/2021	28/11/2021	28/11/2021	
Raw material or bye product handled																				
Nature of job or occupation																				
Reason for leaving Transfer of discharg	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Date of leaving or transfer to other wo	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Dept of present work	ENGINEERING	ENGINEERING	ENGINEERING	ENGINEERING	ENGINEERING	ENGINEERING .	CIVIL	ENGINEERING	PETROL PUMP	ENGINEERING	AGRICULTURE	SUGAR GODOWN	PETROL PUMP	ENGINEERING	ENGINEERING	CIVIL	ENGINEERING	CO-GEN	CIVIL	
Age	46 M	36 M	40 M	36 M	46 M	43 M	34 M	42 M	34 M	37 M	35 M	34 M	41 M	43 M	39 M	49 M	43 M	34 M	M 6	
	4	m	4	m	4	А	6	4	3	6	n	3	4	4	3	4	4	(r)	39	
																		0		
Изте	MR. RAJU S MAGDUM	MR. MANOJ A MANE	MR. SURESH B POWAR	MR. BALASO L KHOMBARE	MR. CHANDRAKANT S LOHAR	MR. PRABHAKAR B KOLI	MR. KAPIL R DANWADE	MR. NINGAPPA K BHANDARE	MR. SANTOSH B GORE	MR. DHONDIRAM S MANE	MR. RAHUL G PATTEKARI	MR. SANDEEP S PATIL	MR. AMAR R JAGADALE	MR. SHIVPURTA A KOLI	MR, AMIT B PATIL	MR. SURESH N VADAR	MR. RAJKUMAR V BAGE	MR. GANESH B INGALE	MR. NITEEN A NALAWADE	
Ешр. Ио.	1124	1125	1126	1127	1128	1129	1130	1131	1132	1133	1134	1135	1136	1137	1138	1139	1140	1141	1142	7

From: 27/11/2021 To 26/11/2022

Certifying Surgeon
DR.ARVIND MANE
MBBS DPH AFIH.(Mumbai)

any Name: SHRI GURUDATTA SUGAR LTD.

Er.p. No.	Name	Age	Sex	Dept of employement of present work	Date of leaving or transfer to other wor	Reason for leaving Transfer of discharg	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspention issued to worker	Signature with gate certifying surgeon.
1143	MR. TATYASO D MANE	31	M	CANEYARD	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1144	MR. S J SOUNDATTE	37	M	CO-GEN	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1145	MR. SANTOSH B SAMDOLE	35	M	WATER TREAMEN	NA	NA		WWW.selfer	28/11/2021	Fit	NA	Fit	NA.	
1146	MR. SANTOSH P SASANE	34	M	ENGINEERING	NA	NA			28/11/2021	Fit	NA ·	Fit	NA	
1147	MR. PRASHANT D PIMPALE	32	M	WATER TREAMEN	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1148	MR. VIJAY R KHOT	34	M	SUGAR GODOWN	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1150	MR. RIYAJ G SANADI	40	M	VEHICLE	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1151	MR. UTTAM L KARNALE	34	M	CANEYARD	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1152	MR. SHEKAR S PARIT	38	M	WATER TREAMEN	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1153	MR. PRAVIN S PATIL	36	M	TIME OFFICE	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1154	MR. DHONDIRAM R CHAVARE	. 39	M	WATER TREAMEN'	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1155	MR. AMOL R LATTHE	35	M	ENGINEERING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1156	MR. SANTOSH S HINGMIRE	38	M	ENGINEERING	NA	NA			28/11/2021	Fit	NA	Fit	NA	1 2
1157	MR. SAGAR S JUGALE	34	M	ENGINEERING	NA	NA		10	28/11/2021	Fit	NA	Fit	NA	1
1158	MR. DIGVIJAY M KAMBALE	40	M	CO-GEN	NA	NA			28/11/2021	Fit	NA	Fit	NZ	1
1160 •	MR. MAHANTESH V UMRANI	38	M	CO-GEN	NA	NA			28/11/2021	Fit	NA	Fit 1	NA /	/
1162	MR. GOPAL S BHANDARE	37	M	BIOFERTILIZER	NA	NA			28/11/2021	Fit	NA	Fit	NA A	/
1163	MR. PRAKASH B PATIL	32	M	AGRICULTURE	NA	NA		PROFILE TO SERVICE TO	28/11/2021	Fit	NA	Fit	LNA	>
1164	MR. SAMEER T NASLAPURE	35	M	MANUFACTURING	NA	NA			28/11/2021	Fit		रखाने अधिनियम	9 MARINE	m onto
										2	***		१ ४४४ व्या क पूर जिल्हा	वित्र गण्य

Page 21 of 30

From: 27/11/2021 To 26/11/2022

Certifying Surgeon
DR.ARVIND MANE
MBBS DPH AFIH.(Mumbai)

pany Name: SHRI GURUDATTA SUGAR LTD.

Етр. No.	Name	Age	Sex	Dept of employement of present work	Date of leaving or transfer to other wor	Reason for leaving Transfer of discharg	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspention issued to	Signature with gate certifying surgeon.
1165	MR. SANTOSH K KAMBALE	39	M	MANUFACTURING	NA NA	NA			28/11/2021	Fit	NA	Fit	NA	
1166	MR. RAMESH S MATHAPATI	45	M	MANUFACTURING	NA NA	NA			28/11/2021	Fit	NA	Fit	NA	
1168	MR. KRISHNAJI P MALLEWADE	32	M	CO-GEN	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1170	MR. YUNUS M KUDACHE	36	M	GUEST HOUSE	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1171	MR. VITTHAL A GAVADE	39	M	GUEST HOUSE	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1172	MR. SANTOSH S NAGAYI,	37	M	CO-GEN	NA	NA			28/11/2021	Fit	NA	Fit	NA	1
1176	MR. AMOL A NIRMALE	34	M	CO-GEN	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1177	MR. SANJAY B CHOPADE	54	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1179	MR. SANGRAM B GHORAPADE	38	M	CANEYARD	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1181	MR. INDRAJEET L PATIL	31	M	AGRICULTURE	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1182	MR. VIJAY M MALI	53	M	STORE	NΛ	NA			28/11/2021	Fit	NA	Fit	NA	
1188	MR. SACHIN V TADE	40	M	BIOFERTILIZER	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1192	MR. RAJARAM L JAGATAP	41	M	CO-GEN	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1193	MR. SHIVANAND S HOSPET	38	M	CO-GEN	NA	NA			28/11/2021	Fit	NA	Fit	NA	4.
1194	MR. RUPESH M SAKHALE	34	M	CO-GEN	NA	NA	1		28/11/2021	Fit	NA	Fit	NA/	1
1196*	MR. NETAJI N CHAVAN	42	M	WATER TREAMEN	NA	NA			28/11/2021	Fit	NA	Fit	MA	1/
1197	MR. SUDHAKAR R DESHMUKH	45	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA /	/
1200	MR. VIDYANAND A BHOJE	40	M	CO-GEN	NA	NA	+		28/11/2021	Fit	NA	Eit	1/2NA	
1201	MR. PRASHANT M SHINDE	37	M	CO-GEN	NA	NA			28/11/2021	Fit	27.4	5//	Chat	2001
											का	रखाने आधीनवम	19486च्या व ।पर जिल्हा	

Page 22 of 30

कोल्हापूर जिल्हाकरिता प्राधिकृत प्रमाणकशल्यचिकित्सक क्र. ACS 15-AM/2016

From: 27/11/2021 To 26/11/2022

Certifying Surgeon
DR.ARVIND MANE
MBBS DPH AFIH.(Mumbai)

ny Name: SHRI GURUDATTA SUGAR LTD.

Emp. No.	Name	Age	Sex	Dept of employement of present work	Date of leaving or transfer to other wor	Reason for leaving Transfer of discharg	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspention issued to worker	Signature with gate of certifying surgeon.
1205	MR. AMOL T MAHADIK	33	M	CO-GEN	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1206	MR. SUHAS B SHIRSATTE	37	M	CO-GEN	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1208	MR. KRUSHNAT T PATIL	42	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1209	MR. AJIT S VASAMKAR	42	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1210	MR. ANIL V HERWADE	41	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1211	MR. AZARUDDIN M APARADH	36	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA	*
1212	MR. SURESH S KAMBLE	45	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1213	MR. PARASHURAM B KAMBLE	39	M	CANE DEVELOPMI	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1214	MR. AMIN S MULLA	38	M	CANE DEVELOPME	NA	NA		1	28/11/2021	Fit	NA	Fit	NA	
1216	MRS. SALONA A SANADI	50	F	SANITATION	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1217	MR. DASHARATH V VADAR	41	M	CIVIL	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1220	MR. SANDIP T MANE	36	М	ENGINEERING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1224	MR. NARSING S TODAKAR	37	M	WATER TREAMEN'	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1225	MR. RAMESH B KADAM	38	M	ENGINEERING	NA	NA		7	28/11/2021	Fit	NA	Fit	NA	, 1
1226	MR. SURYAKANT N SANKPAL	41	М	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA	1
1227 •	MR. DATTATRAY N MAGADUM	36	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit A	ŊA	
1228	MR. RAJENDRA B KAGALE	44	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	15/st	, NA	X
1229	MR. ONKAR A PIMPALE	31	M	ENGINEERING	NA	NA		V 40054 NO.	28/11/2021	Fit	NA	Fit	(NA)	()
1231	MR. SURESH K KALYANI	44	М	CO-GEN	NA	NA			28/11/2021	Fit	NA	रखाने ^F अधिनिय	1 99 NAZII OD	NH 40(5)
											Ψ	कोल्ह	पूर जिल्हा	करिता

Page 23 of 30

From: 27/11/2021 To 26/11/2022

Certifying Surgeon
DR.ARVIND MANE
MBBS DPH AFIH.(Mumbai)

any Name: SHRI GURUDATTA SUGAR LTD.

Emp. No.	Name	Age	Sex	Dept of employement of present work	Date of leaving or transfer to other wor	Reason for leaving Transfer of discharg	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspention issued to worker	Signature with gate certifying surgeon.	
1234	MR. SHRIDHAR J KURANE	46	M	VEHICLE	NA	NA			28/11/2021	Fit	NA	Fit	NA		
1236	MR. ANANDA R CHANDAKE	39	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA		1
1237	MR. SANJAY J SHINDE	42	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA		1
1244	MR. GAJANAN M SAWANT	36	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA		9
1249	MR. SUNIL G RAJMANE	50	M	ENGINEERING	NA	NA			28/11/2021	Fit	NA	Fit	NA		
1250	MR. SANJAY S PATIL	55	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	· NA		1
1251	MR. SAHADEV G JAGADALE	29	M	CO-GEN	NA	NA			28/11/2021	Fit	NA	Fit	NA		
1252	MR. RAHUL B CHINGARE	28	M	CO-GEN	NA	NA			28/11/2021	Fit	NA	Fit	NA		1
1253	MR. VINOD S KUMBHAR	32	M	CO-GEN	NA	NA			28/11/2021	Fit	NA	Fit	NA	3 MH 1040 U	1
1254	MR. GOVIND D KHOT	29	M	WATER TREAMEN	NA	NA			28/11/2021	Fit	NA	Fit	NA		1
1255	MR. SHRIDHAR A SUTAR	42	M	WATER TREAMEN'	NA	NA			28/11/2021	Fit	NA	Fit	NA		
1256	MR. RAHUL S BADAME	28	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA		1
1258	MR, SANJAY M AWATI	46	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA		
1259	MR. SURAJ J MUGALE	35	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA ,	1	
1260	MR. S K HULYANNAVAR	35	M	SANITATION	NA	NA			28/11/2021	Fit	NA	Fit	NA	1	
1261*	MR. SANJAY S CHAVAN	42	M	WATER TREAMEN	NA	NA			28/11/2021	Fit	NA	Fit	NA	1	1
1262	MR. SUNIL S PATIL	42	M	STORE	NA	NA			28/11/2021	Fit	NA	Fit /	NA	1	0
1263	MR. SUNIL A GHEVADE	40	M	CIVIL	NA	NA			28/11/2021	Fit	NA	Fit	Orbat	>	
1264	MR. VINOD A GHATAGE	29	M	ENGINEERING	NA	NA			28/11/2021	Fit	NA	Fit	१९४८ च्या कल	7 00/21	
											कार	खान आधानयम	(१९४८ च्या कल पूर जिल्हाक	4 40(1)	Me

Page 24 of 30

Certifying Surgeon
DR.ARVIND MANE
MBBS DPH AFIH.(Mumbai)

From: 27/11/2021 To 26/11/2022

any Name: SHRI GURUDATTA SUGAR LTD.

Emp. No.	Name	Age	Sex	Dept of employement of present work	Date of leaving or transfer to other wor	Reason for leaving Transfer of discharg	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspention issued to worker	Signature with gate certifying surgeon.
1265	MR. AMOL R MAGADUM	32	M	ENGINEERING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1266	MR. SATAPPA R CHAVAN	32	M	CO-GEN	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1267	MR, DIGAMBAR A KUDACHE	35	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1268	MR. SATISH M GURAV	45	M	ENGINEERING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1273	MR. PAVANKUMAR J ANKLE	40	M	CO-GEN	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1276	MR. SANTOSH V BHUTEKAR	39	M	PURCHASE	NA	NA	+		28/11/2021	Fit	NA	Fit	NA	
1279	MR. VIKAS B CHOUGALE	35	M	GENERAL OFF.	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1283	MR. ATUL J PAWAR	40	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1288	MR. PRAKASH G MAGADUM	50	M	AGRICULTURE	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1290	MR. MAHESH G PATIL	36	M	TIME OFFICE	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1294	MR. G B SAHASTRABUDDHE	34	М	ENGINEERING	NA	NA		PHONE PRO	28/11/2021	Fit	NA	Fit	NA	
1295	MR. VIKAS P PATIL	31	M	INFORMATION TEC	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1297	MR. BAPU A CHAVAN	37	M	CIVIL	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1298	MR. SHRISHAIL A AMBI	38	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA	1
1299	MR. MEHABUB D JAMADAR	47	М	STORE	NA	NA			28/11/2021	Fit	NA	Fit	NA /	1
1300*	MR. PRADIP S NAIK	36	M	CO-GEN	NA	NA			28/11/2021	Fit	NA	Fit	NA	1/
1301	MR. SACHIN S PATIL	32	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit /	NA	
1302	MR. SUDHIR M PATOLE	34	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	MANAG	
1304	MR. PRASAD M CHOUGULE	31	M	STORE	NA	NA			28/11/2021	Fit	NA 2010	क्ते स्थिनियम	वर्ष हर्म्स्या केंद्र	H 90(2)
										3000-028	- VIII	कोल्हा	पूर जिल्हाव	bizen

Page 25 of 30

From: 27/11/2021 To 26/11/2022

Certifying Surgeon
DR.ARVIND MANE
MBBS DPH AFIH.(Mumbai)

any Name: SHRI GURUDATTA SUGAR LTD.

Emp. No.	Name	Age	Dept of employement of present work	Date of leaving or transfer to other wor	Reason for leaving Transfer of discharg	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspention issued to worker	Signature with gate certifying surgeon.
1305	MR. SALMAN I BAIRAGDAR	30	M WATER TREAMEN) NA	NA			28/11/2021	Fit	NA	Fit	NA	
1306	MR. SANTOSH R DHANAVADE	42	M DISTILARY	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1307	MR. SANDIP B KHARAT	34	M CO-GEN	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1308	MR. MAHAMMAD M NADAF	33	M CO-GEN	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1309	MR. VIJAYSINH A BHOSALE	41	MANUFACTURING) NA	NA			28/11/2021	Fit	NA	Fit	NA	
1310	MR. MAHADEV D NANAWARE	43	MANUFACTURING	NA NA	NA			28/11/2021	Fit	NA	Fit	NA	
1311	MR. DIPAK V MANGAVE	43	M CO-GEN	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1312	MR. BABU S KOTABAGI	32 1	MANUFACTURING	NA NA	NA			28/11/2021	Fit	NA	Fit	NA	
1314	MR, TEJPAL A GANE	37	INFORMATION TE	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1316	MR. JAY V GUNJALE	49 1	M STORE	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1318	MR. MAHAVEER B KATTIKAR	34]	U DISTILLERY	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1319	MR, VIJAY S SHEDAGE	35 1	и DISTILLERY	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1321	MR. UDAY R PATIL	51 1	ADMINISTRATION	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1323	MR. ASHOK D JADHAV	28 1	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1324	MR. SHOBHIT R RASTOGI	33 1	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA7	1
1325*	MR, RAJU V BAILURKAR	33 N	M ENGINEERING	NA	NA			28/11/2021	Fit	NA	Fit	NA /	//
1326	MR. PRASHANT R PATIL	39 N	1 ENGINEERING	NA	NA			28/11/2021	Fit	NA	Fit /	NA /	/
1328	MR. SHRINIVAS S KULKARNI	29 N	AGRICULTURE	NA	NA			28/11/2021	Fit	NA	Vit /	MAZ	\
1329	MR. SACHIN R HINGANGAVE	32 N	1 ENGINEERING	NA	NA			28/11/2021	Fit	NA	Fit	SNA	\mathcal{I}
										का	रखाने अधिनिय	१९४८ च्या क	लम १०(ः क्रिक्ता

Page 26 of 30

कोल्हागूर जिल्हाकरिता प्राधिकृत प्रमाणकशस्यिषिकित्सक क्र. ACS 15-AM/2016

From: 27/11/2021 To 26/11/2022

Certifying Surgeon
DR.ARVIND MANE
MBBS DPH AFIH.(Mumbai)

nany Name: SHRI GURUDATTA SUGAR LTD.

Етр. No.	Name	Age	Sex	Dept of employement of present work	Date of leaving or transfer to other wor	Reason for leaving Transfer of discharg	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspention issued to worker	Signature with gate certifying surgeon.
1330	MR. SARJERAO S PATIL	47	M	ENGINEERING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1331	MR. RAJARAM S PATIL	43	M	DISTILLERY	NA	NA		4	28/11/2021	Fit	NA	Fit	NA	
1332	MR. BAHUBALI M SOUDATTE	35	M	STORE	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1333	MR. PRAKASH B MALEKARI	55	M	ENGINEERING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1334	MR. DEEPAK R KAMBLE	34	M	ENGINEERING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1335	MR. MARUTI D KATTIKAR	39	M	MANUFACTURING	NA	NA '			28/11/2021	Fit	NA	Fit	NA	
1336	MR. SUNIL R PATTEKARI	45	М	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1337	MR. KUMAR A ADDUKE	35	М	SANITATION	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1338	MR, HANMANT B PATIL	41	M	CO-GEN	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1339	MR. GURUPAD D BORGAVE	50	M	WATER TREAMEN	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1340	MR. ARIF D DANWADE	34	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
1341	MR. VASANTRAO B LATKAR	49	M	CANEYARD	NA	NA			28/11/2021	Fit	NA	Fit	NA	
5077	MR. UDAY A PATIL	32	M	ENGINEERING	NA	NA			28/11/2021	Fit	NA	Fit	NA	1
5082	MR. SUNIL V LATTHE	33	M	SUGAR GODOWN	NA	NA			28/11/2021	Fit	NA	Fit	NA,	//
5083	MR. RAMCHANDRA R AMBI	38	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
5084*	MR. SURESH M KURANE	34	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA /	
5086	MR. P M SHINDE	41	М	ENGINEERING	NA	NA			28/11/2021	Fit	NA	Fit /	NA L	0
5094	MR. SACHIN A KHOT	36	М	ENGINEERING	NA	NA			28/11/2021	Fit	NA	Kit /	MAD	>
5096	MR, VILAS D GAIKWAD	39	M	ENGINEERING	NA	NA			28/11/2021	Fit	NA	, Fit /	NAI TOO	g 90(2) TW
											कार	वान आधानयम	रूर जिल्हाक	चिता
Dogo 27												chic.Gi.	X Lote Glas	0

Page 27 of 30

From: 27/11/2021 To 26/11/2022

Certifying Surgeon
DR.ARVIND MANE
MBBS DPH AFIH.(Mumbai)

any Name: SHRI GURUDATTA SUGAR LTD.

Emp. No.	Name	Age	Sex	Dept of employement of present work	Date of leaving or transfer to other wor	Reason for leaving Transfer of discharg	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspention issued to worker	Signature with gate certifying surgeon.
5097	MR. RAJAN S VALVE	40	M	ENGINEERING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
5101	MR. H B SURYAWANSHI	55	M	SUGAR GODOWN	NA	NA			28/11/2021	Fit	NA	Fit	NA	
5102	MR. ARIF R DESAI	30	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
5103	MR. LALASO P PATIL	49	M	SUGAR GODOWN	NA	NA			28/11/2021	Fit	NA	Fit	NA	
5110	MR. RAYGONDA D PATIL	32	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
5114	MR. SAGAR M POWAR	33	M	ENGINEERING	NA	ŇA			28/11/2021	Fit	NA ···	Fit	NA	
5115	MR. SAGAR V YADAV	35	M	CO-GEN	NA	NA			28/11/2021	Fit	NA	Fit	NA	
5123	MR. AJIT B MHAISHALE	34	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
5124	MR, SHIVAJI G JAKHALE	42	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
5125	MR. INDRAJEET R SANKPAL	33	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
5129	MR. PRAMOD B KHOT	33	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
5130	MR. ANANDA Y PATIL	36	М	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
5131	MR, VIJAY V MANE	46	M	CO-GEN	NA	NA	1		28/11/2021	Fit	NA	Fit	NA	
5132	MR. VISHWAS L ZANJE	32	M	ENGINEERING	NA	NA			28/11/2021	Fit	NA	Fit	NA	0
5134	MR. MARUTI B BHADULE	50	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	XX	1
5135*	MR. SRIMANT S KAMBLE	34	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA ,	
5148	MR. T R TAHSILDAR	31	M	SANITATION	NA	NA			28/11/2021	Fit	NA	Fit/	NA A	
5150	MR. DADASO B KAGALE	40	M	MANUFACTURING	NA	NA	J. 11 San - San P		28/11/2021	Fit	NA	Flit ([NA	
5152	MR, SAYYADALI I MAKANDAR	41	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA with	वाने अधिनियम	१९४८ ख्या कल	190(2) 1
										estesite siu		कोल्हाप	रू जिल्हाक	रिता
												तारिकत पर	<u> गणकशस्य</u>	कित्सक

Page 28 of 30

प्राधिकृत प्रमाणकशस्याधीकरसक क्र. ACS 15-AM/2016

Certifying Surgeon
DR.ARVIND MANE
MBBS DPH AFIH.(Mumbai)

From: 27/11/2021 To 26/11/2022

any Name: SHRI GURUDATTA SUGAR LTD.

Emp. No.	Name	Age	Sex	Dept of employement of present work	Date of leaving or transfer to other wor	Reason for leaving Transfer of discharg	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspention issued to worker	Signature with gate certifying surgeon.
5154	MR. SAGAR M LOLSURE	34	М	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
5155	MR. R S NIRMALE	33	М	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
5156	MR. RAJU G NIMBALKAR	36	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
5157	MR. SUHAS M PATIL	34	M	AGRICULTURE	NA	NA			28/11/2021	Fit	NA	Fit	NA	
5158	MR. BALASO K SANKPAL	36	М	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
5160	MR. SHANKAR R KHARPI	40	M	MANUFACTURING	NA	· NA			28/11/2021	Fit	NÁ	Fit	NA	
5165	MR. SAGAR D KHOT	32	M	ENGINEERING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
5167	MR. SACHIN B GHATGE	33	М	AGRICULTURE	NA	NA			28/11/2021	Fit	NA	Fit	NA	
5168	MR. AVINASH S PATIL	31	М	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
5172	MR. BIRDEV S BANDAGAR	35	М	SANITATION	NA	NA			28/11/2021	Fit	NA	Fit	NA	
5175	MR. PRAMOD C KADAM	40	М	CO-GEN	NA	NA			28/11/2021	Fit	NA	Fit	NA	
5178	MR. RAFIQ N JAMADAR	31	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
5179	MR. SUNIL D KOLI	31	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
5180	MR, SURESH I MIRJE	52	M	CO-GEN	NA	NA			28/11/2021	Fit	NA	Fit	NA	1
5181	MR. GAJANAN Y KAMATE	31	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA	/
5184	MR. RAVINDRA B UMRANI	38	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA /	1
5185	MR. ROHIT G PAGADE	30	M	BIOFERTILIZER	NA	NA			28/11/2021	Fit	NA	Fit	CNA	
5187	MR. AVADHUT D KOLI	30	М	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fly (CIME.)
5188	MR. DADASO R GASTE	30	М	MANUFACTURING	NA	NA			28/11/2021	Fit	NA		NA ART	(5)061
												Chlysil	पूर जिल्हाक गणकशल्यवि	

Page 29 of 30

From: 27/11/2021 To 26/11/2022

Certifying Surgeon
DR.ARVIND MANE
MBBS DPH AFIH.(Mumbai)


uny Name: SHRI GURUDATTA SUGAR LTD.

Етр. No.	Name	Age	Sex	Dept of employement of present work	Date of leaving or transfer to other wor	Reason for leaving Transfer of discharg	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspention issued to worker	Signature with gate certifying surgeon.
5190	MR. ARJUN A KOLI	33	M	ACCOUNT	NA	NA			28/11/2021	Fit	NA	Fit	NA	
5193	MR. TUKARAM M PAKHRE	49	M	CIVIL	NA	NA			28/11/2021	Fit	NA	Fit	NA	
5194	MR. UMESH A PATIL	30	M	ENGINEERING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
5195	MR. BACHARAM K PATIL	41	M	. CO-GEN	NA	NA			28/11/2021	Fit	NA	Fit	NA	
5197	MR. DIPAK S KAIKADI	32	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
5199	MR. NEMINATH A KOTE	37	M	ENGINEERING	NA	NA			28/11/2021	Fit	· NA	Fit	NA	
5200	MR. RAMCHANDRA G DABDE	30	M	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
5206	MR. JOTIBA A MAGDUM	29	M	BIOFERTILIZER	NA	NA			28/11/2021	Fit	NA	Fit	NA	
5209	MR. SANTOSH P KOLI	39	М	CIVIL	NA	NA			28/11/2021	Fit	NA	Fit	NA	
5211	MR. SOPAN V NIRMALE	36	M	SANITATION	NA	NA			28/11/2021	Fit	NA	Fit	NA	
5213	MR. SIDDHA B SALGARE	33	M	CIVIL	NA	NA			28/11/2021	Fit	NA	Fit	NA	
5214	MR. MANGESH V PATIL	35	M	CIVIL	NA	NA			28/11/2021	Fit	NA	Fit	NA	
5217	MR. ANILSING M RAJPUT	32	М	VEHICLE	NA	NA			28/11/2021	Fit	NA	Pit	NA	
5218	MR. AVINASH S SASANE	30	М	MANUFACTURING	NA	NA			28/11/2021	Fit	NA	Fit	NA	
0217	MR. BHAUSAHEB R CHOPADE	42	M	ENGINEERING	NA	NA			28/11/2021	Fit	NA	Fit	NA	1
												9	de S	5

Page 30 of 30

कोल्हापूर जिल्हाकरिता प्राधिकृत प्रमाणकश्चल्यचिकित्सक क्र. ACS 15-AM/2016

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाण



F. No. J-11011/41/2015-IA-II (I) Government of India Ministry of Environment, Forest and Climate Change (Impact Assessment Division)

Indira Paryavaran Bhawan Aliganj, Jor Bagh Road, New Delhi -110 003

Telefax: 011-24695365 E-mail: yogendra78@nic.in

Dated: 20th March, 2017

To,

The Chief Executive Officer
M/s Shri Gurudatt Sugars Limited
Gat No.61/A, Akiwat - Takaliwadi Road
Takaliwadi, Taluka Shirol
District - Kolhapur - 416 108
Maharashtra

Sub: Expansion of Sugar Plant (4900 TCD to 6000 TCD) and Co-generation Power Plant (15 MW to 21 MW) by M/s Shri Gurudatt Sugars Limited at Gat No.61/A, Akiwat-Takaliwadi Road, Takaliwadi, Taluka Shirol, District - Kolhapur, Maharashtra - Environmental Clearance - reg.

Ref: Online Proposal No. IA/MH/IND2/59911/2014 dated 22nd October, 2016.

Sir,

This has reference to your online proposal no. IA/MH/IND2/59911/2014 dated 22nd October, 2016, along with project documents including Form I, Terms of References, Pre-feasibility Report and EIA/EMP Report with public hearing report regarding the above mentioned project.

2. The Ministry of Environment, Forest and Climate Change has examined the application. It is noted that the proposal is Expansion of Sugar Plant (4900 TCD to 6000 TCD) and Co-generation Power Plant (15 MW to 21 MW) by M/s Shri Gurudatt Sugars Limited at Gat No.61/A, Akiwat-Takaliwadi Road, Takaliwadi, Taluka Shirol, District-Kolhapur, Maharashtra. As informed and as per the documents submitted by the Project Proponent (PP), no additional land is required as the project is proposed in the premises of sugar plant. The land area is 55 Acres. Area for green belt is 15 Acres. The total cost of the project is Rs. 86.34 crores. Raw Material is Sugarcane and Bagasse. No Protected area/Eco-sensitive area/Reserve forests are reported to be located within 10 km area of the project site. Krishna River (3 km), Panchganga River (5 km), and Dudhganga River (7 Km) are located within 10 km radius of the project site. Karnataka State is located within 4 km from the project site. The project thus falls in the interstate boundary region of Karnataka and Maharashtra. The plant will have the following configuration and production capacity:



Units		Existing Capacity	Proposed Capacity	Total Capacity after expansion	Working days
Sugar Plant		4900 TCD	1100 TCD	6000 TCD	160
Cogeneration P	ower	15 MW	6 MW	21 MW	160+124

- 3. All Sugar Industry (>5000 TCD cane crushing capacity) are listed at Sl. No. 5(j) of Schedule of EIA Notification under Category 'B'. However, considering the general condition that the project is located at distance of 4 km from the interstate boundary of Karnataka State, the project is considered under Category 'A' and are appraised at Central Level by Expert Appraisal Committee (EAC).
- 4. The project proposal was considered by the Expert Appraisal Committee (Industry-2) in its 36th meeting held during 16th 17th March, 2015 and recommended Terms of References (TORs) for the Project. The TOR has been issued by Ministry vide letter dated 18th May, 2015.
- 5. The project proposal was considered by the Expert Appraisal Committee (Industry -2) in its 17th meeting held during 26th 29th December, 2016. The Project Proponent and the accredited consultant M/s SD Engineering Services Pvt. Ltd, Aurangabad, gave a detailed presentation on the salient features of the project and proposed environmental protection measures to be undertaken, as per Terms of References (TORs) awarded in the 36th meeting of the EAC held during 16th 17th March, 2015.
- 6. The State Pollution Control Board, Maharashtra has issued CTE vide letter no. 1.0/BO/CAC-CELL/EIC No. KP-15740-14/EIC. 4729 dated 27/04/2015 and CTO vide letter no. 1.0/BO/CAC CELL/EIC-KP-17292-15/ O&R/CAC-418 dated 8/10/2016. The existing unit has been operating with Consent to Operate from the State Pollution Control Board. Consent of Industry was valid up to 31.07.2016. The PP has informed the EAC that the application for renewal is submitted and same is under consideration of the SPCB which will be issued under auto-renewal policy of State Government.
- 7. Public Hearing for the proposed project has been conducted by the Maharashtra State Pollution Control Board 24.08.2016. The EAC has deliberated upon the issues raised during the public hearing. The concerns were raised regarding employment opportunities, pollution due to waste water discharge from plant, etc. The EAC noted that the issues have satisfactorily been responded by the project proponent and incorporated in the final EIA-EMP report.
- 8. The Project Proponent has informed the EAC that the ambient air quality monitoring was carried out at 9 locations during October, 2015– December, 2015 and submitted baseline data indicates that ranges of concentrations of PM₁₀ (25 μ g/m³ to 47.8 μ g/m³), PM_{2.5} (7.5 μ g/m³ to 18.5 μ g/m³), SO₂ (7.1 μ g/m³ to 9.2 μ g/m³), CO (0.09 μ g/m³ -0.16 μ g/m³) and NOx (8.6 μ g/m³ to 11.1 μ g/m³) respectively.
- 9. The total requirement of water for sugar and cogeneration is 1405.25 m³/day for process, cooling, boiler and domestic purpose. Fresh water



Permission has been obtained from the concerned authority. Balance water shall be met through recycling of condensate water. Under no circumstances ground water shall be used in the factory.

- 10. Power requirement is 6 MW/day for sugar and co-gen unit, the same is met through own generation. The steam generating system for the proposed Cogeneration Project comprises of two multi-fuel fired boiler with a Maximum Continuous Rating (MCR) of 70 TPH and 40 TPH (total capacity 110 TPH), with the outlet steam parameters at 45 kg/cm² and 5000 C. Fuel for Boiler is Bagasse. The bagasse requirement is 182054 MT/year.
- 11. The PP has submitted a letter no. MPCB/RO/KOP- 2878/2016 dated 28/07/2016 issued by the Regional Officer, Kolhapur, Maharashtra Pollution Control Board mentioning that the effluent/wastewater generated by the existing plant is well within the prescribed limit, based on the direction of the EAC.
- 12. The EAC, in its 17th meeting held on 26th 29th December, 2016has found that the final EIA/EMP report submitted by the PP is adequate. The EAC after detailed deliberations, on the basis of the information and presentation made by the PP, has recommended the project for environmental clearance with certain conditions.
- 13. Based on the proposal and information submitted by the Project Proponent, and considering the recommendation of the Expert Appraisal Committee (Industry-2), the Ministry of Environment, Forest and Climate Change hereby accords Environmental Clearance to the above project under the provisions of EIA Notification dated 14th September 2006, subject to the compliance of the following Specific and General Conditions:

A. Specific Conditions:

- i. Zero liquid Discharge System shall be ensured.
- ii. Water requirement to be reduced at extent possible by using latest process methodology being used worldwide.
- iii. Fly Ash be generated shall be sent to nearby cement industry.
- iv. Green belt (10 m wide) of perennial plant species like Neem, Seasam, Teak etc., to be developed around the plant periphery ensuring the 33% area of the plant as green area. The Forest department may be consulted in this regard.
- v. Air emissions from all point source to be controlled by latest technology instruments. The emissions shall conform to the limits imposed by Maharashtra Pollution Control Board (MPCB).
- vi. Periodic soil and water sampling in nearby villages and water bodies to be done by the Project Authorities through 3rd part expert and report shall be submitted to the concerned regional office of the Ministry.
- vii. RO plant of sufficient capacity to be installed in the nearby villages to ensure safe drinking water supply. Maintenance of the RO plant will be owned by the Project Authorities.
- viii. Health check-up camps to be organized periodically in nearby villages.

-G.y-dr.

- ix. A regular environmental manager having PG qualification in environmental sciences/environmental engineering to be appointed for looking after the environmental management practices in the plant.
- x. Automatic/online monitoring system (24 x 7 monitoring devices) for flow measurement and relevant pollutants in the treatment system to be installed. The data to be made available to the respective SPCB and in the Company's website.

B. General Conditions:

- i. The project authorities must strictly adhere to the stipulations made by the Maharashtra Pollution Control Board, State Government and any other statutory authority.
- ii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- iii. The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.
- iv. The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be followed.
- v. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
- vi. The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water.
- vii. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
- viii. The company shall also comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management and risk mitigation measures relating to the project shall be implemented.



- ix. The company shall undertake all relevant measures for improving the socioeconomic conditions of the surrounding area. CSR activities shall be undertaken by involving local villages and administration.
- x. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.
- xi. A separate Environmental Management Cell equipped with full fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.
- xii. The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/pollution control measures shall not be diverted for any other purpose.
- xiii. A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal.
- xiv. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by email) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.
- xv. The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.
- xvi. The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at http://moef.nic.in. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.
- xvii. The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.



- 14. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- 15. The Ministry reserves the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.
- 16. The above conditions will be enforced, *inter alia* under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules, 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules.

(Yogendra Pal Singh)
Scientist 'D'

Copy to:-

- 1. The Secretary, Environment Department, Government of Maharashtra, 15th Floor, New Administrative Building, Mantralaya, Mumbai- 400 032.
- 2. The Additional Principal Chief Conservator of Forests (C), Ministry of Environment, Forest and Climate Change, Regional Office(WCZ), Ground Floor, East Wing, New Secretariat Building, Civil Line, Nagpur-440001.
- 3. The Chairman, Central Pollution Control Board, Parivesh Bhawan, CBD-cum-Office Complex East Arjun Nagar, Delhi 110 032.
- 4. The Chairman, Maharashtra Pollution Control Board, Kalpataru Point, 3rd and 4th floor, Opp. Cine Planet, Sion Circle, Mumbai-400 022.
- 5. Monitoring Cell, Ministry of Environment, Forest and Climate Change, Indira Paryavaran Bhavan, Jor Bhag, New Delhi- 110 003.
- 6. Guard File/Monitoring File/Website/Record File.

(Yogendra Pal Singh)
Scientist 'D'