



SHRI GURUDATT SUGARS LTD; Takaliwadi

ADD. : Gat No. 61/A, Akiwat Takaliwadi Road, Takaliwadi. Tal. : Shirol, Dist. : Kolhapur (MH) Pin Code : 416 1
PHONE. : +91 231 2686086 **FAX :** +91 231 2686000 **WEBSITE :** www.sgsl.co.in **Email :** gslsugars@gmail.com

SGSL/ENVI/ 442 /2025 -2026

Date – October 6,2025

To,
 The Regional Officer,
 Ministry of Environment, Forest & Climate Change,
 Regional office (WCZ), Ground Floor, East Wing,
 New Secretariat Building, Civil Lines, Nagpur.
 Tel No. 0712 – 2531318
 Email: moefregionalofficenagpur@gmail.com

Sub: Six Monthly (April 2025 to September 2025) Compliance Report of Environmental Clearance issued by MoEF & CC, New Delhi.

Ref: You're Letter No. J - 11011/41/2015-IA-II (I) Date - 07.06.2019.

Dear Sir,

With reference to the abovementioned subject and your reference cited above. Please find enclosed herewith Six monthly (From April 2025 to September 2025) Compliance Report of Environmental Clearance issued by MoEF & CC, New Delhi vide letter no. J - 11011/41/2015-IA-II (I) Date 07.06.2019.

We do hope that you will find the above information satisfactory. However, if you require additional information /clarification in this regard, kindly write back, so that we shall submit the information at the earliest.

Thanking You

Yours Faithfully,

FOR, SHRI GURUDATT SUGARS LTD.,


 CHIEF EXECUTIVE OFFICER

Enclosed – Compliance Report

C.C to: 1. The Regional officer, MPC Board, Kolhapur.
 2. The Sub - Regional officer, MPC Board, Kolhapur.

<p align="center">SHRI GURUDATT SUGARS LTD., Gat No. 61/A, Akiwat - Takaliwadi Road , Takaliwadi - 416108, Taluka - Shirol, Dist - Kolhapur, Maharashtra</p>		
<p align="center">Compliance of Conditions Stipulated in environmental clearance granted to expansion of Sugar Plant (From 6000 TCD to 13000 TCD), Co-generation Power Plant (From 21 MW to 90 MW), Distillery 150 KLPD & Refine Sugar 1755 TCD by MoEF & CC, New Delhi vide letter No. J - 11011/41/2015-IA-II (I) Date - 07/06/2019</p>		
EC No -	J - 11011/41/2015-IA-II (I) Date - 07/06/2019	October 2025
SR. NO.	EC Condition	Compliances
	A) Terms And Condition	
1	Prior approval shall be obtained from PESO for site and layout plan of storage facilities (Petroleum Storage Class A installation).	PA agreed to comply with.
2	Necessary permission as mandated under the water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, shall be obtained from the State Pollution Control Board as required.	MPCB was granted for NIPL Consent to Operate for Distillery of having Cap. 225 KLPD and Dryer 192 TPD (150 KLPD to 225 KLPD) Valid up to 31/08/2026.
3	As already committed by the project proponent. Zero Liquid Discharge shall be ensured and no waste / treated water shall be discharged outside the premises.	The effluent of 1350 m ³ /day from distillery will be sent to Biodigester (9500 m ³ x 02 Nos) followed by Dryer Mechanism and balance effluent will sent to MEE + Incineration Boiler of Cap. 22 TPH. The plant will be based on Zero Liquid discharge system.
4	Necessary authorization required under the Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016 shall be obtained and the provision contained in the Rules shall be strictly adhered to.	PA agreed to comply with.
5	To control source and the fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and/or the NAAQS. The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.	Air pollution control system: ESP Stack Diameter: 4.1 m Stack Height: 82 m. - Now, We have installed of Distillery Cap. 150 KLPD with Incineration Boiler of Cap. 22 TPH of Stack Height 82 mtr. X Dia 4.1 mtr
6	Coal less than 0.5% sulphur content shall be used as fuel in boiler.	PA agreed to comply with.

7	Total fresh water requirement shall not exceed 760 cum/day proposed to be met from Krishna River. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard.	Ours is the first Sugar factory in Maharashtra, wherein, we run the entire industrial activity with treated and recycled condensates, which is accrued from cane and no fresh water is utilized, for sugar factory operation. We have installed Condensate Polishing Unit (C.P.U) for sugar factory excess condensate water treatment and recycled purpose. Annexure. Sugar 6000 TCD:738 m3/day [Source - cane Water] Cogeneration 21 MW: 667.25 m3/day [Source - CPU Treated water], And Distillery 150 KLPD : 520 m3/day [Source - Krishna River water]
8	Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm and the solvent transfer through pumps.	PA agreed to comply with.
9	Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TEDF.	PA agreed to comply with.
10	The company shall strictly comply with the rules and guidelines under Manufacture, storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.	PA agreed to comply with.
11	The company shall undertake waste minimization measures as below.	
	Metering and control of quantities of active ingredients to minimize waste.	PA agreed to comply with.
	Reuse of by-products from there process as raw materials or as raw material substitutes in other processes.	PA agreed to comply with.
	Use of automated filling to minimize spillage.	PA agreed to comply with.
	Use of Close Feed system into batch reactors.	PA agreed to comply with.
	Venting equipment through vapor recovery system.	PA agreed to comply with.
Use of high pressure hoses for equipment cleaning to reduce wastewater generation.	PA agreed to comply with.	
12	The green belt of 5-10 m width shall be developed in more than 33% of the total project area mainly along the plant periphery, in downward wind direction, and along road sides etc. Selection of the plant species shall be as per the CPCB guidelines in consultation with the State Forest Department.	We have already planted 9750 Nos of tree as site

13	All the commitments made regarding issues raised during the public Hearing/Consultation meeting shall be satisfactorily implemented.	PA agreed to comply with.
14	At least 0.75% of the total project cost shall be allocated for Corporate Environment Responsibility (CER) and item-wise details along with time bound action plan shall be prepared and submitted to the Ministry's Regional Office.	PA agreed to comply with.
15	For the DG sets, emission limits and the stack height shall be in conformity with the extant regulations and the CPCB guidelines. Acoustic enclosure shall be provided to DG set for controlling the noise pollution	PA agreed to comply with.
16	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms.	PA agreed to comply with.
17	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	PA agreed to comply with.
18	There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places.	PA agreed to comply with.
19	Storage of raw material shall be done either in silos or covered area to prevent dust pollution and other fugitive emissions.	PA agreed to comply with.
20	Continuous online (24 x 7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.	We have installed online monitoring system for incineration Boiler stack and flow meter with WEBCAM for Con. Spent wash storage lagoon.
21	CO2 generated from the process shall be bottled/made solid ice sold to authorized vendors.	PA agreed to comply with.
22	There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places.	PA agreed to comply with.

General Conditions		
1	The project authorities must strictly adhere to the stipulation made by the State Pollution Control Board (SPCB), State Government and /or any other statutory authority.	PA agreed to comply with.
2	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	PA agreed to comply with.
3	The location of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations each is installed in the upwind and downwind direction as well as where maximum ground level concentration are anticipated.	Complied. Ambient air quality monitoring is being carried out at three (03) location within the plant. PA submitted that the locations were decided in consultation with MPCB. As per the monitoring data, the ambient air quality levels found to be within prescribed limits.
4	The National Ambient Air Quality Emission Standard issued by the Ministry vide G.S.R. No. 826€ dated 16th November, 2009 shall be complied with.	Complied. Ambient air quality monitoring is being carried out at three (03) location within the plant. PA submitted that the locations were decided in consultation with MPCB. As per the monitoring data, the ambient air quality levels found to be within prescribed limits.
5	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	Complied. Acoustic enclosures have been provided. Green belt has been developed around the plant area. As per the monitoring data, the noise levels found to be within stipulated limits. The copy is enclosed as Annexure 4 .
6	The company shall harvest rainwater from the roof tops of the buildings to recharge ground water, and to utilize the same for different industrial operations within the plant.	Complied. Roof top harvesting has been provided for the sugar godowns. Two collection pits of capacities 2100 cu.m. and 1600 cu.m. have been provided for the storage of rain water.
7	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis.	Complied. Personnel protective equipment has been provided to workers. The report are enclosed as Annexure .

8	<p>The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, risk mitigation measures and public hearing shall be implemented.</p>	<p>Electrostatics Precipitator (E.S.P) with a stack of height 82 m will provide for Incineration boiler in Distillery of Cap. 150 KLPD on 'C' Molasses. Also we will provide Effluent treatment plant (Condensate Polishing Unit). Treated effluent will use in the makeup of distillery cooling towers as well fermentation purpose. Green belt has been provided. Environmental quality monitoring is being carried out. CSR works are being undertaken. Vermi composting is being carried out with the waste generated in the cane yard. Compost is being supplied to the farmers.</p>
9	<p>The company shall undertake all measures for improving socio-economic conditions of the surrounding area. CSR activities shall be undertaken by involving local villagers, administration and other stake holders. Also eco-developmental measures shall be undertaken for overall improvement for environment.</p>	<p>Complied</p>
10	<p>The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and climate change as well as the State Government along with the implementation schedule for all the condition stipulated herein. The funds do earmarked for environment management / pollution control measures shall not be diverted for any other purpose.</p>	<p>Complied. As per the details provided, PA earmarked an amount of 26 cores towards capital expenditure and Rs. 6.30 cores towards recurring expenditure for environmental protection measures.</p>
11	<p>A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad / Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestion / representations, if any, were received while processing the proposal.</p>	<p>Copy of the environmental clearance submitted to Zilla Parishad, Kolhapur and Gram Panchayat, Takaliwadi on 14.06.2019, The copy is enclosed as Annexure.</p>
12	<p>The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including result of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF & CC, the respective Zonal office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.</p>	<p>Complied. However same has been uploaded to the company website.</p>

14	<p>The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF & CC by e-mail.</p>	<p>Complied. Environment statement for the FY 2024-25 submitted to MPCB vide letter dated 11.04.2025, however the same was uploaded to the company website.</p>
15	<p>The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB / Committee and may also be seen at Website of the Ministry at http://moef.nic.in. This shall be advertised within seven days from the date of issue of the clearance letter, atleast in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.</p>	<p>Advertisement regarding to grant of EC was made on 15.06.2019. The copy is enclosed as Annexure .</p>
16	<p>The Ministry reserve the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.</p>	<p>PA agreed to comply with.</p>
17	<p>The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules, 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules.</p>	<p>PA agreed to comply with.</p>

WATER BALANCE –SHRI GURUDATT SUGARS LTD.							
	Water Source	Qty Available (m³/day)	UTILIZATION	Qty Required (m³/day)	Condensate Qty Used (m³/day)	Raw Water Requirement (m³/day)	
SUGAR, CO-GEN. AND DISTILLERY IN OPERATION							
Number of Days 160			1. Fermenter Makeup	841	841	-	
			2. Cooling Tower Makeup (Co-Gen)	720	720	-	
		Sugar Condensate	3. Other Uses (Sugar)	471	471	-	
			4. Advanced WTP (Co-Gen)	432	432	-	
			5. Distillation Column	240	240	-	
			6. Boiler makeup(Distillery)	72	72	-	
		Distillery Condensate & Spentleese Fresh Water	1. Cooling Tower make-up (Dist.)	1080	1080	-	
			2. Vacuum pump sealing (Dist.)	120	120	-	
			3. Fermenter Makeup	300	300	-	
				1. Domestic	30	-	30
				Net Raw Water Requirement			30
				FRESH WATER REQUIREMENT PER YEAR - CUM			4800

WATER BALANCE -SHRI GURUDATT SUGARS LTD.						
	Water Source	Qty Available (m³/day)	UTILIZATION	Qty Required (m³/day)	Condensate Qty Used (m³/day)	Raw Water Requirement (m³/day)
CO-GEN. AND DISTILLERY IN OPERATION						
Number of Days 72	Fresh Water	2320	1. Fermenter Makeup	841		841
			2. Cooling Tower Makeup (Co-Gen)	720		720
			3. Advanced WTP (Co-Gen)	432		432
			4. Distillation Column	240		240
			5. Boiler makeup(Distillery)	72		72
	Distillery Condensate & Spentleese	1500	1. Cooling Tower make-up (Dist.)	1080	1080	-
			2. Vacuum pump sealing (Dist.)	120	120	-
			3. Fermenter Makeup	300	300	-
	Fresh Water			1. Domestic	15	15
				Net Fresh Water Requirement		
			FRESH WATER REQUIREMENT PER YEAR - CUM			167040



Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/24-25/3126/1
Dated	: 30/12/2024
Inward No.	: GS-1556
Inward Date	: 25/12/2024
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

Sr. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	24/12/2024		
02	TEST LOCATION		Near Factory Main Gate		
03	TIME OF SAMPLING	Hrs	09:00-17:00		
04	TEMPERATURE (Max./Min)	Deg C	31/18		
05	RELATIVE HUMIDITY	% RH	50		
06	SAMPLING DURATION	Hrs	8		
07	PM ₁₀	µg/m ³	84.20	≤100	IS 5182(part 23):2006, RA 2022
08	PM _{2.5}	µg/m ³	44.99	≤60	IS 5182(part 24):2019
09	SO ₂	µg/m ³	10.49	≤80	IS 5182(part 2):2023
10	NO ₂	µg/m ³	28.58	≤80	IS 5182(part 6):2006 RA 2022

Calibrations details: -

Sr. No.	Instrument Name	Serial / Identification No.	Certificate No.	Last Calibrated on	Due Date
1	AFDS-GSES/ADS-01	AFDS/FM-01	SSEC/FF/1250	08/06/2024	07/06/2025
2	RDS-GSES/RDS-01	RDS/UM-01	SSEC/FF/1242	08/06/2024	07/06/2025

NAAQS – National Ambient Air Quality Standards (2009)



For HORIZON SERVICES

MANISHA NARGOLKAR

**MANISHA NARGOLKAR
(Lab Incharge)**

****End of Test Report****



Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/24-25/3126/1
Dated	: 30/12/2024
Inward No.	: GS-1556
Inward Date	: 25/12/2024
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	24/12/2024		
02	TEST LOCATION		Near Factory Main Gate		
03	TIME OF SAMPLING	Hrs	09:00-17:00		
04	TEMPERATURE (Max./Min)	Deg C	31/18		
05	RELATIVE HUMIDITY	% RH	50		
06	SAMPLING DURATION	Hrs	8		
07	PM ₁₀	µg/m ³	84.20	≤100	IS 5182(part 23):2006, RA 2022
08	PM _{2.5}	µg/m ³	44.99	≤60	IS 5182(part 24):2019
09	SO ₂	µg/m ³	10.49	≤80	IS 5182(part 2):2023
10	NO ₂	µg/m ³	28.58	≤80	IS 5182(part 6):2006 RA 2022

Calibrations details: -

Sr. No.	Instrument Name	Serial / Identification No.	Certificate No.	Last Calibrated on	Due Date
1	AFDS-GSES/ADS-01	AFDS/FM-01	SSEC/FF/1250	08/06/2024	07/06/2025
2	RDS-GSES/RDS-01	RDS/UM-01	SSEC/FF/1242	08/06/2024	07/06/2025

NAAQS – National Ambient Air Quality Standards (2009)



For HORIZON SERVICES

Manisha Nargolkar

**MANISHA NARGOLKAR
(Lab Incharge)**



Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/24-25/3126/2
Dated	: 30/12/2024
Inward No.	: GS-1556
Inward Date	: 25/12/2024
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

Sr. No.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	24/12/2024		
02	TEST LOCATION		Near Weigh Bridge		
03	TIME OF SAMPLING	Hrs	09:15-17:15		
04	TEMPERATURE (Max./Min)	Deg C	31/18		
05	RELATIVE HUMIDITY	% RH	50		
06	SAMPLING DURATION	Hrs	8		
07	PM ₁₀	µg/m ³	88.02	≤100	IS 5182(part 23):2006, RA 2022
08	PM _{2.5}	µg/m ³	48.74	≤60	IS 5182(part 24):2019
09	SO ₂	µg/m ³	10.74	≤80	IS 5182(part 2):2023
10	NO ₂	µg/m ³	30.17	≤80	IS 5182(part 6):2006 RA 2022

Calibrations details: -

Sr. No.	Instrument Name	Serial / Identification No.	Certificate No.	Last Calibrated on	Due Date
1	AFDS-GSES/ADS-02	AFDS/FM-02	SSEC/FF/1251	08/06/2024	07/06/2025
2	RDS-GSES/RDS-02	RDS/UM-02	SSEC/FF/1243	08/06/2024	07/06/2025

NAAQS – National Ambient Air Quality Standards (2009)
BDL- Below detectable level



For HORIZON SERVICES

MANISHA NARGOLKAR

MANISHA NARGOLKAR
(Lab Incharge)



Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

Shree, K 34, S. No. 10, Brahmanand Housing Society, Opposite Government Nargolkar Hospital, Pune-411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in | md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/24-25/3126/3
Dated	: 30/12/2024
Inward No.	: GS-1556
Inward Date	: 25/12/2024
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	24/12/2024		
02	TEST LOCATION		Near ETP		
03	TIME OF SAMPLING	Hrs	09:30-17:30		
04	TEMPERATURE (Max./Min)	Deg C	31/18		
05	RELATIVE HUMIDITY	% RH	50		
06	SAMPLING DURATION	Hrs	8		
07	PM ₁₀	µg/m ³	78.0	≤100	IS 5182(part 23):2006, RA 2022
08	PM _{2.5}	µg/m ³	39.0	≤60	IS 5182(part 24):2019
09	SO ₂	µg/m ³	10.20	≤80	IS 5182(part 2):2023
10	NO ₂	µg/m ³	29.80	≤80	IS 5182(part 6):2006 RA 2022

Calibrations details: -

Sr. No.	Instrument Name	Serial / Identification No.	Certificate No.	Last Calibrated on	Due Date
1	AFDS-GSES/ADS-03	AFDS/FM-03	SSEC/FF/1252	08/06/2024	07/06/2025
2	RDS-GSES/RDS-03	RDS/UM-03	SSEC/FF/1244	08/06/2024	07/06/2025

NAAQS – National Ambient Air Quality Standards (2009)



For HORIZON SERVICES

Manisha Nargolkar

MANISHA NARGOLKAR
(Lab Incharge)



Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

Report No.	: HS/REP/24-25/3126/4
Dated	: 30/12/2024
Inward No.	: GS-1556
Inward Date	: 25/12/2024
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	Methods Used
01	DATE OF SAMPLING	DD/MM/YY	24/12/2024		
02	TEST LOCATION		Boiler 1 & 2 (Capacity-70 MT/Hr & 40 MT/Hr)		
03	TIME OF SAMPLING (00.00)	Hrs	10:30		
04	MATERIAL OF STACK		--		
05	STACK HEIGHT (AGL)	Mtr	65		
06	TYPE OF FUEL USED	--	Bagasse		
07	FUEL CONSUMPTION	MT/Hr	55		
08	TYPE OF STACK		Round		
09	FLUE GAS TEMPERATURE	Deg C	157		
10	VELOCITY	M/Sec	7.81		
11	DIAMETER OF STACK	M	3.43		
12	GAS VOLUME	Nm ³ /Hr	179729.72		
13	PM	mg/Nm ³	81.86	As per Consent	IS 11255 (Part 1): 1985, RA 2019
14	SO ₂	Kg/Day	94.0	As per Consent	IS 11255 (Part 2): 1985, RA 2019

Calibrations details: -

Sr. No.	Instrument Name	Serial / Identification No.	Certificate No.	Last Calibrated on	Due Date
1	SK-GSES/SK	SMK/RM-01	SSEC/FF/1239	07/06/2024	06/06/2025



For HORIZON SERVICES

Manisha Nargolkar

MANISHA NARGOLKAR
(Lab Incharge)

****End of Test Report****



Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

Report No.	: HS/REP/24-25/3126/5
Dated	: 30/12/2024
Inward No.	: GS-1556
Inward Date	: 25/12/2024
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	Methods Used
01	DATE OF SAMPLING	DD/MM/YY	24/12/2024		
02	TEST LOCATION		Incinerator Boiler		
03	TIME OF SAMPLING (00.00)	Hrs	11:00		
04	MATERIAL OF STACK		--		
05	STACK HEIGHT	Mtr	82		
06	TYPE OF FUEL USED	--	Coal & Con. Spent Wash		
07	TYPE OF STACK		Round		
08	FLUE GAS TEMPERATURE	Deg C	198		
09	VELOCITY	M/Sec	8.82		
10	DIAMETER OF STACK	M	4.43		
11	GAS VOLUME	Nm ³ /Hr	309293.18		
12	PM	mg/Nm ³	60.65	As per Consent	IS 11255 (Part 1): 1985, RA 2019
13	SO ₂	Kg/Day	104.80	As per Consent	IS 11255 (Part 2): 1985, RA 2019

Calibrations details: -

Sr. No.	Instrument Name	Serial / Identification No.	Certificate No.	Last Calibrated on	Due Date
1	SK-GSES/SK	SMK/RM-01	SSEC/FF/1239	07/06/2024	06/06/2025



For HORIZON SERVICES

Manisha Nargolkar
MANISHA NARGOLKAR
(Lab Incharge)

****End of Test Report****



Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS M/s Shri Gurudatt Sugars Ltd., (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT NO	HS/LAB/WA/04960A
	REPORT DATE	30/12/2024
	LAB REFERENCE NO	HS/LAB/WA/1865A
	DATE OF SAMPLING	24/12/2024
	DATE OF ANALYSIS	25/12/2024

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Industrial Waste Water	M/s. Greensafe Enviro Services	Treated	ETP

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	MPCB LIMITS	TEST METHOD
1	pH	---	6.96	5.5-9.0	APHA 24 th Ed 2023, 4500-H+B
2	Total Suspended Solids	mg/lit	51.00	< 100.00	APHA 24 th Ed 2023, 2540 D
3	Total Dissolved Solids	mg/lit	1956.00	< 2100.00	APHA 24 th Ed 2023, 2540 C
4	Chemical Oxygen Demand	mg/lit	90.00	< 250.00	APHA 24 th Ed 2023, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	25.00	< 100.00	IS-3025 (Part 44) R-2023
6	Chlorides as Cl ⁻	mg/lit	130.00	< 600.00	APHA 24 th Ed 2023, 4500 Cl-B
7	Sulphates as SO ₄ ⁻⁻	mg/lit	344.00	< 1000.00	APHA 24 th Ed 2023, 4500 SO ₄ E
8	Oil & Grease	mg/lit	< 5.00	< 10.00	APHA 24 th Ed 2023, 5520 B



For HORIZON SERVICES

Manoj Kumar

(LAB INCHARGE)



Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/04961A
M/s Shri Gurudatt Sugars Ltd., (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	30/12/2024
	LAB REFERENCE NO	HS/LAB/WA/1865A
	DATE OF SAMPLING	24/12/2024
	DATE OF ANALYSIS	25/12/2024

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Well Water Sample	M/s. Greensafe Enviro Services	---	Sachin Koli- Takali

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	LIMITS AS PER IS10500: 2012 (RA 2018)	TEST METHOD
01	pH	---	7.10	6.5 – 8.5	APHA 24 th Ed 2023, 4500-H*B
02	Electric Conductivity	µS/cm	420.00	Not Specified	APHA 24 th Ed 2023, 2510 B
03	Colour	Pt/Co	< 5.00	<5.00	APHA 24 th Ed 2023, 2120 C
04	Odour	---	Agreeable	Agreeable	IS 3025 (P-5):1983 RA 2022
05	Turbidity	NTU	0.40	<1.00	APHA 24 th Ed 2023, 2130 B
06	Total Dissolved Solids	mg/lit	260.00	<500.00	APHA 24 th Ed 2023, 2540 C
07	Chemical Oxygen Demand	mg/lit	6.00	Not Specified	APHA 24 th Ed 2023, 5220 C
08	BOD (27°C for 3 days)	mg/lit	2.00	Not Specified	IS 3025 (Part 44)- R-2023
09	Chlorides as Cl ⁻	mg/lit	30.00	<250.00	APHA 24 th Ed 2023, 4500 Cl-B
10	Sulphates as SO ₄ ⁻⁻	mg/lit	64.00	<200.00	APHA 24 th Ed 2023, 4500 SO4 E
11	Alkalinity as CaCO ₃	mg/lit	44.00	<200.00	APHA 24 th Ed 2023, 2320 B
12	Calcium as Ca	mg/lit	16.80	<75.00	APHA 24 th Ed 2023, 3500 Ca B
13	Magnesium as Mg	mg/lit	20.00	<30.00	APHA 24 th Ed 2023, 3500 Mg B
14	Total Hardness as CaCO ₃	mg/lit	124.00	<200.00	APHA 24 th Ed 2023, 2340 C
15	Iron as Fe	mg/lit	0.20	<0.30	APHA 24 th Ed 2023, 3500 Fe B
16	Fluoride as F ⁻	mg/lit	0.10	<1.00	APHA 24 th Ed 2023, 4500-F- D
17	Sodium as Na	mg/lit	6.00	Not Specified	APHA 24 th Ed 2023, 3500 Na B

REMARK: As per IS 10500: 2012(RA 2018), above water sample is chemically potable for drinking purpose, for the parameters tested.



For HORIZON SERVICES

Manoj Kumar
(LAB INCHARGE)



Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT NOISE LEVEL MONITORING REPORT

Report No.	: HS/REP/24-25/3126/6
Dated	: 30/12/2024
Inward No.	: GS-1556
Inward Date	: 25/12/2024
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES
Date of Sampling	: 24/12/2024

RESULTS

SR. NO.	TEST LOCATION	UNIT	DAY TIME		NIGHT TIME	
			Time	Readings	Time	Readings
01	Near Main Gate	dB (A)	11:05 hrs.	71.5	22:10 hrs.	66.6
02	Near Boiler	dB (A)	11:10 hrs.	69.9	22:15 hrs.	67.2
03	Near ETP Area	dB (A)	11:15 hrs.	68.2	22:20 hrs.	63.8
04	Near Sugar Godown	dB (A)	11:20 hrs.	72.2	22:25 hrs.	68.5
05	Near Laboratory	dB (A)	11: 25 hrs.	73.0	22:30 hrs.	67.2
06	Near Mill House	dB (A)	11:30 hrs.	72.7	23:35 hrs.	68.4
07	Near Pan Section	dB (A)	11:35 hrs.	73.1	23:40 hrs.	69.1
08	Near Sugar Plant	dB (A)	11:40 hrs.	72.9	23:45 hrs.	68.5
09	Near Weigh Bridge	dB (A)	11:45 hrs.	71.1	23:50 hrs.	66.8
10	Near Centrifugal	dB (A)	11:50 hrs.	72.6	23:55 hrs.	68.9

Calibrations details: -

Sr. No	Instrument Name	Serial / Identification No.	Certificate No.	Last Calibrated on	Due date
1	SLM-GSES/DB-01 Make- Mextech, MODEL NO.-4201	GE/DB-01	SSEC/ME/205	07/06/2024	06/06/2025

Limits:

≤75 dB (A) For Day Time

≤70 dB (A) For Night Time

REMARK/OBSERVATIONS:

Noise levels limits are given as per Noise Pollution (Regulation & Control) Rules 2000.



For HORIZON SERVICES

MANISHA NARGOLKAR

MANISHA NARGOLKAR
(Lab Incharge)

****End of Test Report****



Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/04962A
M/s Shri Gurudatt Sugars Ltd., (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	30/12/2024
	LAB REFERENCE NO	HS/LAB/WA/1865A
	DATE OF SAMPLING	24/12/2024
	DATE OF ANALYSIS	25/12/2024

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Soil Sample	M/s. Greensafe Enviro Services	---	Ramchandra Bedkihale

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	TEST METHOD
1	pH (10 % Extract)	---	7.14	IS 2720 (Part 26) 1987 RA 2016
2	Chlorides as Cl ⁻	mg/kg	178.00	SOP NO: HS/ NABL/ SOIL/27
3	Sulphates as SO ₄ ⁻⁻	mg/kg	11.25	IS 2720 (Part 27)- 2020
4	Total Chromium as Cr	mg/kg	4.00	SOP NO: HS/ NABL/ SOIL/20
5	Total Nitrogen as N	mg/kg	124.00	IS 14684:2019
6	Phosphorus as P	mg/kg	27.65	SOP NO: HS/ NABL/ SOIL/08
7	Nickel as Ni	mg/kg	24.00	SOP NO: HS/ NABL/ SOIL/20
8	Cadmium as Cd	mg/kg	0.60	SOP NO: HS/ NABL/ SOIL/20
9	Copper as Cu	mg/kg	34.00	SOP NO: HS/ NABL/ SOIL/26
10	Zinc as Zn	mg/kg	30.00	SOP NO: HS/ NABL/ SOIL/20
11	Total Ammonia as N	mg/kg	26.50	Ministry of Agriculture 2011



For HORIZON SERVICES

M. N. Alge

(LAB INCHARGE)



Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

Report No.	: HS/REP/24-25/3126/4
Dated	: 30/12/2024
Inward No.	: GS-1556
Inward Date	: 25/12/2024
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	Methods Used
01	DATE OF SAMPLING	DD/MM/YY	24/12/2024		
02	TEST LOCATION		Boiler 1 & 2 (Capacity-70 MT/Hr & 40 MT/Hr)		
03	TIME OF SAMPLING (00.00)	Hrs	10:30		
04	MATERIAL OF STACK		--		
05	STACK HEIGHT (AGL)	Mtr	65		
06	TYPE OF FUEL USED	--	Bagasse		
07	FUEL CONSUMPTION	MT/Hr	55		
08	TYPE OF STACK		Round		
09	FLUE GAS TEMPERATURE	Deg C	157		
10	VELOCITY	M/Sec	7.81		
11	DIAMETER OF STACK	M	3.43		
12	GAS VOLUME	Nm ³ /Hr	179729.72		
13	PM	mg/Nm ³	81.86	As per Consent	IS 11255 (Part 1): 1985, RA 2019
14	SO ₂	Kg/Day	94.0	As per Consent	IS 11255 (Part 2): 1985, RA 2019

Calibrations details: -

Sr. No.	Instrument Name	Serial / Identification No.	Certificate No.	Last Calibrated on	Due Date
1	SK-GSES/SK	SMK/RM-01	SSEC/FF/1239	07/06/2024	06/06/2025



For HORIZON SERVICES

Manisha Nargolkar

MANISHA NARGOLKAR
(Lab Incharge)

****End of Test Report****



Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/24-25/3126/1
Dated	: 30/12/2024
Inward No.	: GS-1556
Inward Date	: 25/12/2024
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

Sr. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	24/12/2024		
02	TEST LOCATION		Near Factory Main Gate		
03	TIME OF SAMPLING	Hrs	09:00-17:00		
04	TEMPERATURE (Max./Min)	Deg C	31/18		
05	RELATIVE HUMIDITY	% RH	50		
06	SAMPLING DURATION	Hrs	8		
07	PM ₁₀	µg/m ³	84.20	≤100	IS 5182(part 23):2006, RA 2022
08	PM _{2.5}	µg/m ³	44.99	≤60	IS 5182(part 24):2019
09	SO ₂	µg/m ³	10.49	≤80	IS 5182(part 2):2023
10	NO ₂	µg/m ³	28.58	≤80	IS 5182(part 6):2006 RA 2022

Calibrations details: -

Sr. No.	Instrument Name	Serial / Identification No.	Certificate No.	Last Calibrated on	Due Date
1	AFDS-GSES/ADS-01	AFDS/FM-01	SSEC/FF/1250	08/06/2024	07/06/2025
2	RDS-GSES/RDS-01	RDS/UM-01	SSEC/FF/1242	08/06/2024	07/06/2025

NAAQS – National Ambient Air Quality Standards (2009)



For HORIZON SERVICES

MANISHA NARGOLKAR

**MANISHA NARGOLKAR
(Lab Incharge)**

****End of Test Report****



Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT NOISE LEVEL MONITORING REPORT

Report No.	: HS/REP/24-25/3126/6
Dated	: 30/12/2024
Inward No.	: GS-1556
Inward Date	: 25/12/2024
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES
Date of Sampling	: 24/12/2024

RESULTS

SR. NO.	TEST LOCATION	UNIT	DAY TIME		NIGHT TIME	
			Time	Readings	Time	Readings
01	Near Main Gate	dB (A)	11:05 hrs.	71.5	22:10 hrs.	66.6
02	Near Boiler	dB (A)	11:10 hrs.	69.9	22:15 hrs.	67.2
03	Near ETP Area	dB (A)	11:15 hrs.	68.2	22:20 hrs.	63.8
04	Near Sugar Godown	dB (A)	11:20 hrs.	72.2	22:25 hrs.	68.5
05	Near Laboratory	dB (A)	11: 25 hrs.	73.0	22:30 hrs.	67.2
06	Near Mill House	dB (A)	11:30 hrs.	72.7	23:35 hrs.	68.4
07	Near Pan Section	dB (A)	11:35 hrs.	73.1	23:40 hrs.	69.1
08	Near Sugar Plant	dB (A)	11:40 hrs.	72.9	23:45 hrs.	68.5
09	Near Weigh Bridge	dB (A)	11:45 hrs.	71.1	23:50 hrs.	66.8
10	Near Centrifugal	dB (A)	11:50 hrs.	72.6	23:55 hrs.	68.9

Calibrations details: -

Sr. No	Instrument Name	Serial / Identification No.	Certificate No.	Last Calibrated on	Due date
1	SLM-GSES/DB-01 Make- Mextech, MODEL NO.-4201	GE/DB-01	SSEC/ME/205	07/06/2024	06/06/2025

Limits:

≤75 dB (A) For Day Time

≤70 dB (A) For Night Time

REMARK/OBSERVATIONS:

Noise levels limits are given as per Noise Pollution (Regulation & Control) Rules 2000.



For HORIZON SERVICES

MANISHA NARGOLKAR

MANISHA NARGOLKAR
(Lab Incharge)

****End of Test Report****



Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

Report No.	: HS/REP/24-25/3126/4
Dated	: 30/12/2024
Inward No.	: GS-1556
Inward Date	: 25/12/2024
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	Methods Used
01	DATE OF SAMPLING	DD/MM/YY	24/12/2024		
02	TEST LOCATION		Boiler 1 & 2 (Capacity-70 MT/Hr & 40 MT/Hr)		
03	TIME OF SAMPLING (00.00)	Hrs	10:30		
04	MATERIAL OF STACK		--		
05	STACK HEIGHT (AGL)	Mtr	65		
06	TYPE OF FUEL USED	--	Bagasse		
07	FUEL CONSUMPTION	MT/Hr	55		
08	TYPE OF STACK		Round		
09	FLUE GAS TEMPERATURE	Deg C	157		
10	VELOCITY	M/Sec	7.81		
11	DIAMETER OF STACK	M	3.43		
12	GAS VOLUME	Nm ³ /Hr	179729.72		
13	PM	mg/Nm ³	81.86	As per Consent	IS 11255 (Part 1): 1985, RA 2019
14	SO ₂	Kg/Day	94.0	As per Consent	IS 11255 (Part 2): 1985, RA 2019

Calibrations details: -

Sr. No.	Instrument Name	Serial / Identification No.	Certificate No.	Last Calibrated on	Due Date
1	SK-GSES/SK	SMK/RM-01	SSEC/FF/1239	07/06/2024	06/06/2025



For HORIZON SERVICES

Manisha Nargolkar

MANISHA NARGOLKAR
(Lab Incharge)

****End of Test Report****



Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

Report No.	: HS/REP/24-25/3126/5
Dated	: 30/12/2024
Inward No.	: GS-1556
Inward Date	: 25/12/2024
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	Methods Used
01	DATE OF SAMPLING	DD/MM/YY	24/12/2024		
02	TEST LOCATION		Incinerator Boiler		
03	TIME OF SAMPLING (00.00)	Hrs	11:00		
04	MATERIAL OF STACK		--		
05	STACK HEIGHT	Mtr	82		
06	TYPE OF FUEL USED	--	Coal & Con. Spent Wash		
07	TYPE OF STACK		Round		
08	FLUE GAS TEMPERATURE	Deg C	198		
09	VELOCITY	M/Sec	8.82		
10	DIAMETER OF STACK	M	4.43		
11	GAS VOLUME	Nm ³ /Hr	309293.18		
12	PM	mg/Nm ³	60.65	As per Consent	IS 11255 (Part 1): 1985, RA 2019
13	SO ₂	Kg/Day	104.80	As per Consent	IS 11255 (Part 2): 1985, RA 2019

Calibrations details: -

Sr. No.	Instrument Name	Serial / Identification No.	Certificate No.	Last Calibrated on	Due Date
1	SK-GSES/SK	SMK/RM-01	SSEC/FF/1239	07/06/2024	06/06/2025



For HORIZON SERVICES

Manisha Nargolkar
MANISHA NARGOLKAR
(Lab Incharge)

****End of Test Report****



Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/24-25/3126/1
Dated	: 30/12/2024
Inward No.	: GS-1556
Inward Date	: 25/12/2024
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

Sr. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	24/12/2024		
02	TEST LOCATION		Near Factory Main Gate		
03	TIME OF SAMPLING	Hrs	09:00-17:00		
04	TEMPERATURE (Max./Min)	Deg C	31/18		
05	RELATIVE HUMIDITY	% RH	50		
06	SAMPLING DURATION	Hrs	8		
07	PM ₁₀	µg/m ³	84.20	≤100	IS 5182(part 23):2006, RA 2022
08	PM _{2.5}	µg/m ³	44.99	≤60	IS 5182(part 24):2019
09	SO ₂	µg/m ³	10.49	≤80	IS 5182(part 2):2023
10	NO ₂	µg/m ³	28.58	≤80	IS 5182(part 6):2006 RA 2022

Calibrations details: -

Sr. No.	Instrument Name	Serial / Identification No.	Certificate No.	Last Calibrated on	Due Date
1	AFDS-GSES/ADS-01	AFDS/FM-01	SSEC/FF/1250	08/06/2024	07/06/2025
2	RDS-GSES/RDS-01	RDS/UM-01	SSEC/FF/1242	08/06/2024	07/06/2025

NAAQS – National Ambient Air Quality Standards (2009)



For HORIZON SERVICES

MANISHA NARGOLKAR

**MANISHA NARGOLKAR
(Lab Incharge)**

****End of Test Report****



Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

Report No.	: HS/REP/24-25/3126/5
Dated	: 30/12/2024
Inward No.	: GS-1556
Inward Date	: 25/12/2024
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	Methods Used
01	DATE OF SAMPLING	DD/MM/YY	24/12/2024		
02	TEST LOCATION		Incinerator Boiler		
03	TIME OF SAMPLING (00.00)	Hrs	11:00		
04	MATERIAL OF STACK		--		
05	STACK HEIGHT	Mtr	82		
06	TYPE OF FUEL USED	--	Coal & Con. Spent Wash		
07	TYPE OF STACK		Round		
08	FLUE GAS TEMPERATURE	Deg C	198		
09	VELOCITY	M/Sec	8.82		
10	DIAMETER OF STACK	M	4.43		
11	GAS VOLUME	Nm ³ /Hr	309293.18		
12	PM	mg/Nm ³	60.65	As per Consent	IS 11255 (Part 1): 1985, RA 2019
13	SO ₂	Kg/Day	104.80	As per Consent	IS 11255 (Part 2): 1985, RA 2019

Calibrations details: -

Sr. No.	Instrument Name	Serial / Identification No.	Certificate No.	Last Calibrated on	Due Date
1	SK-GSES/SK	SMK/RM-01	SSEC/FF/1239	07/06/2024	06/06/2025



For HORIZON SERVICES

Manisha Nargolkar
MANISHA NARGOLKAR
(Lab Incharge)

****End of Test Report****



Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/24-25/3126/1
Dated	: 30/12/2024
Inward No.	: GS-1556
Inward Date	: 25/12/2024
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	24/12/2024		
02	TEST LOCATION		Near Factory Main Gate		
03	TIME OF SAMPLING	Hrs	09:00-17:00		
04	TEMPERATURE (Max./Min)	Deg C	31/18		
05	RELATIVE HUMIDITY	% RH	50		
06	SAMPLING DURATION	Hrs	8		
07	PM ₁₀	µg/m ³	84.20	≤100	IS 5182(part 23):2006, RA 2022
08	PM _{2.5}	µg/m ³	44.99	≤60	IS 5182(part 24):2019
09	SO ₂	µg/m ³	10.49	≤80	IS 5182(part 2):2023
10	NO ₂	µg/m ³	28.58	≤80	IS 5182(part 6):2006 RA 2022

Calibrations details: -

Sr. No.	Instrument Name	Serial / Identification No.	Certificate No.	Last Calibrated on	Due Date
1	AFDS-GSES/ADS-01	AFDS/FM-01	SSEC/FF/1250	08/06/2024	07/06/2025
2	RDS-GSES/RDS-01	RDS/UM-01	SSEC/FF/1242	08/06/2024	07/06/2025

NAAQS – National Ambient Air Quality Standards (2009)



For HORIZON SERVICES

Manisha Nargolkar

**MANISHA NARGOLKAR
(Lab Incharge)**



Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/24-25/3126/2
Dated	: 30/12/2024
Inward No.	: GS-1556
Inward Date	: 25/12/2024
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

Sr. No.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	24/12/2024		
02	TEST LOCATION		Near Weigh Bridge		
03	TIME OF SAMPLING	Hrs	09:15-17:15		
04	TEMPERATURE (Max./Min)	Deg C	31/18		
05	RELATIVE HUMIDITY	% RH	50		
06	SAMPLING DURATION	Hrs	8		
07	PM ₁₀	µg/m ³	88.02	≤100	IS 5182(part 23):2006, RA 2022
08	PM _{2.5}	µg/m ³	48.74	≤60	IS 5182(part 24):2019
09	SO ₂	µg/m ³	10.74	≤80	IS 5182(part 2):2023
10	NO ₂	µg/m ³	30.17	≤80	IS 5182(part 6):2006 RA 2022

Calibrations details: -

Sr. No.	Instrument Name	Serial / Identification No.	Certificate No.	Last Calibrated on	Due Date
1	AFDS-GSES/ADS-02	AFDS/FM-02	SSEC/FF/1251	08/06/2024	07/06/2025
2	RDS-GSES/RDS-02	RDS/UM-02	SSEC/FF/1243	08/06/2024	07/06/2025

NAAQS – National Ambient Air Quality Standards (2009)
BDL- Below detectable level



For HORIZON SERVICES

MANISHA NARGOLKAR

MANISHA NARGOLKAR
(Lab Incharge)



Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

Shree, K 34, S. No. 10, Brahmanand Housing Society, Opposite Government Nargolkar Hospital, Pune-411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in | md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/24-25/3126/3
Dated	: 30/12/2024
Inward No.	: GS-1556
Inward Date	: 25/12/2024
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	24/12/2024		
02	TEST LOCATION		Near ETP		
03	TIME OF SAMPLING	Hrs	09:30-17:30		
04	TEMPERATURE (Max./Min)	Deg C	31/18		
05	RELATIVE HUMIDITY	% RH	50		
06	SAMPLING DURATION	Hrs	8		
07	PM ₁₀	µg/m ³	78.0	≤100	IS 5182(part 23):2006, RA 2022
08	PM _{2.5}	µg/m ³	39.0	≤60	IS 5182(part 24):2019
09	SO ₂	µg/m ³	10.20	≤80	IS 5182(part 2):2023
10	NO ₂	µg/m ³	29.80	≤80	IS 5182(part 6):2006 RA 2022

Calibrations details: -

Sr. No.	Instrument Name	Serial / Identification No.	Certificate No.	Last Calibrated on	Due Date
1	AFDS-GSES/ADS-03	AFDS/FM-03	SSEC/FF/1252	08/06/2024	07/06/2025
2	RDS-GSES/RDS-03	RDS/UM-03	SSEC/FF/1244	08/06/2024	07/06/2025

NAAQS – National Ambient Air Quality Standards (2009)



For HORIZON SERVICES

Manisha Nargolkar

MANISHA NARGOLKAR
(Lab Incharge)



Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

Report No.	: HS/REP/24-25/3126/4
Dated	: 30/12/2024
Inward No.	: GS-1556
Inward Date	: 25/12/2024
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	Methods Used
01	DATE OF SAMPLING	DD/MM/YY	24/12/2024		
02	TEST LOCATION		Boiler 1 & 2 (Capacity-70 MT/Hr & 40 MT/Hr)		
03	TIME OF SAMPLING (00.00)	Hrs	10:30		
04	MATERIAL OF STACK		--		
05	STACK HEIGHT (AGL)	Mtr	65		
06	TYPE OF FUEL USED	--	Bagasse		
07	FUEL CONSUMPTION	MT/Hr	55		
08	TYPE OF STACK		Round		
09	FLUE GAS TEMPERATURE	Deg C	157		
10	VELOCITY	M/Sec	7.81		
11	DIAMETER OF STACK	M	3.43		
12	GAS VOLUME	Nm ³ /Hr	179729.72		
13	PM	mg/Nm ³	81.86	As per Consent	IS 11255 (Part 1): 1985, RA 2019
14	SO ₂	Kg/Day	94.0	As per Consent	IS 11255 (Part 2): 1985, RA 2019

Calibrations details: -

Sr. No.	Instrument Name	Serial / Identification No.	Certificate No.	Last Calibrated on	Due Date
1	SK-GSES/SK	SMK/RM-01	SSEC/FF/1239	07/06/2024	06/06/2025



For HORIZON SERVICES

Manisha Nargolkar

MANISHA NARGOLKAR
(Lab Incharge)

****End of Test Report****



Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

Report No.	: HS/REP/24-25/3126/5
Dated	: 30/12/2024
Inward No.	: GS-1556
Inward Date	: 25/12/2024
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	Methods Used
01	DATE OF SAMPLING	DD/MM/YY	24/12/2024		
02	TEST LOCATION		Incinerator Boiler		
03	TIME OF SAMPLING (00.00)	Hrs	11:00		
04	MATERIAL OF STACK		--		
05	STACK HEIGHT	Mtr	82		
06	TYPE OF FUEL USED	--	Coal & Con. Spent Wash		
07	TYPE OF STACK		Round		
08	FLUE GAS TEMPERATURE	Deg C	198		
09	VELOCITY	M/Sec	8.82		
10	DIAMETER OF STACK	M	4.43		
11	GAS VOLUME	Nm ³ /Hr	309293.18		
12	PM	mg/Nm ³	60.65	As per Consent	IS 11255 (Part 1): 1985, RA 2019
13	SO ₂	Kg/Day	104.80	As per Consent	IS 11255 (Part 2): 1985, RA 2019

Calibrations details: -

Sr. No.	Instrument Name	Serial / Identification No.	Certificate No.	Last Calibrated on	Due Date
1	SK-GSES/SK	SMK/RM-01	SSEC/FF/1239	07/06/2024	06/06/2025



For HORIZON SERVICES

Manisha Nargolkar
MANISHA NARGOLKAR
(Lab Incharge)

****End of Test Report****



Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS M/s Shri Gurudatt Sugars Ltd., (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT NO	HS/LAB/WA/04960A
	REPORT DATE	30/12/2024
	LAB REFERENCE NO	HS/LAB/WA/1865A
	DATE OF SAMPLING	24/12/2024
	DATE OF ANALYSIS	25/12/2024

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Industrial Waste Water	M/s. Greensafe Enviro Services	Treated	ETP

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	MPCB LIMITS	TEST METHOD
1	pH	---	6.96	5.5-9.0	APHA 24 th Ed 2023, 4500-H+B
2	Total Suspended Solids	mg/lit	51.00	< 100.00	APHA 24 th Ed 2023, 2540 D
3	Total Dissolved Solids	mg/lit	1956.00	< 2100.00	APHA 24 th Ed 2023, 2540 C
4	Chemical Oxygen Demand	mg/lit	90.00	< 250.00	APHA 24 th Ed 2023, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	25.00	< 100.00	IS-3025 (Part 44) R-2023
6	Chlorides as Cl ⁻	mg/lit	130.00	< 600.00	APHA 24 th Ed 2023, 4500 Cl-B
7	Sulphates as SO ₄ ⁻⁻	mg/lit	344.00	< 1000.00	APHA 24 th Ed 2023, 4500 SO ₄ E
8	Oil & Grease	mg/lit	< 5.00	< 10.00	APHA 24 th Ed 2023, 5520 B



For HORIZON SERVICES

Manoj Kumar

(LAB INCHARGE)



Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/04961A
M/s Shri Gurudatt Sugars Ltd., (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	30/12/2024
	LAB REFERENCE NO	HS/LAB/WA/1865A
	DATE OF SAMPLING	24/12/2024
	DATE OF ANALYSIS	25/12/2024

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Well Water Sample	M/s. Greensafe Enviro Services	---	Sachin Koli- Takali

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	LIMITS AS PER IS10500: 2012 (RA 2018)	TEST METHOD
01	pH	---	7.10	6.5 – 8.5	APHA 24 th Ed 2023, 4500-H*B
02	Electric Conductivity	µS/cm	420.00	Not Specified	APHA 24 th Ed 2023, 2510 B
03	Colour	Pt/Co	< 5.00	<5.00	APHA 24 th Ed 2023, 2120 C
04	Odour	---	Agreeable	Agreeable	IS 3025 (P-5):1983 RA 2022
05	Turbidity	NTU	0.40	<1.00	APHA 24 th Ed 2023, 2130 B
06	Total Dissolved Solids	mg/lit	260.00	<500.00	APHA 24 th Ed 2023, 2540 C
07	Chemical Oxygen Demand	mg/lit	6.00	Not Specified	APHA 24 th Ed 2023, 5220 C
08	BOD (27°C for 3 days)	mg/lit	2.00	Not Specified	IS 3025 (Part 44)- R-2023
09	Chlorides as Cl ⁻	mg/lit	30.00	<250.00	APHA 24 th Ed 2023, 4500 Cl-B
10	Sulphates as SO ₄ ⁻⁻	mg/lit	64.00	<200.00	APHA 24 th Ed 2023, 4500 SO4 E
11	Alkalinity as CaCO ₃	mg/lit	44.00	<200.00	APHA 24 th Ed 2023, 2320 B
12	Calcium as Ca	mg/lit	16.80	<75.00	APHA 24 th Ed 2023, 3500 Ca B
13	Magnesium as Mg	mg/lit	20.00	<30.00	APHA 24 th Ed 2023, 3500 Mg B
14	Total Hardness as CaCO ₃	mg/lit	124.00	<200.00	APHA 24 th Ed 2023, 2340 C
15	Iron as Fe	mg/lit	0.20	<0.30	APHA 24 th Ed 2023, 3500 Fe B
16	Fluoride as F ⁻	mg/lit	0.10	<1.00	APHA 24 th Ed 2023, 4500-F- D
17	Sodium as Na	mg/lit	6.00	Not Specified	APHA 24 th Ed 2023, 3500 Na B

REMARK: As per IS 10500: 2012(RA 2018), above water sample is chemically potable for drinking purpose, for the parameters tested.



For HORIZON SERVICES

Manoj Kumar
(LAB INCHARGE)



Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT NOISE LEVEL MONITORING REPORT

Report No.	: HS/REP/24-25/3126/6
Dated	: 30/12/2024
Inward No.	: GS-1556
Inward Date	: 25/12/2024
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES
Date of Sampling	: 24/12/2024

RESULTS

SR. NO.	TEST LOCATION	UNIT	DAY TIME		NIGHT TIME	
			Time	Readings	Time	Readings
01	Near Main Gate	dB (A)	11:05 hrs.	71.5	22:10 hrs.	66.6
02	Near Boiler	dB (A)	11:10 hrs.	69.9	22:15 hrs.	67.2
03	Near ETP Area	dB (A)	11:15 hrs.	68.2	22:20 hrs.	63.8
04	Near Sugar Godown	dB (A)	11:20 hrs.	72.2	22:25 hrs.	68.5
05	Near Laboratory	dB (A)	11: 25 hrs.	73.0	22:30 hrs.	67.2
06	Near Mill House	dB (A)	11:30 hrs.	72.7	23:35 hrs.	68.4
07	Near Pan Section	dB (A)	11:35 hrs.	73.1	23:40 hrs.	69.1
08	Near Sugar Plant	dB (A)	11:40 hrs.	72.9	23:45 hrs.	68.5
09	Near Weigh Bridge	dB (A)	11:45 hrs.	71.1	23:50 hrs.	66.8
10	Near Centrifugal	dB (A)	11:50 hrs.	72.6	23:55 hrs.	68.9

Calibrations details: -

Sr. No	Instrument Name	Serial / Identification No.	Certificate No.	Last Calibrated on	Due date
1	SLM-GSES/DB-01 Make- Mextech, MODEL NO.-4201	GE/DB-01	SSEC/ME/205	07/06/2024	06/06/2025

Limits:

≤75 dB (A) For Day Time

≤70 dB (A) For Night Time

REMARK/OBSERVATIONS:

Noise levels limits are given as per Noise Pollution (Regulation & Control) Rules 2000.



For HORIZON SERVICES

MANISHA NARGOLKAR

MANISHA NARGOLKAR
(Lab Incharge)

****End of Test Report****



Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/04962A
M/s Shri Gurudatt Sugars Ltd., (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	30/12/2024
	LAB REFERENCE NO	HS/LAB/WA/1865A
	DATE OF SAMPLING	24/12/2024
	DATE OF ANALYSIS	25/12/2024

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Soil Sample	M/s. Greensafe Enviro Services	---	Ramchandra Bedkihale

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	TEST METHOD
1	pH (10 % Extract)	---	7.14	IS 2720 (Part 26) 1987 RA 2016
2	Chlorides as Cl ⁻	mg/kg	178.00	SOP NO: HS/ NABL/ SOIL/27
3	Sulphates as SO ₄ ⁻⁻	mg/kg	11.25	IS 2720 (Part 27)- 2020
4	Total Chromium as Cr	mg/kg	4.00	SOP NO: HS/ NABL/ SOIL/20
5	Total Nitrogen as N	mg/kg	124.00	IS 14684:2019
6	Phosphorus as P	mg/kg	27.65	SOP NO: HS/ NABL/ SOIL/08
7	Nickel as Ni	mg/kg	24.00	SOP NO: HS/ NABL/ SOIL/20
8	Cadmium as Cd	mg/kg	0.60	SOP NO: HS/ NABL/ SOIL/20
9	Copper as Cu	mg/kg	34.00	SOP NO: HS/ NABL/ SOIL/26
10	Zinc as Zn	mg/kg	30.00	SOP NO: HS/ NABL/ SOIL/20
11	Total Ammonia as N	mg/kg	26.50	Ministry of Agriculture 2011



For HORIZON SERVICES

M. N. Alge

(LAB INCHARGE)



Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

Report No.	: HS/REP/24-25/3126/4
Dated	: 30/12/2024
Inward No.	: GS-1556
Inward Date	: 25/12/2024
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	Methods Used
01	DATE OF SAMPLING	DD/MM/YY	24/12/2024		
02	TEST LOCATION		Boiler 1 & 2 (Capacity-70 MT/Hr & 40 MT/Hr)		
03	TIME OF SAMPLING (00.00)	Hrs	10:30		
04	MATERIAL OF STACK		--		
05	STACK HEIGHT (AGL)	Mtr	65		
06	TYPE OF FUEL USED	--	Bagasse		
07	FUEL CONSUMPTION	MT/Hr	55		
08	TYPE OF STACK		Round		
09	FLUE GAS TEMPERATURE	Deg C	157		
10	VELOCITY	M/Sec	7.81		
11	DIAMETER OF STACK	M	3.43		
12	GAS VOLUME	Nm ³ /Hr	179729.72		
13	PM	mg/Nm ³	81.86	As per Consent	IS 11255 (Part 1): 1985, RA 2019
14	SO ₂	Kg/Day	94.0	As per Consent	IS 11255 (Part 2): 1985, RA 2019

Calibrations details: -

Sr. No.	Instrument Name	Serial / Identification No.	Certificate No.	Last Calibrated on	Due Date
1	SK-GSES/SK	SMK/RM-01	SSEC/FF/1239	07/06/2024	06/06/2025



For HORIZON SERVICES

Manisha Nargolkar

MANISHA NARGOLKAR
(Lab Incharge)

****End of Test Report****



Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/24-25/3126/1
Dated	: 30/12/2024
Inward No.	: GS-1556
Inward Date	: 25/12/2024
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	24/12/2024		
02	TEST LOCATION		Near Factory Main Gate		
03	TIME OF SAMPLING	Hrs	09:00-17:00		
04	TEMPERATURE (Max./Min)	Deg C	31/18		
05	RELATIVE HUMIDITY	% RH	50		
06	SAMPLING DURATION	Hrs	8		
07	PM ₁₀	µg/m ³	84.20	≤100	IS 5182(part 23):2006, RA 2022
08	PM _{2.5}	µg/m ³	44.99	≤60	IS 5182(part 24):2019
09	SO ₂	µg/m ³	10.49	≤80	IS 5182(part 2):2023
10	NO ₂	µg/m ³	28.58	≤80	IS 5182(part 6):2006 RA 2022

Calibrations details: -

Sr. No.	Instrument Name	Serial / Identification No.	Certificate No.	Last Calibrated on	Due Date
1	AFDS-GSES/ADS-01	AFDS/FM-01	SSEC/FF/1250	08/06/2024	07/06/2025
2	RDS-GSES/RDS-01	RDS/UM-01	SSEC/FF/1242	08/06/2024	07/06/2025

NAAQS – National Ambient Air Quality Standards (2009)



For HORIZON SERVICES

MANISHA NARGOLKAR

**MANISHA NARGOLKAR
(Lab Incharge)**

****End of Test Report****



Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT NOISE LEVEL MONITORING REPORT

Report No.	: HS/REP/24-25/3126/6
Dated	: 30/12/2024
Inward No.	: GS-1556
Inward Date	: 25/12/2024
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES
Date of Sampling	: 24/12/2024

RESULTS

SR. NO.	TEST LOCATION	UNIT	DAY TIME		NIGHT TIME	
			Time	Readings	Time	Readings
01	Near Main Gate	dB (A)	11:05 hrs.	71.5	22:10 hrs.	66.6
02	Near Boiler	dB (A)	11:10 hrs.	69.9	22:15 hrs.	67.2
03	Near ETP Area	dB (A)	11:15 hrs.	68.2	22:20 hrs.	63.8
04	Near Sugar Godown	dB (A)	11:20 hrs.	72.2	22:25 hrs.	68.5
05	Near Laboratory	dB (A)	11: 25 hrs.	73.0	22:30 hrs.	67.2
06	Near Mill House	dB (A)	11:30 hrs.	72.7	23:35 hrs.	68.4
07	Near Pan Section	dB (A)	11:35 hrs.	73.1	23:40 hrs.	69.1
08	Near Sugar Plant	dB (A)	11:40 hrs.	72.9	23:45 hrs.	68.5
09	Near Weigh Bridge	dB (A)	11:45 hrs.	71.1	23:50 hrs.	66.8
10	Near Centrifugal	dB (A)	11:50 hrs.	72.6	23:55 hrs.	68.9

Calibrations details: -

Sr. No	Instrument Name	Serial / Identification No.	Certificate No.	Last Calibrated on	Due date
1	SLM-GSES/DB-01 Make- Mextech, MODEL NO.-4201	GE/DB-01	SSEC/ME/205	07/06/2024	06/06/2025

Limits:

≤75 dB (A) For Day Time

≤70 dB (A) For Night Time

REMARK/OBSERVATIONS:

Noise levels limits are given as per Noise Pollution (Regulation & Control) Rules 2000.



For HORIZON SERVICES

MANISHA NARGOLKAR

**MANISHA NARGOLKAR
(Lab Incharge)**

****End of Test Report****



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/22-23/13178A/2
Dated	: 19/01/2023
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	11/01/2023		
02	TEST LOCATION		Near Weigh Bridge		
03	TIME OF SAMPLING	Hrs	09:15-17:15		
04	TEMPERATURE (Max./Min)	Deg C	32/20		
05	RELATIVE HUMIDITY	% RH	46		
06	SAMPLING DURATION	Hrs	8		
07	PM ₁₀	µg/m ³	93.00	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	52.00	≤60	CPCB Guidelines Volume - I Pg. No.15
09	SO ₂	µg/m ³	8.00	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	30.40	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	RDS/FM-02	TECH/CAL/2022/04.A/15	20/04/2022	19/04/2023
02	RDS/UM-02	TECH/CAL/2022/04.A/3	20/04/2022	19/04/2023

NAAQS – National Ambient Air Quality Standards (2009)
BDL- Below detectable level

M. N. Agarkar
For HORIZON SERVICES





Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/22-23/13178A/3
Dated	: 19/01/2023
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	11/01/2023		
02	TEST LOCATION		Near ETP		
03	TIME OF SAMPLING	Hrs	17:35-13:35		
04	TEMPERATURE (Max./Min)	Deg C	32/20		
05	RELATIVE HUMIDITY	% RH	46		
06	SAMPLING DURATION	Hrs	8		
07	PM ₁₀	µg/m ³	71.00	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	29.00	≤60	CPCB Guidelines Volume - I Pg. No.15
09	SO ₂	µg/m ³	7.60	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	27.40	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	RDS/FM-03	TECH/CAL/2022/04.A/16	20/04/2022	19/04/2023
2	RDS/UM-03	TECH/CAL/2022/04.A/5	20/04/2022	19/04/2023

NAAQS – National Ambient Air Quality Standards (2009)

BDL- Below detectable level



M. N. Agarkar
For HORIZON SERVICES

DISCLAIMER:

• Sample will be retained only for 15 days • Above results indicate to the parameters mentioned only • Liability limited till issue of test reports only



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/22-23/062A/1
Dated	: 07/11/2022
Client.	: M/s SHREE GURUDATTA SUGARS LTD., TAKALIVADI
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL - SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	29/10/2022		
02	TEST LOCATION		Near Factory Main Gate		
03	TIME OF SAMPLING	Hrs	9:00 - 17:00		
04	TEMPERATURE (Max./Min)	Deg C	34/22		
05	RELATIVE HUMIDITY	% RH	45		
06	SAMPLING DURATION	Hrs	8		
07	PM ₁₀	µg/m ³	58.00	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	28.20	≤60	CPCB Guidelines Volume - I Pg. No.15
09	SO ₂	µg/m ³	6.50	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	20.60	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM - ADS 2.5µ/10µ Sr. No 21914	PICS/F/ADS/03-22/21	16/03/2022	15/03/2023
2	Respirable Dust Sampler, Sr. No. 4	TECH/CAL/2022/06.F/7	07/06/2022	06/06/2023

NAAQS - National Ambient Air Quality Standards (2009)

M. N. G. K. K.
For HORIZON SERVICES





Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/22-23/13178A/1
Dated	: 19/01/2023
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416106.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	11/01/2023		
02	TEST LOCATION		Near Factory Main Gate		
03	TIME OF SAMPLING	Hrs	09:05-17:05		
04	TEMPERATURE (Max./Min)	Deg C	32/20		
05	RELATIVE HUMIDITY	% RH	46		
06	SAMPLING DURATION	Hrs	8		
07	PM10	µg/m ³	79.00	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	37.00	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	7.40	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	27.00	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	RDS/FM-01	TECH/CAL/2022/04.A/14	20/04/2022	19/04/2023
02	RDS/UM-01	TECH/CAL/2022/04.A/1	20/04/2022	19/04/2023

NAAQS – National Ambient Air Quality Standards (2009)

BDL- Below detectable level

M. N. G. G. G.
For HORIZON SERVICES





Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/22-23/010048A/2
Dated	: 23/11/2022
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	18/11/2022		
02	TEST LOCATION		Near Weigh Bridge		
03	TIME OF SAMPLING	Hrs	09:15-17:15		
04	TEMPERATURE (Max./Min)	Deg C	34/21		
05	RELATIVE HUMIDITY	% RH	40		
06	SAMPLING DURATION	Hrs	8		
07	PM ₁₀	µg/m ³	78.00	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	42.00	≤60	CPCB Guidelines Volume - I Pg. No.15
09	SO ₂	µg/m ³	7.80	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	30.00	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	RDS/FM-02	TECH/CAL/2022/04.A/15	20/04/2022	19/04/2023
02	RDS/UM-02	TECH/CAL/2022/04.A/3	20/04/2022	19/04/2023

NAAQS – National Ambient Air Quality Standards (2009)

BDL- Below detectable level

kmn a g o l k a r
For HORIZON SERVICES



DISCLAIMER:

• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited to all issues of test reports only.



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/22-23/010048A/3
Dated	: 23/11/2022
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	18/11/2022		
02	TEST LOCATION		Near ETP		
03	TIME OF SAMPLING	Hrs	09:30-17:30		
04	TEMPERATURE (Max./Min)	Deg C	34/21		
05	RELATIVE HUMIDITY	% RH	40		
06	SAMPLING DURATION	Hrs	8		
07	PM ₁₀	µg/m ³	70.00	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	28.00	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	6.60	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	27.00	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	RDS/FM-03	TECH/CAL/2022/04.A/16	20/04/2022	19/04/2023
02	RDS/UM-03	TECH/CAL/2022/04.A/5	20/04/2022	19/04/2023

NAAQS – National Ambient Air Quality Standards (2009)

BDL- Below detectable level

M. N. G. Kulkarni
For HORIZON SERVICES





Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

Report No.	: HS/REP/22-23/010048A/4
Dated	: 23/11/2022
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	Methods Used
01	DATE OF SAMPLING	DD/MM/YY	18/11/2022		
02	TEST LOCATION		Boiler 1 & 2 (Capacity-70 MT/Hr & 40 MT/Hr)		
03	TIME OF SAMPLING (00.00)	Hrs	10:00		
04	MATERIAL OF STACK		--		
05	STACK HEIGHT (AGL)	Mtr	65		
06	TYPE OF FUEL USED	--	Baggase		
07	FUEL CONSUMPTION	MT/Hr	55		
08	TYPE OF STACK		Round		
09	FLUE GAS TEMPERATURE	Deg C	134		
10	VELOCITY	M/Sec	7.7		
11	DIAMETER OF STACK	M	3.43		
12	GAS VOLUME	Nm ³ /Hr	189131.60		
13	PM	mg/Nm ³	79.40	As per Consent	IS 11255 (Part 1)
14	SO ₂	Kg/Day	40.10	As per Consent	IS 11255 (Part 2)

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	SMK/IT-01	TECH/CAL/2022/04.A/7	20/04/2022	19/04/2023

mna golkar
For HORIZON SERVICES





Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT NOISE LEVEL MONITORING REPORT

Report No.	: HS/REP/22-23/010048A/5
Dated	: 23/11/2022
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES
Date of Sampling	: 18/11/2022

RESULTS

SR. NO.	TEST LOCATION	UNIT	DAY TIME		NIGHT TIME	
			Time	Readings	Time	Readings
01	Near Main Gate	dB (A)	10:30 hrs.	71.0	22:30 hrs.	66.6
02	Near Boiler	dB (A)	10:40 hrs.	70.4	22:40 hrs.	66.3
03	Near ETP Area	dB (A)	10:50 hrs.	67.2	22:50 hrs.	63.7
04	Near Sugar Godown	dB (A)	11:00 hrs.	74.0	23:00 hrs.	69.1
05	Near Laboratory	dB (A)	11:10 hrs.	73.3	23:10 hrs.	68.0
06	Near Mill House	dB (A)	11:20 hrs.	72.5	23:20 hrs.	67.3
07	Near Pan Section	dB (A)	11:30 hrs.	73.9	23:30 hrs.	69.5
08	Near Sugar Plant	dB (A)	11:40 hrs.	72.4	23:40 hrs.	68.0
09	Near Weigh Bridge	dB (A)	11:50 hrs.	70.7	23:50 hrs.	67.4
10	Near Centrifugal	dB (A)	12:00 hrs.	72.0	24:00 hrs.	68.4

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	Make- Mextech, SR.NO.-GE/DB-01, MODEL NO.-4201	TECH/CAL/2022/04.A/11	20/04/2022	19/04/2023

Limits:

≤75 dB (A) For Day Time

≤70 dB (A) For Night Time

REMARK/OBSERVATIONS:

Noise levels limits are given as per Noise Pollution (Regulation & Control) Rules 2010.



m n a g a r k a
For HORIZON SERVICES



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

Report No.	: HS/REP/22-23/13178A/5
Dated	: 19/01/2023
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	Methods Used
01	DATE OF SAMPLING	DD/MM/YY	11/01/2023		
02	TEST LOCATION		Incinerator Boiler		
03	TIME OF SAMPLING (00.00)	Hrs	10:00		
04	MATERIAL OF STACK		--		
05	STACK HEIGHT	Mtr	82		
06	TYPE OF FUEL USED	--	Coal & Con. Spent Wash		
07	TYPE OF STACK		Round		
08	FLUE GAS TEMPERATURE	Deg C	186		
09	VELOCITY	M/Sec	8.65		
10	DIAMETER OF STACK	M	4.43		
11	GAS VOLUME	Nm ³ /Hr	311146.87		
12	PM	mg/Nm ³	34.85	150	IS 11255 (Part 1)
13	SO ₂	Kg/Day	108.20	500	IS 11255 (Part 2)

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	SMK/IT-01	TECH/CAL/2022/04.A/7	20/04/2022	19/04/2023

Manoj Kumar
For HORIZON SERVICES





Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/13075A-2
M/s Shri Gurudatt Sugars Ltd., (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	19/01/2023
	LAB REFERENCE NO	HS/LAB/WA/1109A
	DATE OF SAMPLING	11/01/2023
	DATE OF ANALYSIS	12/01/2023

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Industrial Waste Water	M/s. Greensafe Enviro Services	Treated	ETP

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	MPCB LIMITS	TEST METHOD
1	pH	---	7.10	5.5-9.0	APHA 23 rd Ed 2017, 4500-H ⁺ B
2	Total Suspended Solids	mg/lit	60.00	< 100.00	APHA 23 rd Ed 2017, 2540 D
3	Total Dissolved Solids	mg/lit	1784.00	< 2100.00	APHA 23 rd Ed 2017, 2540 C
4	Chemical Oxygen Demand	mg/lit	164.00	< 250.00	APHA 23 rd Ed 2017, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	44.00	< 100.00	IS-3025 (Part 44) R-2009
6	Chlorides as Cl ⁻	mg/lit	338.00	< 600.00	APHA 23 rd Ed 2017, 4500 Cl ⁻ B
7	Sulphates as SO ₄ ⁻⁻	mg/lit	580.00	< 1000.00	APHA 23 rd 2017, 4500 SO ₄ E
8	Oil & Grease	mg/lit	<5.00	< 10.00	APHA 23 rd Ed 2017, 5520 B



For HORIZON SERVICES

M. N. Argalika
(LAB INCHARGE)



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/10077A-2
M/s Shri Gurudatt Sugars Ltd., (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	23/11/2022
	LAB REFERENCE NO	HS/LAB/WA/0898A
	DATE OF SAMPLING	18/11/2022
	DATE OF ANALYSIS	19/11/2022

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Industrial Waste Water	M/s. Greensafe Enviro Services	Treated	ETP

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	MPCB LIMITS	TEST METHOD
1	pH	---	7.30	5.5-9.0	APHA 23 rd Ed 2017, 4500-H ⁺ B
2	Total Suspended Solids	mg/lit	64.00	< 100.00	APHA 23 rd Ed 2017, 2540 D
3	Total Dissolved Solids	mg/lit	1824.00	< 2100.00	APHA 23 rd Ed 2017, 2540 C
4	Chemical Oxygen Demand	mg/lit	178.00	< 250.00	APHA 23 rd Ed 2017, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	48.00	< 100.00	IS-3025 (Part 44) R-2003
6	Chlorides as Cl ⁻	mg/lit	342.00	< 600.00	APHA 23 rd Ed 2017, 4500 Cl ⁻ B
7	Sulphates as SO ₄ ⁻⁻	mg/lit	570.00	< 1000.00	APHA 23 rd Ed 2017, 4500 SO ₄ E
8	Oil & Grease	mg/lit	<5.00	< 10.00	APHA 23 rd Ed 2017, 5520 B



For HORIZON SERVICES

M. Naigalkar
(LAB INCHARGE)

DISCLAIMER:

• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Link with the client's report.



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT NOISE LEVEL MONITORING REPORT

Report No.	: HS/REP/22-23/13178A/6
Dated	: 19/01/2023
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES
Date of Sampling	: 11/01/2023

RESULTS

SR. NO.	TEST LOCATION	UNIT	DAY TIME		NIGHT TIME	
			Time	Readings	Time	Readings
01	Near Main Gate	dB (A)	10:20 hrs.	72.0	22:20 hrs.	66.7
02	Near Boiler	dB (A)	10:30 hrs.	72.9	22:30 hrs.	66.0
03	Near ETP Area	dB (A)	10:40 hrs.	67.4	22:40 hrs.	63.9
04	Near Sugar Godown	dB (A)	10:50 hrs.	74.7	22:50 hrs.	68.6
05	Near Laboratory	dB (A)	11:00 hrs.	73.1	23:00 hrs.	68.4
06	Near Mill House	dB (A)	11:10 hrs.	72.5	23:10 hrs.	68.1
07	Near Pan Section	dB (A)	11:20 hrs.	73.6	23:20 hrs.	69.7
08	Near Sugar Plant	dB (A)	11:30 hrs.	71.9	23:30 hrs.	69.0
09	Near Weigh Bridge	dB (A)	11:40 hrs.	69.9	23:40 hrs.	67.6
10	Near Centrifugal	dB (A)	11:50 hrs.	72.5	23:50 hrs.	70.0

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	Make- Mextech, SR.NO.-GE/DB-01, MODEL NO.-4201	TECH/CAL/2022/04.A/11	20/04/2022	19/04/2023


Limits:

≤75 dB (A) For Day Time

≤70 dB (A) For Night Time

REMARK/OBSERVATIONS:

Noise levels limits are given as per Noise Pollution (Regulation & Control) Rules 2010.


For HORIZON SERVICES





Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS M/s. Shri Gurudatt Sugars Ltd (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT NO	HS/LAB/WA/10077A-4
	REPORT DATE	23/11/2022
	LAB REFERENCE NO	HS/LAB/WA/0898A
	DATE OF SAMPLING	18/11/2022
	DATE OF ANALYSIS	19/11/2022

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Soil Sample	M/s. Greensafe Enviro Services	---	Hegade

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	TEST METHOD
1	pH(10 % Extract)	---	7.10	IS 2720 (Part 26) 1987
2	Chlorides as Cl ⁻	mg/kg	224.00	SOP No: WI/Lab/Soil/CA/13
3	Sulphates as SO ₄ --	mg/kg	ABSENT	IS 2720 (Part 27)- 1977 (RA 2010)
4	Total Chromium as Cr	mg/kg	12.00	Ministry of Agriculture 2011
5	Total Nitrogen as N	mg/kg	142.00	IS 14684:1999
6	Phosphorus as P	mg/kg	ABSENT	HS/NABL/SOIL/8
7	Nickel as Ni	mg/kg	20.00	Ministry of Agriculture 2011
8	Cadmium as Cd	mg/kg	2.10	Ministry of Agriculture 2011
9	Copper as Cu	mg/kg	58.00	Ministry of Agriculture 2011
10	Zinc as Zn	mg/kg	28.00	HS/NABL/SOIL/11
11	Total Ammonia as N	mg/kg	ABSENT	Ministry of Agriculture 2011

For HORIZON SERVICES



Manojkumar
(LAB INCHARGE)

DISCLAIMER :

• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
 Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
 • Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS M/s Shri Gurudatt Sugars Ltd., (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT NO	HS/LAB/WA/13075A-4
	REPORT DATE	19/01/2023
	LAB REFERENCE NO	HS/LAB/WA/1109A
	DATE OF SAMPLING	11/01/2023
	DATE OF ANALYSIS	12/01/2023

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Soil Sample	M/s. Greensafe Enviro Services	---	Pranav Mane-Takali

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	TEST METHOD
1	pH(10 % Extract)	---	7.00	IS 2720 (Part 26) 1987
2	Chlorides as Cl ⁻	mg/kg	224.00	SOP No: WI/Lab/Soil/CA/13
3	Sulphates as SO ₄ --	mg/kg	ABSENT	IS 2720 (Part 27)- 1977 (RA 2010)
4	Total Chromium as Cr	mg/kg	8.00	Ministry of Agriculture 2011
5	Total Nitrogen as N	mg/kg	134.00	IS 14684:1999
6	Phosphorus as P	mg/kg	ABSENT	HS/NABL/SOIL/8
7	Nickel as Ni	mg/kg	20.00	Ministry of Agriculture 2011
8	Cadmium as Cd	mg/kg	1.40	Ministry of Agriculture 2011
9	Copper as Cu	mg/kg	48.00	Ministry of Agriculture 2011
10	Zinc as Zn	mg/kg	32.00	HS/NABL/SOIL/11
11	Total Ammonia as N	mg/kg	ABSENT	Ministry of Agriculture 2011

For HORIZON SERVICES



managalkar
 (LAB INCHARGE)



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

Report No.	: HS/REP/22-23/13178A/4
Dated	: 19/01/2023
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	Methods Used
01	DATE OF SAMPLING	DD/MM/YY	11/01/2023		
02	TEST LOCATION		Boiler 1 & 2 (Capacity-70 MT/Hr & 40 MT/Hr)		
03	TIME OF SAMPLING (00.00)	Hrs	09:00		
04	MATERIAL OF STACK		--		
05	STACK HEIGHT (AGL)	Mtr	65		
06	TYPE OF FUEL USED	--	Baggase		
07	FUEL CONSUMPTION	MT/Hr	55		
08	TYPE OF STACK		Round		
09	FLUE GAS TEMPERATURE	Deg C	149		
10	VELOCITY	M/Sec	7.8		
11	DIAMETER OF STACK	M	3.43		
12	GAS VOLUME	Nm ³ /Hr	183475.3		
13	PM	mg/Nm ³	86.58	As per Consent	IS 11255 (Part 1)
14	SO ₂	Kg/Day	98.60	As per Consent	IS 11255 (Part 2)

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	SMK/IT-01	TECH/CAL/2022/04.A/7	20/04/2022	19/04/2023

M. N. Algaonkar
For HORIZON SERVICES





Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
 Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS M/s. Shri Gurudatt Sugars Ltd. (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT NO	HS/LAB/WA/10077A-3
	REPORT DATE	23/11/2022
	LAB REFERENCE NO	HS/LAB/WA/0898A
	DATE OF SAMPLING	18/11/2022
	DATE OF ANALYSIS	19/11/2022

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Well Water Sample	M/s. Greensafe Enviro Services	---	Bhokare Well

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	LIMITS AS PER IS10500: 2018	TEST METHOD
01	pH	---	7.10	6.5 – 8.5	APHA 23 rd 2017, 4500-H ⁺ B
02	Electric Conductivity	µs/cm	154.00	Not Specied	APHA 23 rd 2017, 2510 B
03	Colour	Hazen	< 5.00	<5.00	APHA 23 rd 2017, 2120 C
04	Odour	---	Agreeable	Agreeable	APHA 23 rd 2017, 2150 B
05	Turbidity	NTU	< 1.00	<1.00	APHA 23 rd 2017, 2130 B
06	Total Dissolved Solids	mg/lit	122.00	<500.00	APHA 23 rd 2017, 2540 C
07	Chemical Oxygen Demand	mg/lit	4.00	Not Specied	APHA 23 rd 2017, 5220 C
08	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	2.00	Not Specied	IS 3025 (Part 44)- R-2003
09	Chlorides as Cl ⁻	mg/lit	40.00	<250.00	APHA 23 rd 2017, 4500 Cl-B
10	Sulphates as SO ₄ --	mg/lit	72.00	<200.00	APHA 23 rd 2017, 4500 SO ₄ E
11	Alkalinity as CaCO ₃	mg/lit	46.00	<200.00	APHA 23 rd 2017, 2320 B
12	Calcium as Ca	mg/lit	28.00	<75.00	APHA 23 rd 2017, 3500 Ca B
13	Magnesium as Mg	mg/lit	22.00	<30.00	APHA 23 rd 2017, 3500 Mg B
14	Total Hardness as CaCO ₃	mg/lit	120.00	<200.00	APHA 23 rd 2017, 2340 C
15	Iron as Fe	mg/lit	0.10	<0.30	APHA 23 rd 2017, 3500 Fe B
16	Fluoride as F ⁻	mg/lit	<0.10	<1.00	APHA 23 rd 2017, 4500-F ⁻ D
17	Sodium as Na	mg/lit	8.00	Not Specied	APHA 23 rd 2017, 3500 Na B

REMARK: As per IS 10500: 2018, above water sample is chemically & bacteriologically potable for drinking purpose, for the parameters tested.



For HORIZON SERVICES

M. N. G. Desai
 (LAB INCHARGE)

DISCLAIMER:

• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
 Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
 • Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS M/s Shri Gurudatt Sugars Ltd., (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT NO	HS/LAB/WA/13075A-3
	REPORT DATE	19/01/2023
	LAB REFERENCE NO	HS/LAB/WA/1109A
	DATE OF SAMPLING	11/01/2023
	DATE OF ANALYSIS	12/01/2023

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Well Water Sample	M/s. Greensafe Enviro Services	---	Pandurang Koli- Takali, Near Distillery

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	LIMITS AS PER IS10500: 2018	TEST METHOD
01	pH	---	7.30	6.5 - 8.5	APHA 23 rd 2017, 4500-H+B
02	Electric Conductivity	µs/cm	138.00	Not Specied	APHA 23 rd 2017, 2510 B
03	Colour	Hazen	<5.00	<5.00	APHA 23 rd 2017, 2120 C
04	Odour	---	Agreeable	Agreeable	APHA 23 rd 2017, 2150 B
05	Turbidity	NTU	<1.00	<1.00	APHA 23 rd 2017, 2130 B
06	Total Dissolved Solids	mg/lit	116.00	<500.00	APHA 23 rd 2017, 2540 C
07	Chemical Oxygen Demand	mg/lit	2.00	Not Specied	APHA 23 rd 2017, 5220 C
08	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	1.00	Not Specied	IS 3025 (Part 44)- R-2003
09	Chlorides as Cl ⁻	mg/lit	34.00	<250.00	APHA 23 rd 2017, 4500 Cl-B
10	Sulphates as SO ₄ ⁻⁻	mg/lit	64.00	<200.00	APHA 23 rd 2017, 4500 SO4 E
11	Alkalinity as CaCO ₃	mg/lit	42.00	<200.00	APHA 23 rd 2017, 2320 B
12	Calcium as Ca	mg/lit	24.00	<75.00	APHA 23 rd 2017, 3500 Ca B
13	Magnesium as Mg	mg/lit	18.00	<30.00	APHA 23 rd 2017, 3500 Mg B
14	Total Hardness as CaCO ₃	mg/lit	102.00	<200.00	APHA 23 rd 2017, 2340 C
15	Iron as Fe	mg/lit	0.10	<0.30	APHA 23 rd 2017, 3500 Fe B
16	Fluoride as F ⁻	mg/lit	<0.20	<1.00	APHA 23 rd 2017, 4500-F D
17	Sodium as Na	mg/lit	4.00	Not Specied	APHA 23 rd 2017, 3500 Na B

REMARK: As per IS 10500: 2018, above water sample is chemically & bacteriologically potable for drinking purpose, for the parameters tested.



For HORIZON SERVICES
M. N. G. G. G.
 (LAB INCHARGE)

DISCLAIMER:

• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
 Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
 • Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS M/s. Shri Gurudatt Sugars Ltd (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT NO	HS/LAB/WA/04904A-1
	REPORT DATE	01/08/2022
	LAB REFERENCE NO	HS/LAB/WA/0461A
	DATE OF SAMPLING	25/07/2022
	DATE OF ANALYSIS	26/07/2022

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Well Water Sample	Greensafe Enviro Services	---	Pandurang Koli - Takali, Near Distillery

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	LIMITS AS PER IS10500: 2018	TEST METHOD
01	pH	---	7.10	6.5 - 8.5	APHA 23 rd Ed 2017, 4500-H+B
02	Electric Conductivity	µs/cm	156.00	Not Specied	APHA 23 rd Ed 2017, 2510 B
03	Colour	Hazen	<5.00	<5.00	APHA 23 rd Ed 2017, 2120 C
04	Odour	---	Agreeable	Agreeable	APHA 23 rd Ed 2017, 2150 B
05	Turbidity	NTU	<1.00	<1.00	APHA 23 rd Ed 2017, 2130 B
06	Total Dissolved Solids	mg/lit	132.00	<500.00	APHA 23 rd Ed 2017, 2540 C
07	Chemical Oxygen Demand	mg/lit	4.00	Not Specied	APHA 23 rd Ed 2017, 5220 C
08	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	2.00	Not Specied	IS 3025 (Part 44)- R-2003
09	Chlorides as Cl ⁻	mg/lit	38.00	<250.00	APHA 23 rd ED 2017, 4500 Cl-B
10	Sulphates as SO ₄ ⁻⁻	mg/lit	68.00	<200.00	APHA 23 rd Ed 2017, 4500 SO4 E
11	Alkalinity as CaCO ₃	mg/lit	46.00	<200.00	APHA 23 rd Ed 2017, 2320 B
12	Calcium as Ca	mg/lit	28.00	<75.00	APHA 23 rd Ed 2017, 3500 Ca B
13	Magnesium as Mg	mg/lit	20.00	<30.00	APHA 23 rd Ed 2017, 3500 Mg B
14	Total Hardness as CaCO ₃	mg/lit	106.00	<200.00	APHA 23 rd Ed 2017, 2340 C
15	Iron as Fe	mg/lit	0.10	<0.30	APHA 23 rd Ed 2017, 3500 Fe B
16	Fluoride as F ⁻	mg/lit	<0.10	<1.00	APHA 23 rd Ed 2017, 4500-F- D
17	Sodium as Na	mg/lit	6.00	Not Specied	APHA 23 rd Ed 2017, 3500 Na B

REMARK: As per IS 10500: 2018, above water sample is chemically & bacteriologically potable for drinking purpose, for the parameters tested.



For HORIZON SERVICES

M. Nalgaoka
 (LAB INCHARGE)



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

Report No.	: HS/REP/22-23/09965
Dated	: 22/11/2022
Client	: M/s SHREE GURUDATTA SUGARS LTD., TAKALIVADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. HORIZON SERVICES

RESULTS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	METHODS USED
01	DATE OF SAMPLING	DD/MM/YY	18/11/2022		
02	TEST LOCATION		Boiler Stack Without Lime Stone		
03	TIME OF SAMPLING	Hrs	13:30		
04	MATERIAL OF STACK		--		
05	STACK HEIGHT	Mtr	--		
06	TYPE OF FUEL USED		--		
07	FUEL CONSUMPTION	MT/Hr	--		
08	TYPE OF STACK		Round		
09	FLUE GAS TEMPERATURE	Deg C	198		
10	VELOCITY	M/Sec	8.30		
11	DIAMETER OF STACK	M	4.1		
12	GAS VOLUME	Nm ³ /Hr	249558.87		
13	TPM	mg/Nm ³	42.67	As per Consent	IS 11255 (Part 1)
14	SO ₂	Kg/Day	128.49	As per Consent	--
15	NOx	ppm	26.0	--	Flue Gas Analyser- based on manufacturer's Manual

Equipment Used: -1) Stack Monitoring Kit, Sr.No. 09/2018 (ETCL model)
Date of Calibration: -07/08/2022 Next Calibration due: - 06/08/2023

Gas Analyser - Sr. No. 60012564 (Seitron Make)
Date of Calibration: -14/09/2022 Next Calibration due: -13/09/2023

M. N. G. G. G.
For HORIZON SERVICES



Received by *[Signature]*
14/11/22.
Pravish Thakur

DISCLAIMER:

• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.
• The test report shall not be produced for any legal identity or advertised without permission of lab. • The effect of results relate only to the item tested.



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/22-23/010048A/1
Dated	: 23/11/2022
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	18/11/2022		
02	TEST LOCATION		Near Factory Main Gate		
03	TIME OF SAMPLING	Hrs	09:00-17:00		
04	TEMPERATURE (Max./Min)	Deg C	34/21		
05	RELATIVE HUMIDITY	% RH	40		
06	SAMPLING DURATION	Hrs	8		
07	PM10	$\mu\text{g}/\text{m}^3$	60.00	≤ 100	IS 5182(part 23),2006
08	PM _{2.5}	$\mu\text{g}/\text{m}^3$	29.00	≤ 60	CPCB Guidelines Volume - I Pg. No.15
09	SO ₂	$\mu\text{g}/\text{m}^3$	6.70	≤ 80	IS 5182(part 2),2001, RA 2006
10	NO ₂	$\mu\text{g}/\text{m}^3$	26.00	≤ 80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	RDS/FM-01	TECH/CAL/2022/04.A/14	20/04/2022	19/04/2023
02	RDS/UM-01	TECH/CAL/2022/04.A/1	20/04/2022	19/04/2023

NAAQS – National Ambient Air Quality Standards (2009)
BDL- Below detectable level

M. N. G. G. G.
For HORIZON SERVICES





Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/22-23/010048A/2
Dated	: 23/11/2022
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	18/11/2022		
02	TEST LOCATION		Near Weigh Bridge		
03	TIME OF SAMPLING	Hrs	09:15-17:15		
04	TEMPERATURE (Max./Min)	Deg C	34/21		
05	RELATIVE HUMIDITY	% RH	40		
06	SAMPLING DURATION	Hrs	8		
07	PM ₁₀	µg/m ³	78.00	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	42.00	≤60	CPCB Guidelines Volume - I Pg. No.15
09	SO ₂	µg/m ³	7.80	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	30.00	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	RDS/FM-02	TECH/CAL/2022/04.A/15	20/04/2022	19/04/2023
02	RDS/UM-02	TECH/CAL/2022/04.A/3	20/04/2022	19/04/2023

NAAQS – National Ambient Air Quality Standards (2009)
BDL- Below detectable level

M. N. Agarkar
For HORIZON SERVICES



DISCLAIMER:

- Sample will be retained only for 15 days.
- Above results indicate to the parameters mentioned only.
- The test report shall not be produced for any legal identity or advertised without permission of lab.
- Liability limited till issue of test reports only.
- The report is for information only.



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/22-23/010048A/3
Dated	: 23/11/2022
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	18/11/2022		
02	TEST LOCATION		Near ETP		
03	TIME OF SAMPLING	Hrs	09:30-17:30		
04	TEMPERATURE (Max./Min)	Deg C	34/21		
05	RELATIVE HUMIDITY	% RH	40		
06	SAMPLING DURATION	Hrs	8		
07	PM ₁₀	µg/m ³	70.00	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	28.00	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	6.60	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	27.00	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	RDS/FM-03	TECH/CAL/2022/04.A/16	20/04/2022	19/04/2023
02	RDS/UM-03	TECH/CAL/2022/04.A/5	20/04/2022	19/04/2023

NAAQS – National Ambient Air Quality Standards (2009)

BDL- Below detectable level



M. Nalga
For HORIZON SERVICES

DISCLAIMER:

- Sample will be retained only for 15 days.
- Above results indicate to the parameters mentioned only.
- Liability limited till issue of test reports only.
- The test report shall not be produced for any legal identity or advertised without permission of lab.
- The effect of results relate only to the item tested.



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

Report No.	: HS/REP/22-23/09964
Dated	: 22/11/2022
Client	: M/s SHREE GURUDATTA SUGARS LTD., TAKALIVADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST -KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. HORIZON SERVICES

RESULTS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	METHODS USED
01	DATE OF SAMPLING	DD/MM/YY	18/11/2022		
02	TEST LOCATION		Boiler Stack With Lime Stone		
03	TIME OF SAMPLING	Hrs	12:20		
04	MATERIAL OF STACK		--		
05	STACK HEIGHT	Mtr	--		
06	TYPE OF FUEL USED		--		
07	FUEL CONSUMPTION	MT/Hr	--		
08	TYPE OF STACK		Round		
09	FLUE GAS TEMPERATURE	Deg C	190		
10	VELOCITY	M/Sec	8.58		
11	DIAMETER OF STACK	M	4.1		
12	GAS VOLUME	Nm ³ /Hr	262271.29		
13	TPM	mg/Nm ³	86.37	As per Consent	IS 11255 (Part 1)
14	SO ₂	Kg/Day	265.50	--	--
15	NO _x	ppm	45.0	--	Flue Gas Analyser- based on manufacturer's Manual

Equipment Used: -1) Stack Monitoring Kit, Sr.No. 09/2018 (ETCL model)
Date of Calibration: -07/08/2022 Next Calibration due: - 06/08/2023

Gas Analyser - Sr. No. 60012564 (Seitron Make)
Date of Calibration: -14/09/2022 Next Calibration due: -13/09/2023

MKN aig aig aig
For HORIZON SERVICES





Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

Report No.	: HS/REP/22-23/010048A/4
Dated	: 23/11/2022
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	Methods Used
01	DATE OF SAMPLING	DD/MM/YY	18/11/2022		
02	TEST LOCATION		Boiler 1 & 2 (Capacity-70 MT/Hr & 40 MT/Hr)		
03	TIME OF SAMPLING (00.00)	Hrs	10:00		
04	MATERIAL OF STACK		--		
05	STACK HEIGHT (AGL)	Mtr	65		
06	TYPE OF FUEL USED	--	Baggase		
07	FUEL CONSUMPTION	MT/Hr	55		
08	TYPE OF STACK		Round		
09	FLUE GAS TEMPERATURE	Deg C	134		
10	VELOCITY	M/Sec	7.7		
11	DIAMETER OF STACK	M	3.43		
12	GAS VOLUME	Nm ³ /Hr	189131.60		
13	PM	mg/Nm ³	79.40	As per Consent	IS 11255 (Part 1)
14	SO ₂	Kg/Day	40.10	As per Consent	IS 11255 (Part 2)

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	SMK/IT-01	TECH/CAL/2022/04.A/7	20/04/2022	19/04/2023

M. Nagarkar
For HORIZON SERVICES



DISCLAIMER

• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only. • The test report shall not be produced for any legal identification.



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT NOISE LEVEL MONITORING REPORT

Report No.	: HS/REP/22-23/010048A/5
Dated	: 23/11/2022
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES
Date of Sampling	: 18/11/2022

RESULTS

SR. NO.	TEST LOCATION	UNIT	DAY TIME		NIGHT TIME	
			Time	Readings	Time	Readings
01	Near Main Gate	dB (A)	10:30 hrs.	71.0	22:30 hrs.	66.6
02	Near Boiler	dB (A)	10:40 hrs.	70.4	22:40 hrs.	66.3
03	Near ETP Area	dB (A)	10:50 hrs.	67.2	22:50 hrs.	63.7
04	Near Sugar Godown	dB (A)	11:00 hrs.	74.0	23:00 hrs.	69.1
05	Near Laboratory	dB (A)	11:10 hrs.	73.3	23:10 hrs.	68.0
06	Near Mill House	dB (A)	11:20 hrs.	72.5	23:20 hrs.	67.3
07	Near Pan Section	dB (A)	11:30 hrs.	73.9	23:30 hrs.	69.5
08	Near Sugar Plant	dB (A)	11:40 hrs.	72.4	23:40 hrs.	68.0
09	Near Weigh Bridge	dB (A)	11:50 hrs.	70.7	23:50 hrs.	67.4
10	Near Centrifugal	dB (A)	12:00 hrs.	72.0	24:00 hrs.	68.4

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	Make- Mextech, SR.NO.-GE/DB-01, MODEL NO.-4201	TECH/CAL/2022/04.A/11	20/04/2022	19/04/2023

Limits:

≤75 dB (A) For Day Time
≤70 dB (A) For Night Time

REMARK/OBSERVATIONS:

Noise levels limits are given as per Noise Pollution (Regulation & Control) Rules 2010.



M. N. Agarkar
For HORIZON SERVICES

DISCLAIMER:

• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till the extent of the test.



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/10077A-1
M/s Shri Gurudatt Sugars Ltd., (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	23/11/2022
	LAB REFERENCE NO	HS/LAB/WA/0898A
	DATE OF SAMPLING	18/11/2022
	DATE OF ANALYSIS	19/11/2022

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Industrial Waste Water	M/s. Greensafe Enviro Services	Untreated	ETP

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	TEST METHOD
1	pH	---	4.50	APHA 23 rd Ed 2017, 4500-H ⁺ B
2	Total Suspended Solids	mg/lit	278.00	APHA 23 rd Ed 2017, 2540 D
3	Total Dissolved Solids	mg/lit	1962.00	APHA 23 rd Ed 2017, 2540 C
4	Chemical Oxygen Demand	mg/lit	3902.00	APHA 23 rd Ed 2017, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	1840.00	IS-3025 (Part 44) R-2003
6	Chlorides as Cl ⁻	mg/lit	356.00	APHA 23 rd Ed 2017, 4500 Cl ⁻ B
7	Sulphates as SO ₄ --	mg/lit	664.00	APHA 23 rd Ed 2017, 4500 SO ₄ E
8	Oil & Grease	mg/lit	20.00	APHA 23 rd Ed 2017, 5520 B

For HORIZON SERVICES



Pranav Kulkarni
(LAB INCHARGE)

DISCLAIMER :

• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/10077A-2
M/s Shri Gurudatt Sugars Ltd., (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	23/11/2022
	LAB REFERENCE NO	HS/LAB/WA/0898A
	DATE OF SAMPLING	18/11/2022
	DATE OF ANALYSIS	19/11/2022

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Industrial Waste Water	M/s. Greensafe Enviro Services	Treated	ETP

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	MPCB LIMITS	TEST METHOD
1	pH	---	7.30	5.5-9.0	APHA 23 rd Ed 2017, 4500-H+B
2	Total Suspended Solids	mg/lit	64.00	< 100.00	APHA 23 rd Ed 2017, 2540 D
3	Total Dissolved Solids	mg/lit	1824.00	< 2100.00	APHA 23 rd Ed 2017, 2540 C
4	Chemical Oxygen Demand	mg/lit	178.00	< 250.00	APHA 23 rd Ed 2017, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	48.00	< 100.00	IS-3025 (Part 44) R-2003
6	Chlorides as Cl ⁻	mg/lit	342.00	< 600.00	APHA 23 rd Ed 2017, 4500 Cl-B
7	Sulphates as SO ₄ ⁻⁻	mg/lit	570.00	< 1000.00	APHA 23 rd Ed 2017, 4500 SO ₄ E
8	Oil & Grease	mg/lit	<5.00	< 10.00	APHA 23 rd Ed 2017, 5520 B



For HORIZON SERVICES

Manoj Kumar
(LAB INCHARGE)



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS M/s. Shri Gurudatt Sugars Ltd (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT NO	HS/LAB/WA/10077A-4
	REPORT DATE	23/11/2022
	LAB REFERENCE NO	HS/LAB/WA/0898A
	DATE OF SAMPLING	18/11/2022
	DATE OF ANALYSIS	19/11/2022

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Soil Sample	M/s. Greensafe Enviro Services	---	Hegade

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	TEST METHOD
1	pH(10 % Extract)	---	7.10	IS 2720 (Part 26) 1987
2	Chlorides as Cl ⁻	mg/kg	224.00	SOP No: WI/Lab/Soil/CA/13
3	Sulphates as SO ₄ --	mg/kg	ABSENT	IS 2720 (Part 27)- 1977 (RA 2010)
4	Total Chromium as Cr	mg/kg	12.00	Ministry of Agriculture 2011
5	Total Nitrogen as N	mg/kg	142.00	IS 14684:1999
6	Phosphorus as P	mg/kg	ABSENT	HS/NABL/SOIL/8
7	Nickel as Ni	mg/kg	20.00	Ministry of Agriculture 2011
8	Cadmium as Cd	mg/kg	2.10	Ministry of Agriculture 2011
9	Copper as Cu	mg/kg	58.00	Ministry of Agriculture 2011
10	Zinc as Zn	mg/kg	28.00	HS/NABL/SOIL/11
11	Total Ammonia as N	mg/kg	ABSENT	Ministry of Agriculture 2011

For HORIZON SERVICES



Manoj Kulkarni
(LAB INCHARGE)



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
 Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
 • Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS M/s. Shri Gurudatt Sugars Ltd. (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT NO	HS/LAB/WA/10077A-3
	REPORT DATE	23/11/2022
	LAB REFERENCE NO	HS/LAB/WA/0898A
	DATE OF SAMPLING	18/11/2022
	DATE OF ANALYSIS	19/11/2022

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Well Water Sample	M/s. Greensafe Enviro Services	---	Bhokare Well

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	LIMITS AS PER IS10500: 2018	TEST METHOD
01	pH	---	7.10	6.5 - 8.5	
02	Electric Conductivity	µs/cm	154.00	Not Specied	APHA 23 rd 2017, 4500-H*B
03	Colour	Hazen	< 5.00	<5.00	APHA 23 rd 2017, 2510 B
04	Odour	---	Agreeable	Agreeable	APHA 23 rd 2017, 2120 C
05	Turbidity	NTU	< 1.00	<1.00	APHA 23 rd 2017, 2150 B
06	Total Dissolved Solids	mg/lit	122.00	<500.00	APHA 23 rd 2017, 2130 B
07	Chemical Oxygen Demand	mg/lit	4.00	Not Specied	APHA 23 rd 2017, 2540 C
08	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	2.00	Not Specied	APHA 23 rd 2017, 5220 C
09	Chlorides as Cl ⁻	mg/lit	40.00	<250.00	IS 3025 (Part 44)- R-2003
10	Sulphates as SO ₄ --	mg/lit	72.00	<200.00	APHA 23 rd 2017, 4500 Cl-B
11	Alkalinity as CaCO ₃	mg/lit	46.00	<200.00	APHA 23 rd 2017, 4500 SO4 E
12	Calcium as Ca	mg/lit	28.00	<75.00	APHA 23 rd 2017, 2320 B
13	Magnesium as Mg	mg/lit	22.00	<30.00	APHA 23 rd 2017, 3500 Ca B
14	Total Hardness as CaCO ₃	mg/lit	120.00	<200.00	APHA 23 rd 2017, 3500 Mg B
15	Iron as Fe	mg/lit	0.10	<0.30	APHA 23 rd 2017, 2340 C
16	Fluoride as F ⁻	mg/lit	<0.10	<1.00	APHA 23 rd 2017, 3500 Fe B
17	Sodium as Na	mg/lit	8.00	Not Specied	APHA 23 rd 2017, 4500-F- D

REMARK: As per IS 10500: 2018, above water sample is chemically & bacteriologically potable for drinking purpose, for the parameters tested.



For HORIZON SERVICES
 M. N. G. B. K. A.
 (LAB INCHARGE)

DISCLAIMER

• Sample will be retained only for 15 days. • Above results indicate to the extent of the test performed.



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/22-23/13178A/1
Dated	: 19/01/2023
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	11/01/2023		
02	TEST LOCATION		Near Factory Main Gate		
03	TIME OF SAMPLING	Hrs	09:05-17:05		
04	TEMPERATURE (Max./Min)	Deg C	32/20		
05	RELATIVE HUMIDITY	% RH	46		
06	SAMPLING DURATION	Hrs	8		
07	PM10	µg/m ³	79.00	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	37.00	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	7.40	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	27.00	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	RDS/FM-01	TECH/CAL/2022/04.A/14	20/04/2022	19/04/2023
02	RDS/UM-01	TECH/CAL/2022/04.A/1	20/04/2022	19/04/2023

NAAQS – National Ambient Air Quality Standards (2009)

BDL- Below detectable level



M. Nagarkar
For HORIZON SERVICES

Pranav
10/02/23
Received

DISCLAIMER:

- Sample will be retained only for 15 days.
- Above results indicate to the parameters mentioned only.
- Liability limited till issue of test reports only.
- The test report shall not be produced for any legal identity or advertised without permission of lab.
- The effect of results relate only to the item tested.



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/22-23/13178A/2
Dated	: 19/01/2023
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	11/01/2023		
02	TEST LOCATION		Near Weigh Bridge		
03	TIME OF SAMPLING	Hrs	09:15-17:15		
04	TEMPERATURE (Max./Min)	Deg C	32/20		
05	RELATIVE HUMIDITY	% RH	46		
06	SAMPLING DURATION	Hrs	8		
07	PM ₁₀	µg/m ³	93.00	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	52.00	≤60	CPCB Guidelines Volume - I Pg. No.15
09	SO ₂	µg/m ³	8.00	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	30.40	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	RDS/FM-02	TECH/CAL/2022/04.A/15	20/04/2022	19/04/2023
02	RDS/UM-02	TECH/CAL/2022/04.A/3	20/04/2022	19/04/2023

NAAQS – National Ambient Air Quality Standards (2009)

BDL- Below detectable level

M. N. A. G. K. A.
For HORIZON SERVICES



DISCLAIMER:

- Sample will be retained only for 15 days.
- Above results indicate to the parameters mentioned only.
- Liability limited till issue of test reports only.
- The test report shall not be produced for any legal identity or advertised without permission of lab.
- The effect of results relate only to the item tested.



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/22-23/13178A/3
Dated	: 19/01/2023
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	11/01/2023		
02	TEST LOCATION		Near ETP		
03	TIME OF SAMPLING	Hrs	17:35-13:35		
04	TEMPERATURE (Max./Min)	Deg C	32/20		
05	RELATIVE HUMIDITY	% RH	46		
06	SAMPLING DURATION	Hrs	8		
07	PM ₁₀	µg/m ³	71.00	≤100	IS 5182(part 23),2006
08	PM _{2.5}	µg/m ³	29.00	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO ₂	µg/m ³	7.60	≤80	IS 5182(part 2),2001, RA 2006
10	NO ₂	µg/m ³	27.40	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	RDS/FM-03	TECH/CAL/2022/04.A/16	20/04/2022	19/04/2023
2	RDS/UM-03	TECH/CAL/2022/04.A/5	20/04/2022	19/04/2023

NAAQS – National Ambient Air Quality Standards (2009)
BDL- Below detectable level



M. Nagaraj
For HORIZON SERVICES

DISCLAIMER:

- Sample will be retained only for 15 days.
- Above results indicate to the parameters mentioned only.
- Liability limited till issue of test reports only.
- The test report shall not be produced for any legal identity or advertised without permission of lab.
- The effect of results relate only to the item tested.



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

Report No.	: HS/REP/22-23/13178A/4
Dated	: 19/01/2023
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	Methods Used
01	DATE OF SAMPLING	DD/MM/YY	11/01/2023		
02	TEST LOCATION		Boiler 1 & 2 (Capacity-70 MT/Hr & 40 MT/Hr)		
03	TIME OF SAMPLING (00.00)	Hrs	09:00		
04	MATERIAL OF STACK		--		
05	STACK HEIGHT (AGL)	Mtr	65		
06	TYPE OF FUEL USED	--	Baggase		
07	FUEL CONSUMPTION	MT/Hr	55		
08	TYPE OF STACK		Round		
09	FLUE GAS TEMPERATURE	Deg C	149		
10	VELOCITY	M/Sec	7.8		
11	DIAMETER OF STACK	M	3.43		
12	GAS VOLUME	Nm ³ /Hr	183475.3		
13	PM	mg/Nm ³	86.58	As per Consent	IS 11255 (Part 1)
14	SO ₂	Kg/Day	98.60	As per Consent	IS 11255 (Part 2)

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	SMK/IT-01	TECH/CAL/2022/04.A/7	20/04/2022	19/04/2023

M. Nalgaerka
For HORIZON SERVICES



DISCLAIMER:

• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.
• The test report shall not be produced for any legal identity or admitted without permission of lab.



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

Report No.	: HS/REP/22-23/13178A/5
Dated	: 19/01/2023
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	Methods Used
01	DATE OF SAMPLING	DD/MM/YY	11/01/2023		
02	TEST LOCATION		Incinerator Boiler		
03	TIME OF SAMPLING (00.00)	Hrs	10:00		
04	MATERIAL OF STACK		--		
05	STACK HEIGHT	Mtr	82		
06	TYPE OF FUEL USED	--	Coal & Con. Spent Wash		
07	TYPE OF STACK		Round		
08	FLUE GAS TEMPERATURE	Deg C	186		
09	VELOCITY	M/Sec	8.65		
10	DIAMETER OF STACK	M	4.43		
11	GAS VOLUME	Nm ³ /Hr	311146.87		
12	PM	mg/Nm ³	34.85	150	IS 11255 (Part 1)
13	SO ₂	Kg/Day	108.20	500	IS 11255 (Part 2)

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	SMK/IT-01	TECH/CAL/2022/04.A/7	20/04/2022	19/04/2023

Manoj Kumar
For **HORIZON SERVICES**



DISCLAIMER:

- Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.
- The test report shall not be produced for any legal identity or legal liability.



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT NOISE LEVEL MONITORING REPORT

Report No.	: HS/REP/22-23/13178A/6
Dated	: 19/01/2023
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES
Date of Sampling	: 11/01/2023

RESULTS

SR. NO.	TEST LOCATION	UNIT	DAY TIME		NIGHT TIME	
			Time	Readings	Time	Readings
01	Near Main Gate	dB (A)	10:20 hrs.	72.0	22:20 hrs.	66.7
02	Near Boiler	dB (A)	10:30 hrs.	72.9	22:30 hrs.	66.0
03	Near ETP Area	dB (A)	10:40 hrs.	67.4	22:40 hrs.	63.9
04	Near Sugar Godown	dB (A)	10:50 hrs.	74.7	22:50 hrs.	68.6
05	Near Laboratory	dB (A)	11:00 hrs.	73.1	23:00 hrs.	68.4
06	Near Mill House	dB (A)	11:10 hrs.	72.5	23:10 hrs.	68.1
07	Near Pan Section	dB (A)	11:20 hrs.	73.6	23:20 hrs.	69.7
08	Near Sugar Plant	dB (A)	11:30 hrs.	71.9	23:30 hrs.	69.0
09	Near Weigh Bridge	dB (A)	11:40 hrs.	69.9	23:40 hrs.	67.6
10	Near Centrifugal	dB (A)	11:50 hrs.	72.5	23:50 hrs.	70.0

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	Make- Mextech, SR.NO.-GE/DB-01, MODEL NO.-4201	TECH/CAL/2022/04.A/11	20/04/2022	19/04/2023

Limits:

≤75 dB (A) For Day Time
≤70 dB (A) For Night Time

REMARK/OBSERVATIONS:

Noise levels limits are given as per Noise Pollution (Regulation & Control) Rules 2010.

M. N. Gaikwad
For HORIZON SERVICES



DISCLAIMER:

- Sample will be retained only for 15 days.
- Above results indicate to the parameters mentioned only.
- Liability limited till issue of test reports only.
- The test report shall not be produced for any legal identity or advertised without permission of lab.
- The effect of results relate only to the item tested.



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/13075A-2
M/s Shri Gurudatt Sugars Ltd., (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	19/01/2023
	LAB REFERENCE NO	HS/LAB/WA/1109A
	DATE OF SAMPLING	11/01/2023
	DATE OF ANALYSIS	12/01/2023

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Industrial Waste Water	M/s. Greensafe Enviro Services	Treated	ETP

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	MPCB LIMITS	TEST METHOD
1	pH	---	7.10	5.5-9.0	APHA 23 rd Ed 2017, 4500-H ⁺ B
2	Total Suspended Solids	mg/lit	60.00	< 100.00	APHA 23 rd Ed 2017, 2540 D
3	Total Dissolved Solids	mg/lit	1784.00	< 2100.00	APHA 23 rd Ed 2017, 2540 C
4	Chemical Oxygen Demand	mg/lit	164.00	< 250.00	APHA 23 rd Ed 2017, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	44.00	< 100.00	IS-3025 (Part 44) R-2009
6	Chlorides as Cl ⁻	mg/lit	338.00	< 600.00	APHA 23 rd Ed 2017, 4500 Cl ⁻ B
7	Sulphates as SO ₄ ⁻⁻	mg/lit	580.00	< 1000.00	APHA 23 rd 2017, 4500 SO ₄ E
8	Oil & Grease	mg/lit	<5.00	< 10.00	APHA 23 rd Ed 2017, 5520 B



For HORIZON SERVICES

Munargalika
(LAB INCHARGE)

DISCLAIMER :

• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004,
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/13075A-1
M/s Shri Gurudatt Sugars Ltd., (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	19/01/2023
	LAB REFERENCE NO	HS/LAB/WA/1109A
	DATE OF SAMPLING	11/01/2023
	DATE OF ANALYSIS	12/01/2023

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Industrial Waste Water	M/s. Greensafe Enviro Services	Untreated	ETP

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	TEST METHOD
1	pH	---	4.70	APHA 23 rd Ed 2017, 4500-H ⁺ B
2	Total Suspended Solids	mg/lit	286.00	APHA 23 rd Ed 2017, 2540 D
3	Total Dissolved Solids	mg/lit	1978.00	APHA 23 rd Ed 2017, 2540 C
4	Chemical Oxygen Demand	mg/lit	3924.00	APHA 23 rd Ed 2017, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	1854.00	IS-3025 (Part 44) R-2009
6	Chlorides as Cl ⁻	mg/lit	364.00	APHA 23 rd Ed 2017, 4500 Cl ⁻ B
7	Sulphates as SO ₄ --	mg/lit	688.00	APHA 23 rd Ed 2017, 4500 SO ₄ E
8	Oil & Grease	mg/lit	16.00	APHA 23 rd Ed 2017, 5520 B



For HORIZON SERVICES

Manoj Kumar
(LAB INCHARGE)

DISCLAIMER:

- Sample will be retained only for 15 days.
- Above results indicate to the parameters mentioned only.
- Liability limited till issue of test reports only.
- The test report shall not be produced for any legal identity or advertised without permission of lab.



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS M/s Shri Gurudatt Sugars Ltd., (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT NO	HS/LAB/WA/13075A-4
	REPORT DATE	19/01/2023
	LAB REFERENCE NO	HS/LAB/WA/1109A
	DATE OF SAMPLING	11/01/2023
	DATE OF ANALYSIS	12/01/2023

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Soil Sample	M/s. Greensafe Enviro Services	---	Pranav Mane- Takali

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	TEST METHOD
1	pH(10 % Extract)	---	7.00	IS 2720 (Part 26) 1987
2	Chlorides as Cl ⁻	mg/kg	224.00	SOP No: WI/Lab/Soil/CA/13
3	Sulphates as SO ₄ --	mg/kg	ABSENT	IS 2720 (Part 27)- 1977 (RA 2010)
4	Total Chromium as Cr	mg/kg	8.00	Ministry of Agriculture 2011
5	Total Nitrogen as N	mg/kg	134.00	IS 14684:1999
6	Phosphorus as P	mg/kg	ABSENT	HS/NABL/SOIL/8
7	Nickel as Ni	mg/kg	20.00	Ministry of Agriculture 2011
8	Cadmium as Cd	mg/kg	1.40	Ministry of Agriculture 2011
9	Copper as Cu	mg/kg	48.00	Ministry of Agriculture 2011
10	Zinc as Zn	mg/kg	32.00	HS/NABL/SOIL/11
11	Total Ammonia as N	mg/kg	ABSENT	Ministry of Agriculture 2011

For HORIZON SERVICES



Manoj Kumar
(LAB INCHARGE)

DISCLAIMER:

• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS M/s Shri Gurudatt Sugars Ltd., (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT NO	HS/LAB/WA/13075A-3
	REPORT DATE	19/01/2023
	LAB REFERENCE NO	HS/LAB/WA/1109A
	DATE OF SAMPLING	11/01/2023
	DATE OF ANALYSIS	12/01/2023

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Well Water Sample	M/s. Greensafe Enviro Services	---	Pandurang Koli-Takali, Near Distillery

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	LIMITS AS PER IS10500: 2018	TEST METHOD
01	pH	---	7.30	6.5 - 8.5	APHA 23 rd 2017, 4500-H*B
02	Electric Conductivity	µs/cm	138.00	Not Specied	APHA 23 rd 2017, 2510 B
03	Colour	Hazen	<5.00	<5.00	APHA 23 rd 2017, 2120 C
04	Odour	---	Agreeable	Agreeable	APHA 23 rd 2017, 2150 B
05	Turbidity	NTU	<1.00	<1.00	APHA 23 rd 2017, 2130 B
06	Total Dissolved Solids	mg/lit	116.00	<500.00	APHA 23 rd 2017, 2540 C
07	Chemical Oxygen Demand	mg/lit	2.00	Not Specied	APHA 23 rd 2017, 5220 C
08	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	1.00	Not Specied	IS 3025 (Part 44)- R-2003
09	Chlorides as Cl ⁻	mg/lit	34.00	<250.00	APHA 23 rd 2017, 4500 Cl-B
10	Sulphates as SO ₄ ⁻⁻	mg/lit	64.00	<200.00	APHA 23 rd 2017, 4500 SO4 E
11	Alkalinity as CaCO ₃	mg/lit	42.00	<200.00	APHA 23 rd 2017, 2320 B
12	Calcium as Ca	mg/lit	24.00	<75.00	APHA 23 rd 2017, 3500 Ca B
13	Magnesium as Mg	mg/lit	18.00	<30.00	APHA 23 rd 2017, 3500 Mg B
14	Total Hardness as CaCO ₃	mg/lit	102.00	<200.00	APHA 23 rd 2017, 2340 C
15	Iron as Fe	mg/lit	0.10	<0.30	APHA 23 rd 2017, 3500 Fe B
16	Fluoride as F ⁻	mg/lit	<0.20	<1.00	APHA 23 rd 2017, 4500-F D
17	Sodium as Na	mg/lit	4.00	Not Specied	APHA 23 rd 2017, 3500 Na B

REMARK: As per IS 10500: 2018, above water sample is chemically & bacteriologically potable for drinking purpose, for the parameters tested.



For **HORIZON SERVICES**
M. N. G. G. G.
(LAB INCHARGE)

DISCLAIMER:

- Sample will be retained only for 15 days.
- Above results indicate to the parameters mentioned only.
- Liability limited till issue of test reports only.
- The test report shall not be produced for any legal identity or advertised without permission of lab.
- The effect of results relate only to the item tested.

Shri Gurudatt Sugars Ltd., Takaliwadi

Distillery - Online Monitoring System

A. WEB Camera






B. Incineration Boiler Online monitoring Photographs



D. Incineration Boiler Stack Probe



DISTILLERY C.P.U. APPROACH :-




DISTILLERY C.P.U.



In keeping with the principle of Zero Discharge, a state of art technology is provided based on experienced working in the field for last several years. This is achieving the treated condensate quality suitable for all the process operations.

DISTILLERY C.P.U.



DISTILLERY C.P.U.

Membrane bio Reactor Technology (MBR) & RO System

A Membrane Bioreactors (MBR) is a German technology installed in a distillery condensate polishing unit. The process that combines a microfiltration or ultrafiltration membrane unit with a suspended growth bioreactor and has been used for the first time in INDIA of our distillery condensate reuse purpose “**Shri Gurudatt sugars factory**” in India for industrial wastewater treatment. In the MBR process, the membranes act as a solid-liquid separator, keeping the treated wastewater in a biomass bioreactor before being recycled. Basically, they replace the clarifiers used in conventional activated sludge (CAS) processes. Both micro- (MF) and ultrafiltration (UF) techniques are used in MBR applications. Reverse osmosis, commonly referred to as RO, is a process where we demineralize or deionize water under pressure through a semi-permeable reverse osmosis membrane. Also that water is given for pre-use to the distillation project. In keeping with the principle of Zero Discharge.

Shri Gurudatt sugars Ltd., is known by self- water generator industry continuously adopting various foreign technologies to preserve and protect the environment. All India **Shri Gurudatt Sugars Ltd.**, have registered at India level and have been awarded by **Shri Gurudatt Sugars Ltd.**, for “**Best Performance in Environmental Protection**”.



FORM V

(See Rule 14)

Environmental Audit Report for the financial Year ending the 31st March 2025

Unique Application Number

MPCB-ENVIRONMENT_STATEMENT-0000077486

Submitted Date

11-04-2025

PART A

Company Information

Company Name

Shri Gurudatt Sugars Ltd.,

Application UAN number

MPCB-CONSENT-0000139916

Address

Gat No - 61/A, A/p - Takaliwadi

Plot no

Gat No 61/A

Taluka

Shirol

Village

Akiwat -Takaliwadi Road

Capital Investment (In lakhs)

28135.00

Scale

L.S.I

City

Kolhapur

Pincode

416108

Person Name

Mr Rahul M Ghatage

Designation

Executive Directors

Telephone Number

7350010520

Fax Number

02312686086

Email

gslsugars.env@gmail.com

Region

SRO-Kolhapur

Industry Category

Red

Industry Type

R60 Distillery (molasses / grain /yeast based)

Last Environmental statement submitted online

yes

Consent Number

MPCB-CONSENT-0000139916

Consent Issue Date

2024-12-03

Consent Valid Upto

2025-08-31

Establishment Year

2019

Date of last environment statement submitted

Apr 6 2024 12:00:00:000AM

Industry Category Primary (STC Code) & Secondary (STC Code)

Product Information

Product Name

RECTIFIED SPIRIT (CAPTIVE)/ DENATURED SPIRIT (CAPTIVE)

Consent Quantity

81000

Actual Quantity

0

UOM

KL/A

EXTRA NEUTRAL ALCOHOL

50220

1498.314

KL/A

IMPURE SPIRIT/TECHNICAL ALCOHOL

5670

0

KL/A

FUSEL OIL

4050

0

KL/A

Ethanol

76950

33743.803

KL/A

ELECTRICITY

5.5

4.2

Mwh

By-product Information

Part-B (Water & Raw Material Consumption)

1) Water Consumption in m3/day

Water Consumption for Process	Consent Quantity in m3/day	Actual Quantity in m3/day
Cooling	72.00	69.00
Domestic	1350.00	1260.53
All others	1.00	0.80
Total	0.00	0.00
	1423.00	1330.33

2) Effluent Generation in CMD / MLD

Particulars	Consent Quantity	Actual Quantity	UOM
Daily Quantity of Trade Effluent from the Factory	1200	1032.64	CMD

2) Product Wise Process Water Consumption (cubic meter of process water per unit of product)

Name of Products (Production)	During the Previous financial Year	During the current Financial year	UOM
Distillery including Fermentation Industry	1.12	5.32	Ton/Ton
Distillery including Fermentation Industry	0	1.2	Ton/Ton
Distillery including Fermentation Industry	6.81	6.94	Ton/Ton
Distillery including Fermentation Industry	0	0.3	Ton/Ton
Distillery including Fermentation Industry	0	0.01	Ton/Ton
Distillery including Fermentation Industry	3.7	3.71	Mwh

3) Raw Material Consumption (Consumption of raw material per unit of product)

Name of Raw Materials	During the Previous financial Year	During the current Financial year	UOM
Molasse	38406.36	31252	MT/A
B Heavy Molasses	115154	104234	MT/A
Sugar Cane Juice Syrup	6789	0	MT/A
Consumable Chemicals (Caustic Soda)	2021	1992	MT/A
Consumable Chemicals (Antifoam)	1492	1353	MT/A

4) Fuel Consumption

Fuel Name	Consent quantity	Actual Quantity	UOM
--NA--	300	278	CMD
Coal	18250	2031.54	MT/A

Part-C

Pollution discharged to environment/unit of output (Parameter as specified in the consent issued)

[A] Water

Pollutants Detail	Quantity of Pollutants discharged (kl/day)	Concentration of Pollutants discharged(Mg/Lit) Except PH.Temp.Colour	Percentage of variation from prescribed standards with reasons
--------------------------	---	---	---

[B] Air (Stack)

Pollutants Detail	Quantity of Pollutants discharged (kL/day)	Concentration of Pollutants discharged(Mg/NM3)	Percentage of variation from prescribed standards with reasons	Standard	Reason
	Quantity	Concentration	%variation		
Total Particulate Matter	543.12	33.30	0	0	0

Part-D

HAZARDOUS WASTES

1) From Process

Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
5.1 Used or spent oil	12	70	Ltr/A

2) From Pollution Control Facilities

Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
5.1 Used or spent oil	12	70	Ltr/A

Part-E

SOLID WASTES

1) From Process

Non Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
Boiler Ash	3398	3031	MT/A

2) From Pollution Control Facilities

Non Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
Boiler Ash	3398	3031	MT/A

3) Quantity Recycled or Re-utilized within the unit

Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
20.3 Distillation residues	8.42	7.91	MT/A

Part-F

Please specify the characteristics(in terms of concentration and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

1) Hazardous Waste

Type of Hazardous Waste Generated	Qty of Hazardous Waste	UOM	Concentration of Hazardous Waste
NA	0	Kg/Annum	0

2) Solid Waste

Type of Solid Waste Generated	Qty of Solid Waste	UOM	Concentration of Solid Waste
NA	0	Kg/Annum	0

Part-G

Impact of the pollution Control measures taken on conservation of natural resources and consequently on the cost of production.

Description	Reduction in Water Consumption (M3/day)	Reduction in Fuel & Solvent Consumption (KL/day)	Reduction in Raw Material (Kg)	Reduction in Power Consumption (KWH)	Capital Investment(in Lacs)	Reduction in Maintenance(in Lacs)
The 100% treated water from E.T.P. is recycled for Distillery Cooling tower and Fermentation make up purpose.	528	152	142	5.1	6.22	27

Part-H

Additional measures/investment proposal for environmental protection abatement of pollution, prevention of pollution.

[A] Investment made during the period of Environmental Statement

Detail of measures for Environmental Protection

Good House Keeping kept in a mfg plant as well as ETP massive tree plantation done on available land.

Environmental Protection Measures

Tree Plantation (Quantity 500 Nos)

Capital Investment (Lacks)

2.5

[B] Investment Proposed for next Year

Detail of measures for Environmental Protection

Good House Keeping kept in a mfg plant as well as ETP massive tree plantation done on available land.

Environmental Protection Measures

Tree Plantation (Quantity 500 Nos)

Capital Investment (Lacks)

3

Part-I

Any other particulars for improving the quality of the environment.

Particulars

We have planted about 1000 Nos plants around the Distillery for develop green belt around the premises. We are proposed to plant various type of tree in this year also.

Name & Designation

Mr. Atul Pawar - Chief Executive Officer

UAN No:

MPCB-ENVIRONMENT_STATEMENT-0000077486

Submitted On:

11-04-2025



SHRI GURUDATT SUGARS LTD., Takaliwadi

ADD.: Gat No. : 61 / A, Akiwat Takaliwadi Road, Takaliwadi Tal.- Shirol Dist - Kolhapur (MH) Pin Code : 416 108
PHONE : +91 231 2686086 | FAX : +91 231 2686000 | WEBSITE : www.sgsl.co.in | Email : gslsugars@gmail.com

SGSL/ 181 /2019-2020

Date – June 12,2019

To,
The Regional Officer,
Ministry of Environment, Forest & Climate Change,
Regional office (WCZ), Ground Floor, East Wing,
New Secretariat Building, Civil Lines, Nagpur.
Tel No. 0712 – 2531318
Email: moefregionalofficenagpur@gmail.com

Sub: Submission of Environmental Clearance copy for Shri Gurudatt Sugars Ltd., Gat No. 61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal – Shirol, Dist – Kolhapur, Maharashtra – 416108

Ref: MOEF Letter No. F. No. J-11011/41/2015-IA-II(I) Date – 07.06.2019.

Dear Sir,

With reference to the abovementioned subject, we are submitting here with Environmental Clearance Copy of Sugar 4900 TCD to 13000 TCD, Cogeneration 21 MW to 90 MW, Distillery 150 KLPD & Refine Sugar 1755 TCD at Gat No. 61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal – Shirol, Dist – Kolhapur, Maharashtra – 416108 received from Ministry of Environment, Forest and Climate Change, New Delhi.

This is for your information.

Thanking You

Yours Faithfully,

FOR, SHRI GURUDATT SUGARS LTD.,


Executive Director


Enclosed – Enclosed above with copy of EC

C.C to: 1. The Regional officer, MPC Board, Kolhapur.
2. The Sub - Regional officer, MPC Board, Kolhapur.

Received
13/06/2019
REGIONAL OFFICE
M. P. C. BOARD
DR. YOG BHAVAN
3RD FLOOR NEAR COLLECTOR OFFICE
KOLHAPUR-416008



Regd. No. 25-14367, CIN-UI5424PN2000PLC014367

An ISO 9001 : 2008 Certified Company

SHRI GURUDATT SUGARS LTD., Takaliwadi

I ADD.: Gat No. : 61 / A, Akiwat Takaliwadi Road, Takaliwadi Tal.- Shirol Dist - Kolhapur (MH) Pin Code : 416 108
I PHONE : +91 231 2686086 I FAX : +91 231 2686000 I WEBSITE : www.sgsl.co.in I Email : gslsugars@gmail.com

SGSL/ 183 /2019-2020

Date – June 12,2019

To,
The Chief Executive Officer so,
Zilha Parishad Office, Nagala Park,
Kolhapur.

Sub: Submission of Environmental Clearance copy for Shri Gurudatt Sugars Ltd., Gat No. 61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal – Shirol, Dist – Kolhapur, Maharashtra – 416108

Ref: MOEF Letter No. F. No. J-11011/41/2015-IA-II(I) Date – 07.06.2019.

Dear Sir,

With reference to the abovementioned subject, we are submitting here with Environmental Clearance Copy of Sugar 4900 TCD to 13000 TCD, Cogeneration 21 MW to 90 MW, Distillery 150 KLPD & Refine Sugar 1755 TCD at Gat No. 61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal – Shirol, Dist – Kolhapur, Maharashtra – 416108 received from Ministry of Environment, Forest and Climate Change, New Delhi.

This is for your information.

Thanking You

Yours Faithfully,

FOR, SHRI GURUDATT SUGARS LTD.,


Executive Director


Enclosed – Enclosed above with copy of EC


9/8/19
लेखनिक
मुख्य कार्यालयी अधिकारी
जिल्हा परिषद, कोल्हापूर.



Regd. No. 25-14367, CIN-UI5424PN2000PLC014367

An ISO 9001 : 2008 Certified Company

SHRI GURUDATT SUGARS LTD., Takaliwadi

ADD.: Gat No. : 61 / A, Akiwat Takaliwadi Road, Takaliwadi Tal.- Shirol Dist - Kolhapur (MH) Pin Code : 416 108
PHONE : +91 231 2686086 | FAX : +91 231 2686000 | WEBSITE : www.sgsl.co.in | Email : gslsugars@gmail.com

SGSL/182/2019-20.

Date - 12/06/2019.

प्रति,
मा.सरपंच / ग्रामविकास अधिकारी,
मु.पो.टाकळीवाडी, ता. शिरोळ,
जि. कोल्हापूर.

विषय :- इनव्हायर्समेंटल क्लीअरन्सबाबत (ई.सी) बाबत..

संदर्भ :- पर्यावरण मंत्रालय, नवी दिल्ली यांचे पत्र क्र. F.No.J-११०११/४१/२०१५-IA-II (I)
दिनांक- ०७.०६.२०१९.

महोदय,

आमचे श्री गुरुदत्त शुगर्स लि., टाकळीवाडी या कारखान्याच्या सध्या असलेल्या गाळप क्षमता ६००० मे.टन. प्रतिदिन ते १३००० मे.टन. प्रतिदिन, सहवीजनिर्मिती प्रकल्प २१ मेगावॉट ते ९० मेगावॉट प्रतिदिन, तसेच नवीन आसवनी प्रकल्प १५० KLPD व शुध्द साखर १७५५ टन प्रतिदिन यांस **Ministry of Environment, Forest and Climate Change, New Delhi** यांचेकडून संदर्भिय पत्रान्वये मान्यता मिळाली आहे.आपल्या माहितीसाठी सविनय सादर.

आपला विश्वासू,

व्यवस्थापकीय संचालक
श्री गुरुदत्त शुगर्स लि.टाकळीवाडी.

सोबत :- संदर्भिय मंजूरीपत्र जोडत आहे.

प्र.पि.का.शि.
१२/०६/१९
ग्रामपंचायत, टाकळीवाडी,
ता. शिरोळ, जि. कोल्हापूर.

खंडूता पेपर दिनांक: १४/०६/२०१९

जाहीर नोटीस

श्री. गुरुदत्त शुगर्स लिमिटेड, टाकळीवाडी पर्यावरण विषयक अनुमती

श्री. गुरुदत्त शुगर्स लिमिटेड, गट नं ६१/अ, अकिवाट-
टाकळीवाडी रोड, टाकळीवाडी, ता. शिरोळ, जि. कोल्हापूर,
४१६१०८ तर्फे कळविण्यात येते की, आमच्या कारखान्यामध्ये
गळप क्षमता ६००० TCD ते १३००० TGD,
सहविजनिर्मिती प्रकल्प २१ MW ते ९० MW, आसुवनी
प्रकल्प १५० KLPD व शुध्द साखर १७५५ टन प्रति दिवस,
वाढीव व नवीन प्रकल्पास भारत सरकारचे पर्यावरण वनविभाग
व हवामान बदल मंत्रालय, नवी दिल्ली कडील पत्र संदर्भ
F.No. J-११०११/४१/२०१५A-I (I) दिनांक
०७/०६/२०१९ ने नवीन व विस्तारीकरण प्रकल्पास अनुमती
मिळाली आहे.

श्री. माधवराव भगवानराव जाटगे
चेअरमन व कार्यकारी संचालक
श्री. गुरुदत्त शुगर्स, टाकळीवाडी.

PUBLIC NOTICE

To whomsoever it may concern

This is to inform to the public that Shri Gurudatt Sugars Ltd., Gat no. 61/A, Akiwat - Takaliwadi Road, Takaliwadi, Tal- Shirol, Dist - Kolhapur - 416 108 Maharashtra has been granted Environmental clearance for their proposed expansion & new project of Sugar Plant 6000 TCD to 13000 TCD, Co-generation 21 MW to 90 MW, distillery 150 KLPD & Refine Sugar 1755 TCD vide letter No. F. No. J-11011/41/2015-IA-II(I) dt. 07-06-2019.

The copy of same can be viewed at website of Ministry of Envirment and Forest and Climate Change of <http://moef.gov.in>

Shri. Madhavrao B. Ghatage
Chairman and Managing Director


MSME TECHNOLOGY DEVELOPMENT CENTER/ODDCA

The Indian EXPRESS Sun, 16 June 2019
epaper editions epaper.indianexpress.com/ 

fr
FE
CE
li
PV
fr
1
NC

SHRI GURUDATT SUGARS LTD., TAKALIWADI

Environmental management cell




Environmental Management Cell.

Expenditure on Environmental Matters

The following shows Environmental Expenditures of Shri Gurudatt Sugar Ltd. Gat No. 61/A, Akiwat Takaliwadi Road, Takaliwadi – 416108, Tal – Shirol, Dist – Kolhapur, Maharashtra.

Expenditure on Environmental Matters

Sr. No.	Head	Capital cost per Annum (Rs. in Lacs)	2020-2021 (Rs. In Lacs)	2021-2022 (Rs. In Lacs)	2022-2023 (Rs. In Lacs)	2023-2024 (Rs. In Lacs)
1	Effluent Treatment Plant	200	3.12	13.22	12.61	14.98
2	Air Pollution Control	550	19	38	33.4	39.1
3	Condensate Facility	450	2.1	6.9	7.21	16.52
4	Tree Plantation	13.26	2.9	1.0	1.25	7.38
	Total	1213.26	27.12	59.10	54.47	77.98



FORM 7

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114)

SHRI GURUDATT SUGARS LIMITED

(Health Register)

**CERTIFYING SURGEON
DR. ARVIND
MBBS DPH AFH**

(In respect of persons employed in occupations declared to be dangerous operations under sections 87)

From: { 12-01-24 To 11-01-25 }

DSD Security

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth -day)	Dept of employment of present work	Date of Leaving or Transfer to Other	Reason For Leaving	Nature of Job or Occupation	Raw Material or by Product Handled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume
1	2	3	4	5	6	7	8	9	10	11		12	
1	100	Bharat B. Jadhav	Male	57	Security	NA	NA			13-01-24	FIT	NA	NA
2	14001	Sham S. Patil	Male	42	Security	NA	NA			13-01-24	FIT	NA	NA
3	14005	Sumit Bandu Khot	Male	23	Security	NA	NA			13-01-24	FIT	NA	NA
4	14006	Siddharath K. Kamble	Male	35	Security	NA	NA			13-01-24	FIT	NA	NA
5	14007	Yogesh S. Dharangutte	Male	27	Security	NA	NA			13-01-24	FIT	NA	NA
6	14008	Nitin G. Madhale	Male	36	Security	NA	NA			13-01-24	FIT	NA	NA
7	14010	Pramod Y. Kadam	Male	43	Security	NA	NA			13-01-24	FIT	NA	NA
8	14014	Shubham Narayan Gaikwad	Male	26	Security	NA	NA			13-01-24	FIT	NA	NA
9	14016	Prakash Ramu Repe	Male	39	Security	NA	NA			13-01-24	FIT	NA	NA
10	14017	Prakash A. Gaykwad	Male	28	Security	NA	NA			13-01-24	FIT	NA	NA
11	14018	Avadhut S. Jagtap	Male	52	Security	NA	NA			13-01-24	FIT	NA	NA
12	14019	Rushikesh Balasaheb Thorat	Male	25	Security	NA	NA			13-01-24	FIT	NA	NA
13	14021	Sagar R. Apraj	Male	30	Security	NA	NA			13-01-24	FIT	NA	NA
14	14022	Chidanand R. Dharangutte	Male	24	Security	NA	NA			13-01-24	FIT	NA	NA
15	14023	Shivram E. Kamble	Male	41	Security	NA	NA			13-01-24	FIT	NA	NA
16	14024	Shashidhar Kamble	Male	40	Security	NA	NA			13-01-24	FIT	NA	NA
17	14025	Vinod R. Kadam	Male	44	Security	NA	NA			13-01-24	FIT	NA	NA
18	14026	Sanjay S. Patil	Male	49	Security	NA	NA			13-01-24	FIT	NA	NA
19	14027	Shahir S. Chavare	Male	59	Security	NA	NA			13-01-24	FIT	NA	NA
20	14028	Swapnil B. Mohite	Male	27	Security	NA	NA			13-01-24	FIT	NA	NA
21	14029	Prabhakar A. Aadake	Male	36	Security	NA	NA			13-01-24	FIT	NA	NA
22	-	Sambhaji A. Pujari	Male	45	Security	NA	NA			13-01-24	FIT	NA	NA

FORM 7

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X, XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114)

SHRI GURUDATT SUGARS LIMITED

(Health Register)

(In respect of persons employed in occupations declared to be dangerous operations under sections 87)

Nirmal Jyot

From: { 12-01-24 To 11-01-25 }

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth -day)	Dept of present work	Date of Leaving or Transfer to Other	Reason For Leaving or Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	Suspension with Detailed Reasons	Certified fit to resume
1	2	3	4	5	6	7	8	9	10	11	12	12	12
1	10015	Vinayak K. Ghatage	Male	37	Agriculture	NA	NA	NA		13-01-24	FIT	NA	NA
2	16001	Vijay M. Patil	Male	30	ETP	NA	NA	NA		13-01-24	FIT	NA	NA
3	16002	Amin D. Mulla	Male	30	Store	NA	NA	NA		13-01-24	FIT	NA	NA
4	16003	Dipak S. Badame	Male	31	Manufacturing	NA	NA	NA		13-01-24	FIT	NA	NA
5	16005	Pravin P. Kamble	Male	29	ETP	NA	NA	NA		13-01-24	FIT	NA	NA
6	16007	Mahesh G. Kamble	Male	32	WTP	NA	NA	NA		13-01-24	FIT	NA	NA
7	16009	Appaso D. Khot	Male	33	Store	NA	NA	NA		13-01-24	FIT	NA	NA
8	16009	Babaso A. Kumbhar	Male	30	WTP	NA	NA	NA		13-01-24	FIT	NA	NA
9	16012	Anil G. Patil	Male	37	Caneyard	NA	NA	NA		13-01-24	FIT	NA	NA
10	16013	Ramesh B. Jadhav	Male	43	Caneyard	NA	NA	NA		13-01-24	FIT	NA	NA
11	16017	Atul S. Chudumunge	Male	31	Agriculture	NA	NA	NA		13-01-24	FIT	NA	NA
12	16019	Vinod B. Sokande	Male	31	Agriculture	NA	NA	NA		13-01-24	FIT	NA	NA
13	16020	Pandurang R. Dhangar	Male	45	Caneyard	NA	NA	NA		13-01-24	FIT	NA	NA
14	16021	Namdev K. Nirmale	Male	36	WTP	NA	NA	NA		13-01-24	FIT	NA	NA
15	16022	Dadaso Babaso Bhamane	Male	30	Co-Generation	NA	NA	NA		13-01-24	FIT	NA	NA
16	16023	Santosh N. Kamble	Male	31	Electrician	NA	NA	NA		13-01-24	FIT	NA	NA
17	16025	Chandrakant P. Biranage	Male	34	Engineering	NA	NA	NA		13-01-24	FIT	NA	NA
18	16026	Rohit M. Patil	Male	27	ETP	NA	NA	NA		13-01-24	FIT	NA	NA
19	16027	Vaibhav B. Yedake	Male	29	WTP	NA	NA	NA		13-01-24	FIT	NA	NA
20	16031	Ajit S. Patil	Male	34	Electrician	NA	NA	NA		13-01-24	FIT	NA	NA
21	16032	Balaso Lahu Kamble	Male	27	WTP	NA	NA	NA		13-01-24	FIT	NA	NA
22	16033	Shubham A. Patil	Male	24	WTP	NA	NA	NA		13-01-24	FIT	NA	NA
23	16034	Prajyot M. Ingale	Male	34	Caneyard	NA	NA	NA		13-01-24	FIT	NA	NA
24	16035	Shrimant B. Latkar	Male	33	Caneyard	NA	NA	NA		13-01-24	FIT	NA	NA
25	16036	Santosh Vasant Kumbhar	Male	35	Engineering	NA	NA	NA		13-01-24	FIT	NA	NA
26	16037	Rahul Tanaji Kumbhar	Male	30	Juss	NA	NA	NA		13-01-24	FIT	NA	NA
27	16038	Yuvraj A. Mane	Male	37	Engineering	NA	NA	NA		13-01-24	FIT	NA	NA

FORM 7

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114)

SHRI GURUDATT SUGARS LIMITED

(Health Register)

**CERTIFYING SURGEON
DR. ARVIND**

(In respect of persons employed in occupations declared to be dangerous operations under sections 87)

MBBS DPH AFHM

Nirmal Jyot

From: { 12-01-24 To 11-01-25 }

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth -day)	Dept./of employment of present work	Date of Leaving or Transfer to Other	Reason For Leaving Transfer or Discharge	Nature of Job or Occupation	Raw Material or by Product Handled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume
1	2	3	4	5	6	7	8	9	10	11		12	
28	16039	Sachin V. Kumbhar	Male	38	Engineering	NA	NA			13-01-24	FIT	NA	NA
29	16041	Appaso P. Narute	Male	38	Engineering	NA	NA			13-01-24	FIT	NA	NA
30	16043	Sagar A. Mali	Male	35	Caneyard	NA	NA			13-01-24	FIT	NA	NA
31	16044	Satish N. Gaykward	Male	29	Caneyard	NA	NA			13-01-24	FIT	NA	NA
32	16045	Nikhil P. Patil	Male	29	Caneyard	NA	NA			13-01-24	FIT	NA	NA
33	16046	Chandrakant V. Magdum	Male	42	Caneyard	NA	NA			13-01-24	FIT	NA	NA
34	16048	Sushant P. Kosti	Male	27	WTP	NA	NA			13-01-24	FIT	NA	NA
35	16054	Machindranath A. Davari	Male	53	WTP	NA	NA			13-01-24	FIT	NA	NA
36	16055	Amar Ashok Korale	Male	36	Caneyard	NA	NA			13-01-24	FIT	NA	NA
37	-	Vishal Ravasaheb Bage	Male	27	HR	NA	NA			13-01-24	FIT	NA	NA

FORM 7

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114)

SHRI GURUDATT SUGARS LIMITED

(Health Register)

(In respect of persons employed in occupations declared to be dangerous operations under sections 87)

Pramutech Services Ltd.

From: { 12-01-24 To 11-01-25 }

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth -day)	Dept or employment of present work	Date of Leaving or Transfer to Other	Reason For Leaving Transfer or Discharge	Nature of Job or Occupation	Raw Material or by Product Handled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	Suspension with Detailed Reasons	Certified fit to resume
1	2	3	4	5	6	7	8	9	10	11		12	
1	1106	Rakesh R. Savadatti	Male	26	Co-Generation	NA	NA	NA		13-01-24	FIT	NA	NA
2	11006	Kapil S. Gidd	Male	32	Distillery	NA	NA	NA		13-01-24	FIT	NA	NA
3	11007	Tejas P. Patil	Male	27	Distillery	NA	NA	NA		13-01-24	FIT	NA	NA
4	11009	Ramesh R. Kadam	Male	41	Distillery	NA	NA	NA		13-01-24	FIT	NA	NA
5	11012	Satish N. Patil	Male	40	Distillery	NA	NA	NA		13-01-24	FIT	NA	NA
6	11014	Gangadhar R. Bhosale	Male	30	Distillery	NA	NA	NA		13-01-24	FIT	NA	NA
7	11019	Pravin B. Mali	Male	31	Distillery	NA	NA	NA		13-01-24	FIT	NA	NA
8	11020	Manjunath S. Patil	Male	31	Distillery	NA	NA	NA		13-01-24	FIT	NA	NA
9	11021	Adinath M. Nirmale	Male	26	D.E.	NA	NA	NA		13-01-24	FIT	NA	NA
10	11022	Farukh M. Khan Mokashi	Male	37	Electrician	NA	NA	NA		13-01-24	FIT	NA	NA
11	11023	Pravin P. Patil	Male	0	Distillery	NA	NA	NA		13-01-24	FIT	NA	NA
12	11024	Kadagouda B. Patil	Male	44	Distillery	NA	NA	NA		13-01-24	FIT	NA	NA
13	11027	Ajitsinh B. Padaval	Male	31	Distillery	NA	NA	NA		13-01-24	FIT	NA	NA
14	11033	Ganesh V. Khot	Male	23	Distillery	NA	NA	NA		13-01-24	FIT	NA	NA
15	11042	Sakul S. Latakar	Male	27	Distillery	NA	NA	NA		13-01-24	FIT	NA	NA
16	11044	Vipul A. Patil	Male	29	Distillery	NA	NA	NA		13-01-24	FIT	NA	NA
17	11049	Ravikiran E. Dhavale	Male	44	Co-Generation	NA	NA	NA		13-01-24	FIT	NA	NA
18	11051	Sourabh S. Gaukude	Male	25	Distillery	NA	NA	NA		13-01-24	FIT	NA	NA
19	11054	Amol V. Jagtap	Male	40	Distillery	NA	NA	NA		13-01-24	FIT	NA	NA
20	11055	Shivanand S. Langre	Male	26	Distillery	NA	NA	NA		13-01-24	FIT	NA	NA
21	11056	Amol S. Patil	Male	27	Distillery	NA	NA	NA		13-01-24	FIT	NA	NA
22	11057	Sourabh M. Kakade	Male	27	Distillery	NA	NA	NA		13-01-24	FIT	NA	NA
23	11059	Umesh M. Kagale	Male	36	Engineering	NA	NA	NA		13-01-24	FIT	NA	NA
24	11061	Ranjit S. Patil	Male	27	Distillery	NA	NA	NA		13-01-24	FIT	NA	NA
25	11063	Kashinath D. Goundi	Male	31	Distillery	NA	NA	NA		13-01-24	FIT	NA	NA
26	11065	Sunil S. Sajane	Male	34	Engineering	NA	NA	NA		13-01-24	FIT	NA	NA
27	11065	Prasad A. Kumbhar	Male	37	Engineering	NA	NA	NA		13-01-24	FIT	NA	NA

FORM 7

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X, XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114)

SHRI GURUDATT SUGARS LIMITED

(Health Register)

(In respect of persons employed in occupations declared to be dangerous operations under sections 87)

Pramutech Services Ltd.

From: { 12-01-24 To 11-01-25 }

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth -day)	Dept or employment of present work	Date of Leaving or Transfer to Other	Reason For Leaving Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	Suspension with Detailed Reasons	Certified fit to resume
1	2	3	4	5	6	7	8	9	10	11	12	12	12
28	11066	Raghavendra D. Shamannavar	Male	34	Engineering	NA	NA	NA		13-01-24	FIT	NA	NA
29	11067	Arjun S. Pujari	Male	27	Co-Generation	NA	NA	NA		13-01-24	FIT	NA	NA
30	11068	Kiran S. Mandeshi	Male	34	WTP	NA	NA	NA		13-01-24	FIT	NA	NA
31	11069	Pravin R. Jadhav	Male	32	Engineering	NA	NA	NA		13-01-24	FIT	NA	NA
32	11070	Ananda B. Unhale	Male	32	WTP	NA	NA	NA		13-01-24	FIT	NA	NA
33	11073	Pravin S. Thakur	Male	38	WTP	NA	NA	NA		13-01-24	FIT	NA	NA
34	11074	Dhareppa G. Mane	Male	25	Engineering	NA	NA	NA		13-01-24	FIT	NA	NA
35	11075	Pradeep G. Mali	Male	37	Distillery	NA	NA	NA		13-01-24	FIT	NA	NA
36	11078	Vijay Raj A. Dudhale	Male	28	Distillery	NA	NA	NA		13-01-24	FIT	NA	NA
37	11079	Sunil P. Mhajshale	Male	37	WTP	NA	NA	NA		13-01-24	FIT	NA	NA
38	11081	Sourabh R. Nandane	Male	24	Distillery	NA	NA	NA		13-01-24	FIT	NA	NA
39	11084	Appanagouda B. Patil	Male	26	Distillery	NA	NA	NA		13-01-24	FIT	NA	NA
40	11084	Jagannath D. Chavan	Male	30	Distillery	NA	NA	NA		13-01-24	FIT	NA	NA
41	11088	Kiran R. Latte	Male	24	Distillery	NA	NA	NA		13-01-24	FIT	NA	NA
42	11090	Sourabh S. Mane	Male	24	Distillery	NA	NA	NA		13-01-24	FIT	NA	NA
43	11091	Akshay Kumar S. Gaikwad	Male	28	Engineering	NA	NA	NA		13-01-24	FIT	NA	NA
44	11092	Sagar S. Zanje	Male	27	Distillery	NA	NA	NA		13-01-24	FIT	NA	NA
45	11093	Suraj S. Patil	Male	25	Distillery	NA	NA	NA		13-01-24	FIT	NA	NA
46	11094	Akash A. Powar	Male	24	Distillery	NA	NA	NA		13-01-24	FIT	NA	NA
47	11095	Anand Shankar Naik	Male	31	Engineering	NA	NA	NA		13-01-24	FIT	NA	NA
48	11097	Shivshant S. Waghmare	Male	28	Distillery	NA	NA	NA		13-01-24	FIT	NA	NA
49	11100	Amol S. Kachare	Male	44	Engineering	NA	NA	NA		13-01-24	FIT	NA	NA
50	11101	Ganesh S. Patil	Male	28	Distillery	NA	NA	NA		13-01-24	FIT	NA	NA
51	11102	Mahesh B. Kattikar	Male	29	Distillery	NA	NA	NA		13-01-24	FIT	NA	NA
52	11104	Ketan B. Patil	Male	28	Electrician	NA	NA	NA		13-01-24	FIT	NA	NA
53	11107	Shreyansh B. Girmal	Male	24	Distillery	NA	NA	NA		13-01-24	FIT	NA	NA
54	11108	Ramazan D. Keruri	Male	40	Engineering	NA	NA	NA		13-01-24	FIT	NA	NA

FORM 7

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114)

SHRI GURUDATT SUGARS LIMITED

(Health Register)

(In respect of persons employed in occupations declared to be dangerous operations under sections 87)

Pramutech Services Ltd.

From: { 12-01-24 To 11-01-25 }

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth -day)	Dept./of employment of present work	Date of Leaving or Transfer to Other	Reason For Leaving	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume
1	2	3	4	5	6	7	8	9	10	11	12	12	12
55	11109	Gorakanath D. Mane	Male	49	Distillery	NA	NA			13-01-24	FIT	NA	NA
56	11111	Vikrant B. Kamble	Male	37	Boiler	NA	NA			13-01-24	FIT	NA	NA
57	11113	Sachin T. Jadhav	Male	26	WDT	NA	NA			13-01-24	FIT	NA	NA
58	11114	Adesh V. Gundkalle	Male	26	Distillery	NA	NA			13-01-24	FIT	NA	NA
59	11116	Suyash S. Ghatage	Male	22	Distillery	NA	NA			13-01-24	FIT	NA	NA
60	-	Yogesh V. Kumbhar	Male	28	Engineering	NA	NA			13-01-24	FIT	NA	NA

FORM 7

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114)

SHRI GURUDATT SUGARS LIMITED

(Health Register)

**CERTIFYING SURGEON
DR. ARVIND**

(In respect of persons employed in occupations declared to be dangerous operations under sections 87)

MBBS DPH AFHS

Raju Tambekar

From: { 12-01-24 To 11-01-25 }

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth -day)	Dept./of employment of present work	Date of Leaving or Transfer to Other	Reason For Leaving Transfer or Discharge	Nature of Job or Occupation	Raw Material or by Product Handled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume
1	2	3	4	5	6	7	8	9	10	11		12	
1 -		Appaso L. Latte	Male	50	Packing	NA	NA			13-01-24	FIT	NA	NA
2 -		Imran S. Kundwade	Male	35	Sugar Godwan	NA	NA			13-01-24	FIT	NA	NA
3 -		Kedar K. Nirmale	Male	26	Sugar Godwan	NA	NA			13-01-24	FIT	NA	NA
4 -		Nagesh D. Gaste	Male	28	Sugar Godwan	NA	NA			13-01-24	FIT	NA	NA

FORM 7

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X, XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114)

SHRI GURUDATT SUGARS LIMITED

(Health Register)

(In respect of persons employed in occupations declared to be dangerous operations under sections 87)

From: { 12-01-24 To 11-01-25 }

V.D.P.

**CERTIFYING SURGEON
DR. ARVIND
MBBS DPH AFHM**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth -day)	Dept of present work	Date of Leaving or Transfer to Other	Reason For Leaving or Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	Suspension with Detailed Reasons	Certified fit to resume
1	2	3	4	5	6	7	8	9	10	11	12	12	12
1	1505	Vidyasagar B. Chavan	Male	28	Engineering	NA	NA	NA		13-01-24	FIT	NA	NA
2	15034	Krishnat A. Shinde	Male	30	WTP	NA	NA	NA		13-01-24	FIT	NA	NA
3	15035	Sagar S. Patil	Male	27	Distillery	NA	NA	NA		13-01-24	FIT	NA	NA
4	15038	Mahesh B. Badame	Male	32	Distillery	NA	NA	NA		13-01-24	FIT	NA	NA
5	15039	Vinayak Rajaram Prathnahalli	Male	25	Distillery	NA	NA	NA		13-01-24	FIT	NA	NA
6	15041	Nikhil N. Patil	Male	21	Sanitation	NA	NA	NA		13-01-24	FIT	NA	NA
7	15042	Ramchandra A. Vankore	Male	32	Sanitation	NA	NA	NA		13-01-24	FIT	NA	NA
8	15043	Prakash S. Uadar	Male	39	ETP	NA	NA	NA		13-01-24	FIT	NA	NA
9	15044	Ashitosh S. Pawar	Male	24	WTP	NA	NA	NA		13-01-24	FIT	NA	NA
10	15045	Basagonda C. Patil	Male	27	WTP	NA	NA	NA		13-01-24	FIT	NA	NA
11	15051	Sourabh S. Koli	Male	25	Sanitation	NA	NA	NA		13-01-24	FIT	NA	NA
12	15052	Rakesh Tatoba Gawade	Male	24	Biofertilizer	NA	NA	NA		13-01-24	FIT	NA	NA
13	15054	Omkar Gajanan Bore	Male	26	Distillery	NA	NA	NA		13-01-24	FIT	NA	NA
14	15055	Altaf M. Tashildar	Male	24	WTP	NA	NA	NA		13-01-24	FIT	NA	NA
15	15057	Aaditya Sunil More	Male	24	WTP	NA	NA	NA		13-01-24	FIT	NA	NA
16	15058	Shoukat I. Naikwade	Male	49	Sanitation	NA	NA	NA		13-01-24	FIT	NA	NA
17	15061	Sachin S. Pakhare	Male	38	Sanitation	NA	NA	NA		13-01-24	FIT	NA	NA
18	15062	Vinayak K. Vasawade	Male	28	Caneyard	NA	NA	NA		13-01-24	FIT	NA	NA
19	15064	Prakul P. Walake	Male	31	Agriculture	NA	NA	NA		13-01-24	FIT	NA	NA
20	15071	Abhishek V. Badame	Male	25	Default	NA	NA	NA		13-01-24	FIT	NA	NA
21	15073	Pandurang B. Sutar	Male	28	Caneyard	NA	NA	NA		13-01-24	FIT	NA	NA
22	15077	Sandip R. Koli	Male	24	Electrician	NA	NA	NA		13-01-24	FIT	NA	NA
23	15079	Atul Shankar Bele	Male	23	Engineering	NA	NA	NA		13-01-24	FIT	NA	NA
24	15082	Shiddheshwar R. Gote	Male	41	Manufacturing	NA	NA	NA		13-01-24	FIT	NA	NA
25	15085	Sachin M. Chavan	Male	25	Manufacturing	NA	NA	NA		13-01-24	FIT	NA	NA
26	15087	Yugandhar Y. Shinde	Male	27	WTP	NA	NA	NA		13-01-24	FIT	NA	NA
27	15088	Shivraj R. Koli	Male	25	Engineering	NA	NA	NA		13-01-24	FIT	NA	NA

FORM 7

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X, XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114)

SHRI GURUDATT SUGARS LIMITED

(Health Register)

**CERTIFYING SURGEON
DR. ARVIND**

(In respect of persons employed in occupations declared to be dangerous operations under sections 87)

MBBS DPH AFHM

V.D.P.

From: { 12-01-24 To 11-01-25 }

Serial No.	Works No.	Name of Worker	Age (Last birth -day)	Dept of present work	Date of Leaving or Transfer to Other	Reason For Leaving or Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	Suspension with Detailed Reasons	Certified fit to resume
1	2	3	4	5	6	7	8	9	10	11	12	12
28	15090	Pradip A. Naik	Male	26	Manufacturing	NA	NA			13-01-24	FIT	NA
29	15091	Mahesh S. Mali	Male	38	Engineering	NA	NA			13-01-24	FIT	NA
30	15093	Chidanand A. Karadage	Male	36	Manufacturing	NA	NA			13-01-24	FIT	NA
31	15094	Rohan S. Patil	Male	27	Caneyard	NA	NA			13-01-24	FIT	NA
32	15096	Vithal R. Gavade	Male	27	Default	NA	NA			13-01-24	FIT	NA
33	15097	Mahesh S. Vankundre	Male	32	WTP	NA	NA			13-01-24	FIT	NA
34	15098	Abhishek S. Mang	Male	25	Manufacturing	NA	NA			13-01-24	FIT	NA
35	15099	Rakesh D. Koli	Male	30	Engineering	NA	NA			13-01-24	FIT	NA
36	15102	Rahul R. Sunger	Male	28	Engineering	NA	NA			13-01-24	FIT	NA
37	15108	Prathamesh V. Katakari	Male	27	WTP	NA	NA			13-01-24	FIT	NA
38	15110	Suraj S. Badame	Male	26	Manufacturing	NA	NA			13-01-24	FIT	NA
39	15114	Akshay D. Magdum	Male	25	WTP	NA	NA			13-01-24	FIT	NA
40	15116	Ramdas A. Vasankar	Male	22	Engineering	NA	NA			13-01-24	FIT	NA
41	15121	Subham S. Patil	Male	25	Engineering	NA	NA			13-01-24	FIT	NA
42	15131	Dhiraj U. Tavdare	Male	22	Engineering	NA	NA			13-01-24	FIT	NA
43	15132	Babu A. Koravi	Male	20	Manufacturing	NA	NA			13-01-24	FIT	NA
44	15135	Harshad V. Ugare	Male	23	Production	NA	NA			13-01-24	FIT	NA
45	15138	Shubham B. Bhatale	Male	27	Distillery	NA	NA			13-01-24	FIT	NA
46	15139	Sumit P. Jadhav Koravi	Male	23	Engineering	NA	NA			13-01-24	FIT	NA
47	15145	Vahid Babar Kurade	Male	20	Boiler	NA	NA			13-01-24	FIT	NA
48	15146	Vishal Sanjay Phandare	Male	21	Engineering	NA	NA			13-01-24	FIT	NA
49	15148	Vishal Suresh Khot	Male	25	Distillery	NA	NA			13-01-24	FIT	NA
50	15150	Anil R. Patil	Male	47	Electrician	NA	NA			13-01-24	FIT	NA
51	15161	Santosh K. Dhavale	Male	24	WTP	NA	NA			13-01-24	FIT	NA
52	15164	Shankar D. Killedar	Male	25	Sanitation	NA	NA			13-01-24	FIT	NA
53	15166	Aakash Sanjay Vadar	Male	22	Distillery	NA	NA			13-01-24	FIT	NA
54	15170	Ramchandra B. Nandikuale	Male	41	Time Office	NA	NA			13-01-24	FIT	NA

FORM 7

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X, XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114)

SHRI GURUDATT SUGARS LIMITED

(Health Register)

**CERTIFYING SURGEON
DR. ARVIND**

(In respect of persons employed in occupations declared to be dangerous operations under sections 87)

MBBS DPH AFHM

V.D.P.

From: { 12-01-24 To 11-01-25 }

Serial No.	Works No.	Name of Worker	Age (Last birth -day)	Dept of employment of present work	Date of Leaving or Transfer to Other	Reason For Leaving or Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	Suspension with Detailed Reasons	Certified fit to resume
			Sex									
1	2	3	4	5	6	7	8	9	10	11	12	
55	15175	Moshin A. Jamadar	Male	24	Manufacturing	NA	NA			13-01-24	FIT	NA
56	15177	Sushant S. Desai	Male	24	WTP	NA	NA			13-01-24	FIT	NA
57	15180	Rahul M. Pakhare	Male	23	Engineering	NA	NA			13-01-24	FIT	NA
58	15187	Gurudatt S. Koli	Male	23	Engineering	NA	NA			13-01-24	FIT	NA
59	15188	Sourabh S. Solase	Male	24	Distillery	NA	NA			13-01-24	FIT	NA
60	15189	Akshay V. Patil	Male	26	Manufacturing	NA	NA			13-01-24	FIT	NA
61	15191	Dhananjay A. Nasalapure	Male	29	Distillery	NA	NA			13-01-24	FIT	NA
62	15192	Amol P. Birange	Male	23	Distillery	NA	NA			13-01-24	FIT	NA
63	15194	Sanket R. Dangre	Male	22	WTP	NA	NA			13-01-24	FIT	NA
64	15196	Adarsh Y. Patil	Male	24	Manufacturing	NA	NA			13-01-24	FIT	NA
65	15201	Shubham S. Koli	Male	24	Electrician	NA	NA			13-01-24	FIT	NA
66	15202	Umesh B. Bawadekar	Male	29	ETP	NA	NA			13-01-24	FIT	NA
67	15204	Raj A. Patil	Male	30	Engineering	NA	NA			13-01-24	FIT	NA
68	15205	Ashok A. Koli	Male	28	Electrician	NA	NA			13-01-24	FIT	NA
69	15206	Omkar V. Patil	Male	23	WTP	NA	NA			13-01-24	FIT	NA
70	15207	Chandan N. Sahani	Male	30	Engineering	NA	NA			13-01-24	FIT	NA
71	15208	Shambhu S. Sing	Male	36	Default	NA	NA			13-01-24	FIT	NA
72	15209	Satyanand V. Gupta	Male	21	Default	NA	NA			13-01-24	FIT	NA
73	-	Abhishek Sanjay Phalle	Male	23	-	NA	NA			13-01-24	FIT	NA
74	-	Anil S. Koli	Male	48	-	NA	NA			13-01-24	FIT	NA
75	-	Pandurang A. Susavare	Male	38	-	NA	NA			13-01-24	FIT	NA
76	-	Uday S. Patil	Male	40	Boiler	NA	NA			13-01-24	FIT	NA
77	-	Prathmesh S. Chavan	Male	23	Co-Generation	NA	NA			13-01-24	FIT	NA
78	-	Kumar S. Birandage	Male	21	Distillery	NA	NA			13-01-24	FIT	NA
79	-	Sammed R. Vathare	Male	22	Electrician	NA	NA			13-01-24	FIT	NA
80	-	Sourabh S. Ugare	Male	21	Electrician	NA	NA			13-01-24	FIT	NA
81	-	Abhishek A. Ambupe	Male	21	Electrician	NA	NA			13-01-24	FIT	NA

FORM 7

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114)

SHRI GURUDATT SUGARS LIMITED

(Health Register)

(In respect of persons employed in occupations declared to be dangerous operations under sections 87)

V.D.P.

From: { 12-01-24 To 11-01-25 }

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth -day)	Dept./of employment of present work	Date of Leaving or Transfer to Other	Reason For Leaving	Nature of Job or Occupation	Raw Material or by Product Handled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume
1	2	3	4	5	6	7	8	9	10	11		12	
82 -		Shubham R. Manjare	Male	21	Engineering	NA	NA			13-01-24	FIT	NA	NA
83 -		Vijay D. Patil	Male	33	Sugar Godwan	NA	NA			13-01-24	FIT	NA	NA
84 -		Vishvajit R. Shivpure	Male	20	WTP	NA	NA			13-01-24	FIT	NA	NA
85 -		Shital S. Patil	Male	39	WTP	NA	NA			13-01-24	FIT	NA	NA
86 -		Aadarsh K. Sutar	Male	19	WTP	NA	NA			13-01-24	FIT	NA	NA
87 -		Unishabh V. Magdum	Male	24	WTP	NA	NA			13-01-24	FIT	NA	NA

CERTIFYING SURGEON
DR. ARVIND
MBBS DPH AFH

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

RED/L.S.I (R60)

Date: 08/03/2025

No:- Format1.0/CAC/UAN No.MPCB-
CONSENT-0000201881/CO/2503001218

To,
Shri Gurudatt Sugars Ltd
Gat No. 61/A, Gat No. 61/A, Takalwadi, Tal. Shirol, Dist.
-Kolhapur



Sub: 1st Consent to Operate for Spent Wash Powder / Granules Plant granted under Red Category.

- Ref:**
1. Renewal of Consent to Operate for - Format1.0/CAC/UAN No.MPCBCONSENT-0000208675/CR/2412000154 vide dt: 03/12/2024 Valid up to 31/08/2025
 2. Consent to Establish Consent to Establish for Spent wash Powder/Granules. vide no: No:- Format1.0/CAC/UAN No.MPCBCONSENT-0000180773/CE/2402000151 vide dt: 02/02/2024
 3. Environmental Clearance - EC Identification No. - EC22A022MH187153 File No. IA-J-11011/368/2022-IA-II(I) date of issue EC - 27/12/2022
 4. Minutes of 14th CAC Meeting held on vide dt: 07.01.2025 & 14.01.2025

Your application No.MPCB-CONSENT-0000201881 Dated 08.03.2024

For: Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The consent to operate is granted for a period up to 31/08/2025**
2. **The capital investment of the project is Rs.9.6942 Crs. (As per C.A Certificate submitted by industry Existing-Rs. 305.79 Crs)**
3. **Consent is valid for the manufacture of:**

Sr No	Product	Maximum Quantity	UOM
Products			
1	Spentwash Powder/Granules	192	MT/Day

4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

<i>Sr No</i>	<i>Description</i>	<i>Permitted (in CMD)</i>	<i>Standards to</i>	<i>Disposal Path</i>
1.	Trade effluent	0	As per Schedule-I	Not Applicable
2.	Domestic effluent	0	As per Schedule-I	Not Applicable

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

<i>Sr No.</i>	<i>Stack No.</i>	<i>Description of stack / source</i>	<i>Number of Stack</i>	<i>Standards to be achieved</i>
1	1	Hot Air Generator	1	As per Schedule -II

6. **Non-Hazardous Wastes:**

<i>Sr No</i>	<i>Type of Waste</i>	<i>Quantity</i>	<i>UoM</i>	<i>Treatment</i>	<i>Disposal</i>
1	N.A.	0	--NA--	N.A.	N.A.

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:**

<i>Sr No</i>	<i>Category No./ Type</i>	<i>Quantity</i>	<i>UoM</i>	<i>Treatment</i>	<i>Disposal</i>
NA					

8. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
10. Project proponent shall submit Bank Guarantee of Rs. 5 Lakhs towards compliance of consent conditions and Enviromental Clearance conditions
11. The applicant shall comply with the conditions of the Environmental Clearance granted vide letter No. EC Identification No. - EC22A022MH187153 File No. IA-J-11011/368/2022-IA-II(I) date of issue EC - 27/12/2022.
12. Industry shall install online continuous monitoring system as per CPCB guidelines & data to be transmitted directly from Data Logger to Board server .

13. This consent is issued pursuant to the decision of the 14th CAC Meeting held on vide dt: 07.01.2025 & 14.01.2025
14. The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
15. The industry shall create an Environment Cell by appointing an Environmental Engineer OR Expert for looking after day-to-day activities related to Environment OR Pollution control.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



Dinazg

b37cddb4
64254f16
fcf6bd3a
f48a8bf7
1220a522
c81ef45f
742ac0e4
d9115907

Signed by: Dr. Avinash Dhakne
Member Secretary
For and on behalf of,
Maharashtra Pollution Control Board
ms@mpcb.gov.in
2025-03-08 20:17:56 IST

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	25000.00	TXN2404000186	01/04/2024	Online Payment

Copy to:

1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Kolhapur
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. CC/CAC Desk for record & website updation purposes.

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. Conditions for Trade effluent:

- A] As per your application, the Effluent generation from expansion activity is NIL.
- B] Industry shall operate Online Continuous Emission Monitoring System (OCEMS) and shall transmit Online Continuous Emission Monitoring System (OCEMS) data to Board's server directly through the data logger without any intermediate server

2. Conditions for Sewage/ Domestic effluent:

- i. You shall provide sewage treatment plant for the treatment of 0 CMD sewage generation due to expansion and provide including disinfection facility.
- ii. The industry shall operate sewage treatment system to treat the sewage/ domestic effluent so as to achieve the standards as prescribed by the board/under EP Act, 1986 and rules made thereunder from time to time whichever is stringent.

Sr.No	Parameter	Concentration not to exceed(in mg/l except for pH
1.	pH	6.5-9.0
2.	BOD	30
3.	TSS	100

- iii. The sewage shall be treated by using septic tank and soak pit and overflow if any shall be used on-land for gardening/irrigation.

5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	0.50
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S%	SO₂
1	Hot Air Generator	WET Scrubber	28	Bagasse	2083 Kg/Hr	0.20	50.00

2. Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.
3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³
--------------------	---------------	------------------------

6. Storage of raw materials, coal etc. shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.
7. The industry shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality /fugitive emissions to Regional Office MPCB.
8. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
9. Industry shall provide Online Continuous Emission Monitoring System (OCEMS) i.e. flow meter and night vision camera to ensure the Zero Liquid Discharge (ZLD) of spent wash and OCEMS for Boiler stack for PM parameter.

SCHEDULE-III

Details of Bank Guarantees:

Sr. No	Consent (C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	1st Consent to Operate	Rs. 5 Lakh	Submit / extend in 15 days	For compliance of consent conditions	31/08/2025	28/02/2026

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				



SCHEDULE-IV
General Conditions:

1. The Energy source for lighting purpose shall preferably be LED based
2. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
3. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
4. The applicant shall maintain good housekeeping.
5. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
6. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
7. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding upon you.
8. The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
9. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
10. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.
11. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.

12. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
13. You shall operate OCEMS installed for source emission round 'O' clock and transmit data online to CPCB and MPCB server. You shall also monitor effluent quality, stack emissions and ambient air quality monthly/quarterly. You shall conduct Dioxin Furan monitoring by third party NABL Accredited agency once in year and submit report to Sub Regional Officer.
14. You shall ensure collection, and segregation of BMW regularly to treat and dispose Off within 48 hrs from generation.
15. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
16. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
17. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
18. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
19. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport the Bio Medical waste for any other purpose without obtaining prior written permission of the MPC Board.
20. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
21. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
22. The industry should not cause any nuisance in surrounding area.
23. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
24. You shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the facility premises.

25. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
26. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto
27. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
28. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
29. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.
30. The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
31. You should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly. You shall conduct Dioxin Furan monitoring by third party NABL Accredited agency once in every year and submit report to Sub Regional Officer.
32. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
33. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
34. You shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

35. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
36. You shall create the Environmental Cell by appointing an Environmental Engineer and Chemist for looking after day-to-day activities related to compliance of CCA.
37. You should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 , Bio Medical Waste Management Rules,2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year in Form-IV by 30th June of every year

This certificate is digitally & electronically signed.



MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

RED/L.S.I (R60)
**No:- Format1.0/CAC/UAN No.MPCB-
CONSENT-0000208675/CR/2412000154**

Date: 03/12/2024

To,
Shri Gurudatt Sugars Ltd.,
61/A,Gat No 61/A, Tal: Shirol, Dist: Kolhapur



Sub: Renewal of Consent to Operate for 225 KLPD Distillery Unit granted under Red Category.

- Ref:**
1. Renewal of consent to operate granted by the Board vide no. No:- Format1.0/CAC/UAN No.MPCB-CONSENT-0000170859/CR/2308000522 vide dt: 08/08/2023 valid up to: 31/08/2024
 2. Environmental Clearance vide no. - F. No-J-11011/41/2015-IA-II(I) DTD. 07.06.2019 and MoEFCC Notification dtd. 16.01.2020 & 02.03.2021.
 3. Environmental Clearance vide No. F. No. IA-J-11011/368/2022-IA-II(I) dated: 27.12.2022. for expansion of distillery from 150 KLPD Molasses to 400 KLPD Molasses Based Distillery / 400 KLPD Grain based Distillery producing Ethanol for EBP
 4. Minutes of 8th CAC Meeting held on dt: 04/10/2024

Your application No.MPCB-CONSENT-0000208675 Dated 09.05.2024

For: Consent to Renewal under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The consent to renewal is granted for a period up to 31/08/2025**
2. **The capital investment of the project is Rs.305.7900 Crs. (As per C.A Certificate submitted by industry 302.6745 Crs + 3.12 Crs)**
3. **Consent is valid for the manufacture of:**

Sr No	Product	Maximum Quantity	UOM
Products			
1	Rectified Spirit (Captive)/ Denatured Spirit (Captive)	225	KL/D
2	Extra Neutral Alcohol OR	139.5	KL/D
3	Ethanol	213.75	KL/D
4	Impure Spirit /Technical Alcohol	15.75	KL/D

Sr No	Product	Maximum Quantity	UOM
5	Fusel Oil	11.25	KL/D
6	Electricity	5.5	MW

PP shall comply with all the conditions in MoEFCC notification dated 16.01.2020 & 2.03.2021 & distillery capacity shall not exceed to 225 KLPD.

4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to	Disposal Path
1.	Trade effluent	1200	As per Schedule-I	Bio-digester, MEE & incineration Boiler to achieve ZLD.
2.	Domestic effluent	0.8	As per Schedule-I	On land for gardening

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

Sr No.	Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
1	1	Incineration boiler (22 TPH)	1	As per Schedule -II

6. **Non-Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Ash	16	MT/Day	-	Manure
2	Distillery sludge	12	MT/A	Composting	Manure

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:**

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
1	5.1 Used or spent oil	10	Ltr/M	Recycle	Sale to authorized recycler

8. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
10. The applicant shall comply with the conditions of the Environmental Clearance granted vide letter No. F. No-J-11011/41/2015-IA-II(I) DTD. 07.06.2019 and ensure display/upload of six-monthly compliance monitoring report on your official website.
11. PP shall ensure uninterrupted connectivity of OCEMS to Board server directly through data logger.
12. PP shall not increase consented Cane Crushing Capacity at any given time for sugar unit.
13. PP shall comply with all the conditions in MoEFCC notification dated 16.01.2020 & 2.03.2021.

14. Industry shall submit/extend Bank Guarantee of Rs. 25.0 Lakh towards Compliance of Consent conditions and O&M of Pollution Control System
15. This consent is issued pursuant to the decision of the 8th Consent Appraisal Committee Meeting held on dt: 04/10/2024
16. Project proponent shall comply with conditions stipulated in the Environmental Clearance vide No. F. No. IA-J-11011/368/2022-IA-II(I) dated: 27.12.2022. for expansion of distillery from 150 KLPD Molasses to 400 KLPD Molasses Based Distillery / 400 KLPD Grain based Distillery producing Ethanol for EBP
17. The applicant shall make an application for renewal of consent 60 days prior to date of expiry of the consent. (Operate/Renewal)
18. The industry shall create an Environment Cell by appointing an Environmental Engineer / Expert for looking after day-to-day activities related to Environment / Pollution control.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



d0b8c660
9dc1a551
35c99666
b7013e07
f0869fec
8993ce7f
67088a60
36bd2558

Signed by: Dr.Avinash Dhakne
Member Secretary
For and on behalf of,
Maharashtra Pollution Control Board
ms@mpcb.gov.in
2024-12-03 17:02:34 IST

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	611580.00	TXN2406002208	12/06/2024	Online Payment
2	15000.00	TXN2409003148	24/09/2024	Online Payment

Copy to:

1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Kolhapur
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. CC/CAC Desk for record & website updation purposes.

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. Conditions for Trade effluent:

- A] As per your application, Spent wash generation after using C-heavy molasses (150 KLPD) is 1200 CMD (after MEE- 300 CMD) and after using B-heavy molasses & syrup (225 KLPD) will be 1325 CMD (after MEE- 270 CMD). For treatment of same you have provided Bio- digester MEE for volume reduction followed by Incineration Boiler for achieving zero discharge. In no case spent wash shall discharge outside the factory premises/ on land / into stream directly or indirectly.
- B] Industry shall operate Online Continuous Emission Monitoring System (OCEMS) and shall transmit Online Continuous Emission Monitoring System (OCEMS) data to Board's server directly through the data logger without any intermediate server

2. Conditions for Sewage/ Domestic effluent:

- i. You shall provide sewage treatment plant for the treatment of 0.8 CMD sewage generation due to expansion and provide including disinfection facility.
- ii. The industry shall operate sewage treatment system to treat the sewage/ domestic effluent so as to achieve the standards as prescribed by the board/under EP Act, 1986 and rules made thereunder from time to time whichever is stringent.

Sr.No	Parameter	Concentration not to exceed(in mg/l except for pH)
1.	pH	6.5-9.0
2.	BOD	30
3.	TSS	100

- iii. The sewage shall be treated by using septic tank and soak pit and overflow if any shall be used on-land for gardening/irrigation.
4. The operation of distillery should be restricted for the days mentioned in EC in a year and take adequate precaution during rainy season.
5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	1.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	1350.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0

Fresh water consumption will be restricted as per EC.

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S%	SO₂
1	Incineration Boiler (22 TPH)	ESP	82	Slope 300 CMD + Coal	50 MT/Day	0.50	500.00

2. Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.
3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³
--------------------	---------------	------------------------

6. Storage of raw materials, coal etc. shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.
7. The industry shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality /fugitive emissions to Regional Office MPCB.
8. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
9. Industry shall provide Online Continuous Emission Monitoring System (OCEMS) i.e. flow meter and night vision camera to ensure the Zero Liquid Discharge (ZLD) of spent wash and OCEMS for Boiler stack for PM parameter.

SCHEDULE-III

Details of Bank Guarantees:

Sr. No	Consent (C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	Renewal of consent to operate	Rs. 25 Lakhs	submit/extend	Towards O & M of PCS and compliance of consent conditions.	31.08.2025	28.02.2026

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				



SCHEDULE-IV
General Conditions:

1. The Energy source for lighting purpose shall preferably be LED based
2. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
3. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
4. The applicant shall maintain good housekeeping.
5. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
6. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
7. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding upon you.
8. The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
9. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
10. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.

11. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
12. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
13. You shall operate OCEMS installed for source emission round 'O' clock and transmit data online to CPCB and MPCB server. You shall also monitor effluent quality, stack emissions and ambient air quality monthly/quarterly. You shall conduct Dioxin Furan monitoring by third party NABL Accredited agency once in year and submit report to Sub Regional Officer.
14. You shall ensure collection, and segregation of BMW regularly to treat and dispose Off within 48 hrs from generation.
15. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
16. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
17. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
18. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
19. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport the Bio Medical waste for any other purpose without obtaining prior written permission of the MPC Board.
20. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
21. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
22. The industry should not cause any nuisance in surrounding area.
23. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
24. You shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the facility premises.

25. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
26. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto
27. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
28. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
29. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.
30. The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
31. You should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly. You shall conduct Dioxin Furan monitoring by third party NABL Accredited agency once in every year and submit report to Sub Regional Officer.
32. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
33. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.

34. You shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
35. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
36. You shall create the Environmental Cell by appointing an Environmental Engineer and Chemist for looking after day-to-day activities related to compliance of CCA.
37. You should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 , Bio Medical Waste Management Rules,2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year in Form-IV by 30th June of every year

This certificate is digitally & electronically signed.



F. No.J-11011/41/2015-IA-II(I)
Government of India
Ministry of Environment, Forest and Climate Change
IA Division

Indira Paryavaran Bhawan
Jor bagh Road, New Delhi - 3
Dated: 7th June, 2019

To,

M/s Shri Gurudatt Sugars Ltd,
Gat No. 61/A, Akiwat Takaliwadi Road,
Taluka Shirol,
District **Kolhapur** (Maharashtra)

Sub: Expansion of sugar & co-generation power plant and setting up molasses based distillery by M/s Shri Gurudatt Sugars Ltd at Gat No.61/A, Taluka Shirol, District Kolhapur (Maharashtra) - Environmental Clearance - reg.

Sir,

This has reference to your online proposal No.IA/MH/IND2/59911/2014 dated 27th January, 2019 for environmental clearance to the above project.

2. The Ministry of Environment, Forest and Climate Change has examined the proposal for environmental clearance to the project for expansion of sugar plant from 6000 to 13000 TCD, co-generation power plant from 21 to 90 MW, and setting up molasses based distillery of 150 KLPD in existing area of 55 acres by M/s Shri Gurudatt Sugars Ltd at Gat No.61/A, Akiwat Takaliwadi Road, Taluka Shirol, District Kolhapur (Maharashtra).

3. The details of existing/proposed products are as under:-

S. No.	Products	Existing	Proposed	Total
1.	Sugar Unit	6000 TCD	7000 TCD	13000 TCD
2.	Co-Generation Unit	21 MW	69 MW	90 MW
3.	Distillery Unit	Nil	150 KLPD	150 KLPD
4.	Refined Sugar	Nil	1755 TPD	1755 TPD

4. Existing land area is 222577 m² (55 acres). No additional land shall be required for the proposed expansion. Green belt will be developed in 33% i.e. 73449 sqm out of the total project area. The estimated project cost is Rs.350 Crore. Total capital cost earmarked towards environmental pollution control measures is Rs.19.6 Crore and the recurring cost (O&M) will be about Rs.167.5 Lack per annum. Total Employment will be 300 persons as direct & 500 persons indirect.

5. There are no National Parks, Wildlife Sanctuaries, Biosphere Reserves, Tiger/Elephant Reserves and Wildlife Corridors etc. within 10 km distance from the project site. Krishna River flows at distance of 4 km in the West.

6. Total fresh water requirement of 760 m³/day is proposed to be met from Krishna River. Approval in this regard has been obtained from the Chief Engineer, Irrigation Department, Kolhapur (Maharashtra).



Effluent of 1300 m³/day from sugar and co-gen unit will be treated through ETP consisting of primary, secondary and tertiary treatment units, followed by Condensate Polishing Unit. The effluent of 1350 m³/day from distillery unit will be sent to MEE, and the concentrated spent wash would be fed to incineration boiler. There will be no discharge of treated/untreated waste water from the unit, and thus ensuring Zero Liquid Discharge.

Two multi fuel boilers of 120 TPH capacity each and one Multi fuel boiler of 60 TPH will be installed. Electrostatic Precipitator with a stack of height of 70 m each for 120 TPH capacity boiler and 90 m for 60 TPH boiler will be installed to control the particulate emissions within the statutory limits of 150 mg/Nm³.

7. The project/activity is covered under category A of item 5 (g) 'Distilleries', 1(d) 'Thermal Power Plants' and category B of item 5(j) 'Sugar Industry' of the Schedule to the EIA Notification, 2006 and requires consideration at central level in the Ministry.

8. Standard Terms of Reference for the project was granted on 17th August, 2017. Public hearing was conducted by the State Pollution Control Board on 5th December 2018.

9. The proposal for environmental clearance was considered by the EAC (Industry-2) in its meetings held on 8-9 April, 2019. The project proponent and their consultant presented the EIA/EMP report. The Committee found the EIA/EMP report to be satisfactory, complying with the ToR, and recommended the project for grant of environmental clearance.

10. Based on the proposal submitted by the project proponent and recommendations of the EAC (Industry-2), Ministry of Environment, Forest and Climate Change hereby accords environmental clearance to the project for **expansion of sugar plant from 6000 to 13000 TCD, co-generation power plant from 21 to 90 MW, and setting up molasses based distillery of 150 KLPD** by M/s Shri Gurudatt Sugars Ltd at Gat No.61/A, Akiwat Takaliwadi Road, Taluka Shirol, District Kolhapur (Maharashtra), under the provisions of the EIA Notification, 2006, and the amendments therein, subject to compliance of the terms and conditions as under:-

(a) Prior approval shall be obtained from PESO for site and layout plan of storage facilities (Petroleum storage Class A installation).

(b) Necessary permission as mandated under the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, shall be obtained from the State Pollution Control Board as required.

(c) As already committed by the project proponent, Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises.

(d) Necessary authorization required under the Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016, Solid Waste Management Rules, 2016 shall be obtained and the provisions contained in the Rules shall be strictly adhered to.

(e) To control source and the fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and/or the NAAQS. The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.

(f) Coal less than 0.5% sulphur content shall be used as fuel in boiler.



- (g) Total fresh water requirement shall not exceed 760 cum/day proposed to be met from Krishna River. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard.
- (h) Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm and the solvent transfer through pumps.
- (i) Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed off to the TSDF.
- (j) The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.
- (k) The company shall undertake waste minimization measures as below:-
- (i) Metering and control of quantities of active ingredients to minimize waste.
 - (ii) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes.
 - (iii) Use of automated filling to minimize spillage.
 - (iv) Use of Close Feed system into batch reactors.
 - (v) Venting equipment through vapour recovery system.
 - (vi) Use of high pressure hoses for equipment clearing to reduce wastewater generation.
- (l) The green belt of 5-10 m width shall be developed in more than 33% of the total project area, mainly along the plant periphery, in downward wind direction, and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department.
- (m) All the commitments made regarding issues raised during the public hearing/consultation meeting shall be satisfactorily implemented.
- (n) At least 0.75% of the total project cost shall be allocated for Corporate Environment Responsibility (CER) and item-wise details along with time bound action plan shall be prepared and submitted to the Ministry's Regional Office.
- (o) For the DG sets, emission limits and the stack height shall be in conformity with the extant regulations and the CPCB guidelines. Acoustic enclosure shall be provided to DG set for controlling the noise pollution.
- (p) The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms.
- (q) Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
- (r) There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places.
- (s) Storage of raw materials shall be done either in silos or covered areas to prevent dust pollution and other fugitive emissions.

SKJ

(t) Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.

(u) CO₂ generated from the process shall be bottled/made solid ice and sold to authorized vendors.

(v) There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places.

10.1 The grant of Environmental Clearance is further subject to compliance of other generic conditions as under:-

(i) The project authorities must strictly adhere to the stipulations made by the state Pollution Control Board (SPCB), State Government and/ or any other statutory authority.

(ii) No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.

(iii) The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations each is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.

(iv) The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be complied with.

(v) The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).

(vi) The Company shall harvest rainwater from the roof tops of the buildings to recharge ground water, and to utilize the same for different industrial operations within the plant.

(vii) Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis.

(viii) The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, risk mitigation measures and public hearing shall be implemented.

SKD

(ix) The company shall undertake all measures for improving socio-economic conditions of the surrounding area. CSR activities shall be undertaken by involving local villagers, administration and other stake holders. Also eco-developmental measures shall be undertaken for overall improvement of the environment.

(x) A separate Environmental Management Cell equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.

(xi) The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.

(xii) A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zila Parishad/ Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.

(xiii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.

(xiv) The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional offices of MoEF&CC by e-mail.

(xv) The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at <http://moef.nic.in>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional office of the Ministry.

11. The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.

12. The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Water Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991, read with subsequent amendments therein.


7/6/2019
(S. K. Srivastava)
Scientist E

Copy to: -

1. The Principal Secretary, Environment Department, Government of Maharashtra, 15th Floor, New Administrative Building, Mantralaya, **Mumbai** (Maharashtra) – 32
2. The Additional Principal Chief Conservator of Forests, Regional Office (WCZ), Ministry of Environment, Forest and Climate Change, **Nagpur** (Maharashtra)
3. The Member Secretary, Central Pollution Control Board Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, **Delhi** - 32
4. The Member Secretary, Maharashtra Pollution Control Board, Kalpataru Point, 3rd and 4th floor, Opp. Cine Planet, Sion Circle, **Mumbai** - 22
5. Monitoring Cell, Ministry of Environment, Forest and Climate Change, Indira Paryavaran Bhawan, Jor Bagh Road, **New Delhi** - 3
6. Guard File/Monitoring File/Record File


7/6/2019
(S. K. Srivastava)
Scientist E